Edward R Atwill

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6541748/publications.pdf

Version: 2024-02-01

56 papers

1,974 citations

331670 21 h-index 265206 42 g-index

56 all docs 56 docs citations

56 times ranked 1975 citing authors

#	Article	IF	CITATIONS
1	<i>Escherichia coli</i> O157:H7 in Feral Swine near Spinach Fields and Cattle, Central California Coast1. Emerging Infectious Diseases, 2007, 13, 1908-1911.	4.3	378
2	Linking social and pathogen transmission networks using microbial genetics in giraffe (<i><scp>G</scp>iraffa camelopardalis</i>). Journal of Animal Ecology, 2014, 83, 406-414.	2.8	177
3	Occurrence of generic Escherichia coli, E. coli O157 and Salmonella spp. in water and sediment from leafy green produce farms and streams on the Central California coast. International Journal of Food Microbiology, 2013, 165, 65-76.	4.7	138
4	Development of a Robust Method for Isolation of Shiga Toxin-Positive Escherichia coli (STEC) from Fecal, Plant, Soil and Water Samples from a Leafy Greens Production Region in California. PLoS ONE, 2013, 8, e65716.	2.5	114
5	Comanaging fresh produce for nature conservation and food safety. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 11126-11131.	7.1	79
6	Transport of <i>Cryptosporidium parvum</i> Oocysts through Vegetated Buffer Strips and Estimated Filtration Efficiency. Applied and Environmental Microbiology, 2002, 68, 5517-5527.	3.1	74
7	Fecal Shedding of Zoonotic Food-Borne Pathogens by Wild Rodents in a Major Agricultural Region of the Central California Coast. Applied and Environmental Microbiology, 2013, 79, 6337-6344.	3.1	73
8	Quantifying microbe transmission networks for wild and domestic ungulates in Kenya. Biological Conservation, 2014, 169, 136-146.	4.1	66
9	Transfer of Escherichia coliO157:H7 from Simulated Wildlife Scat onto Romaine Lettuce during Foliar Irrigation. Journal of Food Protection, 2015, 78, 240-247.	1.7	57
10	Network structure and prevalence of Cryptosporidium in Belding's ground squirrels. Behavioral Ecology and Sociobiology, 2013, 67, 1951-1959.	1.4	52
11	Efficacy of Vegetated Buffer Strips for Retaining <i>Cryptosporidium parvum </i> Environmental Quality, 2004, 33, 2243-2251.	2.0	47
12	Comparison of Sensitivity of Immunofluorescent Microscopy to That of a Combination of Immunofluorescent Microscopy and Immunomagnetic Separation for Detection of <i>Cryptosporidium parvum</i> Oocysts in Adult Bovine Feces. Applied and Environmental Microbiology, 1999, 65, 3236-3239.	3.1	41
13	Water Quality Conditions Associated with Cattle Grazing and Recreation on National Forest Lands. PLoS ONE, 2013, 8, e68127.	2.5	40
14	Seasonal Shedding of Multiple Cryptosporidium Genotypes in California Ground Squirrels () Tj ETQq0 0 0 rgBT /Ov	verlock 10	Tf 50 222 To
15	Quantitative Shedding of Two Genotypes of Cryptosporidium parvum in California Ground Squirrels () Tj ETQq1 1	0,784314 3.1	rgBT /Overlo
16	Efficacy of Natural Grassland Buffers for Removal of Cryptosporidium parvum in Rangeland Runoff. Journal of Food Protection, 2006, 69, 177-184.	1.7	34
17	Cryptosporidium rubeyi n. sp. (Apicomplexa: Cryptosporidiidae) in multiple Spermophilus ground squirrel species. International Journal for Parasitology: Parasites and Wildlife, 2015, 4, 343-350.	1.5	34
18	Environmental Load of Cryptosporidium parvum Oocysts from Cattle Manure in Feedlots from the Central and Western United States. Journal of Environmental Quality, 2006, 35, 200-206.	2.0	31

#	Article	IF	Citations
19	Affiliation and disease risk: social networks mediate gut microbial transmission among rhesus macaques. Animal Behaviour, 2019, 151, 131-143.	1.9	28
20	Seasonal Temperature Fluctuations Induces Rapid Inactivation of Cryptosporidium parvum. Environmental Science & Environmental	10.0	24
21	Spatiotemporal Variability in Microbial Quality of Western US Agricultural Water Supplies: A Multistate Study. Journal of Environmental Quality, 2018, 47, 939-948.	2.0	24
22	Experimental In-Field Transfer and Survival of Escherichia coli from Animal Feces to Romaine Lettuce in Salinas Valley, California. Microorganisms, 2019, 7, 408.	3.6	22
23	Spatial and temporal variability of bacterial indicators and pathogens in six California reservoirs during extreme drought. Water Research, 2018, 129, 436-446.	11.3	21
24	Cross-Sectional Survey of Indicator and Pathogenic Bacteria on Vegetables Sold from Asian Vendors at Farmers' Markets in Northern California. Journal of Food Protection, 2015, 78, 602-608.	1.7	19
25	Longitudinal prevalence and molecular typing of Escherichia coli O157:H7 by use of multiple-locus variable-number tandem-repeat analysis and pulsed-field gel electrophoresis in fecal samples collected from a range-based herd of beef cattle in California. American Journal of Veterinary Research, 2010, 71, 1339-1347.	0.6	18
26	Spatial and Temporal Dynamics of Fecal Coliform and <i>Escherichia coli</i> Associated with Suspended Solids and Water within Five Northern California Estuaries. Journal of Environmental Quality, 2013, 42, 229-238.	2.0	18
27	Assessment of Bacterial Accumulation and Environmental Factors in Sentinel Oysters and Estuarine Water Quality from the Phang Nga Estuary Area in Thailand. International Journal of Environmental Research and Public Health, 2018, 15, 1970.	2.6	18
28	Multiple Unique <i>Cryptosporidium</i> Isolates from Three Species of Ground Squirrels () Tj ETQq0 0 0 rgBT /O Environmental Microbiology, 2010, 76, 8269-8276.	verlock 10 3.1	Tf 50 387 Td 17
29	Effect of Daily Temperature Fluctuation during the Cool Season on the Infectivity of <i>Cryptosporidium parvum</i> . Applied and Environmental Microbiology, 2010, 76, 989-993.	3.1	17
30	Analysis of matrix effects critical to microbial transport in organic wasteâ€affected soils across laboratory and field scales. Water Resources Research, 2012, 48, .	4.2	16
31	Monitoring bacterial indicators of water quality in a tidally influenced delta: A Sisyphean pursuit. Science of the Total Environment, 2017, 578, 346-356.	8.0	16
32	Prevalence and Genomic Characterization of Escherichia coli O157:H7 in Cow-Calf Herds throughout California. Applied and Environmental Microbiology, 2017, 83, .	3.1	14
33	Multistate Evaluation of Microbial Water and Sediment Quality from Agricultural Recovery Basins. Journal of Environmental Quality, 2016, 45, 657-665.	2.0	13
34	DNA Sequence Similarity between California Isolates of Cryptosporidium parvum. Applied and Environmental Microbiology, 1998, 64, 1584-1586.	3.1	12
35	Watershed research examines rangeland management effects on water quality. California Agriculture, 2001, 55, 64-71.	0.8	12
36	Association between herd management practices and antimicrobial resistance in Salmonella spp. from cull dairy cattle in Central California. PeerJ, 2019, 7, e6546.	2.0	12

#	Article	IF	Citations
37	Quantifying the Sensitivity of Scent Detection Dogs To Identify Fecal Contamination on Raw Produce. Journal of Food Protection, 2014, 77, 6-14.	1.7	11
38	Inactivation of Escherichia coli O157:H7 on Romaine Lettuce When Inoculated in a Fecal Slurry Matrix. Journal of Food Protection, 2017, 80, 792-798.	1.7	11
39	Quantitative Shedding of Multiple Genotypes of Cryptosporidium and Giardia by Deer Mice (Peromyscus maniculatus) in a Major Agricultural Region on the California Central Coast. Journal of Food Protection, 2017, 80, 819-828.	1.7	11
40	Bacterial diversity and potential risk factors associated with <i>Salmonella</i> contamination of seafood products sold in retail markets in Bangkok, Thailand. PeerJ, 2021, 9, e12694.	2.0	11
41	Management of Microbial Contamination in Storm Runoff from California Coastal Dairy Pastures. Journal of Environmental Quality, 2010, 39, 1782-1789.	2.0	10
42	Detection and analysis of indicator and pathogenic bacteria in conventional and organic fruits and vegetables sold in retail markets. Food Quality and Safety, 2022, 6, .	1.8	10
43	Microbiological safety of popular recreation swimming sites in Central California. Environmental Monitoring and Assessment, 2019, 191, 456.	2.7	9
44	Microbiological Contamination of Strawberries from U-Pick Farms in Guangzhou, China. International Journal of Environmental Research and Public Health, 2019, 16, 4910.	2.6	9
45	Assessing Transmission of Antimicrobial-Resistant Escherichia coli in Wild Giraffe Contact Networks. Applied and Environmental Microbiology, 2019, 85, .	3.1	9
46	Environmental inactivation and irrigation-mediated regrowth of <i>Escherichia coli</i> O157:H7 on romaine lettuce when inoculated in a fecal slurry matrix. PeerJ, 2019, 7, e6591.	2.0	9
47	Elevation and vegetation determine Cryptosporidium oocyst shedding by yellow-bellied marmots (Marmota flaviventris) in the Sierra Nevada Mountains. International Journal for Parasitology: Parasites and Wildlife, 2015, 4, 171-177.	1.5	7
48	Modelling of Indicator Escherichia coli Contamination in Sentinel Oysters and Estuarine Water. International Journal of Environmental Research and Public Health, 2019, 16, 1971.	2.6	7
49	Prevalence and Genotypes of Cryptosporidium in Wildlife Populations Co-Located in a Protected Watershed in the Pacific Northwest, 2013 to 2016. Microorganisms, 2020, 8, 914.	3.6	7
50	Dynamic changes in fecal bacterial microbiota of dairy cattle across the production line. BMC Microbiology, 2022, 22, 132.	3.3	7
51	Bayesian estimation of diagnostic accuracy of fecal culture and PCR-based tests for the detection of <i>Salmonella enterica /i> in California cull dairy cattle. PeerJ, 2020, 8, e8310.</i>	2.0	4
52	An Insight into Surface Topographical Parameters and Bacterial Adhesion: A Case Study of Listeria monocytogenes Scott A Attachment on 304 Stainless Steel. Journal of Food Protection, 2020, 83, 426-433.	1.7	3
53	Bacterial pathogens and factors associated with <i>Salmonella</i> contamination in hybrid red tilapia (<i>Oreochromis</i> spp.) cultivated in a cage culture system. Food Quality and Safety, 2022, 6, .	1.8	3
54	Dairy management practices associated with multi-drug resistant fecal commensals and <i>Salmonella</i> in cull cows: a machine learning approach. PeerJ, 2021, 9, e11732.	2.0	2

#	Article	lF	CITATIONS
55	Comparative Pathogenicity of Wildlife and Bovine Escherichia coli O157:H7 Strains in Experimentally Inoculated Neonatal Jersey Calves. Veterinary Sciences, 2018, 5, 88.	1.7	1
56	Statewide Cross-Sectional Survey of Cryptosporidium and Giardia in California Cow-Calf Herds. Rangeland Ecology and Management, 2019, 72, 461-466.	2.3	1