Peter M Howley

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6543863/publications.pdf Version: 2024-02-01



DETED M HOWLEY

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Identification of MicroRNAs That Stabilize p53 in Human Papillomavirus-Positive Cancer Cells. Journal of Virology, 2022, 96, JVI0186521. | 3.4 | 2 |
| 2 | Live cell, image-based high-throughput screen to quantitate p53 stabilization and viability in human papillomavirus positive cancer cells. Virology, 2021, 560, 96-109. | 2.4 | 3 |
| 3 | Network Analysis of UBE3A/E6AP-Associated Proteins Provides Connections to Several Distinct Cellular Processes. Journal of Molecular Biology, 2018, 430, 1024-1050. | 4.2 | 32 |
| 4 | The Human Papillomavirus E6 Oncoprotein Targets USP15 and TRIM25 To Suppress RIG-I-Mediated Innate Immune Signaling. Journal of Virology, 2018, 92, . | 3.4 | 97 |
| 5 | Angelman syndrome–associated point mutations in the Zn2+-binding N-terminal (AZUL) domain of UBE3A ubiquitin ligase inhibit binding to the proteasome. Journal of Biological Chemistry, 2018, 293, 18387-18399. | 3.4 | 29 |
| 6 | The SMC5/6 Complex Interacts with the Papillomavirus E2 Protein and Influences Maintenance of Viral Episomal DNA. Journal of Virology, 2018, 92, . | 3.4 | 34 |
| 7 | Merkel cell polyomavirus recruits MYCL to the EP400 complex to promote oncogenesis. PLoS Pathogens, 2017, 13, e1006668. | 4.7 | 84 |
| 8 | High-Risk Human Papillomavirus E7 Proteins Target PTPN14 for Degradation. MBio, 2016, 7, . | 4.1 | 81 |
| 9 | Comprehensive Genomic Profiling of Advanced Penile Carcinoma Suggests a High Frequency of Clinically Relevant Genomic Alterations. Oncologist, 2016, 21, 33-39. | 3.7 | 69 |
| 10 | Papillomavirus E7 Oncoproteins Share Functions with Polyomavirus Small T Antigens. Journal of Virology, 2015, 89, 2857-2865. | 3.4 | 17 |
| 11 | Beta genus papillomaviruses and skin cancer. Virology, 2015, 479-480, 290-296. | 2.4 | 153 |
| 12 | Proteomic Analysis and Identification of Cellular Interactors of the Giant Ubiquitin Ligase HERC2. Journal of Proteome Research, 2015, 14, 953-966. | 3.7 | 45 |
| 13 | Infectious Agents and Cancer. , 2015, , 79-102.e4. | | 1 |
| 14 | Gordon Wilson Lecture: Infectious Disease Causes of Cancer: Opportunities for Prevention and Treatment. Transactions of the American Clinical and Climatological Association, 2015, 126, 117-32. | 0.5 | 10 |
| 15 | Human Papillomavirus E6 Triggers Upregulation of the Antiviral and Cancer Genomic DNA Deaminase APOBEC3B. MBio, 2014, 5, . | 4.1 | 172 |
| 16 | Genus Beta Human Papillomavirus E6 Proteins Vary in Their Effects on the Transactivation of p53 Target Genes. Journal of Virology, 2014, 88, 8201-8212. | 3.4 | 40 |
| 17 | NSD3–NUT Fusion Oncoprotein in NUT Midline Carcinoma: Implications for a Novel Oncogenic Mechanism. Cancer Discovery, 2014, 4, 928-941. | 9.4 | 192 |
| 18 | SMCX and components of the TIP60 complex contribute to E2 regulation of the HPV E6/E7 promoter. Virology, 2014, 468-470, 311-321. | 2.4 | 32 |

| # | Article | lF | CITATIONS |
|----|--|-----|-----------|
| 19 | Proteomic approaches to the study of papillomavirus–host interactions. Virology, 2013, 435, 57-69. | 2.4 | 60 |
| 20 | Cutaneous β-human papillomavirus E6 proteins bind Mastermind-like coactivators and repress Notch signaling. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, E1473-80. | 7.1 | 119 |
| 21 | Identification and Proteomic Analysis of Distinct UBE3A/E6AP Protein Complexes. Molecular and Cellular Biology, 2012, 32, 3095-3106. | 2.3 | 91 |
| 22 | Comprehensive Analysis of Host Cellular Interactions with Human Papillomavirus E6 Proteins Identifies New E6 Binding Partners and Reflects Viral Diversity. Journal of Virology, 2012, 86, 13174-13186. | 3.4 | 178 |
| 23 | Systematic identification of interactions between host cell proteins and E7 oncoproteins from diverse human papillomaviruses. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, E260-7. | 7.1 | 182 |
| 24 | The Brd4 Extraterminal Domain Confers Transcription Activation Independent of pTEFb by Recruiting Multiple Proteins, Including NSD3. Molecular and Cellular Biology, 2011, 31, 2641-2652. | 2.3 | 450 |
| 25 | NCoR1 Mediates Papillomavirus E8^E2C Transcriptional Repression. Journal of Virology, 2010, 84, 4451-4460. | 3.4 | 39 |
| 26 | Genome-wide siRNA screen identifies SMCX, EP400, and Brd4 as E2-dependent regulators of human papillomavirus oncogene expression. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 3752-3757. | 7.1 | 143 |
| 27 | Regulation of Aurora B Expression by the Bromodomain Protein Brd4. Molecular and Cellular Biology, 2009, 29, 5094-5103. | 2.3 | 59 |
| 28 | The Ubiquitin-Specific Peptidase USP15 Regulates Human Papillomavirus Type 16 E6 Protein Stability. Journal of Virology, 2009, 83, 8885-8892. | 3.4 | 63 |
| 29 | Brd4 Regulation of Papillomavirus Protein E2 Stability. Journal of Virology, 2009, 83, 8683-8692. | 3.4 | 40 |
| 30 | Small DNA tumor viruses: Large contributors to biomedical sciences. Virology, 2009, 384, 256-259. | 2.4 | 72 |
| 31 | Characterization of papillomavirus E1 helicase mutants defective for interaction with the SUMO-conjugating enzyme Ubc9. Virology, 2009, 395, 190-201. | 2.4 | 11 |
| 32 | Cell-type specific transcriptional activities among different papillomavirus long control regions and their regulation by E2. Virology, 2009, 395, 161-171. | 2.4 | 23 |
| 33 | Components of the ubiquitin-proteasome pathway compete for surfaces on Rad23 family proteins. BMC Biochemistry, 2008, 9, 4. | 4.4 | 24 |
| 34 | CDYL Bridges REST and Histone Methyltransferases for Gene Repression and Suppression of Cellular Transformation. Molecular Cell, 2008, 32, 718-726. | 9.7 | 133 |
| 35 | Infectious Agents and Cancer. , 2008, , 67-89. | | 0 |
| 36 | E6AP Ubiquitin Ligase Mediates Ubiquitylation and Degradation of Hepatitis C Virus Core Protein. Journal of Virology, 2007, 81, 1174-1185. | 3.4 | 108 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Bovine Papillomavirus E7 Oncoprotein Inhibits Anoikis. Journal of Virology, 2007, 81, 9419-9425. | 3.4 | 39 |
| 38 | Brd4-Independent Transcriptional Repression Function of the Papillomavirus E2 Proteins. Journal of Virology, 2007, 81, 9612-9622. | 3.4 | 69 |
| 39 | Human Papillomavirus E6 and E7 Oncogenes. , 2007, , 197-252. | | 5 |
| 40 | Requirement of E7 oncoprotein for viability of HeLa cells. Microbes and Infection, 2006, 8, 984-993. | 1.9 | 26 |
| 41 | Bromodomain Protein 4 Mediates the Papillomavirus E2 Transcriptional Activation Function. Journal of Virology, 2006, 80, 4276-4285. | 3.4 | 122 |
| 42 | Kaposi's Sarcoma-Associated Herpesvirus Latency-Associated Nuclear Antigen Interacts with Bromodomain Protein Brd4 on Host Mitotic Chromosomes. Journal of Virology, 2006, 80, 8909-8919. | 3.4 | 135 |
| 43 | E6AP and Calmodulin Reciprocally Regulate Estrogen Receptor Stability. Journal of Biological Chemistry, 2006, 281, 1978-1985. | 3.4 | 79 |
| 44 | Warts, cancer and ubiquitylation: lessons from the papillomaviruses. Transactions of the American Clinical and Climatological Association, 2006, 117, 113-26; discussion 126-7. | 0.5 | 17 |
| 45 | Inhibition of E2 Binding to Brd4 Enhances Viral Genome Loss and Phenotypic Reversion of Bovine Papillomavirus-Transformed Cells. Journal of Virology, 2005, 79, 14956-14961. | 3.4 | 64 |
| 46 | Association of the human papillomavirus type 16 E7 oncoprotein with the 600-kDa retinoblastoma protein-associated factor, p600. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 11492-11497. | 7.1 | 173 |
| 47 | Interaction of tSNARE Syntaxin 18 with the Papillomavirus Minor Capsid Protein Mediates Infection. Journal of Virology, 2005, 79, 6723-6731. | 3.4 | 67 |
| 48 | Bovine papillomavirus E7 transformation function correlates with cellular p600 protein binding. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 11486-11491. | 7.1 | 88 |
| 49 | Identification of TRAIL as an Interferon Regulatory Factor 3 Transcriptional Target. Journal of Virology, 2005, 79, 9320-9324. | 3.4 | 60 |
| 50 | Biochemical Analysis of Angelman Syndrome-associated Mutations in the E3 Ubiquitin Ligase E6-associated Protein. Journal of Biological Chemistry, 2004, 279, 41208-41217. | 3.4 | 89 |
| 51 | Ubiquitin family proteins and their relationship to the proteasome: a structural perspective. Biochimica Et Biophysica Acta - Molecular Cell Research, 2004, 1695, 73-87. | 4.1 | 41 |
| 52 | Interaction of the Bovine Papillomavirus E2 Protein with Brd4 Tethers the Viral DNA to Host Mitotic Chromosomes. Cell, 2004, 117, 349-360. | 28.9 | 360 |
| 53 | The ER-Lumenal Domain of the HHV-7 Immunoevasin U21 Directs Class I MHC Molecules to Lysosomes. Traffic, 2003, 4, 824-837. | 2.7 | 28 |
| 54 | Ubiquitin Recognition by the DNA Repair Protein hHR23a. Biochemistry, 2003, 42, 13529-13535. | 2.5 | 90 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | DNA-repair protein hHR23a alters its protein structure upon binding proteasomal subunit S5a. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 12694-12699. | 7.1 | 137 |
| 56 | Transcriptome signature of irreversible senescence in human papillomavirus-positive cervical cancer cells. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 7093-7098. | 7.1 | 77 |
| 57 | The Ubiquitin-associated Domain of hPLIC-2 Interacts with the Proteasome. Molecular Biology of the Cell, 2003, 14, 3868-3875. | 2.1 | 101 |
| 58 | Interferon regulatory factor-3 is an in vivo target of DNA-PK. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 2818-2823. | 7.1 | 111 |
| 59 | Structural Studies of the Interaction between Ubiquitin Family Proteins and Proteasome Subunit S5aâ€. Biochemistry, 2002, 41, 1767-1777. | 2.5 | 211 |
| 60 | Human papillomavirus immortalization and transformation functions. Virus Research, 2002, 89, 213-228. | 2.2 | 655 |
| 61 | Functional Characterization of Interferon Regulatory Factor 3a (IRF-3a), an Alternative Splice Isoform of IRF-3. Molecular and Cellular Biology, 2001, 21, 4169-4176. | 2.3 | 55 |
| 62 | A Human Herpesvirus 7 Glycoprotein, U21, Diverts Major Histocompatibility Complex Class I Molecules to Lysosomes. Journal of Virology, 2001, 75, 12347-12358. | 3.4 | 57 |
| 63 | Human Papillomavirus Type 16 E6 Induces Self-Ubiquitination of the E6AP Ubiquitin-Protein Ligase. Journal of Virology, 2000, 74, 6408-6417. | 3.4 | 120 |
| 64 | Dual utilization of an acceptor/donor splice site governs the alternative splicing of the IRF-3 gene. Genes and Development, 2000, 14, 2813-2818. | 5.9 | 31 |
| 65 | Mechanisms of Human Papillomavirus E2-Mediated Repression of Viral Oncogene Expression and Cervical Cancer Cell Growth Inhibition. Journal of Virology, 2000, 74, 3752-3760. | 3.4 | 94 |
| 66 | Repression of the Integrated Papillomavirus E6/E7 Promoter Is Required for Growth Suppression of Cervical Cancer Cells. Journal of Virology, 2000, 74, 2679-2686. | 3.4 | 144 |
| 67 | The hPLIC Proteins May Provide a Link between the Ubiquitination Machinery and the Proteasome. Molecular Cell, 2000, 6, 409-419. | 9.7 | 339 |
| 68 | Harnessing the Ubiquitination Machinery to Target the Degradation of Specific Cellular Proteins. Molecular Cell, 2000, 6, 751-756. | 9.7 | 148 |
| 69 | Identification of HHR23A as a Substrate for E6-associated Protein-mediated Ubiquitination. Journal of Biological Chemistry, 1999, 274, 18785-18792. | 3.4 | 179 |
| 70 | Ubiquitin-mediated degradation of active Src tyrosine kinase. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 13738-13743. | 7.1 | 148 |
| 71 | Regulation of the Src family tyrosine kinase Blk through E6AP-mediated ubiquitination. Proceedings of the United States of America, 1999, 96, 9557-9562. | 7.1 | 159 |
| 72 | Mutations in serines 15 and 20 of human p53 impair its apoptotic activity. Oncogene, 1999, 18, 3205-3212. | 5.9 | 189 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Structure of an E6AP-UbcH7 Complex: Insights into Ubiquitination by the E2-E3 Enzyme Cascade. Science, 1999, 286, 1321-1326. | 12.6 | 506 |
| 74 | Virus Infection Induces the Assembly of Coordinately Activated Transcription Factors on the IFN-β Enhancer In Vivo. Molecular Cell, 1998, 1, 507-518. | 9.7 | 686 |
| 75 | p300/MDM2 Complexes Participate in MDM2-Mediated p53 Degradation. Molecular Cell, 1998, 2, 405-415. | 9.7 | 383 |
| 76 | Ubiquitination and Degradation of the Substrate Recognition Subunits of SCF Ubiquitin–Protein Ligases. Molecular Cell, 1998, 2, 571-580. | 9.7 | 246 |
| 77 | p35, the Neuronal-specific Activator of Cyclin-dependent Kinase 5 (Cdk5) Is Degraded by the Ubiquitin-Proteasome Pathway. Journal of Biological Chemistry, 1998, 273, 24057-24064. | 3.4 | 269 |
| 78 | Human papillomavirus 16 E6 oncoprotein binds to interferon regulatory factor-3 and inhibits its transcriptional activity. Genes and Development, 1998, 12, 2061-2072. | 5.9 | 532 |
| 79 | The Role of E6AP in the Regulation of p53 Protein Levels in Human Papillomavirus (HPV)-positive and HPV-negative Cells. Journal of Biological Chemistry, 1998, 273, 6439-6445. | 3.4 | 218 |
| 80 | Ubiquitination of the p53 Tumor Suppressor. , 1998, , 323-343. | | 6 |
| 81 | Interaction of the Bovine Papillomavirus E6 Protein with the Clathrin Adaptor Complex AP-1. Journal of Virology, 1998, 72, 476-482. | 3.4 | 68 |
| 82 | A Fifteen-Amino-Acid Peptide Inhibits Human Papillomavirus E1-E2 Interaction and Human Papillomavirus DNA Replication In Vitro. Journal of Virology, 1998, 72, 8166-8173. | 3.4 | 34 |
| 83 | Ubiquitination of p53 and p21 Is Differentially Affected by Ionizing and UV Radiation. Molecular and Cellular Biology, 1997, 17, 355-363. | 2.3 | 312 |
| 84 | Physical Interaction between Specific E2 and Hect E3 Enzymes Determines Functional Cooperativity. Journal of Biological Chemistry, 1997, 272, 13548-13554. | 3.4 | 134 |
| 85 | The Bovine Papillomavirus E6 Protein Binds to the LD Motif Repeats of Paxillin and Blocks Its Interaction with Vinculin and the Focal Adhesion Kinase. Journal of Biological Chemistry, 1997, 272, 33373-33376. | 3.4 | 82 |
| 86 | The bovine papillomavirus E6 oncoprotein interacts with paxillin and disrupts the actin cytoskeleton. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 4412-4417. | 7.1 | 245 |
| 87 | The HumanE6-APGene (UBE3A) Encodes Three Potential Protein Isoforms Generated by Differential Splicing. Genomics, 1997, 41, 263-266. | 2.9 | 115 |
| 88 | Chronic estrogen-induced cervical and vaginal squamous carcinogenesis in human papillomavirus type 16 transgenic mice Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 2930-2935. | 7.1 | 270 |
| 89 | Inhibition of cyclin D-CDK4/CDK6 activity is associated with an E2F-mediated induction of cyclin kinase inhibitor activity Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 4350-4354. | 7.1 | 324 |
| 90 | A family of proteins structurally and functionally related to the E6-AP ubiquitin-protein ligase Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 2563-2567. | 7.1 | 823 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Identification of a human ubiquitin-conjugating enzyme that mediates the E6-AP-dependent ubiquitination of p53 Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 8797-8801. | 7.1 | 249 |
| 92 | The HPV-16 E6 and E6-AP complex functions as a ubiquitin-protein ligase in the ubiquitination of p53. Cell, 1993, 75, 495-505. | 28.9 | 2,185 |
| 93 | Adenovirus E1A, simian virus 40 tumor antigen, and human papillomavirus E7 protein share the capacity to disrupt the interaction between transcription factor E2F and the retinoblastoma gene product Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 4549-4553. | 7.1 | 612 |
| 94 | Efficiency of binding the retinoblastoma protein correlates with the transforming capacity of the E7 oncoproteins of the human papillomaviruses Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 4442-4446. | 7.1 | 322 |
| 95 | Disruption of either the E1 or the E2 regulatory gene of human papillomavirus type 16 increases viral immortalization capacity Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 3159-3163. | 7.1 | 297 |
| 96 | The functional BPV-1 E2 trans-activating protein can act as a repressor by preventing formation of the initiation complex Genes and Development, 1991, 5, 1657-1671. | 5.9 | 176 |
| 97 | The state of the p53 and retinoblastoma genes in human cervical carcinoma cell lines Proceedings of the United States of America, 1991, 88, 5523-5527. | 7.1 | 795 |
| 98 | TGF-β1 inhibition of c-myc transcription and growth in keratinocytes is abrogated by viral transforming proteins with pRB binding domains. Cell, 1990, 61, 777-785. | 28.9 | 601 |
| 99 | The E6 oncoprotein encoded by human papillomavirus types 16 and 18 promotes the degradation of p53. Cell, 1990, 63, 1129-1136. | 28.9 | 3,855 |
| 100 | Association of Human Papillomavirus Types 16 and 18 E6 Proteins with p53. Science, 1990, 248, 76-79. | 12.6 | 2,479 |
| 101 | E2 polypeptides encoded by bovine papillomavirus type 1 form dimers through the common carboxyl-terminal domain: transactivation is mediated by the conserved amino-terminal domain Proceedings of the National Academy of Sciences of the United States of America, 1989, 86, 510-514. | 7.1 | 229 |
| 102 | Transcriptional Regulation by Papillomavirus E2 Gene Products. , 1989, , 147-155. | | 2 |
| 103 | The human papillomavirus type 16 E7 gene encodes transactivation and transformation functions similar to those of adenovirus E1A. Cell, 1988, 53, 539-547. | 28.9 | 729 |
| 104 | Human Papillomavirus-11 DNA in a Patient with Chronic Laryngotracheobronchial Papillomatosis and Metastatic Squamous-Cell Carcinoma of the Lung. New England Journal of Medicine, 1987, 317, 873-878. | 27.0 | 151 |
| 105 | The Biology of the Papillomaviruses. , 1987, , 437-456. | | 0 |
| 106 | A transcriptional repressor encoded by BPV-1 shares a common carboxy-terminal domain with the E2 transactivator. Cell, 1987, 50, 69-78. | 28.9 | 374 |
| 107 | Papillomavirus Transformation. , 1987, , 141-166. | | 14 |
| 108 | Trans-activation of the human immunodeficiency virus long terminal repeat sequence by DNA viruses Proceedings of the National Academy of Sciences of the United States of America, 1986, 83, 9759-9763. | 7.1 | 423 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Early regions of JC virus and BK virus induce distinct and tissue-specific tumors in transgenic mice Proceedings of the National Academy of Sciences of the United States of America, 1986, 83, 8288-8292. | 7.1 | 150 |
| 110 | On Human Papillomaviruses. New England Journal of Medicine, 1986, 315, 1089-1090. | 27.0 | 69 |
| 111 | Papillomavirus Transforming Functions. Novartis Foundation Symposium, 1986, 120, 39-52. | 1.1 | 3 |
| 112 | Bovine Papillomavirus DNA Vectors. , 1986, , 49-56. | | 0 |
| 113 | Bovine papillomavirus contains multiple transforming genes Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 1030-1034. | 7.1 | 348 |
| 114 | Dissociation of transforming and trans-activation functions for bovine papillomavirus type 1. Nature, 1985, 318, 575-577. | 27.8 | 171 |
| 115 | Transactivation of a bovine papilloma virus transcriptional regulatory element by the E2 gene product. Cell, 1985, 42, 183-191. | 28.9 | 513 |
| 116 | Human papillomaviruses: Present knowledge, future approaches. Clinics in Dermatology, 1985, 3, 204-211. | 1.6 | 2 |
| 117 | The concurrence of saethre-chotzen syndrome and malignancy in a family with in vitro immune dysfunction. Cancer, 1984, 54, 2946-2951. | 4.1 | 7 |
| 118 | [26] Eukaryotic cloning vectors derived from bovine papillomavirus DNA. Methods in Enzymology, 1983, 101, 387-402. | 1.0 | 44 |
| 119 | Transformation and replication in mouse cells of a bovine papillomaviruspML2 plasmid vector that can be rescued in bacteria Proceedings of the National Academy of Sciences of the United States of America, 1982, 79, 7147-7151. | 7.1 | 273 |
| 120 | Virus-specific transcription in bovine papillomavirus-transformed mouse cells. Virology, 1982, 119, 22-34. | 2.4 | 204 |
| 121 | The primary structure and genetic organization of the bovine papillomavirus type 1 genome. Nature, 1982, 299, 529-534. | 27.8 | 427 |
| 122 | Functional interaction between the early viral proteins of simian virus 40 and adenovirus. Virology, 1981, 109, 303-313. | 2.4 | 11 |
| 123 | Mouse cells transformed by bovine papillomavirus contain only extrachromosomal viral DNA sequences Proceedings of the National Academy of Sciences of the United States of America, 1981, 78, 2727-2731. | 7.1 | 465 |
| 124 | Presence of Human Papilloma Viral Antigens in Juvenile Multiple Laryngeal Papilloma. American Journal of Clinical Pathology, 1981, 75, 194-197. | 0.7 | 75 |
| 125 | RAT INSULIN GENE COVALENTLY LINKED TO BOVINE PAPILLOMAVIRUS DNA IS EXPRESSED IN TRANSFORMED MOUSE CELLS. , 1981, , 547-556. | | 2 |
| | | | |

27.8 8

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | In vitro tumorigenic transformation by a defined sub-genomic fragment of bovine papilloma virus DNA. Nature, 1980, 287, 72-74. | 27.8 | 335 |
| 128 | Growth Potential of Sheep and Sea Mammal Cells Transformed by SV40 Early Region DNA. Experimental Biology and Medicine, 1980, 164, 439-444. | 2.4 | 2 |
| 129 | The colinear alignment of the genomes of papovaviruses JC, BK, and SV40. Virology, 1979, 96, 576-587. | 2.4 | 52 |
| 130 | Evaluation of normal and neoplastic human tissue for BK virus. Virology, 1978, 90, 187-196. | 2.4 | 43 |
| 131 | Endocrine studies in cystinosis: Compensated primary hypothyroidism. Journal of Pediatrics, 1977, 91, 204-210. | 1.8 | 58 |
| 132 | Polynucleotide sequences common to the genomes of simian virus 40 and the human papovaviruses JC and BK. Virology, 1976, 73, 303-307. | 2.4 | 39 |
| 133 | Characterization of supercoiled oligomeric SV40 DNA molecules in productively infected cells. Virology, 1976, 71, 28-40. | 2.4 | 41 |
| 134 | Irradiation of methyl diazomalonate in solution. Reactions of singlet and triplet carbenes with carbon-carbon double bonds. Journal of the American Chemical Society, 1972, 94, 7469-7479. | 13.7 | 88 |
| 135 | PURIFICATION OF INTACT MICROTUBULES FROM BRAIN. Journal of Cell Biology, 1970, 47, 384-394. | 5.2 | 79 |