

Linchuan Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6544223/publications.pdf>

Version: 2024-02-01

21
papers

4,131
citations

393982

19
h-index

676716

22
g-index

25
all docs

25
docs citations

25
times ranked

5330
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The Crucial Role of Demannosylating Asparagine-Linked Glycans in ERADicating Misfolded Glycoproteins in the Endoplasmic Reticulum. <i>Frontiers in Plant Science</i> , 2020, 11, 625033. | 1.7 | 11 |
| 2 | PAWH1 and PAWH2 are plant-specific components of an Arabidopsis endoplasmic reticulum-associated degradation complex. <i>Nature Communications</i> , 2019, 10, 3492. | 5.8 | 26 |
| 3 | Communications Between the Endoplasmic Reticulum and Other Organelles During Abiotic Stress Response in Plants. <i>Frontiers in Plant Science</i> , 2019, 10, 749. | 1.7 | 61 |
| 4 | Nitrateâ€“NRT1.1Bâ€“SPX4 cascade integrates nitrogen and phosphorus signalling networks in plants. <i>Nature Plants</i> , 2019, 5, 401-413. | 4.7 | 263 |
| 5 | <i>Big Grain3</i> , encoding a purine permease, regulates grain size via modulating cytokinin transport in rice. <i>Journal of Integrative Plant Biology</i> , 2019, 61, 581-597. | 4.1 | 73 |
| 6 | A Temperature-Sensitive Misfolded bri1-301 Receptor Requires Its Kinase Activity to Promote Growth. <i>Plant Physiology</i> , 2018, 178, 1704-1719. | 2.3 | 26 |
| 7 | Control of grain size and rice yield by GL2-mediated brassinosteroid responses. <i>Nature Plants</i> , 2016, 2, 15195. | 4.7 | 342 |
| 8 | Variation in NRT1.1B contributes to nitrate-use divergence between rice subspecies. <i>Nature Genetics</i> , 2015, 47, 834-838. | 9.4 | 527 |
| 9 | Activation of <i>Big Grain1</i> significantly improves grain size by regulating auxin transport in rice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 11102-11107. | 3.3 | 265 |
| 10 | EBS7 is a plant-specific component of a highly conserved endoplasmic reticulum-associated degradation system in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 12205-12210. | 3.3 | 49 |
| 11 | OsNAP connects abscisic acid and leaf senescence by fine-tuning abscisic acid biosynthesis and directly targeting senescence-associated genes in rice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 10013-10018. | 3.3 | 449 |
| 12 | OsbZIP71, a bZIP transcription factor, confers salinity and drought tolerance in rice. <i>Plant Molecular Biology</i> , 2014, 84, 19-36. | 2.0 | 311 |
| 13 | Brassinosteroid Regulates Cell Elongation by Modulating Gibberellin Metabolism in Rice. <i>Plant Cell</i> , 2014, 26, 4376-4393. | 3.1 | 589 |
| 14 | Nitric Oxide and Protein S-Nitrosylation Are Integral to Hydrogen Peroxide-Induced Leaf Cell Death in Rice. <i>Plant Physiology</i> , 2012, 158, 451-464. | 2.3 | 290 |
| 15 | The Histone Methyltransferase SDG724 Mediates H3K36me2/3 Deposition at <i>MADS50</i> and <i>RFT1</i> and Promotes Flowering in Rice. <i>Plant Cell</i> , 2012, 24, 3235-3247. | 3.1 | 112 |
| 16 | DWARF AND LOW-TILLERING Acts as a Direct Downstream Target of a GSK3/SHAGGY-Like Kinase to Mediate Brassinosteroid Responses in Rice. <i>Plant Cell</i> , 2012, 24, 2562-2577. | 3.1 | 292 |
| 17 | RLIN1, encoding a putative coproporphyrinogen III oxidase, is involved in lesion initiation in rice. <i>Journal of Genetics and Genomics</i> , 2011, 38, 29-37. | 1.7 | 60 |
| 18 | Semi-dominant mutations in the CC-NB-CLRR type <i>R</i> gene, <i>NLS1</i> , lead to constitutive activation of defense responses in rice. <i>Plant Journal</i> , 2011, 66, 996-1007. | 2.8 | 82 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | <i>LEAF TIP NECROSIS1</i> Plays a Pivotal Role in the Regulation of Multiple Phosphate Starvation Responses in Rice. <i>Plant Physiology</i> , 2011, 156, 1101-1115. | 2.3 | 208 |
| 20 | A Rice Plastidial Nucleotide Sugar Epimerase Is Involved in Galactolipid Biosynthesis and Improves Photosynthetic Efficiency. <i>PLoS Genetics</i> , 2011, 7, e1002196. | 1.5 | 71 |
| 21 | A Predominant Role of AtEDEM1 in Catalyzing a Rate-Limiting Demannosylation Step of an Arabidopsis Endoplasmic Reticulum-Associated Degradation Process. <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 0 |