

Xiuqiang Xie

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6544767/publications.pdf>

Version: 2024-02-01

71
papers

8,761
citations

50170

46
h-index

88477

70
g-index

71
all docs

71
docs citations

71
times ranked

10921
citing authors

#	ARTICLE	IF	CITATIONS
1	Porous hard carbon spheres derived from biomass for high-performance sodium/potassium-ion batteries. <i>Nanotechnology</i> , 2022, 33, 055401.	1.3	23
2	Surfactant-free self-assembled MXene/carbon nanotubes hybrids for high-rate sodium- and potassium-ion storage. <i>Journal of Alloys and Compounds</i> , 2022, 901, 163426.	2.8	16
3	Self-assembled transition metal chalcogenides@CoAl-LDH 2D/2D heterostructures with enhanced photoactivity for hydrogen evolution. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 994-1005.	3.0	13
4	Room-Temperature Assembled MXene-Based Aerogels for High Mass-Loading Sodium-Ion Storage. <i>Nano-Micro Letters</i> , 2022, 14, 37.	14.4	49
5	High-efficiency cathode potassium compensation and interfacial stability improvement enabled by dipotassium squarate for potassium-ion batteries. <i>Energy and Environmental Science</i> , 2022, 15, 3015-3023.	15.6	25
6	Stabilizing BiOCl/Ti ₃ C ₂ T _x hybrids for potassium-ion batteries via solid electrolyte interphase reconstruction. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 3165-3175.	3.0	5
7	Design of efficient electrocatalysts for hydrogen evolution reaction based on 2D MXenes. <i>Journal of Energy Chemistry</i> , 2021, 55, 244-255.	7.1	104
8	Facial synthesis of two-dimensional In ₂ S ₃ /Ti ₃ C ₂ T _x heterostructures with boosted photoactivity for the hydrogenation of nitroaromatic compounds. <i>Materials Chemistry Frontiers</i> , 2021, 5, 6883-6890.	3.2	9
9	Electrostatically confined Bi/Ti ₃ C ₂ T _x on a sponge as an easily recyclable and durable catalyst for the reductive transformation of nitroarenes. <i>Journal of Materials Chemistry A</i> , 2021, 9, 19847-19853.	5.2	12
10	Selectivity control of organic chemical synthesis over plasmonic metal-based photocatalysts. <i>Catalysis Science and Technology</i> , 2021, 11, 425-443.	2.1	5
11	2D Titanium Carbide (MXene) Based Films: Expanding the Frontier of Functional Film Materials. <i>Advanced Functional Materials</i> , 2021, 31, 2105043.	7.8	50
12	Achieving High-Performance 3D K ⁺ -Pre-Intercalated Ti ₃ C ₂ T _x MXene for Potassium-Ion Hybrid Capacitors via Regulating Electrolyte Solvation Structure. <i>Angewandte Chemie</i> , 2021, 133, 26450-26457.	1.6	3
13	Achieving High-Performance 3D K ⁺ -Pre-Intercalated Ti ₃ C ₂ T _x MXene for Potassium-Ion Hybrid Capacitors via Regulating Electrolyte Solvation Structure. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 26246-26253.	7.2	50
14	Schottky Junctions with Bi Cocatalyst for Taming Aqueous Phase N ₂ Reduction toward Enhanced Solar Ammonia Production. <i>Advanced Science</i> , 2021, 8, 2003626.	5.6	56
15	Surface Chemistry and Mesopore Dual Regulation by Sulfur-Promised High Volumetric Capacity of Ti ₃ C ₂ T _x Films for Sodium-Ion Storage. <i>Small</i> , 2021, 17, e2103626.	5.2	19
16	Robust and easily retrievable Pd/Ti ₃ C ₂ T _x graphene hydrogels for efficient catalytic hydrogenation of nitroaromatic compounds. <i>Chinese Chemical Letters</i> , 2020, 31, 1014-1017.	4.8	35
17	Support interactions dictated active edge sites over MoS ₂ -carbon composites for hydrogen evolution. <i>Nanoscale</i> , 2020, 12, 1109-1117.	2.8	23
18	Rising from the horizon: three-dimensional functional architectures assembled with MXene nanosheets. <i>Journal of Materials Chemistry A</i> , 2020, 8, 18538-18559.	5.2	86

#	ARTICLE	IF	CITATIONS
19	Positioning MXenes in the Photocatalysis Landscape: Competitiveness, Challenges, and Future Perspectives. <i>Advanced Functional Materials</i> , 2020, 30, 2002528.	7.8	162
20	Artificial nitrogen fixation over bismuth-based photocatalysts: fundamentals and future perspectives. <i>Journal of Materials Chemistry A</i> , 2020, 8, 4978-4995.	5.2	97
21	A retrospective on MXene-based composites for solar fuel production. <i>Pure and Applied Chemistry</i> , 2020, 92, 1953-1969.	0.9	14
22	Facile synthesis of <i>Camellia oleifera</i> shell-derived hard carbon as an anode material for lithium-ion batteries. <i>RSC Advances</i> , 2019, 9, 20424-20431.	1.7	31
23	Nitrogen-doped Carbon with Modulated Surface Chemistry and Porous Structure by a Stepwise Biomass Activation Process towards Enhanced Electrochemical Lithium-Ion Storage. <i>Scientific Reports</i> , 2019, 9, 15032.	1.6	24
24	Microstructure and surface control of MXene films for water purification. <i>Nature Sustainability</i> , 2019, 2, 856-862.	11.5	273
25	Ti ₃ C ₂ T _x -Based Three-Dimensional Hydrogel by a Graphene Oxide-Assisted Self-Convergence Process for Enhanced Photoredox Catalysis. <i>ACS Nano</i> , 2019, 13, 295-304.	7.3	247
26	Porous Ti ₃ C ₂ T _x MXene for Ultrahigh-Rate Sodium-Ion Storage with Long Cycle Life. <i>ACS Applied Nano Materials</i> , 2018, 1, 505-511.	2.4	132
27	MoS ₂ MXene Heterostructures as Highly Reversible Anode Materials for Lithium-Ion Batteries. <i>Angewandte Chemie</i> , 2018, 130, 1864-1868.	1.6	67
28	MoS ₂ MXene Heterostructures as Highly Reversible Anode Materials for Lithium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 1846-1850.	7.2	520
29	An adaptive geometry regulation strategy for 3D graphene materials: towards advanced hybrid photocatalysts. <i>Chemical Science</i> , 2018, 9, 8876-8882.	3.7	29
30	Ti ₃ C ₂ T _x MXene as a Janus cocatalyst for concurrent promoted photoactivity and inhibited photocorrosion. <i>Applied Catalysis B: Environmental</i> , 2018, 237, 43-49.	10.8	174
31	Stress-Transfer-Induced In-Situ Formation of Ultrathin Nickel Phosphide Nanosheets for Efficient Hydrogen Evolution. <i>Angewandte Chemie</i> , 2018, 130, 13266-13269.	1.6	26
32	Stress-Transfer-Induced In-Situ Formation of Ultrathin Nickel Phosphide Nanosheets for Efficient Hydrogen Evolution. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 13082-13085.	7.2	97
33	Charge transfer induced polymerization of EDOT confined between 2D titanium carbide layers. <i>Journal of Materials Chemistry A</i> , 2017, 5, 5260-5265.	5.2	142
34	Sb ₂ O ₃ /MXene(Ti ₃ C ₂ T _x) hybrid anode materials with enhanced performance for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 12445-12452.	5.2	245
35	Hierarchical Porous Carbon Spheres for High-Performance Na ₂ O Batteries. <i>Advanced Materials</i> , 2017, 29, 1606816.	11.1	81
36	Two-dimensional layered compound based anode materials for lithium-ion batteries and sodium-ion batteries. <i>Journal of Colloid and Interface Science</i> , 2017, 499, 17-32.	5.0	78

#	ARTICLE	IF	CITATIONS
37	3D Interconnected Carbon Fiber Networkâ€Enabled Ultralong Life Na ₃ V ₂ (PO ₄) ₃ @Carbon Paper Cathode for Sodiumâ€Ion Batteries. <i>Small</i> , 2017, 13, 1603318.	5.2	72
38	Hollow MXene Spheres and 3D Macroporous MXene Frameworks for Naâ€Ion Storage. <i>Advanced Materials</i> , 2017, 29, 1702410.	11.1	757
39	Confined Sulfur in 3â€%D MXene/Reduced Graphene Oxide Hybrid Nanosheets for Lithiumâ€Sulfur Battery. <i>Chemistry - A European Journal</i> , 2017, 23, 12613-12619.	1.7	167
40	MoS ₂ Nanosheets Vertically Aligned on Carbon Paper: A Freestanding Electrode for Highly Reversible Sodiumâ€Ion Batteries. <i>Advanced Energy Materials</i> , 2016, 6, 1502161.	10.2	444
41	Porous carbon nanocages encapsulated with tin nanoparticles for high performance sodium-ion batteries. <i>Energy Storage Materials</i> , 2016, 5, 180-190.	9.5	61
42	Immobilizing Polysulfides with MXene-Functionalized Separators for Stable Lithiumâ€Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 29427-29433.	4.0	234
43	Porous heterostructured MXene/carbon nanotube composite paper with high volumetric capacity for sodium-based energy storage devices. <i>Nano Energy</i> , 2016, 26, 513-523.	8.2	710
44	Rose flower-like NiCo ₂ O ₄ with hierarchically porous structures for highly reversible lithium storage. <i>Journal of Alloys and Compounds</i> , 2016, 684, 691-698.	2.8	45
45	Hydrothermal Synthesis of Multiwalled Carbon Nanotubeâ€Zinc Manganate Nanoparticles as Anode Materials for Lithium Ion Batteries. <i>ChemPlusChem</i> , 2016, 81, 399-405.	1.3	9
46	A Bifunctional Organic Redox Catalyst for Rechargeable Lithiumâ€Oxygen Batteries with Enhanced Performances. <i>Advanced Science</i> , 2016, 3, 1500285.	5.6	37
47	A free-standing LiFePO ₄ â€carbon paper hybrid cathode for flexible lithium-ion batteries. <i>Green Chemistry</i> , 2016, 18, 2691-2698.	4.6	53
48	MoS ₂ Nanosheets Supported on 3D Graphene Aerogel as a Highly Efficient Catalyst for Hydrogen Evolution. <i>Chemistry - A European Journal</i> , 2015, 21, 15908-15913.	1.7	99
49	Frontispiece: MoS ₂ Nanosheets Supported on 3D Graphene Aerogel as a Highly Efficient Catalyst for Hydrogen Evolution. <i>Chemistry - A European Journal</i> , 2015, 21, .	1.7	0
50	3D Networked Tin Oxide/Graphene Aerogel with a Hierarchically Porous Architecture for Highâ€Rate Performance Sodiumâ€Ion Batteries. <i>ChemSusChem</i> , 2015, 8, 2948-2955.	3.6	70
51	Enhancement of stability for lithium oxygen batteries by employing electrolytes gelled by poly(vinylidene fluoride-co-hexafluoropropylene) and tetraethylene glycol dimethyl ether. <i>Electrochimica Acta</i> , 2015, 183, 56-62.	2.6	58
52	Microwave-assisted Synthesis of Mesoporous Co ₃ O ₄ Nanoflakes for Applications in Lithium Ion Batteries and Oxygen Evolution Reactions. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 3306-3313.	4.0	169
53	A comparative investigation on the effects of nitrogen-doping into graphene on enhancing the electrochemical performance of SnO ₂ /graphene for sodium-ion batteries. <i>Nanoscale</i> , 2015, 7, 3164-3172.	2.8	130
54	MoS ₂ /Graphene Composite Anodes with Enhanced Performance for Sodiumâ€Ion Batteries: The Role of the Twoâ€Dimensional Heterointerface. <i>Advanced Functional Materials</i> , 2015, 25, 1393-1403.	7.8	657

#	ARTICLE	IF	CITATIONS
55	Sn@CNT nanopillars grown perpendicularly on carbon paper: A novel free-standing anode for sodium ion batteries. Nano Energy, 2015, 13, 208-217.	8.2	185
56	Multi-chambered micro/mesoporous carbon nanocubes as new polysulfides reservoirs for lithium-sulfur batteries with long cycle life. Nano Energy, 2015, 16, 268-280.	8.2	132
57	Advances in graphene-based semiconductor photocatalysts for solar energy conversion: fundamentals and materials engineering. Nanoscale, 2015, 7, 13278-13292.	2.8	120
58	A Microwave Synthesis of Mesoporous NiCo ₂ O ₄ Nanosheets as Electrode Materials for Lithium-ion Batteries and Supercapacitors. ChemPhysChem, 2015, 16, 169-175.	1.0	122
59	SnS ₂ Nanoplatelet@Graphene Nanocomposites as High-Capacity Anode Materials for Sodium-ion Batteries. Chemistry - an Asian Journal, 2014, 9, 1611-1617.	1.7	166
60	Synthesis of Single-Crystalline Spinel LiMn ₂ O ₄ Nanorods for Lithium-ion Batteries with High Rate Capability and Long Cycle Life. Chemistry - A European Journal, 2014, 20, 17125-17131.	1.7	32
61	Highly Porous NiCo ₂ O ₄ Nanoflakes and Nanobelts as Anode Materials for Lithium-Ion Batteries with Excellent Rate Capability. ACS Applied Materials & Interfaces, 2014, 6, 14827-14835.	4.0	187
62	Porous poly(vinylidene fluoride-co-hexafluoropropylene) polymer membrane with sandwich-like architecture for highly safe lithium ion batteries. Journal of Membrane Science, 2014, 472, 133-140.	4.1	75
63	Hierarchical Mesoporous SnO Microspheres as High Capacity Anode Materials for Sodium-ion Batteries. Chemistry - A European Journal, 2014, 20, 3192-3197.	1.7	59
64	Mesoporous hexagonal Co ₃ O ₄ for high performance lithium ion batteries. Scientific Reports, 2014, 4, 6519.	1.6	84
65	CuO single crystal with exposed {001} facets - A highly efficient material for gas sensing and Li-ion battery applications. Scientific Reports, 2014, 4, 5753.	1.6	123
66	Nitrogen-doped graphene stabilized gold nanoparticles for aerobic selective oxidation of benzylic alcohols. RSC Advances, 2012, 2, 12438.	1.7	84
67	Nitrogen-Doped Graphene Nanosheets as Metal-Free Catalysts for Aerobic Selective Oxidation of Benzylic Alcohols. ACS Catalysis, 2012, 2, 622-631.	5.5	384
68	Probing the Electronic Structure and Photoactivation Process of Nitrogen-Doped TiO ₂ Using DRS, PL, and EPR. ChemPhysChem, 2012, 13, 1542-1550.	1.0	29
69	Controlling the synergistic effect of oxygen vacancies and N dopants to enhance photocatalytic activity of N-doped TiO ₂ by H ₂ reduction. Applied Catalysis A: General, 2012, 425-426, 117-124.	2.2	76
70	Sn ²⁺ dopant induced visible-light activity of SnO ₂ nanoparticles for H ₂ production. Catalysis Communications, 2011, 16, 215-219.	1.6	64
71	Photocatalytic reforming of C ₃ -polyols for H ₂ production. Applied Catalysis B: Environmental, 2011, 106, 689-696.	10.8	45