

Neus Barrantes-Vidal

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6544897/neus-barrantes-vidal-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

149
papers

3,745
citations

31
h-index

56
g-index

181
ext. papers

4,451
ext. citations

4.3
avg, IF

5.56
L-index

#	Paper	IF	Citations
149	The dimensional structure of the Wisconsin Schizotypy Scales: factor identification and construct validity. <i>Schizophrenia Bulletin</i> , 2008 , 34, 444-57	1.3	225
148	Early adversity and 5-HTT/BDNF genes: new evidence of gene-environment interactions on depressive symptoms in a general population. <i>Psychological Medicine</i> , 2009 , 39, 1425-32	6.9	209
147	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36	1.3	186
146	The role of schizotypy in the study of the etiology of schizophrenia spectrum disorders. <i>Schizophrenia Bulletin</i> , 2015 , 41 Suppl 2, S408-16	1.3	174
145	Schizotypy: looking back and moving forward. <i>Schizophrenia Bulletin</i> , 2015 , 41 Suppl 2, S366-73	1.3	160
144	Prediction of psychopathology and functional impairment by positive and negative schizotypy in the Chapman's Ten-year longitudinal study. <i>Journal of Abnormal Psychology</i> , 2013 , 122, 807-15	7	145
143	Anxiety and depression symptoms in psychometrically identified schizotypy. <i>Schizophrenia Research</i> , 2006 , 83, 225-35	3.6	139
142	The expression of positive and negative schizotypy in daily life: an experience sampling study. <i>Psychological Medicine</i> , 2012 , 42, 2555-66	6.9	100
141	Positive and negative schizotypy are associated with prodromal and schizophrenia-spectrum symptoms. <i>Schizophrenia Research</i> , 2013 , 145, 50-5	3.6	90
140	Momentary assessment research in psychosis. <i>Psychological Assessment</i> , 2009 , 21, 498-505	5.3	86
139	O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S177-S178	1.3	78
138	Neurological soft signs in adolescents with poor performance on the continuous performance test: markers of liability for schizophrenia spectrum disorders?. <i>Psychiatry Research</i> , 1999 , 86, 217-28	9.9	73
137	The structure of schizotypal personality traits: a cross-national study. <i>Psychological Medicine</i> , 2018 , 48, 451-462	6.9	71
136	Neurocognitive, behavioural and neurodevelopmental correlates of schizotypy clusters in adolescents from the general population. <i>Schizophrenia Research</i> , 2003 , 61, 293-302	3.6	71
135	Schizotypy from a developmental perspective. <i>Schizophrenia Bulletin</i> , 2015 , 41 Suppl 2, S386-95	1.3	66
134	Repetitive transcranial magnetic stimulation in the treatment of chronic negative schizophrenia: a pilot study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1999 , 67, 129-30	5.5	62
133	Psychometric schizotypy predicts psychotic-like, paranoid, and negative symptoms in daily life. <i>Journal of Abnormal Psychology</i> , 2013 , 122, 1077-87	7	57

132	Psychopathology, social adjustment and personality correlates of schizotypy clusters in a large nonclinical sample. <i>Schizophrenia Research</i> , 2010 , 122, 219-25	3.6	54
131	Putative role of the COMT gene polymorphism (Val158Met) on verbal working memory functioning in a healthy population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 898-902	3.5	53
130	Comparing the factor structure of the Wisconsin Schizotypy Scales and the Schizotypal Personality Questionnaire. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2014 , 5, 397-405	4.1	51
129	Working memory in siblings of schizophrenia patients. <i>Schizophrenia Research</i> , 2007 , 95, 70-5	3.6	48
128	Development and psychometric properties of the Multidimensional Schizotypy Scale: A new measure for assessing positive, negative, and disorganized schizotypy. <i>Schizophrenia Research</i> , 2018 , 193, 209-217	3.6	47
127	Impact of Adverse Childhood Experiences on Psychotic-Like Symptoms and Stress Reactivity in Daily Life in Nonclinical Young Adults. <i>PLoS ONE</i> , 2016 , 11, e0153557	3.7	45
126	The Network Structure of Schizotypal Personality Traits. <i>Schizophrenia Bulletin</i> , 2018 , 44, S468-S479	1.3	41
125	An experience-sampling study of depressive symptoms and their social context. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 403-9	1.8	40
124	An examination of neuroticism as a moderating factor in the association of positive and negative schizotypy with psychopathology in a nonclinical sample. <i>Schizophrenia Research</i> , 2009 , 115, 303-9	3.6	40
123	A 3-Year Longitudinal Study of Risk for Bipolar Spectrum Psychopathology. <i>Journal of Abnormal Psychology</i> , 2015 , 124, 486-97	7	38
122	Neurological soft signs in psychometrically identified schizotypy. <i>Schizophrenia Research</i> , 2009 , 115, 293-302	3.6	35
121	Attachment style predicts affect, cognitive appraisals, and social functioning in daily life. <i>Frontiers in Psychology</i> , 2015 , 6, 296	3.4	33
120	Brief assessment of schizotypal traits: A multinational study. <i>Schizophrenia Research</i> , 2018 , 197, 182-191	3.6	33
119	The association of affective temperaments with impairment and psychopathology in a young adult sample. <i>Journal of Affective Disorders</i> , 2012 , 141, 373-81	6.6	31
118	Psychometric properties and validity of short forms of the Wisconsin Schizotypy Scales in two large samples. <i>Schizophrenia Research</i> , 2012 , 134, 267-72	3.6	31
117	The expression of affective temperaments in daily life. <i>Journal of Affective Disorders</i> , 2013 , 145, 179-86	6.6	30
116	The expression of bipolar spectrum psychopathology in daily life. <i>Journal of Affective Disorders</i> , 2011 , 130, 166-70	6.6	30
115	Looking for bipolar spectrum psychopathology: identification and expression in daily life. <i>Comprehensive Psychiatry</i> , 2012 , 53, 409-21	7.3	29

114	Association of positive, negative, and disorganized schizotypy dimensions with affective symptoms and experiences. <i>Psychiatry Research</i> , 2018 , 270, 1143-1149	9.9	29
113	A three-year longitudinal study of affective temperaments and risk for psychopathology. <i>Journal of Affective Disorders</i> , 2014 , 164, 94-100	6.6	28
112	Developmental instability and schizotypy. <i>Schizophrenia Research</i> , 2000 , 43, 125-34	3.6	28
111	To know or not to know? Mentalization as protection from somatic complaints. <i>PLoS ONE</i> , 2019 , 14, e0215308	3.7	27
110	Fearful attachment mediates the association of childhood trauma with schizotypy and psychotic-like experiences. <i>Psychiatry Research</i> , 2014 , 220, 691-3	9.9	27
109	Factor Invariance of Psychometric Schizotypy in Spanish and American Samples. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2012 , 34, 145-152	2	27
108	Interaction between FKBP5 gene and childhood trauma on psychosis, depression and anxiety symptoms in a non-clinical sample. <i>Psychoneuroendocrinology</i> , 2017 , 85, 200-209	5	26
107	Diagnostic Interview for Genetic Studies (DIGS): inter-rater and test-retest reliability and validity in a Spanish population. <i>European Psychiatry</i> , 2007 , 22, 44-8	6	26
106	Child Maltreatment and Clinical Outcome in Individuals at Ultra-High Risk for Psychosis in the EU-GEI High Risk Study. <i>Schizophrenia Bulletin</i> , 2018 , 44, 584-592	1.3	25
105	Attachment goes to court: child protection and custody issues. <i>Attachment and Human Development</i> , 2021 , 1-52	2.8	24
104	Association of multidimensional schizotypy with psychotic-like experiences, affect, and social functioning in daily life: Comparable findings across samples and schizotypy measures. <i>Journal of Abnormal Psychology</i> , 2020 , 129, 492-504	7	22
103	Comparisons of schizotypal traits across 12 countries: Results from the International Consortium for Schizotypy Research. <i>Schizophrenia Research</i> , 2018 , 199, 128-134	3.6	21
102	Predictors of expressed emotion, burden and quality of life in relatives of Mexican patients with psychosis. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2014 , 21, 170-9	2.4	21
101	A factor analytic study of the Hypomanic Personality Scale in British, Spanish and Australian samples. <i>Personality and Individual Differences</i> , 2000 , 28, 73-84	3.3	21
100	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. <i>JAMA Psychiatry</i> , 2021 , 78, 77-90	14.5	19
99	Relatives' expressed emotion, distress and attributions in clinical high-risk and recent onset of psychosis. <i>Psychiatry Research</i> , 2017 , 247, 323-329	9.9	18
98	Affective temperaments: unique constructs or dimensions of normal personality by another name?. <i>Journal of Affective Disorders</i> , 2013 , 151, 882-90	6.6	18
97	The Interaction between Childhood Bullying and the FKBP5 Gene on Psychotic-Like Experiences and Stress Reactivity in Real Life. <i>PLoS ONE</i> , 2016 , 11, e0158809	3.7	18

96	Validity of the Multidimensional Schizotypy Scale: Associations with schizotypal traits and normal personality. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2018 , 9, 458-466	4.1	18
95	The dimensional structure of short forms of the Wisconsin Schizotypy Scales. <i>Schizophrenia Research</i> , 2015 , 166, 80-5	3.6	17
94	Being with others and feeling happy: Emotional expressivity in everyday life. <i>Personality and Individual Differences</i> , 2012 , 53, 185-190	3.3	17
93	Association between attachment prototypes and schizotypy dimensions in two independent non-clinical samples of Spanish and American young adults. <i>Psychiatry Research</i> , 2013 , 210, 408-13	9.9	17
92	The role of stress-regulation genes in moderating the association of stress and daily-life psychotic experiences. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 389-399	6.5	17
91	COMT-by-sex interaction effect on psychosis proneness. <i>BioMed Research International</i> , 2015 , 2015, 829-337	3.7	17
90	Analysis of polymorphisms at the tumor suppressor gene p53 (TP53) in contributing to the risk for schizophrenia and its associated neurocognitive deficits. <i>Neuroscience Letters</i> , 2004 , 363, 78-80	3.3	17
89	Expression of schizophrenia-spectrum personality traits in daily life. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2017 , 8, 64-74	4.1	16
88	The multidimensional schizotypy scale-brief: Scale development and psychometric properties. <i>Psychiatry Research</i> , 2018 , 261, 7-13	9.9	16
87	Attachment style predicts 6-month improvement in psychoticism in persons with at-risk mental states for psychosis. <i>Microbial Biotechnology</i> , 2012 , 6, 442-9	3.3	16
86	Worries about being judged versus being harmed: disentangling the association of social anxiety and paranoia with schizotypy. <i>PLoS ONE</i> , 2014 , 9, e96269	3.7	16
85	Relatives' illness attributions mediate the association of expressed emotion with early psychosis symptoms and functioning. <i>Psychiatry Research</i> , 2014 , 218, 48-53	9.9	16
84	Childhood trauma, BDNF Val66Met and subclinical psychotic experiences. Attempt at replication in two independent samples. <i>Journal of Psychiatric Research</i> , 2016 , 83, 121-129	5.2	16
83	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning - Results from the EU-GEI study. <i>European Psychiatry</i> , 2019 , 59, 52-59	6	15
82	Subjective quality of life in At-Risk Mental State for psychosis patients: relationship with symptom severity and functional impairment. <i>Microbial Biotechnology</i> , 2015 , 9, 292-9	3.3	15
81	Interview Investigation of Insecure Attachment Styles as Mediators between Poor Childhood Care and Schizophrenia-Spectrum Phenomenology. <i>PLoS ONE</i> , 2015 , 10, e0135150	3.7	15
80	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020 , 77, 190-200	14.5	14
79	Prediction of prodromal symptoms and schizophrenia-spectrum personality disorder traits by positive and negative schizotypy: A 3-year prospective study. <i>PLoS ONE</i> , 2018 , 13, e0207150	3.7	14

78	Psychotic-like symptoms and positive schizotypy are associated with mixed and ambiguous handedness in an adolescent community sample. <i>Psychiatry Research</i> , 2013 , 206, 188-94	9.9	13
77	Positive, Negative, and Disorganized Schizotypy Predict Differential Patterns of Interview-Rated Schizophrenia-Spectrum Symptoms and Impairment. <i>Assessment</i> , 2021 , 28, 141-152	3.7	13
76	Impact of attachment style on the 1-year outcome of persons with an at-risk mental state for psychosis. <i>Psychiatry Research</i> , 2015 , 228, 849-56	9.9	12
75	Beyond diagnosis: Mentalization and mental health from a transdiagnostic point of view in adolescents from non-clinical population. <i>Psychiatry Research</i> , 2018 , 270, 755-763	9.9	12
74	Process of adaptation to Spanish of the Community Assessment of Psychic Experiences (CAPE). <i>Actas Espanolas De Psiquiatria</i> , 2011 , 39, 95-105	0.7	12
73	The genome-wide associated candidate gene ZNF804A and psychosis-proneness: Evidence of sex-modulated association. <i>PLoS ONE</i> , 2017 , 12, e0185072	3.7	11
72	Interaction between FKBP5 variability and recent life events in the anxiety spectrum: Evidence for the differential susceptibility model. <i>PLoS ONE</i> , 2018 , 13, e0193044	3.7	11
71	The schizotypal ambivalence scale as a marker of schizotypy. <i>Journal of Nervous and Mental Disease</i> , 2008 , 196, 399-404	1.8	11
70	Validation of the Multidimensional Schizotypy Scale-Brief in Two Large Samples. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2018 , 40, 669-677	2	10
69	Frontal dysfunction and psychosis proneness in CPT-linked vulnerable adolescents. <i>Personality and Individual Differences</i> , 1997 , 23, 677-683	3.3	10
68	Exophenotypical profile of adolescents with sustained attention deficit: A 10-year follow-up study. <i>Psychiatry Research</i> , 2007 , 153, 119-30	9.9	10
67	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , 2021 , 89, 288-297	7.9	10
66	Hypermentalizing in Social Anxiety: Evidence for a Context-Dependent Relationship. <i>Frontiers in Psychology</i> , 2019 , 10, 1501	3.4	9
65	Schizotypal Personality Disorder: An Integrative Review 2012 , 436-477		9
64	An Exploratory Study of Sex Differences in Divergent Thinking and Creative Personality among College Subjects. <i>Psychological Reports</i> , 1999 , 85, 1164-1166	1.6	9
63	Enhancing Psychosis-Spectrum Nosology Through an International Data Sharing Initiative. <i>Schizophrenia Bulletin</i> , 2018 , 44, S460-S467	1.3	9
62	Sex differences in cognitive functioning of patients at-risk for psychosis and healthy controls: Results from the European Gene-Environment Interactions study. <i>European Psychiatry</i> , 2020 , 63, e25	6	8
61	Illness Perception Mediates the Effect of Illness Course on the Quality of Life of Mexican Patients with Psychosis. <i>Applied Research in Quality of Life</i> , 2014 , 9, 99-112	2.3	8

60	Childhood behavioral inhibition is associated with impaired mentalizing in adolescence. <i>PLoS ONE</i> , 2018 , 13, e0195303	3.7	8
59	Adaptation of the wisconsin scales of psychosis proneness to Spanish. <i>Actas Espanolas De Psiquiatria</i> , 2010 , 38, 33-41	0.7	8
58	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020 , 46, 823-833	1.3	7
57	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021 , 26, 2590-2604	15.1	7
56	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021 , 26, 4529-4543	15.1	7
55	Emerging Adulthood and Prospective Depression: A Simultaneous Test of Cumulative Risk Theories. <i>Journal of Youth and Adolescence</i> , 2019 , 48, 1353-1364	4.5	6
54	Association between RGS4 variants and psychotic-like experiences in nonclinical individuals. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 19-24	5.1	5
53	Predictors of criticism and emotional over-involvement in relatives of early psychosis patients. <i>PLoS ONE</i> , 2020 , 15, e0234325	3.7	5
52	Retos de la investigaci3n psicol3gica en salud mental. <i>Clinica Y Salud</i> , 2016 , 27, 37-43	1.8	5
51	Predictors of outcome in the early course of first-episode psychosis. <i>European Journal of Psychiatry</i> , 2010 , 24,	1	5
50	Deconstructing the relationships between self-esteem and paranoia in early psychosis: an experience sampling study. <i>British Journal of Clinical Psychology</i> , 2020 , 59, 503-523	3.6	5
49	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2021 , 230, 104-107	3.6	5
48	Increased familiarity of intellectual deficits in early-onset schizophrenia spectrum disorders. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 493-500	3.8	4
47	Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	4
46	Interaction of both positive and negative daily-life experiences with haplotype on psychosis risk. <i>European Psychiatry</i> , 2020 , 63, e11	6	3
45	Creativity and the spectrum of affective and schizophrenic psychoses		3
44	Trauma and psychosis: Is it easier to study quarks than subjective meaning?. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 478-9	6.5	3
43	Spanish version of the Psychosis Attachment Measure: adaptation process and psychometric properties - Proceso de adaptaci3n al espa3l y propiedades psicom3tricas de la Psychosis Attachment Measure. <i>Salud Mental</i> , 2013 , 36, 403	0.5	3

42	A brief questionnaire measure of multidimensional schizotypy predicts interview-rated symptoms and impairment. <i>PLoS ONE</i> , 2020 , 15, e0237614	3.7	3
41	Emotional Comprehension Is Not Related to Duration of Distress from Daily Life Events. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
40	Self and Other Mentalizing Polarities and Dimensions of Mental Health: Association With Types of Symptoms, Functioning and Well-Being. <i>Frontiers in Psychology</i> , 2021 , 12, 566254	3.4	3
39	Splitting of Associative Threads: The Expression of Schizotypal Ambivalence in Daily Life. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2015 , 37, 349-357	2	2
38	The association of affective temperaments and bipolar spectrum psychopathology: An experience sampling study. <i>Motivation and Emotion</i> , 2018 , 42, 126-136	2.5	2
37	Impact of Adverse Childhood Experiences on Psychotic-Like Symptoms and Stress Reactivity in Daily Life in Nonclinical Young Adults. <i>Focus (American Psychiatric Publishing)</i> , 2016 , 14, 387-395	1.1	2
36	The dimensional structure of the Wisconsin schizotypy scales: Factor identification and construct validity. <i>European Psychiatry</i> , 2008 , 23, S103-S104	6	2
35	Study of Neurocognitive correlates of Schizotypy Personality Clusters in healthy individuals. <i>European Journal of Psychiatry</i> , 2008 , 22,	1	2
34	Self- but Not Other-Dimensions of Mentalizing Moderate the Impairment Associated With Social Anxiety in Adolescents From the General Population. <i>Frontiers in Psychology</i> , 2021 , 12, 721584	3.4	2
33	Anhedonia and Negative Symptom Schizotypy 2014 , 203-226		2
32	Ecological Validity of Expressed Emotion in Early Psychosis. <i>Frontiers in Psychiatry</i> , 2019 , 10, 854	5	2
31	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1018-1028	1.3	2
30	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	2
29	Schizotypy, schizotypal personality, and psychosis risk 2020 , 81-99		1
28	Retos en el desarrollo de intervenciones psicológicas y la práctica asistencial en salud mental. <i>Clinica Y Salud</i> , 2016 , 27, 65-71	1.8	1
27	Relative Attachment anxiety mediates the association between perceived loss and expressed emotion in early psychosis. <i>PLoS ONE</i> , 2019 , 14, e0223425	3.7	1
26	Social Anhedonia and Solitude 2013 , 369-390		1
25	The classification of psychosis. <i>British Journal of Psychiatry</i> , 2011 , 198, 323-4; author reply 324	5.4	1

24	FC11.03 Four-year Stability of Positive and Negative Schizotypal Traits in Normal Adolescents from the General Population. <i>European Psychiatry</i> , 2000 , 15, 298s-299s	6	1
23	Dysregulated lipid metabolism precedes onset of psychosis in people at clinical high risk		1
22	Self-Schemas and Self-Esteem Discrepancies in Subclinical Paranoia: The Essential Role of Depressive Symptoms. <i>Frontiers in Psychiatry</i> , 2021 , 12, 623755	5	1
21	Association between tobacco use and symptomatology in individuals at ultra-high risk to develop a psychosis: A longitudinal study. <i>Schizophrenia Research</i> , 2021 , 236, 48-53	3.6	1
20	Dissociation and insecure attachment as mediators of the relation between childhood emotional abuse and nonclinical paranoid traits. <i>Högre Utbildning</i> , 2021 , 12, 1888539	5	1
19	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis.. <i>Schizophrenia Research: Cognition</i> , 2022 , 28, 100222	2.8	0
18	The impact of family environment on self-esteem and symptoms in early psychosis. <i>PLoS ONE</i> , 2021 , 16, e0249721	3.7	0
17	Associations of Multiple Measures of Openness to Experience with a Brief Questionnaire of Positive, Negative, and Disorganized Schizotypy. <i>Journal of Individual Differences</i> , 1-9	1.8	0
16	Attachment as a mechanism between childhood maltreatment and subclinical psychotic phenomena: Results from an eight-year follow-up study. <i>Schizophrenia Research</i> , 2020 , 220, 261-264	3.6	0
15	Exploring the Psychometric Properties and the Factor Structure of the Calgary Depression Scale for Schizophrenia Across the Schizotypy Continuum. <i>Assessment</i> , 2021 , 1073191120986622	3.7	0
14	0423 DEVELOPMENT OF CARTOONS FOR PROMPTING SELF-RECOGNITION OF PSYCHOTIC-LIKE EXPERIENCES: A PSYCHOEDUCATIONAL PROGRAM FOR NORMAL ADOLESCENTS. <i>Schizophrenia Research</i> , 2006 , 86, S96-S97	3.6	
13	0419 IMPAIRED NEURODEVELOPMENT AND ITS IMPACT ON DURATION OF UNTREATED PSYCHOSIS. <i>Schizophrenia Research</i> , 2006 , 86, S123	3.6	
12	0425 RELATIONSHIP BETWEEN DUP AND DUI AND CLINICAL FEATURES IN FIRST EPISODE OF SCHIZOPHRENIA-SPECTRUM DISORDERS. <i>Schizophrenia Research</i> , 2006 , 86, S123-S124	3.6	
11	FC11.04 A Cluster Analytic Study of Normal Adolescents with Neurodevelopmental Neurocognitive, Personality and Social Risk Factors for Schizophrenia Spectrum Disorders. <i>European Psychiatry</i> , 2000 , 15, 299s-299s	6	
10	P01.136 Relationship of schizotypal dimensions and hypomanic traits with creative thinking in normal subjects. <i>European Psychiatry</i> , 2000 , 15, 356s-356s	6	
9	Examining the Relationship Between Hair Cortisol With Stress-Related and Transdiagnostic Subclinical Measures. <i>Frontiers in Psychiatry</i> , 2021 , 12, 746155	5	
8	Interaction Between Genes and Childhood Trauma on the Outcome of Psychiatric Disorders 2020 , 105-124		
7	The Association of Bipolar Spectrum Psychopathology with Psychotic-Like and Schizotypic Symptoms. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2021 , 43, 303-313	2	

- 6 El Apego Va a Juicio: Problemas de Custodia y Protección Infantil. *Anuario De Psicología Jurídica*, **2021**, 32, 115-139 1
- 5 Predictors of criticism and emotional over-involvement in relatives of early psychosis patients **2020**, 15, e0234325
- 4 Predictors of criticism and emotional over-involvement in relatives of early psychosis patients **2020**, 15, e0234325
- 3 Predictors of criticism and emotional over-involvement in relatives of early psychosis patients **2020**, 15, e0234325
- 2 Predictors of criticism and emotional over-involvement in relatives of early psychosis patients **2020**, 15, e0234325
- 1 Comparison of self-reported attachment in young adults from Spain and the United States. *Psicothema*, **2013**, 25, 514-9 2