

Neus Barrantes-Vidal

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6544897/neus-barrantes-vidal-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

149
papers

3,745
citations

31
h-index

56
g-index

181
ext. papers

4,451
ext. citations

4.3
avg, IF

5.56
L-index

#	Paper	IF	Citations
149	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis.. <i>Schizophrenia Research: Cognition</i> , 2022 , 28, 100222	2.8	0
148	Examining the Relationship Between Hair Cortisol With Stress-Related and Transdiagnostic Subclinical Measures. <i>Frontiers in Psychiatry</i> , 2021 , 12, 746155	5	
147	Self- but Not Other-Dimensions of Mentalizing Moderate the Impairment Associated With Social Anxiety in Adolescents From the General Population. <i>Frontiers in Psychology</i> , 2021 , 12, 721584	3.4	2
146	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021 , 26, 2590-2604	15.1	7
145	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2021 , 230, 104-107	3.6	5
144	Self-Schemas and Self-Esteem Discrepancies in Subclinical Paranoia: The Essential Role of Depressive Symptoms. <i>Frontiers in Psychiatry</i> , 2021 , 12, 623755	5	1
143	The impact of family environment on self-esteem and symptoms in early psychosis. <i>PLoS ONE</i> , 2021 , 16, e0249721	3.7	0
142	Positive, Negative, and Disorganized Schizotypy Predict Differential Patterns of Interview-Rated Schizophrenia-Spectrum Symptoms and Impairment. <i>Assessment</i> , 2021 , 28, 141-152	3.7	13
141	The Association of Bipolar Spectrum Psychopathology with Psychotic-Like and Schizotypic Symptoms. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2021 , 43, 303-313	2	
140	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , 2021 , 89, 288-297	7.9	10
139	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. <i>JAMA Psychiatry</i> , 2021 , 78, 77-90	14.5	19
138	Emotional Comprehension Is Not Related to Duration of Distress from Daily Life Events. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
137	Exploring the Psychometric Properties and the Factor Structure of the Calgary Depression Scale for Schizophrenia Across the Schizotypy Continuum. <i>Assessment</i> , 2021 , 1073191120986622	3.7	0
136	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1018-1028	1.3	2
135	Self and Other Mentalizing Polarities and Dimensions of Mental Health: Association With Types of Symptoms, Functioning and Well-Being. <i>Frontiers in Psychology</i> , 2021 , 12, 566254	3.4	3
134	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	2
133	Association between tobacco use and symptomatology in individuals at ultra-high risk to develop a psychosis: A longitudinal study. <i>Schizophrenia Research</i> , 2021 , 236, 48-53	3.6	1

132	Attachment goes to court: child protection and custody issues. <i>Attachment and Human Development</i> , 2021 , 1-52	2.8	24
131	Dissociation and insecure attachment as mediators of the relation between childhood emotional abuse and nonclinical paranoid traits. <i>Högre Utbildning</i> , 2021 , 12, 1888539	5	1
130	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021 , 26, 4529-4543	15.1	7
129	El Apego Va a Juicio: Problemas de Custodia y Protección Infantil1. <i>Anuario De Psicología Juridica</i> , 2021 , 32, 115-139	1	
128	Predictors of criticism and emotional over-involvement in relatives of early psychosis patients. <i>PLoS ONE</i> , 2020 , 15, e0234325	3.7	5
127	Sex differences in cognitive functioning of patients at-risk for psychosis and healthy controls: Results from the European Gene-Environment Interactions study. <i>European Psychiatry</i> , 2020 , 63, e25	6	8
126	Interaction of both positive and negative daily-life experiences with haplotype on psychosis risk. <i>European Psychiatry</i> , 2020 , 63, e11	6	3
125	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020 , 46, 823-833	1.3	7
124	Schizotypy, schizotypal personality, and psychosis risk 2020 , 81-99		1
123	Interaction Between Genes and Childhood Trauma on the Outcome of Psychiatric Disorders 2020 , 105-124		
122	Association of multidimensional schizotypy with psychotic-like experiences, affect, and social functioning in daily life: Comparable findings across samples and schizotypy measures. <i>Journal of Abnormal Psychology</i> , 2020 , 129, 492-504	7	22
121	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020 , 77, 190-200	14.5	14
120	Deconstructing the relationships between self-esteem and paranoia in early psychosis: an experience sampling study. <i>British Journal of Clinical Psychology</i> , 2020 , 59, 503-523	3.6	5
119	Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	4
118	A brief questionnaire measure of multidimensional schizotypy predicts interview-rated symptoms and impairment. <i>PLoS ONE</i> , 2020 , 15, e0237614	3.7	3
117	Attachment as a mechanism between childhood maltreatment and subclinical psychotic phenomena: Results from an eight-year follow-up study. <i>Schizophrenia Research</i> , 2020 , 220, 261-264	3.6	0
116	Predictors of criticism and emotional over-involvement in relatives of early psychosis patients 2020 , 15, e0234325		
115	Predictors of criticism and emotional over-involvement in relatives of early psychosis patients 2020 , 15, e0234325		

114	Predictors of criticism and emotional over-involvement in relatives of early psychosis patients 2020 , 15, e0234325		
113	Predictors of criticism and emotional over-involvement in relatives of early psychosis patients 2020 , 15, e0234325		
112	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning - Results from the EU-GEI study. <i>European Psychiatry</i> , 2019 , 59, 52-59	6	15
111	To know or not to know? Mentalization as protection from somatic complaints. <i>PLoS ONE</i> , 2019 , 14, e0215308	3.7	27
110	O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S177-S178	1.3	78
109	Emerging Adulthood and Prospective Depression: A Simultaneous Test of Cumulative Risk Theories. <i>Journal of Youth and Adolescence</i> , 2019 , 48, 1353-1364	4.5	6
108	Hypermentalizing in Social Anxiety: Evidence for a Context-Dependent Relationship. <i>Frontiers in Psychology</i> , 2019 , 10, 1501	3.4	9
107	Relatives Attachment anxiety mediates the association between perceived loss and expressed emotion in early psychosis. <i>PLoS ONE</i> , 2019 , 14, e0223425	3.7	1
106	Ecological Validity of Expressed Emotion in Early Psychosis. <i>Frontiers in Psychiatry</i> , 2019 , 10, 854	5	2
105	The Network Structure of Schizotypal Personality Traits. <i>Schizophrenia Bulletin</i> , 2018 , 44, S468-S479	1.3	41
104	The multidimensional schizotypy scale-brief: Scale development and psychometric properties. <i>Psychiatry Research</i> , 2018 , 261, 7-13	9.9	16
103	Validation of the Multidimensional Schizotypy Scale-Brief in Two Large Samples. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2018 , 40, 669-677	2	10
102	Comparisons of schizotypal traits across 12 countries: Results from the International Consortium for Schizotypy Research. <i>Schizophrenia Research</i> , 2018 , 199, 128-134	3.6	21
101	Child Maltreatment and Clinical Outcome in Individuals at Ultra-High Risk for Psychosis in the EU-GEI High Risk Study. <i>Schizophrenia Bulletin</i> , 2018 , 44, 584-592	1.3	25
100	Development and psychometric properties of the Multidimensional Schizotypy Scale: A new measure for assessing positive, negative, and disorganized schizotypy. <i>Schizophrenia Research</i> , 2018 , 193, 209-217	3.6	47
99	The structure of schizotypal personality traits: a cross-national study. <i>Psychological Medicine</i> , 2018 , 48, 451-462	6.9	71
98	The association of affective temperaments and bipolar spectrum psychopathology: An experience sampling study. <i>Motivation and Emotion</i> , 2018 , 42, 126-136	2.5	2
97	Interaction between FKBP5 variability and recent life events in the anxiety spectrum: Evidence for the differential susceptibility model. <i>PLoS ONE</i> , 2018 , 13, e0193044	3.7	11

96	Childhood behavioral inhibition is associated with impaired mentalizing in adolescence. <i>PLoS ONE</i> , 2018 , 13, e0195303	3.7	8
95	Validity of the Multidimensional Schizotypy Scale: Associations with schizotypal traits and normal personality. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2018 , 9, 458-466	4.1	18
94	Brief assessment of schizotypal traits: A multinational study. <i>Schizophrenia Research</i> , 2018 , 197, 182-191	3.6	33
93	Prediction of prodromal symptoms and schizophrenia-spectrum personality disorder traits by positive and negative schizotypy: A 3-year prospective study. <i>PLoS ONE</i> , 2018 , 13, e0207150	3.7	14
92	Beyond diagnosis: Mentalization and mental health from a transdiagnostic point of view in adolescents from non-clinical population. <i>Psychiatry Research</i> , 2018 , 270, 755-763	9.9	12
91	Association of positive, negative, and disorganized schizotypy dimensions with affective symptoms and experiences. <i>Psychiatry Research</i> , 2018 , 270, 1143-1149	9.9	29
90	Enhancing Psychosis-Spectrum Nosology Through an International Data Sharing Initiative. <i>Schizophrenia Bulletin</i> , 2018 , 44, S460-S467	1.3	9
89	Association between RGS4 variants and psychotic-like experiences in nonclinical individuals. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 19-24	5.1	5
88	Relatives Reexpressed emotion, distress and attributions in clinical high-risk and recent onset of psychosis. <i>Psychiatry Research</i> , 2017 , 247, 323-329	9.9	18
87	Expression of schizophrenia-spectrum personality traits in daily life. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2017 , 8, 64-74	4.1	16
86	Interaction between FKBP5 gene and childhood trauma on psychosis, depression and anxiety symptoms in a non-clinical sample. <i>Psychoneuroendocrinology</i> , 2017 , 85, 200-209	5	26
85	The genome-wide associated candidate gene ZNF804A and psychosis-proneness: Evidence of sex-modulated association. <i>PLoS ONE</i> , 2017 , 12, e0185072	3.7	11
84	The role of stress-regulation genes in moderating the association of stress and daily-life psychotic experiences. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 389-399	6.5	17
83	Impact of Adverse Childhood Experiences on Psychotic-Like Symptoms and Stress Reactivity in Daily Life in Nonclinical Young Adults. <i>Focus (American Psychiatric Publishing)</i> , 2016 , 14, 387-395	1.1	2
82	Retos en el desarrollo de intervenciones psicológicas y la práctica asistencial en salud mental. <i>Clinica Y Salud</i> , 2016 , 27, 65-71	1.8	1
81	Retos de la investigación psicológica en salud mental. <i>Clinica Y Salud</i> , 2016 , 27, 37-43	1.8	5
80	Impact of Adverse Childhood Experiences on Psychotic-Like Symptoms and Stress Reactivity in Daily Life in Nonclinical Young Adults. <i>PLoS ONE</i> , 2016 , 11, e0153557	3.7	45
79	The Interaction between Childhood Bullying and the FKBP5 Gene on Psychotic-Like Experiences and Stress Reactivity in Real Life. <i>PLoS ONE</i> , 2016 , 11, e0158809	3.7	18

78	Childhood trauma, BDNF Val66Met and subclinical psychotic experiences. Attempt at replication in two independent samples. <i>Journal of Psychiatric Research</i> , 2016 , 83, 121-129	5.2	16
77	Schizotypy from a developmental perspective. <i>Schizophrenia Bulletin</i> , 2015 , 41 Suppl 2, S386-95	1.3	66
76	Splitting of Associative Threads: The Expression of Schizotypal Ambivalence in Daily Life. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2015 , 37, 349-357	2	2
75	The role of schizotypy in the study of the etiology of schizophrenia spectrum disorders. <i>Schizophrenia Bulletin</i> , 2015 , 41 Suppl 2, S408-16	1.3	174
74	The dimensional structure of short forms of the Wisconsin Schizotypy Scales. <i>Schizophrenia Research</i> , 2015 , 166, 80-5	3.6	17
73	A 3-Year Longitudinal Study of Risk for Bipolar Spectrum Psychopathology. <i>Journal of Abnormal Psychology</i> , 2015 , 124, 486-97	7	38
72	Subjective quality of life in At-Risk Mental State for psychosis patients: relationship with symptom severity and functional impairment. <i>Microbial Biotechnology</i> , 2015 , 9, 292-9	3.3	15
71	Attachment style predicts affect, cognitive appraisals, and social functioning in daily life. <i>Frontiers in Psychology</i> , 2015 , 6, 296	3.4	33
70	COMT-by-sex interaction effect on psychosis proneness. <i>BioMed Research International</i> , 2015 , 2015, 829337	3.7	17
69	Impact of attachment style on the 1-year outcome of persons with an at-risk mental state for psychosis. <i>Psychiatry Research</i> , 2015 , 228, 849-56	9.9	12
68	Schizotypy: looking back and moving forward. <i>Schizophrenia Bulletin</i> , 2015 , 41 Suppl 2, S366-73	1.3	160
67	Interview Investigation of Insecure Attachment Styles as Mediators between Poor Childhood Care and Schizophrenia-Spectrum Phenomenology. <i>PLoS ONE</i> , 2015 , 10, e0135150	3.7	15
66	Fearful attachment mediates the association of childhood trauma with schizotypy and psychotic-like experiences. <i>Psychiatry Research</i> , 2014 , 220, 691-3	9.9	27
65	A three-year longitudinal study of affective temperaments and risk for psychopathology. <i>Journal of Affective Disorders</i> , 2014 , 164, 94-100	6.6	28
64	Comparing the factor structure of the Wisconsin Schizotypy Scales and the Schizotypal Personality Questionnaire. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2014 , 5, 397-405	4.1	51
63	Worries about being judged versus being harmed: disentangling the association of social anxiety and paranoia with schizotypy. <i>PLoS ONE</i> , 2014 , 9, e96269	3.7	16
62	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36	1.3	186
61	Predictors of expressed emotion, burden and quality of life in relatives of Mexican patients with psychosis. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2014 , 21, 170-9	2.4	21

60	Trauma and psychosis: Is it easier to study quarks than subjective meaning?. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 478-9	6.5	3
59	Relatives? illness attributions mediate the association of expressed emotion with early psychosis symptoms and functioning. <i>Psychiatry Research</i> , 2014 , 218, 48-53	9.9	16
58	Illness Perception Mediates the Effect of Illness Course on the Quality of Life of Mexican Patients with Psychosis. <i>Applied Research in Quality of Life</i> , 2014 , 9, 99-112	2.3	8
57	Anhedonia and Negative Symptom Schizotypy 2014 , 203-226		2
56	The expression of affective temperaments in daily life. <i>Journal of Affective Disorders</i> , 2013 , 145, 179-86	6.6	30
55	Affective temperaments: unique constructs or dimensions of normal personality by another name?. <i>Journal of Affective Disorders</i> , 2013 , 151, 882-90	6.6	18
54	Association between attachment prototypes and schizotypy dimensions in two independent non-clinical samples of Spanish and American young adults. <i>Psychiatry Research</i> , 2013 , 210, 408-13	9.9	17
53	Psychotic-like symptoms and positive schizotypy are associated with mixed and ambiguous handedness in an adolescent community sample. <i>Psychiatry Research</i> , 2013 , 206, 188-94	9.9	13
52	Positive and negative schizotypy are associated with prodromal and schizophrenia-spectrum symptoms. <i>Schizophrenia Research</i> , 2013 , 145, 50-5	3.6	90
51	Psychometric schizotypy predicts psychotic-like, paranoid, and negative symptoms in daily life. <i>Journal of Abnormal Psychology</i> , 2013 , 122, 1077-87	7	57
50	Prediction of psychopathology and functional impairment by positive and negative schizotypy in the Chapman's ten-year longitudinal study. <i>Journal of Abnormal Psychology</i> , 2013 , 122, 807-15	7	145
49	Social Anhedonia and Solitude 2013 , 369-390		1
48	Spanish version of the Psychosis Attachment Measure: adaptation process and psychometric properties - Proceso de adaptación al español y propiedades psicométricas de la Psychosis Attachment Measure. <i>Salud Mental</i> , 2013 , 36, 403	0.5	3
47	Comparison of self-reported attachment in young adults from Spain and the United States. <i>Psicothema</i> , 2013 , 25, 514-9	2	
46	Attachment style predicts 6-month improvement in psychoticism in persons with at-risk mental states for psychosis. <i>Microbial Biotechnology</i> , 2012 , 6, 442-9	3.3	16
45	Being with others and feeling happy: Emotional expressivity in everyday life. <i>Personality and Individual Differences</i> , 2012 , 53, 185-190	3.3	17
44	Factor Invariance of Psychometric Schizotypy in Spanish and American Samples. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2012 , 34, 145-152	2	27
43	The association of affective temperaments with impairment and psychopathology in a young adult sample. <i>Journal of Affective Disorders</i> , 2012 , 141, 373-81	6.6	31

42	Increased familiarity of intellectual deficits in early-onset schizophrenia spectrum disorders. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 493-500	3.8	4
41	Looking for bipolar spectrum psychopathology: identification and expression in daily life. <i>Comprehensive Psychiatry</i> , 2012 , 53, 409-21	7.3	29
40	Psychometric properties and validity of short forms of the Wisconsin Schizotypy Scales in two large samples. <i>Schizophrenia Research</i> , 2012 , 134, 267-72	3.6	31
39	The expression of positive and negative schizotypy in daily life: an experience sampling study. <i>Psychological Medicine</i> , 2012 , 42, 2555-66	6.9	100
38	Schizotypal Personality Disorder: An Integrative Review 2012 , 436-477		9
37	An experience-sampling study of depressive symptoms and their social context. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 403-9	1.8	40
36	The expression of bipolar spectrum psychopathology in daily life. <i>Journal of Affective Disorders</i> , 2011 , 130, 166-70	6.6	30
35	The classification of psychosis. <i>British Journal of Psychiatry</i> , 2011 , 198, 323-4; author reply 324	5.4	1
34	Process of adaptation to Spanish of the Community Assessment of Psychic Experiences (CAPE). <i>Actas Espanolas De Psiquiatria</i> , 2011 , 39, 95-105	0.7	12
33	Psychopathology, social adjustment and personality correlates of schizotypy clusters in a large nonclinical sample. <i>Schizophrenia Research</i> , 2010 , 122, 219-25	3.6	54
32	Predictors of outcome in the early course of first-episode psychosis. <i>European Journal of Psychiatry</i> , 2010 , 24,	1	5
31	Adaptation of the wisconsin scales of psychosis proneness to Spanish. <i>Actas Espanolas De Psiquiatria</i> , 2010 , 38, 33-41	0.7	8
30	Early adversity and 5-HTT/BDNF genes: new evidence of gene-environment interactions on depressive symptoms in a general population. <i>Psychological Medicine</i> , 2009 , 39, 1425-32	6.9	209
29	Neurological soft signs in psychometrically identified schizotypy. <i>Schizophrenia Research</i> , 2009 , 115, 293-302	3.02	35
28	An examination of neuroticism as a moderating factor in the association of positive and negative schizotypy with psychopathology in a nonclinical sample. <i>Schizophrenia Research</i> , 2009 , 115, 303-9	3.6	40
27	Momentary assessment research in psychosis. <i>Psychological Assessment</i> , 2009 , 21, 498-505	5.3	86
26	The dimensional structure of the Wisconsin schizotypy scales: Factor identification and construct validity. <i>European Psychiatry</i> , 2008 , 23, S103-S104	6	2
25	The schizotypal ambivalence scale as a marker of schizotypy. <i>Journal of Nervous and Mental Disease</i> , 2008 , 196, 399-404	1.8	11

24	Putative role of the COMT gene polymorphism (Val158Met) on verbal working memory functioning in a healthy population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 898-902	3.5	53
23	The dimensional structure of the Wisconsin Schizotypy Scales: factor identification and construct validity. <i>Schizophrenia Bulletin</i> , 2008 , 34, 444-57	1.3	225
22	Study of Neurocognitive correlates of Schizotypy Personality Clusters in healthy individuals. <i>European Journal of Psychiatry</i> , 2008 , 22,	1	2
21	Working memory in siblings of schizophrenia patients. <i>Schizophrenia Research</i> , 2007 , 95, 70-5	3.6	48
20	Exophenotypical profile of adolescents with sustained attention deficit: A 10-year follow-up study. <i>Psychiatry Research</i> , 2007 , 153, 119-30	9.9	10
19	Diagnostic Interview for Genetic Studies (DIGS): inter-rater and test-retest reliability and validity in a Spanish population. <i>European Psychiatry</i> , 2007 , 22, 44-8	6	26
18	0423 DEVELOPMENT OF CARTOONS FOR PROMPTING SELF-RECOGNITION OF PSYCHOTIC-LIKE EXPERIENCES: A PSYCHOEDUCATIONAL PROGRAM FOR NORMAL ADOLESCENTS. <i>Schizophrenia Research</i> , 2006 , 86, S96-S97	3.6	
17	0419 IMPAIRED NEURODEVELOPMENT AND ITS IMPACT ON DURATION OF UNTREATED PSYCHOSIS. <i>Schizophrenia Research</i> , 2006 , 86, S123	3.6	
16	0425 RELATIONSHIP BETWEEN DUP AND DUI AND CLINICAL FEATURES IN FIRST EPISODE OF SCHIZOPHRENIA-SPECTRUM DISORDERS. <i>Schizophrenia Research</i> , 2006 , 86, S123-S124	3.6	
15	Anxiety and depression symptoms in psychometrically identified schizotypy. <i>Schizophrenia Research</i> , 2006 , 83, 225-35	3.6	139
14	Analysis of polymorphisms at the tumor suppressor gene p53 (TP53) in contributing to the risk for schizophrenia and its associated neurocognitive deficits. <i>Neuroscience Letters</i> , 2004 , 363, 78-80	3.3	17
13	Neurocognitive, behavioural and neurodevelopmental correlates of schizotypy clusters in adolescents from the general population. <i>Schizophrenia Research</i> , 2003 , 61, 293-302	3.6	71
12	A factor analytic study of the Hypomanic Personality Scale in British, Spanish and Australian samples. <i>Personality and Individual Differences</i> , 2000 , 28, 73-84	3.3	21
11	Developmental instability and schizotypy. <i>Schizophrenia Research</i> , 2000 , 43, 125-34	3.6	28
10	FC11.03 Four-year Stability of Positive and Negative Schizotypal Traits in Normal Adolescents from the General Population. <i>European Psychiatry</i> , 2000 , 15, 298s-299s	6	1
9	FC11.04 A Cluster Analytic Study of Normal Adolescents with Neurodevelopmental Neurocognitive, Personality and Social Risk Factors for Schizophrenia Spectrum Disorders. <i>European Psychiatry</i> , 2000 , 15, 299s-299s	6	
8	P01.136 Relationship of schizotypal dimensions and hypomanic traits with creative thinking in normal subjects. <i>European Psychiatry</i> , 2000 , 15, 356s-356s	6	
7	An Exploratory Study of Sex Differences in Divergent Thinking and Creative Personality among College Subjects. <i>Psychological Reports</i> , 1999 , 85, 1164-1166	1.6	9

6	Repetitive transcranial magnetic stimulation in the treatment of chronic negative schizophrenia: a pilot study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1999 , 67, 129-30	5.5	62
5	Neurological soft signs in adolescents with poor performance on the continuous performance test: markers of liability for schizophrenia spectrum disorders?. <i>Psychiatry Research</i> , 1999 , 86, 217-28	9.9	73
4	Frontal dysfunction and psychosis proneness in CPT-linked vulnerable adolescents. <i>Personality and Individual Differences</i> , 1997 , 23, 677-683	3.3	10
3	Creativity and the spectrum of affective and schizophrenic psychoses 169-204		3
2	Dysregulated lipid metabolism precedes onset of psychosis in people at clinical high risk		1
1	Associations of Multiple Measures of Openness to Experience with a Brief Questionnaire of Positive, Negative, and Disorganized Schizotypy. <i>Journal of Individual Differences</i> , 1-9	1.8	0