## Alan J L Phillips

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/654504/publications.pdf

Version: 2024-02-01

155 papers

10,972 citations

52 h-index 98 g-index

157 all docs

157 docs citations

157 times ranked 4912 citing authors

#	Article	IF	CITATIONS
1	The Botryosphaeriaceae: genera and species known from culture. Studies in Mycology, 2013, 76, 51-167.	7.2	676
2	Phylogenetic lineages in the Botryosphaeriaceae. Studies in Mycology, 2006, 55, 235-253.	7.2	646
3	A class-wide phylogenetic assessment of Dothideomycetes. Studies in Mycology, 2009, 64, 1-15.	7.2	540
4	Families of Dothideomycetes. Fungal Diversity, 2013, 63, 1-313.	12.3	509
5	The Faces of Fungi database: fungal names linked with morphology, phylogeny and human impacts. Fungal Diversity, 2015, 74, 3-18.	12.3	471
6	Outline of Fungi and fungus-like taxa. Mycosphere, 2020, 11, 1060-1456.	6.1	405
7	Families of Sordariomycetes. Fungal Diversity, 2016, 79, 1-317.	12.3	256
8	Fungal diversity notes 253–366: taxonomic and phylogenetic contributions to fungal taxa. Fungal Diversity, 2016, 78, 1-237.	12.3	239
9	Resolving the phylogenetic and taxonomic status of dark-spored teleomorph genera in the Botryosphaeriaceae. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2008, 21, 29-55.	4.4	229
10	Naming and outline of Dothideomycetes–2014 including proposals for the protection or suppression of generic names. Fungal Diversity, 2014, 69, 1-55.	12.3	216
11	Notes for genera: Ascomycota. Fungal Diversity, 2017, 86, 1-594.	12.3	213
12	Phylogenetic lineages in the Botryosphaeriales: a systematic and evolutionary framework. Studies in Mycology, 2013, 76, 31-49.	7.2	207
13	Fungal diversity notes 491–602: taxonomic and phylogenetic contributions to fungal taxa. Fungal Diversity, 2017, 83, 1-261.	12.3	180
14	Fungi vs. Fungi in Biocontrol: An Overview of Fungal Antagonists Applied Against Fungal Plant Pathogens. Frontiers in Cellular and Infection Microbiology, 2020, 10, 604923.	3.9	177
15	<i>Botryosphaeria corticola,</i> sp. nov. on <i>Quercus</i> species, with notes and description of <i>Botryosphaeria stevensii</i> and its anamorph, <i>Diplodia mutila</i> Mycologia, 2004, 96, 598-613.	1.9	151
16	Resolving the <i>Diaporthe</i> species occurring on soybean in Croatia. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2011, 27, 9-19.	4.4	150
17	Fungal diversity notes 1036–1150: taxonomic and phylogenetic contributions on genera and species of fungal taxa. Fungal Diversity, 2019, 96, 1-242.	12.3	148
18	Ranking higher taxa using divergence times: a case study in Dothideomycetes. Fungal Diversity, 2017, 84, 75-99.	12.3	138

#	Article	IF	Citations
19	Species of <i>Phomopsis</i> and a <i>Libertella</i> sp. occurring on grapevines with specific reference to South Africa: morphological, cultural, molecular and pathological characterization. Mycologia, 2001, 93, 146-167.	1.9	136
20	Two new species of Botryosphaeria with brown, 1-septate ascospores and Dothiorella anamorphs. Mycologia, 2005, 97, 513-529.	1.9	136
21	Primers for mating-type diagnosis in Diaporthe and Phomopsis: their use in teleomorph induction in vitro and biological species definition. Fungal Biology, 2010, 114, 255-270.	2.5	136
22	Phylogeny and morphology of four new species of <i>Lasiodiplodia</i> from Iran. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2010, 25, 1-10.	4.4	135
23	Taxonomy and phylogeny of dematiaceous coelomycetes. Fungal Diversity, 2016, 77, 1-316.	12.3	134
24	Families of <i>Diaporthales </i> based on morphological and phylogenetic evidence. Studies in Mycology, 2017, 86, 217-296.	7.2	130
25	Fungal diversity notes 840–928: micro-fungi associated with Pandanaceae. Fungal Diversity, 2018, 93, 1-160.	12.3	125
26	<i>Plectosphaerella</i> species associated with root and collar rots of horticultural crops in southern Italy. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2012, 28, 34-48.	4.4	120
27	Diversity, morphology and molecular phylogeny of Dothideomycetes on decaying wild seed pods and fruits. Mycosphere, 2019, 10, 1-186.	6.1	110
28	Refined families of Dothideomycetes: Dothideomycetidae and Pleosporomycetidae. Mycosphere, 2020, 11, 1553-2107.	6.1	109
29	Botryosphaeriaceae: Current status of genera and species. Mycosphere, 2016, 7, 1001-1073.	6.1	109
30	Recommended names for pleomorphic genera in Dothideomycetes. IMA Fungus, 2015, 6, 507-523.	3.8	99
31	Species of Lasiodiplodia associated with mango in Brazil. Fungal Diversity, 2013, 61, 181-193.	12.3	96
32	Botryosphaeria corticola, sp. nov. on Quercus Species, with Notes and Description of Botryosphaeria stevensii and Its Anamorph, Diplodia mutila. Mycologia, 2004, 96, 598.	1.9	94
33	Microfungi associated with Clematis (Ranunculaceae) with an integrated approach to delimiting species boundaries. Fungal Diversity, 2020, 102, 1-203.	12.3	93
34	Phylogeny, morphology and pathogenicity of Diaporthe and Phomopsis species on almond in Portugal. Fungal Diversity, 2010, 44, 107-115.	12.3	89
35	Morphology, phylogeny and pathogenicity of <i>Botryosphaeria</i> and <i>Neofusicoccum</i> species associated with drupe rot of olives in southern Italy. Plant Pathology, 2008, 57, 948-956.	2.4	88
36	Fungal diversity notes 1387–1511: taxonomic and phylogenetic contributions on genera and species of fungal taxa. Fungal Diversity, 2021, 111, 1-335.	12.3	88

#	Article	IF	CITATIONS
37	Species of Lasiodiplodia associated with papaya stem-end rot in Brazil. Fungal Diversity, 2014, 67, 127-141.	12.3	86
38	Diversity of Botryosphaeriaceae species associated with grapevine and other woody hosts in Italy, Algeria and Tunisia, with descriptions of Lasiodiplodia exigua and Lasiodiplodia mediterranea sp. nov. Fungal Diversity, 2015, 71, 201-214.	12.3	81
39	Fungal Planet description sheets: 128–153. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2012, 29, 146-201.	4.4	80
40	Two new species of <i>Botryosphaeria </i> with brown, 1-septate ascospores and <i>Dothiorella </i> anamorphs. Mycologia, 2005, 97, 513-529.	1.9	79
41	Mycosphere notes 1-50: Grass (Poaceae) inhabiting Dothideomycetes. Mycosphere, 2017, 8, 697-796.	6.1	73
42	The current status of species in Diaporthe. Mycosphere, 2017, 8, 1106-1156.	6.1	73
43	Resolving the <l>Diplodia</l> complex on apple and other <l>Rosaceae</l> hosts. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2012, 29, 29-38.	4.4	70
44	Refined families of Dothideomycetes: orders and families incertae sedis in Dothideomycetes. Fungal Diversity, 2020, 105, 17-318.	12.3	70
45	One stop shop II: taxonomic update with molecular phylogeny for important phytopathogenic genera: 26–50 (2019). Fungal Diversity, 2019, 94, 41-129.	12.3	69
46	Species of Phomopsis and a Libertella sp. Occurring on Grapevines with Specific Reference to South Africa: Morphological, Cultural, Molecular and Pathological Characterization. Mycologia, 2001, 93, 146.	1.9	67
47	Phylogenetic revision of <i>Camarosporium</i> ( <i>Pleosporineae</i> , <i>Dothideomycetes</i> ) and allied genera. Studies in Mycology, 2017, 87, 207-256.	7.2	65
48	Families in Botryosphaeriales: a phylogenetic, morphological and evolutionary perspective. Fungal Diversity, 2019, 94, 1-22.	12.3	63
49	Botryosphaeria, Neofusicoccum, Neoscytalidium and Pseudofusicoccum species associated with mango in Brazil. Fungal Diversity, 2013, 61, 195-208.	12.3	62
50	Comparative genome and transcriptome analyses reveal adaptations to opportunistic infections in woody plant degrading pathogens of Botryosphaeriaceae. DNA Research, 2018, 25, 87-102.	3.4	60
51	Fungal diversity notes 1277–1386: taxonomic and phylogenetic contributions to fungal taxa. Fungal Diversity, 2020, 104, 1-266.	12.3	60
52	Rapid differentiation of species of Botryosphaeriaceae by PCR fingerprinting. Research in Microbiology, 2007, 158, 112-121.	2.1	58
53	The complex of Diplodia species associated with Fraxinus and some other woody hosts in Italy and Portugal. Fungal Diversity, 2014, 67, 143-156.	12.3	55
54	Botryosphaeria viticola sp. nov. on grapevines: a new species with a Dothiorella anamorph. Mycologia, 2005, 97, 1111-1121.	1.9	54

#	Article	IF	Citations
55	Morphology and phylogeny of Botryosphaeria dothidea causing fruit rot of olives. Mycopathologia, 2005, 159, 433-439.	3.1	52
56	<l>Barriopsis iraniana</l> and <l>Phaeobotryon cupressi</l> : two new species of the <l>Botryosphaeriaceae</l> from trees in Iran. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2009, 23, 1-8.	4.4	52
57	Evaluation of amplified ribosomal DNA restriction analysis as a method for the identification of Botryosphaeria species. FEMS Microbiology Letters, 2005, 245, 221-229.	1.8	51
58	Phylogeny and taxonomy of <i>Botryosphaeria</i> and <i>Neofusicoccum</i> species in Iran, with description of <i>Botryosphaeria scharifii</i> sp. nov Mycologia, 2013, 105, 210-220.	1.9	50
59	<i>Diplodia quercivora</i> sp. nov.: a new species of <i>Diplodia</i> found on declining <i>Quercus canariensis</i> trees in Tunisia. Mycologia, 2013, 105, 1266-1274.	1.9	48
60	Taxonomic and phylogenetic contributions to Celtis formosana, Ficus ampelas, F. septica, Macaranga tanarius and Morus australis leaf litter inhabiting microfungi. Fungal Diversity, 2021, 108, 1-215.	12.3	48
61	Dictyosporiaceae fam. nov Fungal Diversity, 2016, 80, 457-482.	12.3	44
62	Microfungi on Tamarix. Fungal Diversity, 2017, 82, 239-306.	12.3	44
63	Physiological response of grapevine cultivars and a rootstock to infection with Phaeoacremonium and Phaeomoniella isolates: an in vitro approach using plants and calluses. Scientia Horticulturae, 2005, 103, 187-198.	3.6	43
64	Mycosphere Essays 9: Defining biotrophs and hemibiotrophs. Mycosphere, 2016, 7, 545-559.	6.1	43
65	Microbial communities on deteriorated artistic tiles from Pena National Palace (Sintra, Portugal). International Biodeterioration and Biodegradation, 2013, 84, 322-332.	3.9	42
66	Phylogenetic relationships and morphological reappraisal of Melanommataceae (Pleosporales). Fungal Diversity, 2015, 74, 267-324.	12.3	41
67	Phylogeny, distribution and pathogenicity of <i>Lasiodiplodia</i> species associated with dieback of table grape in the main Brazilian exporting region. Plant Pathology, 2016, 65, 92-103.	2.4	40
68	Phenotypic characterisation of Phaeoacremonium and Phaeomoniella strains isolated from grapevines: enzyme production and virulence of extra-cellular filtrate on grapevine calluses. Scientia Horticulturae, 2006, 107, 123-130.	3.6	38
69	Phylogeny, morphology and pathogenicity of Botryosphaeriaceae, Diatrypaceae and Gnomoniaceae associated with branch diseases of hazelnut in Sardinia (Italy). European Journal of Plant Pathology, 2016, 146, 259-279.	1.7	37
70	Mating type genes in the genus Neofusicoccum: Mating strategies and usefulness in species delimitation. Fungal Biology, 2017, 121, 394-404.	2.5	37
71	The Genera <i>Cylindrocladium</i> and <i>Cylindrocladiella</i> in South Africa, with Special Reference to Forest Nurseries. South African Forestry Journal, 1991, 157, 69-85.	0.1	36
72	Diversity and potential impact of Botryosphaeriaceae species associated with Eucalyptus globulus plantations in Portugal. European Journal of Plant Pathology, 2016, 146, 245-257.	1.7	36

#	Article	IF	CITATIONS
73	One stop shop III: taxonomic update with molecular phylogeny for important phytopathogenic genera: $51\hat{a} \in .75$ (2019). Fungal Diversity, 2019, 98, 77-160.	12.3	35
74	Botryosphaeria corticola, sp. nov. on Quercus species, with notes and description of Botryosphaeria stevensii and its anamorph, Diplodia mutila. Mycologia, 2004, 96, 598-613.	1.9	35
75	Effects of Cultural Conditions on Vesicle and Conidium Morphology in Species of Cylindrocladium and Cylindrocladiella. Mycologia, 1992, 84, 497.	1.9	34
76	Detection of Botryosphaeriaceae species within grapevine woody tissues by nested PCR, with particular emphasis on the Neofusicoccum parvum/N. ribis complex. European Journal of Plant Pathology, 2011, 129, 485-500.	1.7	33
77	A multiproxy approach to evaluate biocidal treatments on biodeteriorated majolica glazed tiles. Environmental Microbiology, 2016, 18, 4794-4816.	3.8	33
78	Antifungal effect of different methyl and propyl paraben mixtures on the treatment of paper biodeterioration. International Biodeterioration and Biodegradation, 2009, 63, 267-272.	3.9	31
79	A phylogenetic study of <i>Dothiorella</i> and <i>Spencermartinsia</i> species associated with woody plants in Iran, New Zealand, Portugal and Spain. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2014, 32, 1-12.	4.4	31
80	DISCOMYCETES: the apothecial representatives of the phylum Ascomycota. Fungal Diversity, 2017, 87, 237-298.	12.3	31
81	<i>Nigrospora</i> Species Associated with Various Hosts from Shandong Peninsula, China. Mycobiology, 2020, 48, 169-183.	1.7	31
82	Botryosphaeriaceae species associated with lentisk dieback in Italy and description of Diplodia insularis sp. nov. Mycosphere, 2016, 7, 962-977.	6.1	31
83	Morphology and Phylogeny of <i>Neoscytalidium orchidacearum</i> sp. nov. (Botryosphaeriaceae). Mycobiology, 2016, 44, 79-84.	1.7	30
84	Diversity of Botryosphaeriaceae species associated with conifers in Portugal. European Journal of Plant Pathology, 2013, 135, 791-804.	1.7	29
85	Phylogeny and morphology of Lasiodiplodia species associated with Magnolia forest plants. Scientific Reports, 2019, 9, 14355.	3.3	29
86	Taxonomic utility of old names in current fungal classification and nomenclature: Conflicts, confusion & Confusion	6.1	29
87	Molecular characterization and pathogenicity of Diplodia corticola and other Botryosphaeriaceae species associated with canker and dieback of Quercus suber in Algeria. Mycosphere, 2017, 8, 1261-1272.	6.1	28
88	Diaporthe species on Rosaceae with descriptions of D. pyracanthae sp. nov. and D. malorum sp. nov Mycosphere, 2017, 8, 485-511.	6.1	28
89	Diversity and phylogeny of Neofusicoccum species occurring in forest and urban environments in Portugal. Mycosphere, 2016, 7, 906-920.	6.1	28
90	Structural Aspects of the Parasitism of Sclerotia of Sclerotinia sclerotiorum (Lib.) de Bary by Coniothyrium minitans Campb Journal of Phytopathology, 1983, 107, 193-203.	1.0	27

#	Article	IF	CITATIONS
91	Importance of Molecular Data to Identify Fungal Plant Pathogens and Guidelines for Pathogenicity Testing Based on Koch's Postulates. Pathogens, 2021, 10, 1096.	2.8	26
92	Mycosphere Essays 14: Assessing the aggressiveness of plant pathogenic Botryosphaeriaceae. Mycosphere, 2016, 7, 883-892.	6.1	26
93	Factors Affecting the Parasitic Activity of <i>Gliocladium virens</i> on Sclerotia of <i>Sclerotinia sclerotiorum</i> and a Note on its Host Range. Journal of Phytopathology, 1986, 116, 212-220.	1.0	25
94	The effects of soil solarization on sclerotial populations of Sclerotinia sclerotiorum. Plant Pathology, 1990, 39, 38-43.	2.4	25
95	Rhizoctonia leaf spot of tobacco in South Africa. Plant Pathology, 1990, 39, 206-207.	2.4	25
96	Cryphonectria naterciae: A new species in the Cryphonectria–Endothia complex and diagnostic molecular markers based on microsatellite-primed PCR. Fungal Biology, 2011, 115, 852-861.	2.5	25
97	Sardiniella urbana gen. et sp. nov., a new member of the Botryosphaeriaceae isolated from declining Celtis australis trees in Sardinian streetscapes. Mycosphere, 2016, 7, 893-905.	6.1	25
98	Endophytic Diaporthe Associated With Citrus grandis cv. Tomentosa in China. Frontiers in Microbiology, 2020, 11, 609387.	3.5	24
99	<i>Botryosphaeria viticola</i> sp. nov. on grapevines: a new species with a <i>Dothiorella</i> anamorph. Mycologia, 2005, 97, 1111-1121.	1.9	23
100	Defining a species in fungal plant pathology: beyond the species level. Fungal Diversity, 2021, 109, 267-282.	12.3	23
101	Response of Vitis vinifera L. plants inoculated with Phaeoacremonium angustius and Phaeomoniella chlamydospora to thiabendazole, resveratrol and sodium arsenite. Scientia Horticulturae, 2006, 107, 131-136.	3.6	22
102	Additions to <i>Sporormiaceae</i> : Introducing Two Novel Genera, <i>Sparticola</i> and <i>Forliomyces</i> , from <i>Spartium</i> . Cryptogamie, Mycologie, 2016, 37, 75-97.	1.0	22
103	Ethanol as an antifungal treatment for paper: short-term and long-term effects. Studies in Conservation, 2017, 62, 33-42.	1.1	22
104	Drought $\tilde{A}$ — disease interaction in <i>Eucalyptus globulus</i> under <i>Neofusicoccum eucalyptorum</i> infection. Plant Pathology, 2018, 67, 87-96.	2.4	22
105	Applicability of rep-PCR genomic fingerprinting to molecular discrimination of members of the genera Phaeoacremonium and Phaeomoniella. Plant Pathology, 2004, 53, 629-634.	2.4	20
106	Antifungal treatment of paper with calcium propionate and parabens: Short-term and long-term effects. International Biodeterioration and Biodegradation, 2017, 120, 203-215.	3.9	20
107	First Report of Canker Disease Caused by Botryosphaeria parva on Cork Oak Trees in Italy. Plant Disease, 2007, 91, 324-324.	1.4	20
108	Perspectives into the value of genera, families and orders in classification. Mycosphere, 2016, 7, 1649-1668.	6.1	20

#	Article	IF	CITATIONS
109	Influence of fluctuating temperatures and interrupted periods of plant surface wetness on infection of bean leaves by ascospores of Sclerotinia sclerotiorum. Annals of Applied Biology, 1994, 124, 413-427.	2.5	19
110	Evaluation of culture-based techniques and 454 pyrosequencing for the analysis of fungal diversity in potting media and organic fertilizers. Journal of Applied Microbiology, 2015, 119, 500-509.	3.1	19
111	Carpogenic Germination of Sclerotia of Sclerotinia sclerotiorum after Periods of Conditioning in Soil. Journal of Phytopathology, 1986, 116, 247-258.	1.0	16
112	The use of protoplasts for the preparation of homokaryons from heterokaryotic isolates of Rhizoctonia solani. Mycological Research, 1993, 97, 456-460.	2.5	16
113	The Relationship between Diaporthe perjuncta and Phomopsis viticola on Grapevines. Mycologia, 1999, 91, 1001.	1.9	16
114	Dothiorella species associated with woody hosts in Italy. Mycosphere, 2016, 7, 51-63.	6.1	16
115	Diversity, distribution and host association of Botryosphaeriaceae species causing oak decline across different forest ecosystems in Algeria. European Journal of Plant Pathology, 2020, 158, 745-765.	1.7	15
116	Diversity of Auricularia (Auriculariaceae, Auriculariales) in Thailand. Phytotaxa, 2017, 292, 19.	0.3	13
117	Clotrimazole and calcium hydroxide nanoparticles: A low toxicity antifungal alternative for paper conservation. Journal of Cultural Heritage, 2017, 24, 45-52.	3.3	13
118	Control of seed-borne Sclerotinia sclerotiorum by fungicidal treatment of sunflower seed. Plant Pathology, 1988, 37, 202-205.	2.4	12
119	<i>Teratosphaeria gauchensis</i> associated with trunk, stem and foliar lesions of <i>Eucalyptus globulus</i> in Portugal. Forest Pathology, 2015, 45, 224-234.	1.1	12
120	Pests and Diseases in Portuguese Forestry: Current and New Threats. World Forests, 2014, , 117-154.	0.1	12
121	Mycosphere Notes 225–274: types and other specimens of some genera of Ascomycota. Mycosphere, 2018, 9, 647-754.	6.1	12
122	Botryosphaeriaceae from palms in Thailand II - two new species of Neodeightonia, N. rattanica and N. rattanicola from Calamus (rattan palm). Mycosphere, 2016, 7, 950-961.	6.1	12
123	https://botryosphaeriales.org/, an online platform for up-to-date classification and account of taxa of Botryosphaeriales. Database: the Journal of Biological Databases and Curation, 2021, 2021, .	3.0	12
124	Forecasting the number of species of asexually reproducing fungi (Ascomycota and Basidiomycota). Fungal Diversity, 2022, 114, 463-490.	12.3	12
125	Phytophthora and Pythium Associated with Feeder Root Rot of Citrus in the Transvaal Province of South Africa. Journal of Phytopathology, 1995, 143, 37-41.	1.0	11
126	<i>Quambalaria eucalypti</i> a pathogen of <i>Eucalyptus globulus</i> newly reported in Portugal and in Europe. Forest Pathology, 2016, 46, 67-75.	1.1	11

#	Article	IF	CITATIONS
127	Mating type gene analyses in the genus Diplodia: From cryptic sex to cryptic species. Fungal Biology, 2018, 122, 629-638.	2.5	11
128	Tzeananiaceae, a new pleosporalean family associated with Ophiocordyceps macroacicularis fruiting bodies in Taiwan. MycoKeys, 2018, 37, 1-17.	1.9	11
129	Sexual morph of Lasiodiplodia pseudotheobromae (Botryosphaeriaceae, Botryosphaeriales,) Tj ETQq1 1 0.784314	4 rgBT /Ov	erlock 10 Tf
130	New records of Cylindrocladium and Cylindrocladiella spp. in South Africa. Plant Pathology, 1993, 42, 302-305.	2.4	10
131	Chaetothyrina mangiferae sp. nov., a new species of Chaetothyrina. Phytotaxa, 2016, 255, 21.	0.3	10
132	Botryosphaeriaceae from palms in Thailand - Barriopsis archontophoenicis sp. nov, from Archontophoenix alexandrae. Mycosphere, 2016, 7, 921-932.	6.1	10
133	A comparison of methods for inoculating bean plants with Elsinoë phaseoli and some factors affecting infection. Annals of Applied Biology, 1994, 125, 97-104.	2.5	9
134	Variation in virulence to dry beans, soybeans and maize among isolates of Rhizoctonia solani from beans. Annals of Applied Biology, 1991, 118, 9-17.	2.5	8
135	Mycosphaerella species occurring on Eucalyptus globulus in Portugal. European Journal of Plant Pathology, 2009, 125, 425-433.	1.7	8
136	Sexual morph of Seimatosporium cornii found on Cornus sanguinea in Italy. Phytotaxa, 2016, 257, 51.	0.3	8
137	A dynamic portal for a community-driven, continuously updated classification of Fungi and fungus-like organisms: outlineoffungi.org. Mycosphere, 2020, 11, 1514-1526.	6.1	8
138	Phaeobotryon negundinis sp. nov. (Botryosphaeriales) from Russia. Mycosphere, 2016, 7, 933-941.	6.1	8
139	Five new species of Neopestalotiopsis associated with diseased Eucalyptus spp. in Portugal. Mycological Progress, 2021, 20, 1441-1456.	1.4	8
140	Morphological and molecular identification of two novel species of Melanops in China. Mycosphere, 2018, 9, 1187-1196.	6.1	6
141	Root rot of cabbage caused by Phytophthora drechsleri. Plant Pathology, 1988, 37, 297-299.	2.4	5
142	Mycosphere Essays 19: Recent advances and future challenges in taxonomy of coelomycetous fungi. Mycosphere, 2017, 8, 934-950.	6.1	5
143	Caveats of the internal transcribed spacer region as a barcode to resolve species boundaries in Diaporthe. Fungal Biology, 2022, 126, 54-74.	2.5	5
144	Occurrence of scab ofPhaseolus vulgariscaused byElsinoë phaseoliin South Africa. Plant Pathology, 1994, 43, 417-419.	2.4	4

#	Article	IF	CITATIONS
145	First Report of <i>Diplodia seriata</i> Causing Shoot Blight and Cankers of <i>Cotoneaster salicifolius</i> in Bulgaria. Plant Disease, 2008, 92, 976-976.	1.4	4
146	Mycosphere Essays 5: Is it important to name species of Botryosphaeriaceae?. Mycosphere, 2016, 7, 870-882.	6.1	4
147	Foreword: Integrated plant disease management. European Journal of Plant Pathology, 2012, 133, 1-1.	1.7	3
148	4-MUF-NAG for fungal biomass determination: Scope and limitations in the context of biodeterioration studies. Journal of Cultural Heritage, 2016, 22, 992-998.	3.3	3
149	Variation in pathogenicity among isolates of Elsinoe phaseoli from Phaseolus species. Annals of Applied Biology, 1996, 128, 209-218.	2.5	2
150	Mycosphaerella and Teratosphaeria species associated with Mycosphaerella Leaf Disease on Eucalyptus globulus in Portugal. Forest Systems, 2012, 21, .	0.3	2
151	A comparison of dust and acetone infusion applications of tolclofos-methyl to bean seeds for the control of Rhizoctonia solani. Plant Pathology, 1992, 41, 35-40.	2.4	1
152	Two new Morinia species from palms (Arecaceae) in Portugal. Mycological Progress, 2021, 20, 83-94.	1.4	1
153	<strong>Three new host records of endophytic <em>Neofusicoccum</em> species reported from <em>Dendrobium</em> orchid</strong> . Phytotaxa, 2021, 494, 193-207.	0.3	1
154	Special issue on Botryosphaeriaceae. Mycosphere, 2016, 7, 868-869.	6.1	1
155	Molecular and Morphological Assessment of Septoria Species Associated with Ornamental Plants in Yunnan Province, China. Journal of Fungi (Basel, Switzerland), 2021, 7, 483.	3.5	O