

Pawel Mazierski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6546275/publications.pdf>

Version: 2024-02-01

46
papers

1,683
citations

279798

23
h-index

289244

40
g-index

46
all docs

46
docs citations

46
times ranked

2179
citing authors

#	ARTICLE	IF	CITATIONS
1	Ti/TiO ₂ nanotubes sensitized PbS quantum dots as photoelectrodes applied for decomposition of anticancer drugs under simulated solar energy. <i>Journal of Hazardous Materials</i> , 2022, 421, 126751.	12.4	16
2	Solar-driven photoelectrocatalytic degradation of anticancer drugs using TiO ₂ nanotubes decorated with SnS quantum dots. <i>Dalton Transactions</i> , 2022, 51, 5962-5976.	3.3	2
3	Lead-free bismuth-based perovskites coupled with g-C ₃ N ₄ : A machine learning based novel approach for visible light induced degradation of pollutants. <i>Applied Surface Science</i> , 2022, 588, 152921.	6.1	13
4	Remarkable visible-light induced hydrogen generation with ZnIn ₂ S ₄ microspheres/CuInS ₂ quantum dots photocatalytic system. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 486-498.	7.1	44
5	Systematic and detailed examination of NaYF ₄ -Er-Yb-TiO ₂ photocatalytic activity under Vis-NIR irradiation: Experimental and theoretical analyses. <i>Applied Surface Science</i> , 2021, 536, 147805.	6.1	14
6	Effect of synthesis method parameters on properties and photoelectrocatalytic activity under solar irradiation of TiO ₂ nanotubes decorated with CdS quantum dots. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 104816.	6.7	14
7	Insights into the Intrinsic Creation of Heterojunction-Based Ordered TiO ₂ Nanotubes Obtained from the One-Step Anodic Oxidation of Titanium Alloys. <i>Journal of Physical Chemistry C</i> , 2021, 125, 7097-7108.	3.1	6
8	Thermal annealing of ordered TiO ₂ nanotube arrays with water vapor-assisted crystallization under a continuous gas flow for superior photocatalytic performance. <i>Chemical Engineering Journal</i> , 2021, 425, 130619.	12.7	8
9	Novel two-step synthesis method of thin film heterojunction of BiOBr/Bi ₂ WO ₆ with improved visible-light-driven photocatalytic activity. <i>Applied Surface Science</i> , 2021, 569, 151082.	6.1	24
10	NANORURKI TiO ₂ : SYNTEZA I ZASTOSOWANIE. <i>Wiadomości Chemiczne</i> , 2021, , 1195-1209.	0.0	0
11	Enhanced Visible Light Active WO ₃ Thin Films Toward Air Purification: Effect of the Synthesis Conditions. <i>Materials</i> , 2020, 13, 3506.	2.9	9
12	Theoretical and Experimental Studies on the Visible Light Activity of TiO ₂ Modified with Halide-Based Ionic Liquids. <i>Catalysts</i> , 2020, 10, 371.	3.5	6
13	On the excitation mechanism of visible responsible Er-TiO ₂ system proved by experimental and theoretical investigations for boosting photocatalytic activity. <i>Applied Surface Science</i> , 2020, 527, 146815.	6.1	14
14	Unexpected effect of ozone on the paraben's mixture degradation using TiO ₂ supported nanotubes. <i>Science of the Total Environment</i> , 2020, 743, 140831.	8.0	13
15	Ordered TiO ₂ Nanotubes with Improved Photoactivity through Self-organizing Anodization with the Addition of an Ionic Liquid: Effects of the Preparation Conditions. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 15585-15596.	6.7	8
16	TiO ₂ nanotube arrays-based reactor for photocatalytic oxidation of parabens mixtures in ultrapure water: Effects of photocatalyst properties, operational parameters and light source. <i>Science of the Total Environment</i> , 2019, 689, 79-89.	8.0	27
17	Fabrication of Durable Ordered Ta ₂ O ₅ Nanotube Arrays Decorated with Bi ₂ S ₃ Quantum Dots. <i>Nanomaterials</i> , 2019, 9, 1347.	4.1	9
18	Shape-controllable synthesis of GdVO ₄ photocatalysts and their tunable properties in photocatalytic hydrogen generation. <i>Dalton Transactions</i> , 2019, 48, 1662-1671.	3.3	20

#	ARTICLE	IF	CITATIONS
19	Experimental and theoretical investigations of the influence of carbon on a Ho ³⁺ -TiO ₂ photocatalyst with Vis response. <i>Journal of Colloid and Interface Science</i> , 2019, 549, 212-224.	9.4	18
20	Removal of 5-fluorouracil by solar-driven photoelectrocatalytic oxidation using Ti/TiO ₂ (NT) photoelectrodes. <i>Water Research</i> , 2019, 157, 610-620.	11.3	52
21	Experimental and computational study of Tm-doped TiO ₂ : The effect of Li ⁺ on Vis-response photocatalysis and luminescence. <i>Applied Catalysis B: Environmental</i> , 2019, 252, 138-151.	20.2	25
22	A new simple approach to prepare rare-earth metals-modified TiO ₂ nanotube arrays photoactive under visible light: Surface properties and mechanism investigation. <i>Results in Physics</i> , 2019, 12, 412-423.	4.1	30
23	Quantum dot-decorated semiconductor micro- and nanoparticles: A review of their synthesis, characterization and application in photocatalysis. <i>Advances in Colloid and Interface Science</i> , 2018, 256, 352-372.	14.7	129
24	The role of lanthanides in TiO ₂ -based photocatalysis: A review. <i>Applied Catalysis B: Environmental</i> , 2018, 233, 301-317.	20.2	146
25	Visible light photocatalysis employing TiO ₂ /SrTiO ₃ -BiOI composites: Surface properties and photoexcitation mechanism. <i>Molecular Catalysis</i> , 2018, 452, 154-166.	2.0	18
26	Preparation of CdS and Bi ₂ S ₃ quantum dots co-decorated perovskite-type KNbO ₃ ternary heterostructure with improved visible light photocatalytic activity and stability for phenol degradation. <i>Dalton Transactions</i> , 2018, 47, 15232-15245.	3.3	42
27	Facile Formation of Self-Organized TiO ₂ Nanotubes in Electrolyte Containing Ionic Liquid-Ethylammonium Nitrate and Their Remarkable Photocatalytic Properties. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 14510-14522.	6.7	9
28	Electrochemically Obtained TiO ₂ /Cu _x O _y Nanotube Arrays Presenting a Photocatalytic Response in Processes of Pollutants Degradation and Bacteria Inactivation in Aqueous Phase. <i>Catalysts</i> , 2018, 8, 237.	3.5	16
29	Influence of the preparation method on the photocatalytic activity of Nd-modified TiO ₂ . <i>Beilstein Journal of Nanotechnology</i> , 2018, 9, 447-459.	2.8	34
30	TiO ₂ Cu _x O _y composite nanotube arrays via one step electrochemical anodization for visible light-induced photocatalytic reaction. <i>Surfaces and Interfaces</i> , 2018, 12, 179-189.	3.0	10
31	Photocatalytically Active TiO ₂ /Ag ₂ O Nanotube Arrays Interlaced with Silver Nanoparticles Obtained from the One-Step Anodic Oxidation of Ti-Ag Alloys. <i>ACS Catalysis</i> , 2017, 7, 2753-2764.	11.2	76
32	The ILs-assisted electrochemical synthesis of TiO ₂ nanotubes: The effect of ionic liquids on morphology and photoactivity. <i>Applied Catalysis B: Environmental</i> , 2017, 214, 100-113.	20.2	35
33	Enhanced photocatalytic properties of lanthanide-TiO ₂ nanotubes: An experimental and theoretical study. <i>Applied Catalysis B: Environmental</i> , 2017, 205, 376-385.	20.2	87
34	Preparation and photocatalytic properties of BaZrO ₃ and SrZrO ₃ modified with Cu ₂ O/Bi ₂ O ₃ quantum dots. <i>Solid State Sciences</i> , 2017, 74, 13-23.	3.2	29
35	Highly Visible-Light-Photoactive Heterojunction Based on TiO ₂ Nanotubes Decorated by Pt Nanoparticles and Bi ₂ S ₃ Quantum Dots. <i>Journal of Physical Chemistry C</i> , 2017, 121, 17215-17225.	3.1	30
36	Preparation and photocatalytic activity of Nd-modified TiO ₂ photocatalysts: Insight into the excitation mechanism under visible light. <i>Journal of Catalysis</i> , 2017, 353, 211-222.	6.2	43

#	ARTICLE	IF	CITATIONS
37	The effects of bifunctional linker and reflux time on the surface properties and photocatalytic activity of CdTe quantum dots decorated KTaO ₃ composite photocatalysts. <i>Applied Catalysis B: Environmental</i> , 2017, 203, 452-464.	20.2	50
38	Effect of irradiation intensity and initial pollutant concentration on gas phase photocatalytic activity of TiO ₂ nanotube arrays. <i>Catalysis Today</i> , 2017, 284, 19-26.	4.4	51
39	Growth, Structure, and Photocatalytic Properties of Hierarchical V ₂ O ₅ @TiO ₂ Nanotube Arrays Obtained from the One-step Anodic Oxidation of Ti-V Alloys. <i>Molecules</i> , 2017, 22, 580.	3.8	31
40	Self-Organized TiO ₂ @MnO ₂ Nanotube Arrays for Efficient Photocatalytic Degradation of Toluene. <i>Molecules</i> , 2017, 22, 564.	3.8	43
41	The effect of metal cluster deposition route on structure and photocatalytic activity of mono- and bimetallic nanoparticles supported on TiO ₂ by radiolytic method. <i>Applied Surface Science</i> , 2016, 378, 37-48.	6.1	66
42	Photocatalytic activity of nitrogen doped TiO ₂ nanotubes prepared by anodic oxidation: The effect of applied voltage, anodization time and amount of nitrogen dopant. <i>Applied Catalysis B: Environmental</i> , 2016, 196, 77-88.	20.2	110
43	Enhanced photocatalytic, electrochemical and photoelectrochemical properties of TiO ₂ nanotubes arrays modified with Cu, AgCu and Bi nanoparticles obtained via radiolytic reduction. <i>Applied Surface Science</i> , 2016, 387, 89-102.	6.1	106
44	Photoreactor Design Aspects and Modeling of Light. <i>Green Chemistry and Sustainable Technology</i> , 2016, , 211-248.	0.7	6
45	KTaO ₃ -based nanocomposites for air treatment. <i>Catalysis Today</i> , 2015, 252, 47-53.	4.4	34
46	Ordered TiO ₂ nanotubes: The effect of preparation parameters on the photocatalytic activity in air purification process. <i>Applied Catalysis B: Environmental</i> , 2014, 144, 674-685.	20.2	110