Annibale Versari

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6546834/publications.pdf Version: 2024-02-01

		126907	102487
122	4,824	33	66
papers	citations	h-index	g-index
107	107	107	5077
127	127	127	5277
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Early Positron Emission Tomography Response–Adapted Treatment in Stage I and II Hodgkin Lymphoma: Final Results of the Randomized EORTC/LYSA/FIL H10 Trial. Journal of Clinical Oncology, 2017, 35, 1786-1794.	1.6	397
2	Omitting Radiotherapy in Early Positron Emission Tomography–Negative Stage I/II Hodgkin Lymphoma Is Associated With an Increased Risk of Early Relapse: Clinical Results of the Preplanned Interim Analysis of the Randomized EORTC/LYSA/FIL H10 Trial. Journal of Clinical Oncology, 2014, 32, 1188-1194.	1.6	349
3	Baseline Metabolic Tumor Volume Predicts Outcome in High–Tumor-Burden Follicular Lymphoma: A Pooled Analysis of Three Multicenter Studies. Journal of Clinical Oncology, 2016, 34, 3618-3626.	1.6	231
4	The predictive value of positron emission tomography scanning performed after two courses of standard therapy on treatment outcome in advanced stage Hodgkin's disease. Haematologica, 2006, 91, 475-81.	3.5	213
5	Tocilizumab: a novel therapy for patients with large-vessel vasculitis. Rheumatology, 2012, 51, 151-156.	1.9	203
6	Pretherapy metabolic tumour volume is an independent predictor of outcome in patients with diffuse large B-cell lymphoma. European Journal of Nuclear Medicine and Molecular Imaging, 2014, 41, 2017-2022.	6.4	187
7	Clinical features of polymyalgia rheumatica and giant cell arteritis. Nature Reviews Rheumatology, 2012, 8, 509-521.	8.0	185
8	Metabolic tumour volumes measured at staging in lymphoma: methodological evaluation on phantom experiments and patients. European Journal of Nuclear Medicine and Molecular Imaging, 2014, 41, 1113-1122.	6.4	152
9	Prognostic value of PET-CT after first-line therapy in patients with follicular lymphoma: a pooled analysis of central scan review in three multicentre studies. Lancet Haematology,the, 2014, 1, e17-e27.	4.6	138
10	Comparison of 18F-DOPA, 18F-FDG and 68Ga-somatostatin analogue PET/CT in patients with recurrent medullary thyroid carcinoma. European Journal of Nuclear Medicine and Molecular Imaging, 2012, 39, 569-580.	6.4	136
11	Prognostic value of baseline metabolic tumor volume in early-stage Hodgkin lymphoma in the standard arm of the H10 trial. Blood, 2018, 131, 1456-1463.	1.4	130
12	Positron emission tomography (PET): Evaluation of chronic periaortitis. Arthritis and Rheumatism, 2005, 53, 298-303.	6.7	128
13	Positron emission tomography in the staging of patients with Hodgkin's lymphoma. A prospective multicentric study by the Intergruppo Italiano Linfomi. Annals of Hematology, 2007, 86, 897-903.	1.8	98
14	Interpretation criteria for FDG PET/CT in multiple myeloma (IMPeTUs): final results. IMPeTUs (Italian) Tj ETQq0 0 0 712-719.	rgBT /Ov 6.4	erlock 10 Tf 95
15	Validation of 68Ge/68Ga generator processing by chemical purification for routine clinical application of 68Ga-DOTATOC. Nuclear Medicine and Biology, 2008, 35, 721-724.	0.6	93
16	Image interpretation criteria for FDG PET/CT in multiple myeloma: a new proposal from an Italian expert panel. IMPeTUs (Italian Myeloma criteria for PET USe). European Journal of Nuclear Medicine and Molecular Imaging, 2016, 43, 414-421.	6.4	92
17	Standardization of ¹⁸ F-FDG–PET/CT According to Deauville Criteria for Metabolic Complete Response Definition in Newly Diagnosed Multiple Myeloma. Journal of Clinical Oncology, 2021, 39, 116-125.	1.6	85
18	Synthesis and Characterization of ⁶⁸ Ga-Labeled Curcumin and Curcuminoid Complexes as Potential Radiotracers for Imaging of Cancer and Alzheimer's Disease. Inorganic Chemistry, 2014, 53, 4922-4933.	4.0	71

#	Article	IF	CITATIONS
19	State of the art of 18F-FDG PET/CT application in inflammation and infection: a guide for image acquisition and interpretation. Clinical and Translational Imaging, 2021, 9, 299-339.	2.1	70
20	Differentiated Thyroid Cancer: A New Perspective with Radiolabeled Somatostatin Analogues for Imaging and Treatment of Patients. Thyroid, 2014, 24, 715-726.	4.5	68
21	18F-fluorodeoxyglucose positron emission tomography in the diagnosis and followup of idiopathic retroperitoneal fibrosis. Arthritis and Rheumatism, 2005, 53, 122-125.	6.7	65
22	Contrastâ€Enhanced Ultrasound of the Carotid Artery in Patients With Large Vessel Vasculitis: Correlation With Positron Emission Tomography Findings. Arthritis Care and Research, 2017, 69, 143-149.	3.4	64
23	Ga-68 DOTATOC PET, Endoscopic Ultrasonography, and Multidetector CT in the Diagnosis of Duodenopancreatic Neuroendocrine Tumors. Clinical Nuclear Medicine, 2010, 35, 321-328.	1.3	62
24	Post-Synthesis Incorporation of ⁶⁴ Cu in CuS Nanocrystals to Radiolabel Photothermal Probes: A Feasible Approach for Clinics. Journal of the American Chemical Society, 2015, 137, 15145-15151.	13.7	56
25	Rituximab therapy for chronic periaortitis. Annals of the Rheumatic Diseases, 2012, 71, 1262-1264.	0.9	53
26	Brief Report: Interleukinâ€6 as an Inflammatory Mediator and Target of Therapy in Chronic Periaortitis. Arthritis and Rheumatism, 2013, 65, 2469-2475.	6.7	51
27	Multicenter Comparison of 18F-FDG and 68Ga-DOTA-Peptide PET/CT for Pulmonary Carcinoid. Clinical Nuclear Medicine, 2015, 40, e183-e189.	1.3	51
28	Respiratory gated PET/CT in a European multicentre retrospective study: added diagnostic value in detection and characterization of lung lesions. European Journal of Nuclear Medicine and Molecular Imaging, 2012, 39, 1381-1390.	6.4	50
29	Prognostic model for high-tumor-burden follicular lymphoma integrating baseline and end-induction PET: a LYSA/FIL study. Blood, 2018, 131, 2449-2453.	1.4	49
30	PET/CT assessment of neuroendocrine tumors of the lung with special emphasis on bronchial carcinoids. Tumor Biology, 2014, 35, 8369-8377.	1.8	46
31	Aortic dilatation in patients with large vessel vasculitis: A longitudinal case control study using PET/CT. Seminars in Arthritis and Rheumatism, 2019, 48, 1074-1082.	3.4	40
32	Resolution of vascular inflammation in patients with new-onset giant cell arteritis: data from the RIGA study. Rheumatology, 2021, 60, 3851-3861.	1.9	38
33	Positron emission tomography response and minimal residual disease impact on progression-free survival in patients with follicular lymphoma. A subset analysis from the FOLL05 trial of the Fondazione Italiana Linfomi. Haematologica, 2016, 101, e66-e68.	3.5	36
34	Interim analysis of the REASSURE (Radium-223 alpha Emitter Agent in non-intervention Safety Study in) Tj ETQq prior use of chemotherapy in routine clinical practice. European Journal of Nuclear Medicine and Molecular Imaging, 2019, 46, 1102-1110.	0 0 0 rgBT 6.4	7 /Overlock 10 35
35	PET and PET/CT with ⁶⁸ Gallium-Labeled Somatostatin Analogues in Non GEP-NETs Tumors. Scientific World Journal, The, 2014, 2014, 1-19.	2.1	34
36	Response-Adapted Postinduction Strategy in Patients With Advanced-Stage Follicular Lymphoma: The FOLL12 Study. Journal of Clinical Oncology, 2022, 40, 729-739.	1.6	34

#	Article	IF	CITATIONS
37	Chronic periaortitis with thoracic aorta and epiaortic artery involvement: a systemic large vessel vasculitis?. Rheumatology, 2015, 54, 2004-2009.	1.9	32
38	Influence of cations on the complexation yield of DOTATATE with yttrium and lutetium: a perspective study for enhancing the 90Y and 177Lu labeling conditions. Nuclear Medicine and Biology, 2012, 39, 509-517.	0.6	31
39	18F-FDG and 68Ga-somatostatin analogs PET/CT in patients with Merkel cell carcinoma: a comparison study. EJNMMI Research, 2018, 8, 64.	2.5	28
40	Brief Report on the Use of Radiolabeled Somatostatin Analogs for the Diagnosis and Treatment of Metastatic Small-Cell Lung Cancer Patients. Journal of Thoracic Oncology, 2013, 8, 1095-1101.	1.1	27
41	Time Evolution of DOTATOC Uptake in Neuroendocrine Tumors in View of a Possible Application of Radioguided Surgery with β ^Ⲓ Decay. Journal of Nuclear Medicine, 2015, 56, 1501-1506.	5.0	26
42	Role of Imaging in the Diagnosis of Large and Medium-Sized Vessel Vasculitis. Rheumatic Disease Clinics of North America, 2013, 39, 593-608.	1.9	24
43	Functional Imaging Evaluation in the Detection, Diagnosis, and Histologic Differentiation of Pulmonary Neuroendocrine Tumors. Thoracic Surgery Clinics, 2014, 24, 285-292.	1.0	24
44	Texture analysis and multiple-instance learning for the classification of malignant lymphomas. Computer Methods and Programs in Biomedicine, 2020, 185, 105153.	4.7	24
45	Influence of different chelators on the radiochemical properties of a 68-Gallium labelled bombesin analogue. Nuclear Medicine and Biology, 2014, 41, 24-35.	0.6	22
46	Training improves the interobserver agreement of the expert positron emission tomography review panel in primary mediastinal Bâ€cell lymphoma: interim analysis in the ongoing International Extranodal Lymphoma Study Groupâ€37 study. Hematological Oncology, 2017, 35, 548-553.	1.7	22
47	Added diagnostic value of respiratory-gated 4D 18F–FDG PET/CT in the detection of liver lesions: a multicenter study. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 102-109.	6.4	22
48	Efficacy of infliximab in a patient with refractory idiopathic retroperitoneal fibrosis. Clinical and Experimental Rheumatology, 2012, 30, 776-8.	0.8	22
49	The role of PET/CT in disease activity assessment in patients with large vessel vasculitis. Rheumatology, 2022, 61, 4809-4816.	1.9	22
50	Report of the 6th International Workshop on PET in lymphoma. Leukemia and Lymphoma, 2017, 58, 2298-2303.	1.3	21
51	Uncertainty analysis of tumour absorbed dose calculations in molecular radiotherapy. EJNMMI Physics, 2020, 7, 63.	2.7	21
52	The 68 Ge phantom-based FDG-PET site qualification program for clinical trials adopted by FIL (Italian) Tj ETQq0 () 0 rgBT /C	Overlock 10 T

53	Standardization of 18F-FDG PET/CT According to Deauville Criteria for MRD Evaluation in Newly Diagnosed Transplant Eligible Multiple Myeloma Patients: Joined Analysis of Two Prospective Randomized Phase III Trials. Blood, 2018, 132, 257-257.	1.4	20
54	Is there an optimal method for measuring baseline metabolic tumor volume in diffuse large B cell lymphoma?. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 1463-1464.	6.4	19

#	Article	IF	CITATIONS
55	Prognostic value of lesion dissemination in doxorubicin, bleomycin, vinblastine, and dacarbazineâ€ŧreated, interimPETâ€negative classical Hodgkin Lymphoma patients: A radioâ€genomic study. Hematological Oncology, 2022, 40, 645-657.	1.7	19
56	Italian Association of Clinical Endocrinologists (AME) position statement: a stepwise clinical approach to the diagnosis of gastroenteropancreatic neuroendocrine neoplasms. Journal of Endocrinological Investigation, 2014, 37, 875-909.	3.3	17
57	Uptake of Ga-curcumin derivatives in different cancer cell lines: Toward the development of new potential 68 Ga-labelled curcuminoids-based radiotracers for tumour imaging. Journal of Inorganic Biochemistry, 2017, 173, 113-119.	3.5	17
58	Distribution patterns of 18F-fluorodeoxyglucose in large vessels of Takayasu's and giant cell arteritis using positron emission tomography. Clinical and Experimental Rheumatology, 2018, 36 Suppl 111, 99-106.	0.8	17
59	Radiolabeled Somatostatin Analogues for Diagnosis and Treatment of Neuroendocrine Tumors. Cancers, 2022, 14, 1055.	3.7	17
60	Comparison of Different Positron Emission Tomography Tracers in Patients with Recurrent Medullary Thyroid Carcinoma: Our Experience and a Review of the Literature. Recent Results in Cancer Research, 2013, 194, 385-393. the anise male "http://www.w3.org/1998/Math/Math/Math/Math/Math/Math/Math/Math	1.8	16
61	id="M1"> <mml:mrow><mml:msup><mml:mrow></mml:mrow><mml:mrow><mml:mn mathvariant="bold-italic">90</mml:mn </mml:mrow></mml:msup></mml:mrow> Y- and <mml:math <br="" xmlns:mml="http://www.w3.org/1998/Math/MathML">id="M2"><mml:mrow><mml:mrow><mml:mrow><mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow><!--</td--><td>0.8</td><td>16</td></mml:math>	0.8	16
62	Affinity of nat/68Ga-Labelled Curcumin and Curcuminoid Complexes for β-Amyloid Plaques: Towards the DOTA-Bioco the Development of New Metal-Curcumin Based Radiotracers. International Journal of Molecular Sciences, 2016, 17, 1480.	njugates 4.1	15
63	Use of imaging techniques in large vessel vasculitis and related conditions. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2018, 62, 34-39.	0.7	15
64	Immuno-Imaging to Predict Treatment Response in Infection, Inflammation and Oncology. Journal of Clinical Medicine, 2019, 8, 681.	2.4	15
65	COVID-19 and Parkinson's disease: a casual association or a possible second hit in neurodegeneration?. Journal of Neurology, 2022, 269, 59-61.	3.6	15
66	Chronic Periaortitis. Circulation, 2008, 118, 1214-1216.	1.6	14
67	Partial volume effect of SPECT images in PRRT with 177Lu labelled somatostatin analogues: A practical solution. Physica Medica, 2019, 57, 153-159.	0.7	14
68	18F-fluorodeoxyglucose positron emission tomography in malignant pleural mesothelioma: diagnostic and prognostic performance and its correlation to pathological results. Interactive Cardiovascular and Thoracic Surgery, 2020, 30, 593-596.	1.1	14
69	The Role of Imaging in the Diagnosis of Recurrence of Primary Seminal Vesicle Adenocarcinoma. World Journal of Men?s Health, 2014, 32, 61.	3.3	13
70	Development of a simple kit-based method for preparation of pharmaceutical-grade 68Ga-DOTATOC. Nuclear Medicine Communications, 2015, 36, 502-510.	1.1	13
71	Detection of a second malignancy in prostate cancer patients by using [18F]Choline PET/CT: a case series. Cancer Imaging, 2016, 16, 27.	2.8	13
72	64Cu and fluorescein labeled anti-miRNA peptide nucleic acids for the detection of miRNA expression in living cells. Scientific Reports, 2019, 9, 3376.	3.3	13

#	Article	IF	CITATIONS
73	Semiautomated labelling and fractionation of yttrium-90 and lutetium-177 somatostatin analogues using disposable syringes and vials. Nuclear Medicine Communications, 2012, 33, 1144-1152.	1.1	12
74	Post-ABVD/pre-radiotherapy ¹⁸ F-FDG-PET provides additional prognostic information for early-stage Hodgkin lymphoma: a retrospective analysis on 165 patients. British Journal of Radiology, 2016, 89, 20150983.	2.2	12
75	Predictive and Prognostic Role of Pre-Therapy and Interim 68Ga-DOTATOC PET/CT Parameters in Metastatic Advanced Neuroendocrine Tumor Patients Treated with PRRT. Cancers, 2022, 14, 592.	3.7	12
76	Efficient automated one-step synthesis of 2-[18F]fluoroethylcholine for clinical imaging: optimized reaction conditions and improved quality controls of different synthetic approaches. Nuclear Medicine and Biology, 2010, 37, 309-315.	0.6	11
77	Molecular Imaging of Inflammatory Arthritis and Related Disorders. Seminars in Nuclear Medicine, 2018, 48, 277-290.	4.6	11
78	A Gene Expression–based Model to Predict Metabolic Response After Two Courses of ABVD in Hodgkin Lymphoma Patients. Clinical Cancer Research, 2020, 26, 373-383.	7.0	11
79	68Ga-DOTATOC PET/CT-Based Radiomic Analysis and PRRT Outcome: A Preliminary Evaluation Based on an Exploratory Radiomic Analysis on Two Patients. Frontiers in Medicine, 2020, 7, 601853.	2.6	11
80	PET-Based Response after 2 Cycles of Brentuximab Vedotin in Combination with AVD for First-Line Treatment of Unfavorable Early-Stage Hodgkin Lymphoma: First Analysis of the Primary Endpoint of Breach, a Randomized Phase II Trial of Lysa-FIL-EORTC Intergroup. Blood, 2017, 130, 736-736.	1.4	11
81	Personnel exposure in labelling and administration of 177Lu-DOTA-D-Phe1-Tyr3-octreotide. Nuclear Medicine Communications, 2011, 32, 947-953.	1.1	10
82	Clinical images: PET-CT and contrast-enhanced ultrasound in Takayasu's arteritis. Rheumatology, 2014, 53, 447-447.	1.9	10
83	Usefulness of PET in recognizing and managing vasculitides. Current Opinion in Rheumatology, 2018, 30, 24-29.	4.3	10
84	Diagnostic performances of 68Ga-DOTATOC versus 18Fluorodeoxyglucose positron emission tomography in pulmonary carcinoid tumours and interrelationship with histological features. Interactive Cardiovascular and Thoracic Surgery, 2019, 28, 957-960.	1.1	10
85	Radiosynthesis of 68Ga-labelled DOTA–biocytin (68Ga-r-BHD) and assessment of its pharmaceutical quality for clinical use. Nuclear Medicine Communications, 2012, 33, 1179-1187.	1.1	9
86	Comparison of different calculation techniques for absorbed dose assessment in patient specific peptide receptor radionuclide therapy. PLoS ONE, 2020, 15, e0236466.	2.5	9
87	Diagnostic performances of [18F]fluorocholine positron emission tomography in brain tumors. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2018, 62, 209-219.	0.7	9
88	The Impact of 18F-deoxyglucose Positron Emission Tomography on Tumor Staging, Treatment Strategy and Treatment Planning for Radiotherapy in a Department of Radiation Oncology. Tumori, 2004, 90, 579-585.	1.1	8
89	Effect of image registration on 3D absorbed dose calculations in 177 Lu-DOTATOC peptide receptor radionuclide therapy. Physica Medica, 2018, 45, 177-185.	0.7	7
90	Vessel inflammation and morphological changes in patients with large vessel vasculitis: a retrospective study. RMD Open, 2022, 8, e001977.	3.8	7

#	Article	IF	CITATIONS
91	Clinical Management of Neuroendocrine Neoplasms in Clinical Practice: A Formal Consensus Exercise. Cancers, 2022, 14, 2501.	3.7	7
92	Baseline Metabolic Tumor Volume Is Predictive of Patient Outcome in Diffuse Large B Cell Lymphoma. Blood, 2012, 120, 1598-1598.	1.4	6
93	Skin dose saving of the staff in 90Y/177Lu peptide receptor radionuclide therapy with the automatic dose dispenser. Nuclear Medicine Communications, 2016, 37, 1046-1052.	1.1	5
94	Severe Rhabdomyolysis during Treatment with Trabectedin in Combination with a Herbal Drug in a Patient with Metastatic Synovial Sarcoma: A Case Report. Case Reports in Oncology, 2017, 10, 258-264.	0.7	5
95	Three-dimensional display of myocardial perfusion detection of ischemic lesions using a new image subtraction method. European Journal of Nuclear Medicine and Molecular Imaging, 1990, 17, 55-60.	2.1	4
96	Pulmonary deposition of aerosolised pentamidine using a new nebuliser: efficiency measurements in vitro and in vivo. European Journal of Nuclear Medicine and Molecular Imaging, 1994, 21, 399-406.	2.1	4
97	Use of 2-[18F]fluoro-2-deoxy-D-glucose positron emission tomography in patients with Hodgkin lymphoma in daily practice: a population-based study from Northern Italy. Leukemia and Lymphoma, 2011, 52, 1689-1696.	1.3	4
98	Assessment of Response to Treatment and Follow-Up in Gastroenteropancreatic Neuroendocrine Neoplasms. Endocrine, Metabolic and Immune Disorders - Drug Targets, 2017, 18, 419-449.	1.2	4
99	Do we need FDG-PET/CT to assess atherosclerosis?. European Journal of Nuclear Medicine and Molecular Imaging, 2017, 44, 247-248.	6.4	3
100	Reply to H.J.A. Adams et al and E. Laffon et al. Journal of Clinical Oncology, 2017, 35, 920-923.	1.6	3
101	Peptide receptor radionuclide therapy for GEP-NET: consolidated knowledge and innovative applications. Clinical and Translational Imaging, 2021, 9, 423-438.	2.1	3
102	Is 18F Fluorodeoxyglucose Positron Emission Tomography Useful to Assess Activity of Myositis?. Journal of Rheumatology, 2013, 40, 91.2-91.	2.0	2
103	Radiation protection procedures in 1311 treatments for thyroid cancer in patients requiring hemodialysis. Nuclear Medicine Communications, 2014, 35, 626-630.	1.1	2
104	Prognostic Value of Baseline Quantitative PET Metrics for Patients with Unfavourable Early Stage Hodgkin Lymphoma Enrolled in the Standard Arm of the EORTC/Lysa/FIL H10 Trial. Blood, 2016, 128, 184-184.	1.4	2
105	Impact of PET on the Radiation Treatment of Hodgkins Lymphoma. Current Radiopharmaceuticals, 2009, 2, 169-174.	0.8	2
106	Peptide Receptor Radionuclide Therapy–Induced Gitelman-like Syndrome. American Journal of Kidney Diseases, 2017, 70, 725-728.	1.9	1
107	Radiolabeled Somatostatin Analogues in the Treatment of Non-GEP-NET Tumors. , 2018, , 483-503.		1
108	The Role Of Qualitative FDG-PET Assessment Using The 5 Point Deauville Scale For Postinduction Response Assessment In Patients With Follicular Lymphoma. A Study From The Fondazione Italiana Linfomi (FIL). Blood, 2013, 122, 4295-4295.	1.4	1

#	Article	IF	CITATIONS
109	Editorial [Hot Topic: PET – CT AND RADIOTHERAPY (Guest Editors: Diana Salvo, Annibale Versari &) Tj ETQo	1.180.784 0.80	4314 rgBT
110	Ectopic Mature Cerebral Tissue in the Nasal Cavity Incidentally Detected by 18F-FDG PET/CT. Clinical Nuclear Medicine, 2015, 40, e85-e87.	1.3	0
111	Adding variables to complexity. Molecular imaging and molecular biology: a no-longer-secret liaison in NETs. European Journal of Nuclear Medicine and Molecular Imaging, 2015, 42, 1339-1340.	6.4	0
112	FDC-PET and radiotherapy in lymphoma. Clinical and Translational Imaging, 2015, 3, 321-330.	2.1	0
113	THU0599â€RESOLUTION OF VASCULAR INFLAMMATION IN PATIENTS WITH GIANT CELL ARTERITIS RECEIVING GLUCOCORTICOIDS, METHOTREXATE OR TOCILIZUMAB TREATMENT-DATA FROM THE ITALIAN/GERMAN RIGA STUDY. , 2019, , .		0
114	Use of octreotide long acting repeatable (LAR) as second-line therapy in advanced neuroendocrine tumors in different clinical settings: an Italian Delphi survey. Expert Opinion on Pharmacotherapy, 2020, 21, 2317-2324.	1.8	0
115	Nuclear Medicine Imaging in Chronic Inflammatory Diseases. , 2021, , 293-330.		0
116	Recent Advancements in Hematology: Knowledge, Methods and Dissemination, Part 2. Hemato, 2021, 2, 79-88.	0.6	0
117	Use of Positron Emission Tomography for Target Volume Definition. Current Radiopharmaceuticals, 2009, 2, 144-148.	0.8	0
118	Role of FDG-PET As Prognostic Indicator in Patients with Follicular Lymphoma(FL) After Immunochemotherapy Induction. A Retrospective Study From the Fondazione Italiana Linfomi. Blood, 2011, 118, 2636-2636.	1.4	0
119	Nuclear Medicine Imaging in Chronic Inflammatory Diseases. , 2013, , 289-331.		0
120	Prognostic value of PET-CT after frontline therapy in follicular lymphoma: A pooled analysis of central review in three multicenter studies Journal of Clinical Oncology, 2014, 32, 8502-8502.	1.6	0
121	Baseline Metabolic Tumour Volume Predicts Outcome in High Tumor Burden Follicular Lymphoma. A Pooled Analysis of Three Multicenter Studies. Blood, 2015, 126, 3919-3919.	1.4	0
122	Prospective Evaluation of 18F-FDG PET/CT As Predictor of Prognosis in Newly Diagnosed Transplant Eligible Multiple Myeloma (MM) Patients: Results from the Imaging Sus-Study of the EMN02/HO95 MM Randomized Phase III Trial. Blood, 2016, 128, 992-992.	1.4	0