

Martin Eichmann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6546854/publications.pdf>

Version: 2024-02-01

16
papers

796
citations

687363

13
h-index

940533

16
g-index

16
all docs

16
docs citations

16
times ranked

1678
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Circulating \hat{I}^2 cell-specific CD8+ T cells restricted by high-risk HLA class I molecules show antigen experience in children with and at risk of type 1 diabetes. <i>Clinical and Experimental Immunology</i> , 2020, 199, 263-277. | 2.6 | 20 |
| 2 | Follicular helper T cell profiles predict response to costimulation blockade in type 1 diabetes. <i>Nature Immunology</i> , 2020, 21, 1244-1255. | 14.5 | 63 |
| 3 | Costimulation Blockade Disrupts CD4+ T Cell Memory Pathways and Uncouples Their Link to Decline in \hat{I}^2 -Cell Function in Type 1 Diabetes. <i>Journal of Immunology</i> , 2020, 204, 3129-3138. | 0.8 | 13 |
| 4 | Assessing effector T cells in type 1 diabetes. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2020, 27, 240-247. | 2.3 | 4 |
| 5 | Molecular Pathways for Immune Recognition of Preproinsulin Signal Peptide in Type 1 Diabetes. <i>Diabetes</i> , 2018, 67, 687-696. | 0.6 | 35 |
| 6 | Autoreactive T effector memory differentiation mirrors \hat{I}^2 cell function in type 1 diabetes. <i>Journal of Clinical Investigation</i> , 2018, 128, 3460-3474. | 8.2 | 57 |
| 7 | Metabolic and immune effects of immunotherapy with proinsulin peptide in human new-onset type 1 diabetes. <i>Science Translational Medicine</i> , 2017, 9, . | 12.4 | 151 |
| 8 | New insights into non-conventional epitopes as T cell targets: The missing link for breaking immune tolerance in autoimmune disease?. <i>Journal of Autoimmunity</i> , 2017, 84, 12-20. | 6.5 | 23 |
| 9 | T cells in type 1 diabetes: Instructors, regulators and effectors: A comprehensive review. <i>Journal of Autoimmunity</i> , 2016, 66, 7-16. | 6.5 | 54 |
| 10 | Heterogeneity in the Locomotory Behavior of Human Monocyte Subsets over Human Vascular Endothelium In Vitro. <i>Journal of Immunology</i> , 2015, 195, 1162-1170. | 0.8 | 33 |
| 11 | A distinct immunogenic region of glutamic acid decarboxylase 65 is naturally processed and presented by human islet cells to cytotoxic CD8 T cells. <i>Clinical and Experimental Immunology</i> , 2015, 179, 100-107. | 2.6 | 13 |
| 12 | \hat{I}^2 -Cell-Specific CD8 T Cell Phenotype in Type 1 Diabetes Reflects Chronic Autoantigen Exposure. <i>Diabetes</i> , 2015, 64, 916-925. | 0.6 | 95 |
| 13 | Identification and characterisation of peptide binding motifs of six autoimmune disease-associated human leukocyte antigen class I molecules including <i>HLA-B*39:06</i> . <i>Tissue Antigens</i> , 2014, 84, 378-388. | 1.0 | 23 |
| 14 | Human \hat{I}^2 -Cell Killing by Autoreactive Preproinsulin-Specific CD8 T Cells Is Predominantly Granule-Mediated With the Potency Dependent Upon T-Cell Receptor Avidity. <i>Diabetes</i> , 2013, 62, 205-213. | 0.6 | 53 |
| 15 | Circulating Preproinsulin Signal Peptide-Specific CD8 T Cells Restricted by the Susceptibility Molecule HLA-A24 Are Expanded at Onset of Type 1 Diabetes and Kill \hat{I}^2 -Cells. <i>Diabetes</i> , 2012, 61, 1752-1759. | 0.6 | 101 |
| 16 | Biomarker analysis of cetuximab plus oxaliplatin/leucovorin/5-fluorouracil in first-line metastatic gastric and oesophago-gastric junction cancer: results from a phase II trial of the Arbeitsgemeinschaft Internistische Onkologie (AIO). <i>BMC Cancer</i> , 2011, 11, 509. | 2.6 | 58 |