

Ca Fente

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6547652/ca-fente-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75 papers	1,908 citations	25 h-index	41 g-index
77 ext. papers	2,109 ext. citations	4.4 avg, IF	4.35 L-index

#	Paper	IF	Citations
75	Milk Microbiota: A Source of Antimicrobial-Producing Bacteria with Potential Application in Food Safety. <i>Proceedings (mdpi)</i> , 2021 , 70, 11	0.3	1
74	Breast Milk: A Source of Functional Compounds with Potential Application in Nutrition and Therapy. <i>Nutrients</i> , 2021 , 13,	6.7	11
73	Human Milk Oligosaccharides (HMOs) and Infant Microbiota: A Scoping Review. <i>Foods</i> , 2021 , 10,	4.9	4
72	Food and omics: unraveling the role of food in breast cancer development. <i>Current Opinion in Food Science</i> , 2021 , 39, 197-207	9.8	1
71	Influence and Detection of the Residues of Veterinary Formulations in Foods 2021 , 208-223		
70	Evolution of breast milk fatty acids in Spanish mothers after one year of uninterrupted lactation. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2020 , 159, 102141	2.8	0
69	Association between Breast Milk Mineral Content and Maternal Adherence to Healthy Dietary Patterns in Spain: A Transversal Study. <i>Foods</i> , 2020 , 9,	4.9	8
68	Analysis and metabolomics of carotenoids 2020 , 189-222		1
67	Comparison of the fatty acid profile of Spanish infant formulas and Galician women breast milk. <i>Journal of Physiology and Biochemistry</i> , 2018 , 74, 127-138	5	13
66	Fatty acid composition of breast milk in Galicia (NW Spain): A cross-country comparison. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2018 , 135, 102-114	2.8	20
65	Tracing (r)BST in cattle: Liquid-based options for extraction and separation. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2017 , 40, 541-548	1.3	4
64	Design of a Molecularly Imprinted Stir-Bar for Isolation of Patulin in Apple and LC-MS/MS Detection. <i>Separations</i> , 2017 , 4, 11	3.1	8
63	A facile method for the fabrication of magnetic molecularly imprinted stir-bars: A practical example with aflatoxins in baby foods. <i>Journal of Chromatography A</i> , 2016 , 1471, 51-59	4.5	31
62	Analysis of Naturally Occurring Steroid Hormones in Infant Formulas by HPLC-MS/MS and Contribution to Dietary Intake. <i>Foods</i> , 2015 , 4, 605-621	4.9	7
61	Evaluation of the discriminative potential of a novel biomarker for estradiol treatments in bovine animals. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 370-8	5.7	4
60	Review of methods for analysis of carotenoids. <i>TrAC - Trends in Analytical Chemistry</i> , 2014 , 56, 49-73	14.6	155
59	Rapid method for quantification of nine sulfonamides in bovine milk using HPLC/MS/MS and without using SPE. <i>Food Chemistry</i> , 2013 , 141, 2294-9	8.5	45

58	Structure elucidation and HPLC-MS/MS determination of a potential biomarker for estradiol administration in cattle. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 9537-46	4.4	8
57	Application of molecularly imprinted polymers in food analysis: clean-up and chromatographic improvements. <i>Open Chemistry</i> , 2012 , 10, 766-784	1.6	19
56	Development of a Hamburger Patty with Healthier Lipid Formulation and Study of its Nutritional, Sensory, and Stability Properties. <i>Food and Bioprocess Technology</i> , 2012 , 5, 200-208	5.1	43
55	Simultaneous determination of sulfonamides, penicillins and coccidiostats in pork by high-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatographic Science</i> , 2012 , 50, 414-25	1.4	16
54	Development of a multi-class method for the identification and quantification of residues of antibiotics, coccidiostats and corticosteroids in milk by liquid chromatography-tandem mass spectrometry. <i>International Dairy Journal</i> , 2012 , 22, 78-85	3.5	31
53	A sensitive and validated HPLC-MS/MS method for simultaneous determination of seven coccidiostats in bovine whole milk. <i>Food Control</i> , 2012 , 27, 29-36	6.2	16
52	Development of an LC-MS/MS method to quantify sex hormones in bovine milk and influence of pregnancy in their levels. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2012 , 29, 770-9	3.2	25
51	Evaluation of Molecularly Imprinted Polymers for the Simultaneous SPE of Six Corticosteroids in Milk. <i>Chromatographia</i> , 2012 , 75, 223-231	2.1	12
50	Disturbance in sex-steroid serum profiles of cattle in response to exogenous estradiol: a screening approach to detect forbidden treatments. <i>Steroids</i> , 2011 , 76, 365-75	2.8	12
49	Metabolomic approach based on liquid chromatography coupled to high resolution mass spectrometry to screen for the illegal use of estradiol and progesterone in cattle. <i>Analytica Chimica Acta</i> , 2011 , 700, 16-25	6.6	37
48	A new approach for identifying patients with ovarian epithelial neoplasms based on high-resolution mass spectrometry. <i>American Journal of Clinical Pathology</i> , 2010 , 134, 903-9	1.9	7
47	The effects of industrial pre-frying and domestic cooking methods on the nutritional compositions and fatty acid profiles of two different frozen breaded foods. <i>LWT - Food Science and Technology</i> , 2010 , 43, 1271-1276	5.4	23
46	Determination of the hormonal growth promoter 17alpha-methyltestosterone in food-producing animals: bovine hair analysis by HPLC-MS/MS. <i>Meat Science</i> , 2010 , 84, 196-201	6.4	17
45	Sensitive Determination of Decoquinatone in Milk by High-Performance Liquid Chromatographic Coupled to Laser-Induced Fluorescence Detection. <i>Food Analytical Methods</i> , 2010 , 3, 138-143	3.4	6
44	Determination of naturally occurring progestogens in bovine milk as their oxime derivatives using high performance liquid chromatography-electrospray ionization-tandem mass spectrometry. <i>Journal of the Science of Food and Agriculture</i> , 2010 , 90, 1621-7	4.3	9
43	Molecularly imprinted polyallylamine hydrogels: another reassessment. <i>Polymer International</i> , 2010 , 59, 11-15	3.3	5
42	Application of dummy molecularly imprinted solid-phase extraction in the analysis of cyproheptadine in bovine urine. <i>Journal of Separation Science</i> , 2009 , 32, 1740-7	3.4	13
41	Syntheses of molecularly imprinted polymers: Molecular recognition of cyproheptadine using original print molecules and azatidine as dummy templates. <i>Analytica Chimica Acta</i> , 2009 , 631, 237-44	6.6	83

40	Development and validation of LC-MS/MS method for the determination of cyproheptadine in several pharmaceutical syrup formulations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 1044-9	3.5	19
39	Quantitative LC-MS/MS method for the sensitive and simultaneous determination of natural hormones in bovine serum. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2457-64	3.2	39
38	Use of acrylic acid in the synthesis of molecularly imprinted polymers for the analysis of cyproheptadine. <i>Materials Science and Engineering C</i> , 2009 , 29, 398-404	8.3	16
37	Development and validation of an LC-MS/MS confirmatory method for residue analysis of cyproheptadine in urine of food-producing animals. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 2595-8	5.7	9
36	Influence of farming methods on microbiological contamination and prevalence of resistance to antimicrobial drugs in isolates from beef. <i>Meat Science</i> , 2009 , 82, 284-8	6.4	23
35	Antimicrobial resistance in Enterobacteriaceae strains isolated from organic chicken, conventional chicken and conventional turkey meat: A comparative survey. <i>Food Control</i> , 2008 , 19, 412-416	6.2	55
34	Development of a rapid and confirmatory procedure to detect 17beta-estradiol 3-benzoate treatments in bovine hair. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 11607-11	5.7	9
33	Evolution of resistance in poultry intestinal Escherichia coli during three commonly used antimicrobial therapeutic treatments in poultry. <i>Poultry Science</i> , 2008 , 87, 1643-8	3.9	29
32	Liquid chromatography-electrospray ionization-mass spectrometry method in multiple reaction monitoring mode to determine 17alpha-ethynylestradiol residues in cattle hair without previous digestion. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 9325-9	5.7	8
31	Study of a room temperature phosphorescence phenomenon to allow the detection of aflatoxigenic strains in culture media. <i>International Journal of Food Microbiology</i> , 2007 , 115, 149-58	5.8	7
30	Cryogenic grinding pre-treatment improves extraction efficiency of fluoroquinolones for HPLC-MS/MS determination in animal tissue. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 387, 1933-7	4.4	18
29	Effect of cooking on enrofloxacin residues in chicken tissue. <i>Food Additives and Contaminants</i> , 2006 , 23, 988-93		29
28	Study of enrofloxacin depletion in the eggs of laying hens using diphasic dialysis extraction/purification and determinative HPLC-MS analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 2849-52	5.7	46
27	Evaluation of Chromocult enterococci agar for the isolation and selective enumeration of Enterococcus spp. in broilers. <i>Letters in Applied Microbiology</i> , 2005 , 41, 153-6	2.9	16
26	Shelf life extension of beef retail cuts subjected to an advanced vacuum skin packaging system. <i>European Food Research and Technology</i> , 2004 , 218, 118-122	3.4	30
25	A survey of the fungal contamination and presence of ochratoxin A and zearalenone on Spanish feed and raw materials. <i>Journal of the Science of Food and Agriculture</i> , 2004 , 84, 832-840	4.3	22
24	Microbiological and physicochemical properties of fresh retail cuts of beef packaged under an advanced vacuum skin system and stored at 4 degrees C. <i>Journal of Food Protection</i> , 2003 , 66, 2085-92	2.5	18
23	Development of a method for direct visual determination of aflatoxin production by colonies of the Aspergillus flavus group. <i>International Journal of Food Microbiology</i> , 2003 , 83, 219-25	5.8	27

22	Use of the diphasic dialysis as a new extraction procedure in the determination of enrofloxacin and ciprofloxacin in egg. <i>Analytica Chimica Acta</i> , 2003 , 480, 123-130	6.6	23
21	Comparison of extraction methods for the recovery, amplification and species-specific analysis of DNA from bone and bone meals. <i>Electrophoresis</i> , 2002 , 23, 1005-12	3.6	19
20	Development of a diphasic dialysis method for the extraction/purification of residues of ethinylestradiol in hair of cattle, and determination by gas chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002 , 766, 251-6	3.2	12
19	Application of the luminol chemiluminescence reaction for the determination of nine corticosteroids. <i>Analytica Chimica Acta</i> , 2002 , 468, 43-52	6.6	19
18	Inhibitory effects of eugenol and thymol on <i>Penicillium citrinum</i> strains in culture media and cheese. <i>International Journal of Food Microbiology</i> , 2001 , 67, 157-63	5.8	109
17	New additive for culture media for rapid identification of aflatoxin-producing <i>Aspergillus</i> strains. <i>Applied and Environmental Microbiology</i> , 2001 , 67, 4858-62	4.8	64
16	OPTIMIZATION OF DIPHASIC DIALYSIS PROCEDURE FOR CLENBUTEROL RESIDUES EXTRACTION IN BOVINE RETINA AND HAIR. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2001 , 24, 251-263 ¹³		5
15	Application of the assay of aflatoxins by liquid chromatography with fluorescence detection in food analysis. <i>Journal of Chromatography A</i> , 2000 , 882, 1-10	4.5	144
14	Determination of quinolones in animal tissues and eggs by high-performance liquid chromatography with photodiode-array detection. <i>Journal of Chromatography A</i> , 2000 , 871, 31-6	4.5	92
13	Chemiluminescence detection of nine corticosteroids in liver. <i>Analyst, The</i> , 2000 , 125, 2071-4	5	17
12	Determination of clenbuterol residues in bovine hair by using diphasic dialysis and gas chromatography-mass spectrometry. <i>Biomedical Applications</i> , 1999 , 726, 133-9		34
11	Interaction between cyclodextrins and aflatoxins Q1, M1 and P1. Fluorescence and chromatographic studies. <i>Journal of Chromatography A</i> , 1998 , 815, 21-9	4.5	33
10	GROWTH OF <i>ESCHERICHIA COLI</i> O157:H7 IN THE PRESENCE OF <i>PSEUDOMONAS FLUORESCENS</i> IN SKIMMED MILK AT 7 OR 25C. <i>Journal of Food Safety</i> , 1997 , 16, 273-285	2	4
9	Determination of residues of the beta-agonist clenbuterol in liver of medicated farm animals by gas chromatography-mass spectrometry using diphasic dialysis as an extraction procedure. <i>Biomedical Applications</i> , 1997 , 693, 321-6		26
8	Rapid semi-quantitative fluorimetric determination of citrinin in fungal cultures isolated from cheese and cheese factories. <i>Letters in Applied Microbiology</i> , 1997 , 24, 397-400	2.9	14
7	Semi-quantitative method with fluorescence detection of citrinin in fungal cultures isolated from cheese and cheese factories. <i>Biomedical Chromatography</i> , 1997 , 11, 97-8	1.7	
6	Simple and sensitive high-performance liquid chromatography--fluorescence method for the determination of citrinin application to the analysis of fungal cultures and cheese extracts. <i>Journal of Chromatography A</i> , 1996 , 723, 69-75	4.5	44
5	Postcolumn excitation of aflatoxins using cyclodextrins in liquid chromatography for food analysis. <i>Journal of Chromatography A</i> , 1996 , 721, 69-74	4.5	31

4	Simultaneous high-performance liquid chromatographic determination of ochratoxin A and citrinin in cheese by time-resolved luminescence using terbium. <i>Journal of Chromatography A</i> , 1996 , 727, 185-193	4.5	51
3	Determination of the Principal Sources of <i>Listeria</i> spp. Contamination in Poultry Meat and a Poultry Processing Plant. <i>Journal of Food Protection</i> , 1995 , 58, 1320-1325	2.5	43
2	Luminarin 3 as a derivatization reagent for the liquid chromatographic determination of cytidine, adenosine and related nucleotides with fluorimetric detection. <i>Analytica Chimica Acta</i> , 1994 , 290, 94-102	6.6	2
1	MICROBIOLOGICAL QUALITY OF CEBRERO CHEESE FROM NORTHWEST SPAIN. <i>Journal of Food Safety</i> , 1994 , 14, 1-8	2	6