

Kosaku Komiya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6548758/publications.pdf>

Version: 2024-02-01

60
papers

897
citations

567281

15
h-index

580821

25
g-index

62
all docs

62
docs citations

62
times ranked

1308
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | National survey of physicians in Japan regarding their use of diagnostic tests for legionellosis. <i>Journal of Infection and Chemotherapy</i> , 2022, 28, 129-134. | 1.7 | 3 |
| 2 | Association between sputum conversion and in-hospital mortality in elderly patients with pulmonary tuberculosis: a retrospective study. <i>BMC Infectious Diseases</i> , 2022, 22, 339. | 2.9 | 0 |
| 3 | Methicillin-resistant <i>Staphylococcus aureus</i> among elderly patients with community-acquired pneumonia. <i>Journal of Infection and Chemotherapy</i> , 2022, 28, 1138-1142. | 1.7 | 5 |
| 4 | High-resolution computed tomography features associated with differentiation of tuberculosis among elderly patients with community-acquired pneumonia: a multi-institutional propensity-score matched study. <i>Scientific Reports</i> , 2022, 12, 7466. | 3.3 | 3 |
| 5 | Factors associated with gravity-dependent distribution on chest CT in elderly patients with community-acquired pneumonia: a retrospective observational study. <i>Scientific Reports</i> , 2022, 12, 8023. | 3.3 | 3 |
| 6 | The Efficacy of Penicillins with β -lactamase Inhibitor or Cefmetazole against Pneumonia in which ESBL-Producing Bacteria were Isolated from Sputum. <i>Infection and Chemotherapy</i> , 2021, 53, 562. | 2.3 | 3 |
| 7 | Quantitative assessment of erector spinae muscles and prognosis in elderly patients with pneumonia. <i>Scientific Reports</i> , 2021, 11, 4319. | 3.3 | 18 |
| 8 | Quantitative assessment of the association between erector spinae muscle and in-hospital mortality in elderly patients with pulmonary tuberculosis. <i>BMC Research Notes</i> , 2021, 14, 134. | 1.4 | 5 |
| 9 | A solitary pulmonary nodule caused by <i>Mycobacterium tuberculosis</i> var. BCG after intravesical BCG treatment: a case report. <i>BMC Pulmonary Medicine</i> , 2021, 21, 115. | 2.0 | 2 |
| 10 | Dementia as a risk factor for aspiration in patients with COVID-19. <i>Geriatrics and Gerontology International</i> , 2021, 21, 757-758. | 1.5 | 1 |
| 11 | Efficacy of extracorporeal membrane oxygenation for acute respiratory failure with interstitial lung disease: a case control nationwide dataset study in Japan. <i>Respiratory Research</i> , 2021, 22, 211. | 3.6 | 3 |
| 12 | Comparison of chest computed tomography features between pulmonary tuberculosis patients with culture-positive and culture-negative sputum for non-mycobacteria. <i>Medicine (United States)</i> , 2021, 100, e26897. | 1.0 | 3 |
| 13 | Re-expansion pulmonary edema following a pneumothorax drainage in a patient with COVID-19. <i>BMC Pulmonary Medicine</i> , 2021, 21, 293. | 2.0 | 3 |
| 14 | The impact of performance status on tuberculosis-related death among elderly patients with lung tuberculosis: A competing risk regression analysis. <i>Journal of Infection and Chemotherapy</i> , 2020, 26, 69-75. | 1.7 | 5 |
| 15 | A high C-reactive protein level and poor performance status are associated with delayed sputum conversion in elderly patients with pulmonary tuberculosis in Japan. <i>Clinical Respiratory Journal</i> , 2020, 14, 291-298. | 1.6 | 5 |
| 16 | COVID-19 pandemic and the incidence of community-acquired pneumonia in elderly people. <i>Respiratory Investigation</i> , 2020, 58, 435-436. | 1.8 | 24 |
| 17 | The COVID-19 pandemic and the true incidence of Tuberculosis in Japan. <i>Journal of Infection</i> , 2020, 81, e24-e25. | 3.3 | 43 |
| 18 | A systematic review of corticosteroid treatment for noncritically ill patients with COVID-19. <i>Scientific Reports</i> , 2020, 10, 20935. | 3.3 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Features of active pulmonary tuberculosis without abnormal chest X-ray findings. <i>Infectious Diseases</i> , 2020, 52, 520-523. | 2.8 | 3 |
| 20 | Risk factors for 30-day mortality among patients with <i>Stenotrophomonas maltophilia</i> bacteraemia. <i>Infectious Diseases</i> , 2020, 52, 440-442. | 2.8 | 8 |
| 21 | Efficacy and safety of fluoroquinolone-containing regimens in treating pulmonary <i>Mycobacterium avium</i> complex disease: A propensity score analysis. <i>PLoS ONE</i> , 2020, 15, e0235797. | 2.5 | 8 |
| 22 | Factors associated with false negative interferon- γ release assay results in patients with tuberculosis: A systematic review with meta-analysis. <i>Scientific Reports</i> , 2020, 10, 1607. | 3.3 | 43 |
| 23 | Risk factors for disease-related deterioration following diagnostic bronchoalveolar lavage procedures in diffuse lung disease: a case-control study. <i>PeerJ</i> , 2020, 8, e9864. | 2.0 | 2 |
| 24 | Chest Radiographic and Chest CT Images of Aspiration Pneumonia: Are the Image Features of Aspiration Pneumonia Different from Those of Non-aspiration CAP or HAP?. <i>Respiratory Disease Series</i> , 2020, , 35-47. | 0.0 | 1 |
| 25 | Effect of long-term clarithromycin therapy on prevention of pneumonia in older adults: A randomized, controlled trial. <i>Geriatrics and Gerontology International</i> , 2019, 19, 1006-1009. | 1.5 | 2 |
| 26 | Impact of additional antibiotics on in-hospital mortality in tuberculosis isolated general bacteria: A propensity score analysis. <i>Journal of Infection and Chemotherapy</i> , 2019, 25, 714-719. | 1.7 | 9 |
| 27 | Factors associated with atypical radiological findings of pulmonary tuberculosis. <i>PLoS ONE</i> , 2019, 14, e0220346. | 2.5 | 13 |
| 28 | A Pitfall of Treatment with Tosufloxacin for Pneumonia That Might Be Lung Tuberculosis. <i>Internal Medicine</i> , 2019, 58, 263-266. | 0.7 | 5 |
| 29 | A mini systematic review of prognostic factors in elderly patients with tuberculosis. <i>Respiratory Investigation</i> , 2019, 57, 207-212. | 1.8 | 3 |
| 30 | Activating prostaglandin E2 receptor subtype EP4 increases secreted mucin from airway goblet cells. <i>Pulmonary Pharmacology and Therapeutics</i> , 2018, 48, 117-123. | 2.6 | 16 |
| 31 | Tiotropium inhibits mucin production stimulated by neutrophil elastase but not by IL-13. <i>Pulmonary Pharmacology and Therapeutics</i> , 2018, 48, 161-167. | 2.6 | 11 |
| 32 | Decreasing Use of Percutaneous Endoscopic Gastrostomy Tube Feeding in Japan. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 1388-1391. | 2.6 | 17 |
| 33 | Prevalence and prognostic influence of bacterial pyuria in elderly patients with pneumonia: A retrospective study. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1076-1080. | 1.5 | 2 |
| 34 | Clarithromycin attenuates IL-13-induced periostin production in human lung fibroblasts. <i>Respiratory Research</i> , 2017, 18, 37. | 3.6 | 13 |
| 35 | Pneumonia Severity Assessment Tools for Predicting Mortality in Patients with Healthcare-Associated Pneumonia: A Systematic Review and Meta-Analysis. <i>Respiration</i> , 2017, 93, 441-450. | 2.6 | 11 |
| 36 | A systematic review of diagnostic methods to differentiate acute lung injury/acute respiratory distress syndrome from cardiogenic pulmonary edema. <i>Critical Care</i> , 2017, 21, 228. | 5.8 | 41 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Inhibition of IL-13-induced periostin in airway epithelium attenuates cellular protein expression of MUC5AC. <i>Respirology</i> , 2017, 22, 93-100. | 2.3 | 27 |
| 38 | Evaluation of prognostic differences in elderly patients with pneumonia treated by between pulmonologists and non-pulmonologists: a propensity score analysis. <i>Clinical Respiratory Journal</i> , 2016, 10, 462-468. | 1.6 | 5 |
| 39 | Prognostic implications of aspiration pneumonia in patients with community acquired pneumonia: A systematic review with meta-analysis. <i>Scientific Reports</i> , 2016, 6, 38097. | 3.3 | 59 |
| 40 | Healthcare-associated Pneumonia and Aspiration Pneumonia. , 2015, 6, 27. | | 74 |
| 41 | Mechanical Ventilation for Very Elderly Patients with Severe Pneumonia. <i>Journal of Palliative Medicine</i> , 2014, 17, 383-384. | 1.1 | 3 |
| 42 | Long-Term Macrolide Antibiotic Therapy May Prevent the Development of Pneumonia in the Elderly. <i>Journal of Palliative Medicine</i> , 2014, 17, 749-750. | 1.1 | 6 |
| 43 | Influence of Appetite and Continuation of Meals on the Prognosis of Elderly Patients Who Have Lost Swallowing Function. <i>Journal of Palliative Medicine</i> , 2014, 17, 259-260. | 1.1 | 6 |
| 44 | Chest computed tomography findings in patients with angioimmunoblastic T-cell lymphoma. <i>Respiratory Investigation</i> , 2014, 52, 265-268. | 1.8 | 0 |
| 45 | Long-term, low-dose erythromycin monotherapy for Mycobacterium avium complex lung disease: A propensity score analysis. <i>International Journal of Antimicrobial Agents</i> , 2014, 44, 131-135. | 2.5 | 13 |
| 46 | Risk factors for unexpected death from suffocation in elderly patients hospitalized for pneumonia. <i>Geriatrics and Gerontology International</i> , 2013, 13, 388-392. | 1.5 | 9 |
| 47 | C-reactive protein as a prognostic factor in elderly patients with aspiration pneumonia. <i>European Journal of Internal Medicine</i> , 2013, 24, e88-e89. | 2.2 | 7 |
| 48 | Impact of aspiration pneumonia in patients with community-acquired pneumonia and healthcare-associated pneumonia: A multicenter retrospective cohort study. <i>Respirology</i> , 2013, 18, 514-521. | 2.3 | 86 |
| 49 | The Prognosis of Elderly Patients Who Have Lost the Ability To Receive Oral Intake and Are Treated with Peripheral Solution. <i>Journal of Palliative Medicine</i> , 2013, 16, 821-821. | 1.1 | 1 |
| 50 | Computed tomography findings of aspiration pneumonia in 53 patients. <i>Geriatrics and Gerontology International</i> , 2013, 13, 580-585. | 1.5 | 59 |
| 51 | Physicians' attitudes toward the definition of "death from age-related physical debility" in deceased elderly with aspiration pneumonia. <i>Geriatrics and Gerontology International</i> , 2013, 13, 586-590. | 1.5 | 7 |
| 52 | Comparison of Chest Computed Tomography Features in the Acute Phase of Cardiogenic Pulmonary Edema and Acute Respiratory Distress Syndrome on Arrival at the Emergency Department. <i>Journal of Thoracic Imaging</i> , 2013, 28, 322-328. | 1.5 | 27 |
| 53 | Medical Professionals' Attitudes Toward Tube Feeding for Themselves or Their Families: A Multicenter Survey in Japan. <i>Journal of Palliative Medicine</i> , 2012, 15, 561-566. | 1.1 | 18 |
| 54 | Relationship between CT Findings and the Plasma Levels of Brain Natriuretic Peptide in 29 Patients with Acute Cardiogenic Pulmonary Edema. <i>Academic Radiology</i> , 2012, 19, 851-856. | 2.5 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Plasma C-reactive protein levels are associated with mortality in elderly with acute lung injury. <i>Journal of Critical Care</i> , 2012, 27, 524.e1-524.e6. | 2.2 | 10 |
| 56 | A Clue to Diagnosing Connective Tissue Disease-Associated Interstitial Lung Disease. <i>Chest</i> , 2011, 139, 722. | 0.8 | 2 |
| 57 | Diagnostic utility of C-reactive Protein combined with brain natriuretic peptide in acute pulmonary edema: a cross sectional study. <i>Respiratory Research</i> , 2011, 12, 83. | 3.6 | 21 |
| 58 | Reversion rates of QuantiFERON-TB Gold are related to pre-treatment IFN-gamma levels. <i>Journal of Infection</i> , 2011, 63, 48-53. | 3.3 | 15 |
| 59 | Impact of Peripheral Lymphocyte Count on the Sensitivity of 2 IFN-GAMMA. Release Assays, QFT-G and ELISPOT, in Patients with Pulmonary Tuberculosis. <i>Internal Medicine</i> , 2010, 49, 1849-1855. | 0.7 | 36 |
| 60 | Health-Care-Associated Pneumonia Is Primarily Due to Aspiration Pneumonia. <i>Chest</i> , 2009, 136, 1702-1703. | 0.8 | 31 |