
Kayoko Tsujino

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6548818/publications.pdf Version: 2024-02-01



Κλνοκο Τεμμνο

#	Article	IF	CITATIONS
1	Predicting Radiation Pneumonitis After Chemoradiation Therapy for Lung Cancer: An International Individual Patient Data Meta-analysis. International Journal of Radiation Oncology Biology Physics, 2013, 85, 444-450.	0.8	545
2	Predictive value of dose-volume histogram parameters for predicting radiation pneumonitis after concurrent chemoradiation for lung cancer. International Journal of Radiation Oncology Biology Physics, 2003, 55, 110-115.	0.8	321
3	Phase III Study Comparing Second- and Third-Generation Regimens With Concurrent Thoracic Radiotherapy in Patients With Unresectable Stage III Non–Small-Cell Lung Cancer: West Japan Thoracic Oncology Group WJTOG0105. Journal of Clinical Oncology, 2010, 28, 3739-3745.	1.6	261
4	Combined Analysis of V20, VS5, Pulmonary Fibrosis Score on Baseline Computed Tomography, and Patient Age Improves Prediction of Severe Radiation Pneumonitis After Concurrent Chemoradiotherapy for Locally Advanced Non–Small-Cell Lung Cancer. Journal of Thoracic Oncology, 2014, 9, 983-990.	1.1	102
5	Dosimetric predictors of radiation esophagitis in patients treated for non-small-cell lung cancer with carboplatin/paclitaxel/radiotherapy. International Journal of Radiation Oncology Biology Physics, 2001, 51, 291-295.	0.8	64
6	Radiation pneumonitis following concurrent accelerated hyperfractionated radiotherapy and chemotherapy for limited-stage small-cell lung cancer: Dose–volume histogram analysis and comparison with conventional chemoradiation. International Journal of Radiation Oncology Biology Physics, 2006, 64, 1100-1105.	0.8	62
7	Pelvic insufficiency fracture after definitive radiotherapy for uterine cervical cancer: retrospective analysis of risk factors. Journal of Radiation Research, 2013, 54, 1102-1109.	1.6	61
8	Factors Associated With Early Mortality in Patients Treated With Concurrent Chemoradiation Therapy for Locally Advanced Non-Small Cell Lung Cancer. International Journal of Radiation Oncology Biology Physics, 2016, 94, 612-620.	0.8	49
9	Endoscopic findings of radiation esophagitis in concurrent chemoradiotherapy for intrathoracic malignancies. Radiotherapy and Oncology, 2001, 58, 273-278.	0.6	46
10	Radiation Therapy in Patients with Implanted Cardiac Pacemakers and Implantable Cardioverter Defibrillators: A Prospective Survey in Japan. Journal of Radiation Research, 2011, 52, 516-521.	1.6	42
11	White matter changes on magnetic resonance imaging following whole-brain radiotherapy for brain metastases. Radiation Medicine, 2006, 24, 345-350.	0.8	38
12	High-dose-rate Intracavitary Brachytherapy Combined with External Beam Radiotherapy for Stage IIIb Adenocarcinoma of the Uterine Cervix in Japan: A Multi-Institutional Study of Japanese Society of Therapeutic Radiology and Oncology 2006-2007 (Study of JASTRO 2006-2007). Japanese Journal of Clinical Oncology, 2010, 40, 795-799.	1.3	33
13	A questionnaire-based survey on 3D image-guided brachytherapy for cervical cancer in Japan: advances and obstacles. Journal of Radiation Research, 2015, 56, 897-903.	1.6	33
14	Subcutaneous fibrosis after whole neck irradiation. International Journal of Radiation Oncology Biology Physics, 2002, 52, 937-943.	0.8	29
15	Phase I/II Trial of Sequential Chemoradiotherapy Using a Novel Hypoxic Cell Radiosensitizer, Doranidazole (PR-350), in Patients With Locally Advanced Non–Small-Cell Lung Cancer (WJTOG-0002). International Journal of Radiation Oncology Biology Physics, 2007, 69, 786-792.	0.8	29
16	Clinical outcomes of orbital irradiation combined with or without systemic high-dose or pulsed corticosteroids for graves' ophthalmopathy. International Journal of Radiation Oncology Biology Physics, 2000, 48, 857-864.	0.8	26
17	Inversely designed, 3D-printed personalized template-guided interstitial brachytherapy for vaginal tumors. Journal of Contemporary Brachytherapy, 2018, 10, 470-477.	0.9	21
18	Predicting the survival of patients with bone metastases treated with radiation therapy: a validation study of the Katagiri scoring system. Radiation Oncology, 2019, 14, 13.	2.7	19

ΚΑΥΟΚΟ ΤSUJINO

#	Article	IF	CITATIONS
19	Comparison of salvage therapies for isolated para-aortic lymph node recurrence in patients with uterine cervical cancer after definitive treatment. Radiation Oncology, 2019, 14, 236.	2.7	18
20	Is Intermediate Radiation Dose Escalation With Concurrent Chemotherapy for Stage III Non–Small-Cell Lung Cancer Beneficial? A Multi-Institutional Propensity Score MatchedÂAnalysis. International Journal of Radiation Oncology Biology Physics, 2015, 91, 133-139.	0.8	17
21	Treatment outcome of breast-conserving therapy in patients with positive or close resection margins: Japanese multi institute survey for radiation dose effect. Breast Cancer, 2005, 12, 91-98.	2.9	16
22	Radiotherapy quality assurance of the Japanese Gynecologic Oncology Group study (JGOG1066): a cooperative phase II study of concurrent chemoradiotherapy for uterine cervical cancer. International Journal of Clinical Oncology, 2011, 16, 379-386.	2.2	12
23	Total body irradiation followed by bone marrow transplantation: comparison of once-daily and twice-daily fractionation regimens. Radiation Medicine, 2007, 25, 402-406.	0.8	10
24	Supratentorial Glioblastoma Treated with Radiotherapy: Use of the Radiation Therapy Oncology Group Recursive Partitioning Analysis Grouping for Predicting Survival. Japanese Journal of Clinical Oncology, 2010, 40, 726-731.	1.3	8
25	Feasibility study of chemoradiotherapy followed by amrubicin and cisplatin for limitedâ€disease small cell lung cancer. Cancer Science, 2016, 107, 315-319.	3.9	7
26	Effect of Second-generation vs Third-generation Chemotherapy Regimens With Thoracic Radiotherapy on Unresectable Stage III Non–Small-Cell Lung Cancer. JAMA Oncology, 2021, 7, 904.	7.1	7
27	Survey of Advanced Radiation Technologies Used at Designated Cancer Care Hospitals in Japan. Japanese Journal of Clinical Oncology, 2014, 44, 72-77.	1.3	6
28	Patient preference study comparing hypofractionated versus conventionally fractionated whole-breast irradiation after breast-conserving surgery. Japanese Journal of Clinical Oncology, 2019, 49, 545-553.	1.3	6
29	A Phase I Study of Chemoradiotherapy With Use of Involved-Field Conformal Radiotherapy and Accelerated Hyperfractionation for Stage III Non-Small Cell Lung Cancer: WJTOG 3305. International Journal of Radiation Oncology Biology Physics, 2012, 83, 327-331.	0.8	5
30	High-dose-rate Intra-cavitary Brachytherapy Combined with External Beam Radiation Therapy for Under 40-Year-old Patients with Invasive Uterine Cervical Carcinoma: Clinical Outcomes in 118 Patients in a Japanese Multi-institutional Study, JASTRO. Japanese Journal of Clinical Oncology, 2013, 43, 547-552.	1.3	5
31	Induction chemotherapy and Planned Neck Dissection after concurrent chemoradiotherapy for oropharyngeal and hypopharyngeal cancers. Japanese Journal of Head and Neck Cancer, 2007, 33, 366-370.	0.1	5
32	Rationale and Design for a Multicenter, Phase II Study of Durvalumab Plus Concurrent Radiation Therapy in Locally Advanced Non-Small Cell Lung Cancer: The DOLPHIN Study (WJOG11619L). Cancer Management and Research, 2021, Volume 13, 9167-9173.	1.9	5
33	A Survey of Patients with Inflammatory Skin Recurrence Corresponding to the Area of Previous Irradiation after Postoperative Radiotherapy for Breast Cancer. Journal of Radiation Research, 2011, 52, 797-803.	1.6	4
34	Concurrent chemoradiotherapy with cisplatin and S-1 or vinorelbine for patients with stage III unresectable non-small cell lung cancer: A retrospective study. Respiratory Investigation, 2016, 54, 334-340.	1.8	4
35	Evaluation of the feasibility of high dose CDDP-CCRT for advanced squamous cell carcinoma of the head and neck. Japanese Journal of Head and Neck Cancer, 2014, 40, 362-365.	0.1	4
36	Prospective observational study on the safety of an original fiducial marker insertion for radiotherapy in gynecological cancer by a simple method. Journal of Radiation Research, 2019, 60, 844-848.	1.6	2

ΚΑΥΟΚΟ ΤSUJINO

#	Article	IF	CITATIONS
37	A clinical analysis of hypopharyngeal carcinoma: single-institution outcomes. Japanese Journal of Head and Neck Cancer, 2013, 39, 460-465.	0.1	2
38	Radiotherapeutic factors related to the control of cervical lymph node metastases in patients with oro- and hypopharyngeal carcinoma treated with chemoradiotherapy followed by planned neck dissection. Japanese Journal of Head and Neck Cancer, 2009, 35, 394-399.	0.1	2
39	Erratum to â€~Endoscopic findings of radiation esophagitis in concurrent chemoradiotherapy for intrathoracic malignancies' [Radiother. Oncol. 59 (2001) 273-278]. Radiotherapy and Oncology, 2001, 60, 107.	0.6	1
40	Investigation of residual cancer node levels in planned neck dissection after concurrent chemoradiotherapy for oropharyngeal and hypopharyngeal cancer. Japanese Journal of Head and Neck Cancer, 2010, 36, 89-92.	0.1	1
41	Radiation Pneumonitis: from the Viewpoint of a Radiation Oncologist. Japanese Journal of Lung Cancer, 2019, 59, 333-341.	0.1	1
42	In response to Drs. Seppenwoolde, Lebesque, and de Jaeger. International Journal of Radiation Oncology Biology Physics, 2003, 56, 1209.	0.8	0
43	Investigation of adverse events associated with planned neck dissection in oropharyngeal and hypopharyngeal cancers. Japanese Journal of Head and Neck Cancer, 2011, 37, 137-141.	0.1	Ο
44	Radiotherapy for lung cancer: State of the art. Japanese Journal of Lung Cancer, 2020, 60, 902-905.	0.1	0