

Bin Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6548947/publications.pdf>

Version: 2024-02-01

54
papers

8,022
citations

126907

33
h-index

182427

51
g-index

55
all docs

55
docs citations

55
times ranked

7808
citing authors

#	ARTICLE	IF	CITATIONS
1	Novel histone modifications in microglia derived from a mouse model of chronic pain. <i>Proteomics</i> , 2022, , 2100137.	2.2	1
2	Establishment of a Simple and Versatile Evaporation Compensation Model for In Vitro Chronic Ethanol Treatment: Impact on Neuronal Viability. <i>Neuroglia (Basel, Switzerland)</i> , 2022, 3, 61-72.	0.9	0
3	Organochlorine Pesticide Dieldrin Suppresses Cellular Interferon-Related Antiviral Gene Expression. <i>Toxicological Sciences</i> , 2021, 182, 260-274.	3.1	6
4	Binge ethanol consumption-associated behavioral impairments in male mice using a gelatin-based drinking-in-the dark model. <i>Alcohol</i> , 2021, 95, 25-36.	1.7	2
5	Chronic Voluntary Binge Ethanol Consumption Causes Sex-Specific Differences in Microglial Signaling Pathways and Withdrawal-Associated Behaviors in Mice. <i>Alcoholism: Clinical and Experimental Research</i> , 2020, 44, 1791-1806.	2.4	22
6	Functional Pathway Identification With CRISPR/Cas9 Genome-wide Gene Disruption in Human Dopaminergic Neuronal Cells Following Chronic Treatment With Dieldrin. <i>Toxicological Sciences</i> , 2020, 176, 366-381.	3.1	14
7	Deep proteome profiling reveals novel pathways associated with pro-inflammatory and alcohol-induced microglial activation phenotypes. <i>Journal of Proteomics</i> , 2020, 220, 103753.	2.4	16
8	Improved Methodology for Sensitive and Rapid Quantitative Proteomic Analysis of Adult-Derived Mouse Microglia: Application to a Novel In Vitro Mouse Microglial Cell Model. <i>Proteomics</i> , 2019, 19, 1800469.	2.2	15
9	Role of NADPH oxidase in cooperative reactive oxygen species generation in dopaminergic neurons induced by combined treatment with dieldrin and lindane. <i>Toxicology Letters</i> , 2018, 299, 47-55.	0.8	12
10	De Novo and Uninterrupted SILAC Labeling of Primary Microglia. <i>Methods in Molecular Biology</i> , 2017, 1598, 285-293.	0.9	0
11	Spike-In SILAC Approach for Proteomic Analysis of Ex Vivo Microglia. <i>Methods in Molecular Biology</i> , 2017, 1598, 295-312.	0.9	2
12	Ischemia-responsive protein 94 is a key mediator of ischemic neuronal injury-induced microglial activation. <i>Journal of Neurochemistry</i> , 2017, 142, 908-919.	3.9	6
13	Characterization of a SILAC method for proteomic analysis of primary rat microglia. <i>Proteomics</i> , 2016, 16, 1341-1346.	2.2	7
14	Novel Molecular Insights into Classical and Alternative Activation States of Microglia as Revealed by Stable Isotope Labeling by Amino Acids in Cell Culture (SILAC)-based Proteomics*. <i>Molecular and Cellular Proteomics</i> , 2015, 14, 3173-3184.	3.8	51
15	Complex II of the Mitochondrial Respiratory Chain Is the Key Mediator of Divalent Manganese-Induced Hydrogen Peroxide Production in Microglia. <i>Toxicological Sciences</i> , 2013, 132, 298-306.	3.1	48
16	Quantitative Proteomic Characterization of Ethanol-Responsive Pathways in Rat Microglial Cells. <i>Journal of Proteome Research</i> , 2013, 12, 2067-2077.	3.7	34
17	Involvement of dopaminergic neuronal cystatin C in neuronal injury-induced microglial activation and neurotoxicity. <i>Journal of Neurochemistry</i> , 2012, 122, 752-763.	3.9	36
18	Proteomic analysis of rat microglia establishes a high-confidence reference data set of over 3000 proteins. <i>Proteomics</i> , 2012, 12, 246-250.	2.2	14

#	ARTICLE	IF	CITATIONS
19	Stable Isotope Labeling with Amino Acids in Cell Culture-Based Proteomic Analysis of Ethanol-Induced Protein Expression Profiles in Microglia. <i>Methods in Molecular Biology</i> , 2012, 829, 551-565.	0.9	12
20	Synergistic dopaminergic neurotoxicity of manganese and lipopolysaccharide: differential involvement of microglia and astroglia. <i>Journal of Neurochemistry</i> , 2010, 112, 434-443.	3.9	70
21	Organochlorine pesticides dieldrin and lindane induce cooperative toxicity in dopaminergic neurons: Role of oxidative stress. <i>NeuroToxicology</i> , 2010, 31, 215-222.	3.0	76
22	Microglia enhance manganese chloride-induced dopaminergic neurodegeneration: Role of free radical generation. <i>Experimental Neurology</i> , 2009, 217, 219-230.	4.1	63
23	Molecular consequences of activated microglia in the brain: overactivation induces apoptosis. <i>Journal of Neurochemistry</i> , 2008, 77, 182-189.	3.9	15
24	The lipopolysaccharide Parkinson's disease animal model: mechanistic studies and drug discovery. <i>Fundamental and Clinical Pharmacology</i> , 2008, 22, 453-464.	1.9	197
25	Synergistic microglial reactive oxygen species generation induced by pesticides lindane and dieldrin. <i>NeuroReport</i> , 2008, 19, 1317-1320.	1.2	32
26	Manganese chloride stimulates rat microglia to release hydrogen peroxide. <i>Toxicology Letters</i> , 2007, 173, 88-100.	0.8	66
27	PKU is a reversible neurodegenerative process within the nigrostriatum that begins as early as 4 weeks of age in Pahenu2 mice. <i>Brain Research</i> , 2007, 1127, 136-150.	2.2	24
28	Induction of microglial reactive oxygen species production by the organochlorinated pesticide dieldrin. <i>Brain Research</i> , 2007, 1186, 267-274.	2.2	40
29	Modulation of microglial pro-inflammatory and neurotoxic activity for the treatment of Parkinson's disease. <i>AAPS Journal</i> , 2006, 8, E606-E621.	4.4	95
30	Protective effect of dextromethorphan against endotoxic shock in mice. <i>Biochemical Pharmacology</i> , 2005, 69, 233-240.	4.4	53
31	Interactive role of the toll-like receptor 4 and reactive oxygen species in LPS-induced microglia activation. <i>Glia</i> , 2005, 52, 78-84.	4.9	179
32	3 α -Hydroxymorphinan is neurotrophic to dopaminergic neurons and is also neuroprotective against LPS-induced neurotoxicity. <i>FASEB Journal</i> , 2005, 19, 1-25.	0.5	65
33	MPP + α -induced COX-2 activation and subsequent dopaminergic neurodegeneration. <i>FASEB Journal</i> , 2005, 19, 1134-1136.	0.5	105
34	Andrographolide Reduces Inflammation-Mediated Dopaminergic Neurodegeneration in Mesencephalic Neuron-Glia Cultures by Inhibiting Microglial Activation. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 308, 975-983.	2.5	117
35	Neuroprotective effect of dextromethorphan in the MPTP Parkinson's disease model: role of NADPH oxidase. <i>FASEB Journal</i> , 2004, 18, 589-591.	0.5	181
36	Role of reactive oxygen species in LPS-induced production of prostaglandin E ₂ in microglia. <i>Journal of Neurochemistry</i> , 2004, 88, 939-947.	3.9	206

#	ARTICLE	IF	CITATIONS
37	NADPH Oxidase Mediates Lipopolysaccharide-induced Neurotoxicity and Proinflammatory Gene Expression in Activated Microglia. <i>Journal of Biological Chemistry</i> , 2004, 279, 1415-1421.	3.4	510
38	Primary Rat Mesencephalic Neuron-Glia, Neuron-Enriched, Microglia-Enriched, and Astroglia-Enriched Cultures. , 2003, 79, 387-396.		34
39	Role of Microglia in Inflammation-Mediated Neurodegenerative Diseases: Mechanisms and Strategies for Therapeutic Intervention. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2003, 304, 1-7.	2.5	1,019
40	Parkinson's disease and exposure to infectious agents and pesticides and the occurrence of brain injuries: role of neuroinflammation.. <i>Environmental Health Perspectives</i> , 2003, 111, 1065-1073.	6.0	240
41	Novel anti-inflammatory therapy for Parkinson's disease. <i>Trends in Pharmacological Sciences</i> , 2003, 24, 395-401.	8.7	303
42	Critical role of microglial NADPH oxidase-derived free radicals in the in vitro MPTP model of Parkinson's disease. <i>FASEB Journal</i> , 2003, 17, 1-22.	0.5	263
43	Dextromethorphan Protects Dopaminergic Neurons against Inflammation-Mediated Degeneration through Inhibition of Microglial Activation. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2003, 305, 212-218.	2.5	186
44	Critical Role for Microglial NADPH Oxidase in Rotenone-Induced Degeneration of Dopaminergic Neurons. <i>Journal of Neuroscience</i> , 2003, 23, 6181-6187.	3.6	314
45	Synergistic Dopaminergic Neurotoxicity of the Pesticide Rotenone and Inflammogen Lipopolysaccharide: Relevance to the Etiology of Parkinson's Disease. <i>Journal of Neuroscience</i> , 2003, 23, 1228-1236.	3.6	220
46	Inhibition by Naloxone Stereoisomers of β -Amyloid Peptide (1-42)-induced Superoxide Production in Microglia and Degeneration of Cortical and Mesencephalic Neurons. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 302, 1212-1219.	2.5	96
47	Distinct Role for Microglia in Rotenone-Induced Degeneration of Dopaminergic Neurons. <i>Journal of Neuroscience</i> , 2002, 22, 782-790.	3.6	408
48	Microglial activation-mediated delayed and progressive degeneration of rat nigral dopaminergic neurons: relevance to Parkinson's disease. <i>Journal of Neurochemistry</i> , 2002, 81, 1285-1297.	3.9	614
49	p38 MAP Kinase Is Involved in Lipopolysaccharide-Induced Dopaminergic Neuronal Cell Death in Rat Mesencephalic Neuron-Glia Cultures. <i>Annals of the New York Academy of Sciences</i> , 2002, 962, 332-346.	3.8	56
50	Role of Nitric Oxide in Inflammation-Mediated Neurodegeneration. <i>Annals of the New York Academy of Sciences</i> , 2002, 962, 318-331.	3.8	395
51	Molecular consequences of activated microglia in the brain: overactivation induces apoptosis. <i>Journal of Neurochemistry</i> , 2001, 77, 182-189.	3.9	252
52	Regional Difference in Susceptibility to Lipopolysaccharide-Induced Neurotoxicity in the Rat Brain: Role of Microglia. <i>Journal of Neuroscience</i> , 2000, 20, 6309-6316.	3.6	801
53	Inhibition of the Neutral Magnesium-dependent Sphingomyelinase by Glutathione. <i>Journal of Biological Chemistry</i> , 1997, 272, 16281-16287.	3.4	280
54	Expression of Neutral Sphingomyelinase Identifies a Distinct Pool of Sphingomyelin Involved in Apoptosis. <i>Journal of Biological Chemistry</i> , 1997, 272, 9609-9612.	3.4	149