

Rana S Hinman

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/654943/rana-s-hinman-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

256
papers

9,572
citations

51
h-index

88
g-index

279
ext. papers

11,670
ext. citations

3.4
avg, IF

6.34
L-index

#	Paper	IF	Citations
256	Planning implementation and scale-up of physical activity interventions for people with walking difficulties: study protocol for the process evaluation of the ComeBACK trial.. <i>Trials</i> , 2022 , 23, 40	2.8	0
255	Feasibility of personalised hip load modification using real-time biofeedback in hip osteoarthritis: A pilot study. <i>Osteoarthritis and Cartilage Open</i> , 2022 , 4, 100230	1.5	0
254	Effects of adding a diet intervention to exercise on hip osteoarthritis pain: protocol for the ECHO randomized controlled trial.. <i>BMC Musculoskeletal Disorders</i> , 2022 , 23, 215	2.8	0
253	A Framework to Guide the Development of Health Care Professional Education and Training in Best Evidence Osteoarthritis Care.. <i>Clinics in Geriatric Medicine</i> , 2022 , 38, 361-384	3.8	
252	Effects of adding aerobic physical activity to strengthening exercise on hip osteoarthritis symptoms: protocol for the PHOENIX randomised controlled trial.. <i>BMC Musculoskeletal Disorders</i> , 2022 , 23, 361	2.8	
251	Evaluation of two electronic-rehabilitation programmes for persistent knee pain: protocol for a randomised feasibility trial. <i>BMJ Open</i> , 2022 , 12, e063608	3	
250	Comparing Video-Based, Telehealth-Delivered Exercise and Weight Loss Programs With Online Education on Outcomes of Knee Osteoarthritis : A Randomized Trial. <i>Annals of Internal Medicine</i> , 2021 ,	8	1
249	Reliability, validity, responsiveness, and minimum important change of the Stair Climb Test in adults with hip and knee osteoarthritis. <i>Arthritis Care and Research</i> , 2021 ,	4.7	2
248	How do middle-aged and older adults with chronic hip pain view their health problem and its care? A protocol for a systematic review and qualitative evidence synthesis. <i>BMJ Open</i> , 2021 , 11, e053084	3	0
247	Patient-Facing Mobile Apps to Support Physiotherapy Care: Protocol for a Systematic Review of Apps Within App Stores. <i>JMIR Research Protocols</i> , 2021 , 10, e29047	2	0
246	Moderators of the Effect of a Self-directed Digitally Delivered Exercise Program for People With Knee Osteoarthritis: Exploratory Analysis of a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2021 , 23, e30768	7.6	1
245	Guidance for Implementing Best Practice Therapeutic Exercise for Patients With Knee and Hip Osteoarthritis: What Does the Current Evidence Base Tell Us?. <i>Arthritis Care and Research</i> , 2021 , 73, 1746-1753	4.7	4
244	Patient experiences with physiotherapy for knee osteoarthritis in Australia-a qualitative study. <i>BMJ Open</i> , 2021 , 11, e043689	3	2
243	Evaluation of a Novel e-Learning Program for Physiotherapists to Manage Knee Osteoarthritis via Telehealth: Qualitative Study Nested in the PEAK (Physiotherapy Exercise and Physical Activity for Knee Osteoarthritis) Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2021 , 23, e25872	7.6	6
242	The Effect of Flat Flexible Versus Stable Supportive Shoes on Knee Osteoarthritis Symptoms : A Randomized Trial. <i>Annals of Internal Medicine</i> , 2021 , 174, 462-471	8	1
241	"It@ the single best thing IQe done in the last 10 years": a qualitative study exploring patient and dietitian experiences with, and perceptions of, a multi-component dietary weight loss program for knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2021 , 29, 507-517	6.2	4
240	An e-Learning Program for Physiotherapists to Manage Knee Osteoarthritis Via Telehealth During the COVID-19 Pandemic: Real-World Evaluation Study Using Registration and Survey Data. <i>JMIR Medical Education</i> , 2021 , 7, e30378	5	1

239	Physiotherapists and patients report positive experiences overall with telehealth during the COVID-19 pandemic: a mixed-methods study. <i>Journal of Physiotherapy</i> , 2021 , 67, 201-209	2.9	12
238	Effects of a Self-directed Web-Based Strengthening Exercise and Physical Activity Program Supported by Automated Text Messages for People With Knee Osteoarthritis: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2021 , 181, 776-785	11.5	7
237	Endorsement of the domains of knee and hip osteoarthritis (OA) flare: A report from the OMERACT 2020 inaugural virtual consensus vote from the flares in OA working group. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 618-622	5.3	1
236	Knowledge about osteoarthritis: Development of the Hip and Knee Osteoarthritis Knowledge Scales and protocol for testing their measurement properties. <i>Osteoarthritis and Cartilage Open</i> , 2021 , 3, 100160	1.5	2
235	Trends in management of hip and knee osteoarthritis in general practice in Australia over an 11-year window: a nationwide cross-sectional survey. <i>The Lancet Regional Health - Western Pacific</i> , 2021 , 12, 100187	5	7
234	Digital Health Interventions in Physiotherapy: Development of Client and Health Care Provider Survey Instruments. <i>JMIR Research Protocols</i> , 2021 , 10, e25177	2	2
233	The Impact of Financial Incentives on Physical Activity: A Systematic Review and Meta-Analysis. <i>American Journal of Health Promotion</i> , 2021 , 35, 236-249	2.5	4
232	A Narrative Review on Measurement Properties of Fixed-distance Walk Tests Up to 40 Meters for Adults With Knee Osteoarthritis. <i>Journal of Rheumatology</i> , 2021 , 48, 638-647	4.1	0
231	Podiatry Intervention Versus Usual General Practitioner Care for Symptomatic Radiographic Osteoarthritis of the First Metatarsophalangeal Joint: A Randomized Clinical Feasibility Study. <i>Arthritis Care and Research</i> , 2021 , 73, 250-258	4.7	3
230	Association Between Therapeutic Alliance and Outcomes Following Telephone-Delivered Exercise by a Physical Therapist for People With Knee Osteoarthritis: Secondary Analyses From a Randomized Controlled Trial. <i>JMIR Rehabilitation and Assistive Technologies</i> , 2021 , 8, e23386	3.2	2
229	Feasibility of exercise and weight management for people with hip osteoarthritis and overweight or obesity: A pilot study. <i>Osteoarthritis and Cartilage Open</i> , 2021 , 3, 100174	1.5	3
228	An international core capability framework for physiotherapists to deliver quality care via videoconferencing: a Delphi study. <i>Journal of Physiotherapy</i> , 2021 , 67, 291-297	2.9	5
227	Foot orthoses for first metatarsophalangeal joint osteoarthritis: study protocol for the FORT randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 830	2.8	0
226	Effect of exercise on knee joint contact forces in people following medial partial meniscectomy: A secondary analysis of a randomised controlled trial. <i>Gait and Posture</i> , 2020 , 79, 203-209	2.6	3
225	What type of exercise is most effective for people with knee osteoarthritis and co-morbid obesity?: The TARGET randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2020 , 28, 755-765	6.2	8
224	Better Knee, Better Me? Effectiveness of two scalable health care interventions supporting self-management for knee osteoarthritis - protocol for a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 160	2.8	5
223	Management of first metatarsophalangeal joint osteoarthritis by physical therapists and podiatrists in Australia and the United Kingdom: a cross-sectional survey of current clinical practice. <i>Journal of Foot and Ankle Research</i> , 2020 , 13, 14	3.2	2
222	Protocol for the process and feasibility evaluations of a new model of primary care service delivery for managing pain and function in patients with knee osteoarthritis (PARTNER) using a mixed methods approach. <i>BMJ Open</i> , 2020 , 10, e034526	3	1

221	PARTNER: a service delivery model to implement optimal primary care management of people with knee osteoarthritis: description of development. <i>BMJ Open</i> , 2020 , 10, e040423	3	3
220	Physical activity coaching for adults with mobility limitations: protocol for the ComeBACK pragmatic hybrid effectiveness-implementation type 1 randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e034696	3	1
219	Exploring Attitudes and Experiences of People With Knee Osteoarthritis Toward a Self-Directed eHealth Intervention to Support Exercise: Qualitative Study. <i>JMIR Rehabilitation and Assistive Technologies</i> , 2020 , 7, e18860	3.2	4
218	Behavior Change Text Messages for Home Exercise Adherence in Knee Osteoarthritis: Randomized Trial. <i>Journal of Medical Internet Research</i> , 2020 , 22, e21749	7.6	10
217	National Osteoarthritis Strategy brief report: Living well with osteoarthritis. <i>Australian Journal of General Practice</i> , 2020 , 49, 438-442	1.5	7
216	The influence of sex and pre-operative obesity on biomechanics two years after total knee arthroplasty: A longitudinal cohort study. <i>Gait and Posture</i> , 2020 , 76, 74-84	2.6	3
215	Development of a core capability framework for qualified health professionals to optimise care for people with osteoarthritis: an OARSI initiative. <i>Osteoarthritis and Cartilage</i> , 2020 , 28, 154-166	6.2	9
214	Running-related muscle activation patterns and tibial acceleration across puberty. <i>Journal of Electromyography and Kinesiology</i> , 2020 , 50, 102381	2.5	2
213	Does telephone-delivered exercise advice and support by physiotherapists improve pain and/or function in people with knee osteoarthritis? Telecare randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2020 , 54, 790-797	10.3	22
212	Physiotherapists may improve management of knee osteoarthritis through greater psychosocial focus, being proactive with advice, and offering longer-term reviews: a qualitative study. <i>Journal of Physiotherapy</i> , 2020 , 66, 256-265	2.9	12
211	Response to Letter to Editor: "Comment on the TARGET trial by Bennell et al: was the interpretation of similar improvement based on equivalence analysis?". <i>Osteoarthritis and Cartilage</i> , 2020 , 28, 1146	6.2	
210	Measures of Physical Performance. <i>Arthritis Care and Research</i> , 2020 , 72 Suppl 10, 452-485	4.7	3
209	Technology versus tradition: a non-inferiority trial comparing video to face-to-face consultations with a physiotherapist for people with knee osteoarthritis. Protocol for the PEAK randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 522	2.8	5
208	Challenges with strengthening exercises for people with knee osteoarthritis and comorbid obesity: a qualitative study with patients and physiotherapists. <i>Arthritis Care and Research</i> , 2020 ,	4.7	2
207	Early development of the Australia and New Zealand Musculoskeletal Clinical Trials Network. <i>Internal Medicine Journal</i> , 2020 , 50, 17-23	1.6	4
206	Therapeutic Alliance Between Physical Therapists and Patients With Knee Osteoarthritis Consulting Via Telephone: A Longitudinal Study. <i>Arthritis Care and Research</i> , 2020 , 72, 652-660	4.7	3
205	"I Could Do It in My Own Time and When I Really Needed It": Perceptions of Online Pain Coping Skills Training For People With Knee Osteoarthritis. <i>Arthritis Care and Research</i> , 2020 , 72, 1736-1746	4.7	4
204	Footwear for osteoarthritis of the lateral knee: protocol for the FOLK randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 247	2.8	

203	Patient-reported quality indicators to evaluate physiotherapy care for hip and/or knee osteoarthritis- development and evaluation of the QUIPA tool. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 202	2.8	2
202	Effect of a short message service (SMS) intervention on adherence to a physiotherapist-prescribed home exercise program for people with knee osteoarthritis and obesity: protocol for the ADHERE randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 428	2.8	6
201	Health professionals and students encounter multi-level barriers to implementing high-value osteoarthritis care: a multi-national study. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, 788-804	6.2	31
200	Differences and mechanisms underpinning a change in the knee flexion moment while running in stability and neutral footwear among young females. <i>Journal of Foot and Ankle Research</i> , 2019 , 12, 1	3.2	8
199	Comparison of weight bearing functional exercise and non-weight bearing quadriceps strengthening exercise on pain and function for people with knee osteoarthritis and obesity: protocol for the TARGET randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 291	2.8	13
198	Priorities for the effective implementation of osteoarthritis management programs: an OARSI international consensus exercise. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, 1270-1279	6.2	23
197	Effect of cane use on bone marrow lesion volume in people with medial tibiofemoral knee osteoarthritis: randomized clinical trial. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, 1324-1338	6.2	8
196	The FOOTPATH study: protocol for a multicentre, participant- and assessor-blind, parallel group randomised clinical trial of foot orthoses for patellofemoral osteoarthritis. <i>BMJ Open</i> , 2019 , 9, e025315 ³		7
195	Implementation of person-centred practice principles and behaviour change techniques after a 2-day training workshop: A nested case study involving physiotherapists. <i>Musculoskeletal Care</i> , 2019 , 17, 221-233	1.6	2
194	"I Was Really Pleasantly Surprised": Firsthand Experience and Shifts in Physical Therapist Perceptions of Telephone-Delivered Exercise Therapy for Knee Osteoarthritis-A Qualitative Study. <i>Arthritis Care and Research</i> , 2019 , 71, 545-557	4.7	22
193	Deep hip muscle activation during squatting in femoroacetabular impingement syndrome. <i>Clinical Biomechanics</i> , 2019 , 69, 141-147	2.2	5
192	Effectiveness of internet-delivered education and home exercise supported by behaviour change SMS on pain and function for people with knee osteoarthritis: a randomised controlled trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 342	2.8	9
191	Identifying and Prioritizing Clinical Guideline Recommendations Most Relevant to Physical Therapy Practice for Hip and/or Knee Osteoarthritis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019 , 49, 501-512	4.2	14
190	Effects of Covertly Measured Home Exercise Adherence on Patient Outcomes Among Older Adults With Chronic Knee Pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019 , 49, 548-556	4.2	10
189	Confidence and Attitudes Toward Osteoarthritis Care Among the Current and Emerging Health Workforce: A Multinational Interprofessional Study. <i>ACR Open Rheumatology</i> , 2019 , 1, 219-235	3.5	17
188	A Short Message Service Intervention to Support Adherence to Home-Based Strengthening Exercise for People With Knee Osteoarthritis: Intervention Design Applying the Behavior Change Wheel. <i>JMIR MHealth and UHealth</i> , 2019 , 7, e14619	5.5	12
187	Essential key messages about diagnosis, imaging, and self-care for people with low back pain: a modified Delphi study of consumer and expert opinions. <i>Pain</i> , 2019 , 160, 2787-2797	8	11
186	Does a Web-Based Exercise Programming System Improve Home Exercise Adherence for People With Musculoskeletal Conditions?: A Randomized Controlled Trial. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2019 , 98, 850-858	2.6	32

185	Differences in Hip and Knee Landing Moments across Female Pubertal Development. <i>Medicine and Science in Sports and Exercise</i> , 2019 , 51, 123-131	1.2	7
184	Harnessing technology to deliver care by physical therapists for people with persistent joint pain: Telephone and video-conferencing service models. <i>Journal of Applied Biobehavioral Research</i> , 2019 , 24, e12150	1.7	7
183	Trajectories of adherence to home-based exercise programs among people with knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 513-521	6.2	13
182	Management of foot/ankle osteoarthritis by Australian general practitioners: an analysis of national patient-encounter records. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 888-894	6.2	15
181	Trunk, pelvis and hip biomechanics in individuals with femoroacetabular impingement syndrome: Strategies for step ascent. <i>Gait and Posture</i> , 2018 , 61, 176-182	2.6	20
180	Knee Pain and Mobility Impairments: Meniscal and Articular Cartilage Lesions Revision 2018. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018 , 48, A1-A50	4.2	35
179	Knee extensor strength gains mediate symptom improvement in knee osteoarthritis: secondary analysis of a randomised controlled trial. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 495-500	6.2	31
178	Differences in Hip and Knee Running Moments across Female Pubertal Development. <i>Medicine and Science in Sports and Exercise</i> , 2018 , 50, 1015-1020	1.2	7
177	Effectiveness of a new model of primary care management on knee pain and function in patients with knee osteoarthritis: Protocol for THE PARTNER STUDY. <i>BMC Musculoskeletal Disorders</i> , 2018 , 19, 132	2.8	15
176	Effects of sex and obesity on gait biomechanics before and six months after total knee arthroplasty: A longitudinal cohort study. <i>Gait and Posture</i> , 2018 , 61, 263-268	2.6	9
175	"I was really sceptical...But it worked really well": a qualitative study of patient perceptions of telephone-delivered exercise therapy by physiotherapists for people with knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 741-750	6.2	30
174	Physical Therapists' Perceptions of Telephone- and Internet Video-Mediated Service Models for Exercise Management of People With Osteoarthritis. <i>Arthritis Care and Research</i> , 2018 , 70, 398-408	4.7	22
173	Improving Adherence to Exercise: Do People With Knee Osteoarthritis and Physical Therapists Agree on the Behavioral Approaches Likely to Succeed?. <i>Arthritis Care and Research</i> , 2018 , 70, 388-397	4.7	25
172	Effects of a hip brace on biomechanics and pain in people with femoroacetabular impingement. <i>Journal of Science and Medicine in Sport</i> , 2018 , 21, 111-116	4.4	6
171	International patellofemoral osteoarthritis consortium: Consensus statement on the diagnosis, burden, outcome measures, prognosis, risk factors and treatment. <i>Seminars in Arthritis and Rheumatism</i> , 2018 , 47, 666-675	5.3	30
170	Physical Impairments Associated With Post-Intensive Care Syndrome: Systematic Review Based on the World Health Organization's International Classification of Functioning, Disability and Health Framework. <i>Physical Therapy</i> , 2018 , 98, 631-645	3.3	51
169	Self-reported Home Exercise Adherence: A Validity and Reliability Study Using Concealed Accelerometers. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018 , 48, 943-950	4.2	26
168	Effect of knee unloading shoes on regional plantar forces in people with symptomatic knee osteoarthritis - an exploratory study. <i>Journal of Foot and Ankle Research</i> , 2018 , 11, 34	3.2	5

167	Footwear for self-managing knee osteoarthritis symptoms: protocol for the Footstep randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2018 , 19, 219	2.8	2
166	CORR Insights : Do Pain Coping and Pain Beliefs Associate With Outcome Measures Before Knee Arthroplasty in Patients Who Catastrophize About Pain? A Cross-sectional Analysis From a Randomized Clinical Trial. <i>Clinical Orthopaedics and Related Research</i> , 2018 , 476, 787-789	2.2	
165	The impact of financial incentives on physical activity in adults: a systematic review protocol. <i>Systematic Reviews</i> , 2018 , 7, 21	3	3
164	Moderators of Effects of Internet-Delivered Exercise and Pain Coping Skills Training for People With Knee Osteoarthritis: Exploratory Analysis of the IMPACT Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018 , 20, e10021	7.6	18
163	Factors Influencing Cane Use for the Management of Knee Osteoarthritis: A Cross-Sectional Survey. <i>Arthritis Care and Research</i> , 2018 , 70, 1455-1460	4.7	2
162	Moderators and mediators of effects of unloading shoes on knee pain in people with knee osteoarthritis: an exploratory analysis of the SHARK randomised controlled trial. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 227-235	6.2	7
161	Training Physical Therapists in Person-Centered Practice for People With Osteoarthritis: A Qualitative Case Study. <i>Arthritis Care and Research</i> , 2018 , 70, 558-570	4.7	16
160	Effect of high and low-supportive footwear on female tri-planar knee moments during single limb landing. <i>Journal of Foot and Ankle Research</i> , 2018 , 11, 51	3.2	2
159	Effects of internet-based pain coping skills training before home exercise for individuals with hip osteoarthritis (HOPE trial): a randomised controlled trial. <i>Pain</i> , 2018 , 159, 1833-1842	8	25
158	Telephone Coaching to Enhance a Home-Based Physical Activity Program for Knee Osteoarthritis: A Randomized Clinical Trial. <i>Arthritis Care and Research</i> , 2017 , 69, 84-94	4.7	50
157	Impact loading following quadriceps strength training in individuals with medial knee osteoarthritis and varus alignment. <i>Clinical Biomechanics</i> , 2017 , 42, 20-24	2.2	12
156	Hip and Knee Osteoarthritis Affects Younger People, Too. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017 , 47, 67-79	4.2	52
155	Interventions to increase adherence to therapeutic exercise in older adults with low back pain and/or hip/knee osteoarthritis: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2017 , 51, 791-799	10.3	83
154	Impairments, activity limitations and participation restrictions experienced in the first year following a critical illness: protocol for a systematic review. <i>BMJ Open</i> , 2017 , 7, e013847	3	2
153	Effectiveness of an Internet-Delivered Exercise and Pain-Coping Skills Training Intervention for Persons With Chronic Knee Pain: A Randomized Trial. <i>Annals of Internal Medicine</i> , 2017 , 166, 453-462	8	126
152	"Sounds a Bit Crazy, But It Was Almost More Personal." A Qualitative Study of Patient and Clinician Experiences of Physical Therapist-Prescribed Exercise For Knee Osteoarthritis Via Skype. <i>Arthritis Care and Research</i> , 2017 , 69, 1834-1844	4.7	51
151	Plug-in-Gait calculation of the knee adduction moment in people with knee osteoarthritis during shod walking: comparison of two different foot marker models. <i>Journal of Foot and Ankle Research</i> , 2017 , 10, 8	3.2	5
150	How do rocker-soled shoes influence the knee adduction moment in people with knee osteoarthritis? An analysis of biomechanical mechanisms. <i>Journal of Biomechanics</i> , 2017 , 57, 62-68	2.9	4

149	Knee Biomechanics During Jogging After Arthroscopic Partial Meniscectomy: A Longitudinal Study. <i>American Journal of Sports Medicine</i> , 2017 , 45, 1872-1880	6.8	2
148	Lateral wedges with and without custom arch support for people with medial knee osteoarthritis and pronated feet: an exploratory randomized crossover study. <i>Journal of Foot and Ankle Research</i> , 2017 , 10, 20	3.2	14
147	Longitudinal association between foot and ankle symptoms and worsening of symptomatic radiographic knee osteoarthritis: data from the osteoarthritis initiative. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, 1407-1413	6.2	8
146	Squatting Biomechanics in Individuals with Symptomatic Femoroacetabular Impingement. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 1520-1529	1.2	27
145	Telephone-Delivered Exercise Advice and Behavior Change Support by Physical Therapists for People with Knee Osteoarthritis: Protocol for the Telecare Randomized Controlled Trial. <i>Physical Therapy</i> , 2017 , 97, 524-536	3.3	17
144	Unloading Shoes for Self-management of Knee Osteoarthritis. <i>Annals of Internal Medicine</i> , 2017 , 166, 312	8	1
143	Impact of Cane Use on Bone Marrow Lesion Volume in People With Medial Knee Osteoarthritis (CUBA Trial). <i>Physical Therapy</i> , 2017 , 97, 537-549	3.3	2
142	Associations between changes in knee pain location and clinical symptoms in people with medial knee osteoarthritis using footwear for self-management: an exploratory study. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, 1257-1264	6.2	2
141	The relationship between foot and ankle symptoms and risk of developing knee osteoarthritis: data from the osteoarthritis initiative. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, 639-646	6.2	19
140	The influence of sex and obesity on gait biomechanics in people with severe knee osteoarthritis scheduled for arthroplasty. <i>Clinical Biomechanics</i> , 2017 , 49, 72-77	2.2	15
139	Efficacy of adding a physiotherapy rehabilitation programme to arthroscopic management of femoroacetabular impingement syndrome: a randomised controlled trial (FAIR). <i>BMJ Open</i> , 2017 , 7, e014658	4.6	35
138	Reliability and measurement error of the Osteoarthritis Research Society International (OARSI) recommended performance-based tests of physical function in people with hip and knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, 1792-1796	6.2	65
137	Effects of footwear on the knee adduction moment in medial knee osteoarthritis: classification criteria for flat flexible vs stable supportive shoes. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, 234-241	6.2	13
136	Immediate effects of foot orthoses on pain during functional tasks in people with patellofemoral osteoarthritis: A cross-over, proof-of-concept study. <i>Knee</i> , 2017 , 24, 76-81	2.6	18
135	Individualized functional restoration as an adjunct to advice for lumbar disc herniation with associated radiculopathy. A preplanned subgroup analysis of a randomized controlled trial. <i>Spine Journal</i> , 2017 , 17, 346-359	4	8
134	Consumer Perceptions of and Willingness to Use Remotely Delivered Service Models For Exercise Management of Knee and Hip Osteoarthritis: A Cross-Sectional Survey. <i>Arthritis Care and Research</i> , 2017 , 69, 667-676	4.7	18
133	Coordination of deep hip muscle activity is altered in symptomatic femoroacetabular impingement. <i>Journal of Orthopaedic Research</i> , 2017 , 35, 1494-1504	3.8	23
132	The knee adduction moment and knee osteoarthritis symptoms: relationships according to radiographic disease severity. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, 34-41	6.2	44

131	Subgrouping and Targeted Exercise Programmes for knee and hip Osteoarthritis (STEER OA): a systematic review update and individual participant data meta-analysis protocol. <i>BMJ Open</i> , 2017 , 7, e018971	3	13
130	Is the relationship between increased knee muscle strength and improved physical function following exercise dependent on baseline physical function status?. <i>Arthritis Research and Therapy</i> , 2017 , 19, 271	5.7	14
129	Addition of transcranial direct current stimulation to quadriceps strengthening exercise in knee osteoarthritis: A pilot randomised controlled trial. <i>PLoS ONE</i> , 2017 , 12, e0180328	3.7	25
128	Isometric and isokinetic hip strength and agonist/antagonist ratios in symptomatic femoroacetabular impingement. <i>Journal of Science and Medicine in Sport</i> , 2016 , 19, 696-701	4.4	48
127	Physical Therapists, Telephone Coaches, and Patients With Knee Osteoarthritis: Qualitative Study About Working Together to Promote Exercise Adherence. <i>Physical Therapy</i> , 2016 , 96, 479-93	3.3	20
126	Hip joint biomechanics during gait in people with and without symptomatic femoroacetabular impingement. <i>Gait and Posture</i> , 2016 , 43, 198-203	2.6	46
125	Increased duration of co-contraction of medial knee muscles is associated with greater progression of knee osteoarthritis. <i>Manual Therapy</i> , 2016 , 21, 151-8		78
124	Barriers and Facilitators to Exercise Participation in People with Hip and/or Knee Osteoarthritis: Synthesis of the Literature Using Behavior Change Theory. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016 , 95, 372-89	2.6	127
123	Location of knee pain in medial knee osteoarthritis: patterns and associations with self-reported clinical symptoms. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 1135-42	6.2	22
122	Osteoarthritis year in review 2015: rehabilitation and outcomes. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 58-70	6.2	41
121	Individualised physiotherapy as an adjunct to guideline-based advice for low back disorders in primary care: a randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2016 , 50, 237-45	10.3	26
120	Knee and ankle biomechanics with lateral wedges with and without a custom arch support in those with medial knee osteoarthritis and flat feet. <i>Journal of Orthopaedic Research</i> , 2016 , 34, 1597-605	3.8	26
119	Patient Knowledge and Beliefs About Knee Osteoarthritis After Anterior Cruciate Ligament Injury and Reconstruction. <i>Arthritis Care and Research</i> , 2016 , 68, 1180-5	4.7	12
118	The Warwick Agreement on femoroacetabular impingement syndrome (FAI syndrome): an international consensus statement. <i>British Journal of Sports Medicine</i> , 2016 , 50, 1169-76	10.3	490
117	Unloading Shoes for Self-management of Knee Osteoarthritis: A Randomized Trial. <i>Annals of Internal Medicine</i> , 2016 , 165, 381-9	8	22
116	Quantifying varus and valgus thrust in individuals with severe knee osteoarthritis. <i>Clinical Biomechanics</i> , 2016 , 39, 44-51	2.2	14
115	Acupuncture for chronic knee pain: a randomised clinical trial. <i>Acupuncture in Medicine</i> , 2015 , 33, 86-8	1.9	5
114	Physical activity perceptions and beliefs following total hip and knee arthroplasty: a qualitative study. <i>Physiotherapy Theory and Practice</i> , 2015 , 31, 107-13	1.5	28

113	Exercise, education, manual-therapy and taping compared to education for patellofemoral osteoarthritis: a blinded, randomised clinical trial. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 1457-64	6.2	45
112	OARSI Clinical Trials Recommendations: Design and conduct of clinical trials of rehabilitation interventions for osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 803-14	6.2	41
111	Effect of rocker-soled shoes on parameters of knee joint load in knee osteoarthritis. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 128-35	1.2	4
110	Physical therapies in the management of osteoarthritis: current state of the evidence. <i>Current Opinion in Rheumatology</i> , 2015 , 27, 304-11	5.3	29
109	Combined exercise and transcranial direct current stimulation intervention for knee osteoarthritis: protocol for a pilot randomised controlled trial. <i>BMJ Open</i> , 2015 , 5, e008482	3	16
108	What do people with knee or hip osteoarthritis need to know? An international consensus list of essential statements for osteoarthritis. <i>Arthritis Care and Research</i> , 2015 , 67, 809-16	4.7	34
107	Physical impairments and activity limitations in people with femoroacetabular impingement: a systematic review. <i>British Journal of Sports Medicine</i> , 2015 , 49, 230-42	10.3	87
106	Use of nondrug, nonoperative interventions by community-dwelling people with hip and knee osteoarthritis. <i>Arthritis Care and Research</i> , 2015 , 67, 305-9	4.7	29
105	Impact of concurrent foot pain on health and functional status in people with knee osteoarthritis: data from the osteoarthritis initiative. <i>Arthritis Care and Research</i> , 2015 , 67, 989-95	4.7	22
104	Do Moments and Strength Predict Cartilage Changes after Partial Meniscectomy?. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 1549-56	1.2	28
103	Neuromuscular Exercise post Partial Medial Meniscectomy: Randomized Controlled Trial. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 1557-66	1.2	9
102	Effects of Adding an Internet-Based Pain Coping Skills Training Protocol to a Standardized Education and Exercise Program for People With Persistent Hip Pain (HOPE Trial): Randomized Controlled Trial Protocol. <i>Physical Therapy</i> , 2015 , 95, 1408-22	3.3	12
101	Weight change following knee and hip joint arthroplasty-a six-month prospective study of adults with osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2015 , 16, 137	2.8	15
100	Mechanisms underpinning the peak knee flexion moment increase over 2-years following arthroscopic partial meniscectomy. <i>Clinical Biomechanics</i> , 2015 , 30, 1060-5	2.2	4
99	Relationship between hip abductor strength and external hip and knee adduction moments in medial knee osteoarthritis. <i>Clinical Biomechanics</i> , 2015 , 30, 226-30	2.2	18
98	Influence of Biomechanical Characteristics on Pain and Function Outcomes From Exercise in Medial Knee Osteoarthritis and Varus Malalignment: Exploratory Analyses From a Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2015 , 67, 1281-1288	4.7	27
97	Osteoarthritis: What is the evidence for valgus bracing effects in knee OA?. <i>Nature Reviews Rheumatology</i> , 2015 , 11, 132-4	8.1	1
96	Association of knee confidence with pain, knee instability, muscle strength, and dynamic varus-valgus joint motion in knee osteoarthritis. <i>Arthritis Care and Research</i> , 2014 , 66, 695-701	4.7	35

95	Measurement properties of performance-based outcome measures to assess physical function in young and middle-aged people known to be at high risk of hip and/or knee osteoarthritis: a systematic review. <i>Osteoarthritis and Cartilage</i> , 2014 , 22, 26-39	6.2	49
94	Management of osteoarthritis in general practice in Australia. <i>Arthritis Care and Research</i> , 2014 , 66, 551-8	4.7	92
93	Mechanisms underpinning longitudinal increases in the knee adduction moment following arthroscopic partial meniscectomy. <i>Clinical Biomechanics</i> , 2014 , 29, 892-7	2.2	8
92	A longitudinal study of impact and early stance loads during gait following arthroscopic partial meniscectomy. <i>Journal of Biomechanics</i> , 2014 , 47, 2852-7	2.9	10
91	Is patellofemoral osteoarthritis common in middle-aged people with chronic patellofemoral pain?. <i>Arthritis Care and Research</i> , 2014 , 66, 1252-7	4.7	65
90	Neuromuscular versus quadriceps strengthening exercise in patients with medial knee osteoarthritis and varus malalignment: a randomized controlled trial. <i>Arthritis and Rheumatology</i> , 2014 , 66, 950-9	9.5	98
89	Reply to the Letter to the editor: Do activity levels increase after total hip and knee arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2014 , 472, 2891-2	2.2	2
88	Internet-mediated physiotherapy and pain coping skills training for people with persistent knee pain (IMPACT - knee pain): a randomised controlled trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 279	2.8	14
87	Unloading shoes for osteoarthritis of the knee: protocol for the SHARK randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 48	2.8	14
86	Efficacy of a physiotherapy rehabilitation program for individuals undergoing arthroscopic management of femoroacetabular impingement - the FAIR trial: a randomised controlled trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 58	2.8	38
85	Exercise in osteoarthritis: moving from prescription to adherence. <i>Best Practice and Research in Clinical Rheumatology</i> , 2014 , 28, 93-117	5.3	117
84	Behavioral Rehabilitation Approaches in Osteoarthritis 2014 , 649-678		
83	Which is the most useful patient-reported outcome in femoroacetabular impingement? Test-retest reliability of six questionnaires. <i>British Journal of Sports Medicine</i> , 2014 , 48, 458-63	10.3	67
82	Effects of two physiotherapy booster sessions on outcomes with home exercise in people with knee osteoarthritis: a randomized controlled trial. <i>Arthritis Care and Research</i> , 2014 , 66, 1680-7	4.7	30
81	Interrater and intrarater reliability of common clinical standing balance tests for people with hip osteoarthritis. <i>Physical Therapy</i> , 2014 , 94, 696-704	3.3	28
80	Longitudinal changes in knee kinematics and moments following knee arthroplasty: a systematic review. <i>Knee</i> , 2014 , 21, 994-1008	2.6	29
79	A survey of footwear advice, beliefs and wear habits in people with knee osteoarthritis. <i>Journal of Foot and Ankle Research</i> , 2014 , 7, 43	3.2	10
78	Acupuncture for chronic knee pain: a randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 1313-22	27.4	148

77	Knee muscle strength after recent partial meniscectomy does not relate to 2-year change in knee adduction moment. <i>Clinical Orthopaedics and Related Research</i> , 2014 , 472, 3114-20	2.2	4
76	Do activity levels increase after total hip and knee arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2014 , 472, 1502-11	2.2	138
75	Exercise, Gait Retraining, Footwear and Insoles for Knee Osteoarthritis. <i>Current Physical Medicine and Rehabilitation Reports</i> , 2013 , 1, 21-28	0.7	4
74	OARSI recommended performance-based tests to assess physical function in people diagnosed with hip or knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 1042-52	6.2	388
73	Medial arch supports do not significantly alter the knee adduction moment in people with knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 28-34	6.2	17
72	Sagittal plane joint loading is related to knee flexion in osteoarthritic gait. <i>Clinical Biomechanics</i> , 2013 , 28, 916-20	2.2	36
71	Self-reported knee joint instability is related to passive mechanical stiffness in medial knee osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 326	2.8	14
70	Altering foot progression angle in people with medial knee osteoarthritis: the effects of varying toe-in and toe-out angles are mediated by pain and malalignment. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 1272-80	6.2	98
69	Modified walking shoes for knee osteoarthritis: Mechanisms for reductions in the knee adduction moment. <i>Journal of Biomechanics</i> , 2013 , 46, 2060-6	2.9	22
68	Intraoperative cartilage degeneration predicts outcome 12 months after hip arthroscopy. <i>Clinical Orthopaedics and Related Research</i> , 2013 , 471, 593-9	2.2	55
67	Update on the role of muscle in the genesis and management of knee osteoarthritis. <i>Rheumatic Disease Clinics of North America</i> , 2013 , 39, 145-76	2.4	127
66	Effects of a modified shoe on knee load in people with and those without knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2013 , 65, 701-9		25
65	A longitudinal study of strength and gait after arthroscopic partial meniscectomy. <i>Medicine and Science in Sports and Exercise</i> , 2013 , 45, 2036-43	1.2	29
64	Lateral wedge insoles for medial knee osteoarthritis: effects on lower limb frontal plane biomechanics. <i>Clinical Biomechanics</i> , 2012 , 27, 27-33	2.2	121
63	Comparison of peak knee adduction moment and knee adduction moment impulse in distinguishing between severities of knee osteoarthritis. <i>Clinical Biomechanics</i> , 2012 , 27, 520-3	2.2	53
62	Clinimetric properties of observer-assessed impairment tests used to evaluate hip and groin impairments: a systematic review. <i>Arthritis Care and Research</i> , 2012 , 64, 1565-75	4.7	16
61	Trunk lean gait modification and knee joint load in people with medial knee osteoarthritis: the effect of varying trunk lean angles. <i>Arthritis Care and Research</i> , 2012 , 64, 1545-53	4.7	79
60	The effects of neuromuscular exercise on medial knee joint load post-arthroscopic partial medial meniscectomy: SCOPEXQa randomised control trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 233	2.8	8

59	Addition of telephone coaching to a physiotherapist-delivered physical activity program in people with knee osteoarthritis: a randomised controlled trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 246	2.8	19
58	Efficacy of acupuncture for chronic knee pain: protocol for a randomised controlled trial using a Zelen design. <i>BMC Complementary and Alternative Medicine</i> , 2012 , 12, 161	4.7	18
57	Measurement properties of performance-based measures to assess physical function in hip and knee osteoarthritis: a systematic review. <i>Osteoarthritis and Cartilage</i> , 2012 , 20, 1548-62	6.2	177
56	Management of osteoarthritis of the knee. <i>BMJ, The</i> , 2012 , 345, e4934	5.9	119
55	Outcomes and adverse events from physiotherapy functional restoration for lumbar disc herniation with associated radiculopathy. <i>Disability and Rehabilitation</i> , 2011 , 33, 1537-47	2.4	9
54	Physiotherapy management of knee osteoarthritis. <i>International Journal of Rheumatic Diseases</i> , 2011 , 14, 145-51	2.3	60
53	Contralateral cane use and knee joint load in people with medial knee osteoarthritis: the effect of varying body weight support. <i>Osteoarthritis and Cartilage</i> , 2011 , 19, 1330-7	6.2	35
52	A review of the clinical evidence for exercise in osteoarthritis of the hip and knee. <i>Journal of Science and Medicine in Sport</i> , 2011 , 14, 4-9	4.4	279
51	Specific treatment of problems of the spine (STOPS): design of a randomised controlled trial comparing specific physiotherapy versus advice for people with subacute low back disorders. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 104	2.8	25
50	Comparison of neuromuscular and quadriceps strengthening exercise in the treatment of varus malaligned knees with medial knee osteoarthritis: a randomised controlled trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 276	2.8	35
49	Varus thrust in medial knee osteoarthritis: quantification and effects of different gait-related interventions using a single case study. <i>Arthritis Care and Research</i> , 2011 , 63, 293-7	4.7	23
48	Feasibility of a gait retraining strategy for reducing knee joint loading: increased trunk lean guided by real-time biofeedback. <i>Journal of Biomechanics</i> , 2011 , 44, 943-7	2.9	109
47	Lateral wedge insoles for medial knee osteoarthritis: 12 month randomised controlled trial. <i>BMJ, The</i> , 2011 , 342, d2912	5.9	135
46	Exercise and osteoarthritis: cause and effects. <i>Comprehensive Physiology</i> , 2011 , 1, 1943-2008	7.7	30
45	Higher dynamic medial knee load predicts greater cartilage loss over 12 months in medial knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1770-4	2.4	308
44	Gait modification strategies for altering medial knee joint load: a systematic review. <i>Arthritis Care and Research</i> , 2011 , 63, 405-26	4.7	120
43	Bone marrow lesions are related to dynamic knee loading in medial knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1151-4	2.4	75
42	Hip strengthening reduces symptoms but not knee load in people with medial knee osteoarthritis and varus malalignment: a randomised controlled trial. <i>Osteoarthritis and Cartilage</i> , 2010 , 18, 621-8	6.2	178

41	Dynamic knee loading is related to cartilage defects and tibial plateau bone area in medial knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2010 , 18, 1380-5	6.2	78
40	Quadriceps strength is not related to gait impact loading in knee osteoarthritis. <i>Knee</i> , 2010 , 17, 296-302	2.6	37
39	Knee joint stiffness during walking in knee osteoarthritis. <i>Arthritis Care and Research</i> , 2010 , 62, 38-44	4.7	36
38	Predictors of single-leg standing balance in individuals with medial knee osteoarthritis. <i>Arthritis Care and Research</i> , 2010 , 62, 496-500	4.7	42
37	Hip muscle weakness in individuals with medial knee osteoarthritis. <i>Arthritis Care and Research</i> , 2010 , 62, 1190-3	4.7	122
36	Varus-valgus laxity and passive stiffness in medial knee osteoarthritis. <i>Arthritis Care and Research</i> , 2010 , 62, 1237-43	4.7	19
35	Individuals with severe knee osteoarthritis (OA) exhibit altered proximal walking mechanics compared with individuals with less severe OA and those without knee pain. <i>Arthritis Care and Research</i> , 2010 , 62, 1426-32	4.7	49
34	Advances in insoles and shoes for knee osteoarthritis. <i>Current Opinion in Rheumatology</i> , 2009 , 21, 164-70	5.3	39
33	Laterally wedged insoles in knee osteoarthritis: do biomechanical effects decline after one month of wear?. <i>BMC Musculoskeletal Disorders</i> , 2009 , 10, 146	2.8	46
32	The association of quadriceps strength with the knee adduction moment in medial knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2009 , 61, 451-8		28
31	Can patellar tape reduce the patellar malalignment and pain associated with patellofemoral osteoarthritis?. <i>Arthritis and Rheumatism</i> , 2009 , 61, 1719-25		56
30	Real-time movement biofeedback for walking gait modification in knee osteoarthritis 2009 ,		4
29	Muscle and exercise in the prevention and management of knee osteoarthritis: an internal medicine specialist's guide. <i>Medical Clinics of North America</i> , 2009 , 93, 161-77, xii	7	26
28	Targeted physiotherapy for patellofemoral joint osteoarthritis: a protocol for a randomised, single-blind controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 122	2.8	33
27	The effect of gait modification on the external knee adduction moment is reference frame dependent. <i>Clinical Biomechanics</i> , 2008 , 23, 601-8	2.2	50
26	Role of muscle in the genesis and management of knee osteoarthritis. <i>Rheumatic Disease Clinics of North America</i> , 2008 , 34, 731-54	2.4	113
25	Patellar taping and bracing for the treatment of chronic knee pain: a systematic review and meta-analysis. <i>Arthritis and Rheumatism</i> , 2008 , 59, 73-83		127
24	Effect of length on laterally-wedged insoles in knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2008 , 59, 144-7		63

23	Lateral wedges in knee osteoarthritis: what are their immediate clinical and biomechanical effects and can these predict a three-month clinical outcome?. <i>Arthritis and Rheumatism</i> , 2008 , 59, 408-15		118
22	Reducing joint loading in medial knee osteoarthritis: shoes and canes. <i>Arthritis and Rheumatism</i> , 2008 , 59, 609-14		74
21	Varus malalignment and its association with impairments and functional limitations in medial knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2008 , 59, 935-42		33
20	Does knee malalignment mediate the effects of quadriceps strengthening on knee adduction moment, pain, and function in medial knee osteoarthritis? A randomized controlled trial. <i>Arthritis and Rheumatism</i> , 2008 , 59, 943-51		162
19	The effects of hip muscle strengthening on knee load, pain, and function in people with knee osteoarthritis: a protocol for a randomised, single-blind controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2007 , 8, 121	2.8	40
18	Predictors of symptomatic response to glucosamine in knee osteoarthritis: an exploratory study. <i>British Journal of Sports Medicine</i> , 2007 , 41, 415-9	10.3	10
17	Enhanced pharmacy review and community physiotherapy for knee pain in elderly patients. <i>Nature Clinical Practice Rheumatology</i> , 2007 , 3, 326-7		
16	Patellofemoral joint osteoarthritis: an important subgroup of knee osteoarthritis. <i>Rheumatology</i> , 2007 , 46, 1057-62	3.9	140
15	Aquatic physical therapy for hip and knee osteoarthritis: results of a single-blind randomized controlled trial. <i>Physical Therapy</i> , 2007 , 87, 32-43	3.3	211
14	Is there an alternative to the full-leg radiograph for determining knee joint alignment in osteoarthritis?. <i>Arthritis and Rheumatism</i> , 2006 , 55, 306-13		186
13	Age-related changes in electromyographic quadriceps activity during stair descent. <i>Journal of Orthopaedic Research</i> , 2005 , 23, 322-6	3.8	12
12	Efficacy of physiotherapy management of knee joint osteoarthritis: a randomised, double blind, placebo controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 906-12	2.4	139
11	Effect of experimentally induced knee pain on standing balance in healthy older individuals. <i>British Journal of Rheumatology</i> , 2005 , 44, 378-81		29
10	Does the application of tape influence quadriceps sensorimotor function in knee osteoarthritis?. <i>British Journal of Rheumatology</i> , 2004 , 43, 331-6		17
9	Association of sensorimotor function with knee joint kinematics during locomotion in knee osteoarthritis. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2004 , 83, 455-63; quiz 464-6, 491	2.6	20
8	Is the Human Activity Profile a useful measure in people with knee osteoarthritis?. <i>Journal of Rehabilitation Research and Development</i> , 2004 , 41, 621-30		31
7	Relationship of knee joint proprioception to pain and disability in individuals with knee osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2003 , 21, 792-7	3.8	90
6	Immediate effects of adhesive tape on pain and disability in individuals with knee osteoarthritis. <i>British Journal of Rheumatology</i> , 2003 , 42, 865-9		46

5	Efficacy of knee tape in the management of osteoarthritis of the knee: blinded randomised controlled trial. <i>BMJ, The</i> , 2003 , 327, 135	5.9	93
4	Balance impairments in individuals with symptomatic knee osteoarthritis: a comparison with matched controls using clinical tests. <i>British Journal of Rheumatology</i> , 2002 , 41, 1388-94		133
3	Temporal activity of vastus medialis obliquus and vastus lateralis in symptomatic knee osteoarthritis. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2002 , 81, 684-90	2.6	22
2	Delayed onset of quadriceps activity and altered knee joint kinematics during stair stepping in individuals with knee osteoarthritis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002 , 83, 1080-6	2.8	81
1	Evaluation of a Novel e-Learning Program for Physiotherapists to Manage Knee Osteoarthritis via Telehealth: Qualitative Study Nested in the PEAK (Physiotherapy Exercise and Physical Activity for Knee Osteoarthritis) Randomized Controlled Trial (Preprint)		1