

# Shivaprasad Goudar

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6549541/shivaprasad-goudar-publications-by-citations.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

188  
papers

4,547  
citations

35  
h-index

61  
g-index

211  
ext. papers

5,647  
ext. citations

5.4  
avg, IF

4.8  
L-index

#	Paper	IF	Citations
188	Newborn-care training and perinatal mortality in developing countries. <i>New England Journal of Medicine</i> , <b>2010</b> , 362, 614-23	59.2	289
187	Oral misoprostol in preventing postpartum haemorrhage in resource-poor communities: a randomised controlled trial. <i>Lancet, The</i> , <b>2006</b> , 368, 1248-53	40	230
186	A population-based, multifaceted strategy to implement antenatal corticosteroid treatment versus standard care for the reduction of neonatal mortality due to preterm birth in low-income and middle-income countries: the ACT cluster-randomised trial. <i>Lancet, The</i> , <b>2015</b> , 385, 629-639	40	196
185	Drape estimation vs. visual assessment for estimating postpartum hemorrhage. <i>International Journal of Gynecology and Obstetrics</i> , <b>2006</b> , 93, 220-4	4	168
184	Estimates of possible severe bacterial infection in neonates in sub-Saharan Africa, south Asia, and Latin America for 2012: a systematic review and meta-analysis. <i>Lancet Infectious Diseases, The</i> , <b>2014</b> , 14, 731-741	25.5	165
183	Stillbirth and newborn mortality in India after helping babies breathe training. <i>Pediatrics</i> , <b>2013</b> , 131, e344-52	4.4	150
182	A prospective study of maternal, fetal and neonatal deaths in low- and middle-income countries. <i>Bulletin of the World Health Organization</i> , <b>2014</b> , 92, 605-12	8.2	113
181	Adverse maternal and perinatal outcomes in adolescent pregnancies: The Global Network's Maternal Newborn Health Registry study. <i>Reproductive Health</i> , <b>2015</b> , 12 Suppl 2, S8	3.5	104
180	Active management of the third stage of labour with and without controlled cord traction: a randomised, controlled, non-inferiority trial. <i>Lancet, The</i> , <b>2012</b> , 379, 1721-7	40	100
179	Tobacco use and secondhand smoke exposure during pregnancy: an investigative survey of women in 9 developing nations. <i>American Journal of Public Health</i> , <b>2008</b> , 98, 1833-40	5.1	98
178	The Maternal and Newborn Health Registry Study of the Global Network for Women's and Children's Health Research. <i>International Journal of Gynecology and Obstetrics</i> , <b>2012</b> , 118, 190-3	4	96
177	Helping Babies Breathe (HBB) training: What happens to knowledge and skills over time?. <i>BMC Pregnancy and Childbirth</i> , <b>2016</b> , 16, 364	3.2	87
176	Low-dose aspirin for the prevention of preterm delivery in nulliparous women with a singleton pregnancy (ASPIRIN): a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , <b>2020</b> , 395, 285-293	40	83
175	Postpartum contraceptive use and unmet need for family planning in five low-income countries. <i>Reproductive Health</i> , <b>2015</b> , 12 Suppl 2, S11	3.5	80
174	Stillbirth rates in low-middle income countries 2010 - 2013: a population-based, multi-country study from the Global Network. <i>Reproductive Health</i> , <b>2015</b> , 12 Suppl 2, S7	3.5	73
173	The Global Network Maternal Newborn Health Registry: a multi-national, community-based registry of pregnancy outcomes. <i>Reproductive Health</i> , <b>2015</b> , 12 Suppl 2, S1	3.5	72
172	Heat-Stable Carbetocin versus Oxytocin to Prevent Hemorrhage after Vaginal Birth. <i>New England Journal of Medicine</i> , <b>2018</b> , 379, 743-752	59.2	66

171	The global network: a prospective study of stillbirths in developing countries. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 197, 247.e1-5	6.4	65
170	Epidemiology of stillbirth in low-middle income countries: a Global Network Study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2011</b> , 90, 1379-85	3.8	62
169	Rates and determinants of early initiation of breastfeeding and exclusive breast feeding at 42 days postnatal in six low and middle-income countries: A prospective cohort study. <i>Reproductive Health</i> , <b>2015</b> , 12 Suppl 2, S10	3.5	61
168	A pre-post study of a multi-country scale up of resuscitation training of facility birth attendants: does Helping Babies Breathe training save lives?. <i>BMC Pregnancy and Childbirth</i> , <b>2016</b> , 16, 222	3.2	58
167	Preconception maternal nutrition: a multi-site randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , <b>2014</b> , 14, 111	3.2	52
166	A multicountry randomized controlled trial of comprehensive maternal nutrition supplementation initiated before conception: the Women First trial. <i>American Journal of Clinical Nutrition</i> , <b>2019</b> , 109, 457-469	7.69	50
165	Risk factors for maternal death and trends in maternal mortality in low- and middle-income countries: a prospective longitudinal cohort analysis. <i>Reproductive Health</i> , <b>2015</b> , 12 Suppl 2, S5	3.5	49
164	Trends and determinants of stillbirth in developing countries: results from the Global Network's Population-Based Birth Registry. <i>Reproductive Health</i> , <b>2018</b> , 15, 100	3.5	45
163	Neonatal death in low- to middle-income countries: a global network study. <i>American Journal of Perinatology</i> , <b>2012</b> , 29, 649-56	3.3	42
162	The incidence of pregnancy hypertension in India, Pakistan, Mozambique, and Nigeria: A prospective population-level analysis. <i>PLoS Medicine</i> , <b>2019</b> , 16, e1002783	11.6	40
161	Utilization of maternal health care services and their determinants in Karnataka State, India. <i>Reproductive Health</i> , <b>2016</b> , 13 Suppl 1, 37	3.5	39
160	Implementation and evaluation of the Helping Babies Breathe curriculum in three resource limited settings: does Helping Babies Breathe save lives? A study protocol. <i>BMC Pregnancy and Childbirth</i> , <b>2014</b> , 14, 116	3.2	39
159	Development of children at risk for adverse outcomes participating in early intervention in developing countries: a randomized controlled trial. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2014</b> , 55, 1251-9	7.9	38
158	A combined community- and facility-based approach to improve pregnancy outcomes in low-resource settings: a Global Network cluster randomized trial. <i>BMC Medicine</i> , <b>2013</b> , 11, 215	11.4	38
157	High mortality rates for very low birth weight infants in developing countries despite training. <i>Pediatrics</i> , <b>2010</b> , 126, e1072-80	7.4	38
156	Assessment of obstetric and neonatal health services in developing country health facilities. <i>American Journal of Perinatology</i> , <b>2013</b> , 30, 787-94	3.3	37
155	A prospective study of maternal, fetal and neonatal outcomes in the setting of cesarean section in low- and middle-income countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2017</b> , 96, 410-420	3.8	36
154	Communities, birth attendants and health facilities: a continuum of emergency maternal and newborn care (the Global Network's EmONC trial). <i>BMC Pregnancy and Childbirth</i> , <b>2010</b> , 10, 82	3.2	35

153	Global Network for Women's and Children's Health Research: probable causes of stillbirth in low- and middle-income countries using a prospectively defined classification system. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2018</b> , 125, 131-138	3.7	34
152	A prospective population-based study of maternal, fetal, and neonatal outcomes in the setting of prolonged labor, obstructed labor and failure to progress in low- and middle-income countries. <i>Reproductive Health</i> , <b>2015</b> , 12 Suppl 2, S9	3.5	34
151	Maternal and newborn outcomes in Pakistan compared to other low and middle income countries in the Global Network's Maternal Newborn Health Registry: an active, community-based, pregnancy surveillance mechanism. <i>Reproductive Health</i> , <b>2015</b> , 12 Suppl 2, S15	3.5	34
150	Randomized trial of early developmental intervention on outcomes in children after birth asphyxia in developing countries. <i>Journal of Pediatrics</i> , <b>2013</b> , 162, 705-712.e3	3.6	33
149	Home birth attendants in low income countries: who are they and what do they do?. <i>BMC Pregnancy and Childbirth</i> , <b>2012</b> , 12, 34	3.2	31
148	Antenatal corticosteroids trial in preterm births to increase neonatal survival in developing countries: study protocol. <i>Reproductive Health</i> , <b>2012</b> , 9, 22	3.5	31
147	Maternal anaemia and maternal, fetal, and neonatal outcomes in a prospective cohort study in India and Pakistan. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2019</b> , 126, 737-743	3.7	31
146	Impact of exposure to cooking fuels on stillbirths, perinatal, very early and late neonatal mortality - a multicenter prospective cohort study in rural communities in India, Pakistan, Kenya, Zambia and Guatemala. <i>Maternal Health, Neonatology and Perinatology</i> , <b>2015</b> , 1, 18	3.4	29
145	Neonatal mortality and coverage of essential newborn interventions 2010 - 2013: a prospective, population-based study from low-middle income countries. <i>Reproductive Health</i> , <b>2015</b> , 12 Suppl 2, S6	3.5	29
144	Incidence of eclampsia and related complications across 10 low- and middle-resource geographical regions: Secondary analysis of a cluster randomised controlled trial. <i>PLoS Medicine</i> , <b>2019</b> , 16, e1002775	11.6	27
143	Home-Based Early Intervention and the Influence of Family Resources on Cognitive Development. <i>Pediatrics</i> , <b>2016</b> , 137,	7.4	27
142	An approach to identify a minimum and rational proportion of caesarean sections in resource-poor settings: a global network study. <i>The Lancet Global Health</i> , <b>2018</b> , 6, e894-e901	13.6	27
141	ENC training reduces perinatal mortality in Karnataka, India. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2012</b> , 25, 568-74	2	27
140	Room temperature stable carbetocin for the prevention of postpartum haemorrhage during the third stage of labour in women delivering vaginally: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2016</b> , 17, 143	2.8	25
139	Prevention of postpartum haemorrhage with sublingual misoprostol or oxytocin: a double-blind randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2012</b> , 119, 975-82; discussion 982-6	3.7	25
138	Brain research to ameliorate impaired neurodevelopment--home-based intervention trial (BRAIN-HIT). <i>BMC Pediatrics</i> , <b>2010</b> , 10, 27	2.6	25
137	Maternal near miss in low-resource areas. <i>International Journal of Gynecology and Obstetrics</i> , <b>2017</b> , 138, 347-355	4	24
136	Misoprostol for primary versus secondary prevention of postpartum haemorrhage: a cluster-randomised non-inferiority community trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2016</b> , 123, 120-7	3.7	24

135	Antenatal Dexamethasone for Early Preterm Birth in Low-Resource Countries. <i>New England Journal of Medicine</i> , <b>2020</b> , 383, 2514-2525	59.2	24
134	Institutional deliveries and perinatal and neonatal mortality in Southern and Central India. <i>Reproductive Health</i> , <b>2015</b> , 12 Suppl 2, S13	3.5	23
133	The Antenatal Corticosteroids Trial (ACT)'s explanations for neonatal mortality - a secondary analysis. <i>Reproductive Health</i> , <b>2016</b> , 13, 62	3.5	22
132	Pregnant Women in Four Low-Middle Income Countries Have a High Prevalence of Inadequate Dietary Intakes That Are Improved by Dietary Diversity. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	22
131	A multi-country study of the "intrapartum stillbirth and early neonatal death indicator" in hospitals in low-resource settings. <i>International Journal of Gynecology and Obstetrics</i> , <b>2013</b> , 122, 230-3	4	22
130	Global network for women's and children's health research: a system for low-resource areas to determine probable causes of stillbirth, neonatal, and maternal death. <i>Maternal Health, Neonatology and Perinatology</i> , <b>2015</b> , 1, 11	3.4	22
129	Exposure of pregnant women to indoor air pollution: a study from nine low and middle income countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2010</b> , 89, 540-548	3.8	22
128	Effect of a novel vital sign device on maternal mortality and morbidity in low-resource settings: a pragmatic, stepped-wedge, cluster-randomised controlled trial. <i>The Lancet Global Health</i> , <b>2019</b> , 7, e347-e356	13.6	21
127	Side effects of oral misoprostol for the prevention of postpartum hemorrhage: results of a community-based randomised controlled trial in rural India. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2009</b> , 22, 24-8	2	21
126	Factors associated with acute postpartum hemorrhage in low-risk women delivering in rural India. <i>International Journal of Gynecology and Obstetrics</i> , <b>2008</b> , 101, 94-9	4	21
125	A description of the methods of the aspirin supplementation for pregnancy indicated risk reduction in nulliparas (ASPIRIN) study. <i>BMC Pregnancy and Childbirth</i> , <b>2017</b> , 17, 135	3.2	20
124	Trends of antenatal care during pregnancy in low- and middle-income countries: Findings from the global network maternal and newborn health registry. <i>Seminars in Perinatology</i> , <b>2019</b> , 43, 297-307	3.3	20
123	Community health worker knowledge and management of pre-eclampsia in rural Karnataka State, India. <i>Reproductive Health</i> , <b>2016</b> , 13, 113	3.5	20
122	Neurodevelopmental outcomes in infants requiring resuscitation in developing countries. <i>Journal of Pediatrics</i> , <b>2012</b> , 160, 781-5.e1	3.6	20
121	Dose of early intervention treatment during children's first 36 months of life is associated with developmental outcomes: an observational cohort study in three low/low-middle income countries. <i>BMC Pediatrics</i> , <b>2014</b> , 14, 281	2.6	20
120	Consanguinity, prematurity, birth weight and pregnancy loss: a prospective cohort study at four primary health center areas of Karnataka, India. <i>Journal of Perinatology</i> , <b>2012</b> , 32, 431-7	3.1	20
119	Anthropometric Profile and Special Judo Fitness levels of Indian Judo Players. <i>Asian Journal of Sports Medicine</i> , <b>2012</b> , 3, 113-8	1.4	20
118	The project to understand and research preterm pregnancy outcomes and stillbirths in South Asia (PURPOSE): a protocol of a prospective, cohort study of causes of mortality among preterm births and stillbirths. <i>Reproductive Health</i> , <b>2018</b> , 15, 89	3.5	18

117	Active management of the third stage of labour without controlled cord traction: a randomized non-inferiority controlled trial. <i>Reproductive Health</i> , <b>2009</b> , 6, 2	3.5	18
116	Anthropometric indices for non-pregnant women of childbearing age differ widely among four low-middle income populations. <i>BMC Public Health</i> , <b>2017</b> , 18, 45	4.1	17
115	The Community-Level Interventions for Pre-eclampsia (CLIP) cluster randomised trials in Mozambique, Pakistan, and India: an individual participant-level meta-analysis. <i>Lancet, The</i> , <b>2020</b> , 396, 553-563	4.0	17
114	A prospective observational description of frequency and timing of antenatal care attendance and coverage of selected interventions from sites in Argentina, Guatemala, India, Kenya, Pakistan and Zambia. <i>Reproductive Health</i> , <b>2015</b> , 12 Suppl 2, S12	3.5	16
113	Data quality monitoring and performance metrics of a prospective, population-based observational study of maternal and newborn health in low resource settings. <i>Reproductive Health</i> , <b>2015</b> , 12 Suppl 2, S2	3.5	15
112	Evaluation of a novel device for the management of high blood pressure and shock in pregnancy in low-resource settings: study protocol for a stepped-wedge cluster-randomised controlled trial (CRADLE-3 trial). <i>Trials</i> , <b>2018</b> , 19, 206	2.8	14
111	Conducting international collaborative research in developing nations. <i>International Journal of Gynecology and Obstetrics</i> , <b>2004</b> , 87, 267-71	4	14
110	Effects of duration of diabetes on behavioural and cognitive parameters in streptozotocin-induced juvenile diabetic rats. <i>The Malaysian Journal of Medical Sciences</i> , <b>2011</b> , 18, 26-31	1.3	14
109	A prospective cause of death classification system for maternal deaths in low and middle-income countries: results from the Global Network Maternal Newborn Health Registry. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2018</b> , 125, 1137-1143	3.7	14
108	Maternal characteristics and causes associated with refractory postpartum haemorrhage after vaginal birth: a secondary analysis of the WHO CHAMPION trial data. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2020</b> , 127, 628-634	3.7	13
107	A Prospective, Population-Based Study of Trends in Operative Vaginal Delivery Compared to Cesarean Delivery Rates in Low- and Middle-Income Countries, 2010-2016. <i>American Journal of Perinatology</i> , <b>2019</b> , 36, 730-736	3.3	13
106	Development and evaluation of a novel Vital Signs Alert device for use in pregnancy in low-resource settings. <i>BMJ Innovations</i> , <b>2018</b> , 4, 192-198	1.8	13
105	The Relationship between Body Mass Index in Pregnancy and Adverse Maternal, Perinatal, and Neonatal Outcomes in Rural India and Pakistan. <i>American Journal of Perinatology</i> , <b>2018</b> , 35, 844-851	3.3	12
104	Perinatal outcomes of multiple-gestation pregnancies in Kenya, Zambia, Pakistan, India, Guatemala, and Argentina: a global network study. <i>American Journal of Perinatology</i> , <b>2014</b> , 31, 125-32	3.3	12
103	Variation in the postpartum hemorrhage rate in a clinical trial of oral misoprostol. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2008</b> , 21, 559-64	2	12
102	Why are the Pakistani maternal, fetal and newborn outcomes so poor compared to other low and middle-income countries?. <i>Reproductive Health</i> , <b>2020</b> , 17, 190	3.5	12
101	Criteria for assigning cause of death for stillbirths and neonatal deaths in research studies in low-middle income countries. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2019</b> , 32, 1915-1923	2	12
100	The Global Network for Women's and Children's Health Research: A model of capacity-building research. <i>Seminars in Fetal and Neonatal Medicine</i> , <b>2015</b> , 20, 293-9	3.7	11

99	Community level interventions for pre-eclampsia (CLIP) in India: A cluster randomised controlled trial. <i>Pregnancy Hypertension</i> , <b>2020</b> , 21, 166-175	2.6	11
98	Trends in the incidence of possible severe bacterial infection and case fatality rates in rural communities in Sub-Saharan Africa, South Asia and Latin America, 2010-2013: a multicenter prospective cohort study. <i>Reproductive Health</i> , <b>2016</b> , 13, 65	3.5	11
97	The World Health Organization ACTION-I (Antenatal Corticosteroids for Improving Outcomes in preterm Newborns) Trial: a multi-country, multi-centre, two-arm, parallel, double-blind, placebo-controlled, individually randomized trial of antenatal corticosteroids for women at risk of imminent birth in the early preterm period in hospitals in low-resource countries. <i>Trials</i> , <b>2019</b> , 20, 507	2.8	10
96	Different Gut Microbial Profiles in Sub-Saharan African and South Asian Women of Childbearing Age Are Primarily Associated With Dietary Intakes. <i>Frontiers in Microbiology</i> , <b>2019</b> , 10, 1848	5.7	10
95	Use of antenatal corticosteroids at health facilities and communities in low-and-middle income countries. <i>Reproductive Health</i> , <b>2016</b> , 13, 66	3.5	10
94	Effect of <i>Salacia reticulata</i> W. and <i>Clitoria ternatea</i> L. on the cognitive and behavioral changes in the streptozotocin-induced young diabetic rats. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , <b>2017</b> , 28, 107-114	1.6	9
93	The Global Network Neonatal Cause of Death algorithm for low-resource settings. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2017</b> , 106, 904-911	3.1	9
92	The Antenatal Corticosteroids Trial (ACT): a secondary analysis to explore site differences in a multi-country trial. <i>Reproductive Health</i> , <b>2016</b> , 13, 64	3.5	9
91	The feasibility of task-sharing the identification, emergency treatment, and referral for women with pre-eclampsia by community health workers in India. <i>Reproductive Health</i> , <b>2018</b> , 15, 101	3.5	9
90	Developmental trajectories of children with birth asphyxia through 36 months of age in low/low-middle income countries. <i>Early Human Development</i> , <b>2014</b> , 90, 343-8	2.2	9
89	A Comparison of Colorimetric Assessment of Vaginal pH with Nugent Score for the Detection of Bacterial Vaginosis. <i>Infectious Diseases in Obstetrics and Gynecology</i> , <b>2017</b> , 2017, 1040984	2.4	9
88	Clindamycin to reduce preterm birth in a low resource setting: a randomised placebo-controlled clinical trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2018</b> , 125, 1601-1609	3.7	9
87	Initiating a novel therapy in preventing postpartum hemorrhage in rural India: a joint collaboration between the United States and India. <i>International Journal of Fertility and Women's Medicine</i> , <b>2004</b> , 49, 91-6		9
86	Community perceptions of pre-eclampsia in rural Karnataka State, India: a qualitative study. <i>Reproductive Health</i> , <b>2016</b> , 13 Suppl 1, 35	3.5	8
85	Early pregnancy loss in Belagavi, Karnataka, India 2014-2017: a prospective population-based observational study in a low-resource setting. <i>Reproductive Health</i> , <b>2018</b> , 15, 95	3.5	8
84	Evaluation of a novel vital sign device to reduce maternal mortality and morbidity in low-resource settings: a mixed method feasibility study for the CRADLE-3 trial. <i>BMC Pregnancy and Childbirth</i> , <b>2018</b> , 18, 115	3.2	8
83	The efficacy of oral misoprostol in preventing postpartum hemorrhage in a community setting: A randomized double-blind placebo-controlled trial. <i>International Journal of Gynecology and Obstetrics</i> , <b>2006</b> , 94 Suppl 2, S141-S142	4	8
82	Gender variations in neonatal and early infant mortality in India and Pakistan: a secondary analysis from the Global Network Maternal Newborn Health Registry. <i>Reproductive Health</i> , <b>2020</b> , 17, 178	3.5	8

81	Effects of Essential Newborn Care Training on Fresh Stillbirths and Early Neonatal Deaths by Maternal Education. <i>Neonatology</i> , <b>2017</b> , 111, 61-67	4	7
80	Development of a 12 month screener based on items from the Bayley II Scales of Infant Development for use in Low Middle Income countries. <i>Early Human Development</i> , <b>2015</b> , 91, 253-8	2.2	7
79	Establishment of a Maternal Newborn Health Registry in the Belgaum District of Karnataka, India. <i>Reproductive Health</i> , <b>2015</b> , 12 Suppl 2, S3	3.5	7
78	Maternal mortality in six low and lower-middle income countries from 2010 to 2018: risk factors and trends. <i>Reproductive Health</i> , <b>2020</b> , 17, 173	3.5	7
77	Regional trends in birth weight in low- and middle-income countries 2013-2018. <i>Reproductive Health</i> , <b>2020</b> , 17, 176	3.5	7
76	Maternal and Newborn Health in Karnataka State, India: The Community Level Interventions for Pre-Eclampsia (CLIP) Trial's Baseline Study Results. <i>PLoS ONE</i> , <b>2017</b> , 12, e0166623	3.7	7
75	Hemoglobin concentrations and adverse birth outcomes in South Asian pregnant women: findings from a prospective Maternal and Neonatal Health Registry. <i>Reproductive Health</i> , <b>2020</b> , 17, 154	3.5	7
74	Cesarean birth in the Global Network for Women's and Children's Health Research: trends in utilization, risk factors, and subgroups with high cesarean birth rates. <i>Reproductive Health</i> , <b>2020</b> , 17, 165	3.5	7
73	An Intervention to Enhance Obstetric and Newborn Care in India: A Cluster Randomized-Trial. <i>Maternal and Child Health Journal</i> , <b>2015</b> , 19, 2698-706	2.4	6
72	Stillbirth 2010-2018: a prospective, population-based, multi-country study from the Global Network. <i>Reproductive Health</i> , <b>2020</b> , 17, 146	3.5	6
71	Preconception nutrition intervention improved birth length and reduced stunting and wasting in newborns in South Asia: The Women First Randomized Controlled Trial. <i>PLoS ONE</i> , <b>2020</b> , 15, e0218960	3.7	6
70	The global network antenatal corticosteroids trial: impact on stillbirth. <i>Reproductive Health</i> , <b>2016</b> , 13, 68	3.5	6
69	Food insecurity and nutritional status of preconception women in a rural population of North Karnataka, India. <i>Reproductive Health</i> , <b>2018</b> , 15, 90	3.5	6
68	Rates and risk factors for preterm birth and low birthweight in the global network sites in six low- and low middle-income countries. <i>Reproductive Health</i> , <b>2020</b> , 17, 187	3.5	6
67	A color-coded tape for uterine height measurement: a tool to identify preterm pregnancies in low resource settings. <i>PLoS ONE</i> , <b>2015</b> , 10, e0117134	3.7	6
66	A comparison of MITS counseling and informed consent processes in Pakistan, India, Bangladesh, Kenya, and Ethiopia. <i>Reproductive Health</i> , <b>2020</b> , 17, 120	3.5	6
65	Association of parity with birthweight and neonatal death in five sites: The Global Network's Maternal Newborn Health Registry study. <i>Reproductive Health</i> , <b>2020</b> , 17, 182	3.5	6
64	Evaluating the effect of care around labor and delivery practices on early neonatal mortality in the Global Network's Maternal and Newborn Health Registry. <i>Reproductive Health</i> , <b>2020</b> , 17, 156	3.5	6

63	Malpresentation in low- and middle-income countries: Associations with perinatal and maternal outcomes in the Global Network. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2019</b> , 98, 300-308	3.8	6
62	Predictive Modeling for Perinatal Mortality in Resource-Limited Settings. <i>JAMA Network Open</i> , <b>2020</b> , 3, e2026750	10.4	6
61	Availability and use of magnesium sulphate at health care facilities in two selected districts of North Karnataka, India. <i>Reproductive Health</i> , <b>2018</b> , 15, 91	3.5	5
60	Maternal Characteristics Affect Fetal Growth Response in the Women First Preconception Nutrition Trial. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	5
59	Equitable data sharing: challenges and suggestions for ways forward. <i>Wellcome Open Research</i> , <b>4</b> , 172	4.8	5
58	Refining the Journal Club Presentations of Postgraduate Students in Seven Clinical Departments for Better Evidence-based Practice. <i>Annals of Medical and Health Sciences Research</i> , <b>2016</b> , 6, 185-9		5
57	Evaluating time between birth to cry or bag and mask ventilation using mobile delivery room timers in India: the NICHD Global Network's Helping Babies Breathe Trial. <i>BMC Pediatrics</i> , <b>2015</b> , 15, 93	2.6	4
56	Institutional deliveries and stillbirth and neonatal mortality in the Global Network's Maternal and Newborn Health Registry. <i>Reproductive Health</i> , <b>2020</b> , 17, 179	3.5	4
55	Development of the Global Network for Women's and Children's Health Research's socioeconomic status index for use in the network's sites in low and lower middle-income countries. <i>Reproductive Health</i> , <b>2020</b> , 17, 193	3.5	4
54	Planned early delivery versus expectant management to reduce adverse pregnancy outcomes in pre-eclampsia in a low- and middle-income setting: study protocol for a randomised controlled trial (CRADLE-4 Trial). <i>Trials</i> , <b>2020</b> , 21, 960	2.8	4
53	Neonatal deaths in infants born weighing $\geq 500$ g in low and middle-income countries. <i>Reproductive Health</i> , <b>2020</b> , 17, 158	3.5	4
52	Neonatal deaths in rural Karnataka, India 2014-2018: a prospective population-based observational study in a low-resource setting. <i>Reproductive Health</i> , <b>2020</b> , 17, 161	3.5	4
51	Association of haemoglobin levels in the first trimester and at 26-30 weeks with fetal and neonatal outcomes: a secondary analysis of the Global Network for Women's and Children's Health's ASPIRIN Trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2021</b> , 128, 1487-1496	3.7	4
50	Growth from Birth Through Six Months for Infants of Mothers in the "Women First" Preconception Maternal Nutrition Trial. <i>Journal of Pediatrics</i> , <b>2021</b> , 229, 199-206.e4	3.6	4
49	Incidence and characteristics of pregnancy-related death across ten low- and middle-income geographical regions: secondary analysis of a cluster randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2020</b> , 127, 1082-1089	3.7	3
48	Influence of athletic training on hematological parameters in runners: A cross-sectional study. <i>National Journal of Physiology, Pharmacy and Pharmacology</i> , <b>2015</b> , 5, 125	2.6	3
47	Provider insights on barriers and opportunities for birth spacing utilization in Karnataka, India. <i>Health Care for Women International</i> , <b>2012</b> , 33, 1035-45	1.5	3
46	The relationship between birth intervals and adverse maternal and neonatal outcomes in six low and lower-middle income countries. <i>Reproductive Health</i> , <b>2020</b> , 17, 157	3.5	3

45	Looking beyond the numbers: quality assurance procedures in the Global Network for Women's and Children's Health Research Maternal Newborn Health Registry. <i>Reproductive Health</i> , <b>2020</b> , 17, 159	3.5	3
44	Usability, acceptability, and feasibility of the World Health Organization Labour Care Guide: A mixed-methods, multicountry evaluation. <i>Birth</i> , <b>2021</b> , 48, 66-75	3.1	3
43	Facilitators and challenges to exclusive breastfeeding in Belagavi District, Karnataka, India. <i>PLoS ONE</i> , <b>2020</b> , 15, e0231755	3.7	2
42	Associations between feeding practices and growth and neurodevelopmental outcomes at 36 months among children living in low- and low-middle income countries who participated in the BRAIN-HIT trial. <i>BMC Nutrition</i> , <b>2018</b> , 4,	2.5	2
41	A Population-Based, Multifaceted Strategy to Implement Antenatal Corticosteroid Treatment Versus Standard Care for the Reduction of Neonatal Mortality Due to Preterm Birth in Low-Income and Middle-Income Countries. <i>Obstetrical and Gynecological Survey</i> , <b>2015</b> , 70, 379-381	2.4	2
40	Pregnant women and children's exposure to tobacco and solid fuel smoke in southwestern India. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2011</b> , 24, 973-7	2	2
39	Association of overnutritional status with anxiety in medical students. <i>National Journal of Physiology, Pharmacy and Pharmacology</i> , <b>2012</b> , 2, 123	2.6	2
38	Population-level data on antenatal screening for proteinuria; India, Mozambique, Nigeria, Pakistan. <i>Bulletin of the World Health Organization</i> , <b>2020</b> , 98, 661-670	8.2	2
37	Oral Clindamycin to prevent Preterm Birth: A Randomized Placebo Controlled Trial in South India. <i>Journal of SAFOG</i> , <b>2015</b> , 7, 191-196	0.1	2
36	Improved first trimester maternal iodine status with preconception supplementation: The Women First Trial. <i>Maternal and Child Nutrition</i> , <b>2021</b> , 17, e13204	3.4	2
35	Maternal and fetal vascular lesions of malperfusion in the placentas associated with fetal and neonatal death: results of a prospective observational study. <i>American Journal of Obstetrics and Gynecology</i> , <b>2021</b> , 225, 660.e1-660.e12	6.4	2
34	Preventable stillbirths in India and Pakistan: a prospective, observational study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2021</b> , 128, 1762-1773	3.7	2
33	Caesarean birth by maternal request: a poorly understood phenomenon in low- and middle-income countries. <i>International Health</i> , <b>2021</b> , 13, 63-69	2.4	2
32	Cost of hospital care of women with postpartum haemorrhage in India, Kenya, Nigeria and Uganda: a financial case for improved prevention. <i>Reproductive Health</i> , <b>2021</b> , 18, 18	3.5	2
31	Safety of daily low-dose aspirin use during pregnancy in low-income and middle-income countries. <i>AJOG Global Reports</i> , <b>2021</b> , 1,		2
30	Blood pressure thresholds in pregnancy for identifying maternal and infant risk: a secondary analysis of Community-Level Interventions for Pre-eclampsia (CLIP) trial data. <i>The Lancet Global Health</i> , <b>2021</b> , 9, e1119-e1128	13.6	2
29	Community Health Worker Evaluation of Implementing an mHealth Application to Support Maternal Health Care in Rural India. <i>Frontiers in Global Women S Health</i> , <b>2021</b> , 2, 645690	8.4	2
28	Ethical issues related to consent for intrapartum trials. <i>Reproductive Health</i> , <b>2017</b> , 14, 166	3.5	1

27	Ethical issues in conducting international research studies. <i>International Journal of Gynecology and Obstetrics</i> , <b>2006</b> , 94 Suppl 2, S129-S130	4	1
26	Corrigendum to Drape estimation vs. visual assessment for estimating postpartum hemorrhage [International Journal of Gynecology & Obstetrics 93 (2006) 220-224]. <i>International Journal of Gynecology and Obstetrics</i> , <b>2006</b> , 95, 312-312	4	1
25	Mixed-methods, descriptive and observational cohort study examining feeding and growth patterns among low birthweight infants in India, Malawi and Tanzania: the LIFE study protocol. <i>BMJ Open</i> , <b>2021</b> , 11, e048216	3	1
24	Maternal infection and stillbirth: a review. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2020</b> , 1-9	2	1
23	The Global Network Maternal Newborn Health Registry: a multi-country, community-based registry of pregnancy outcomes. <i>Reproductive Health</i> , <b>2020</b> , 17, 184	3.5	1
22	Gestational weight gain in 4 low- and middle-income countries and associations with birth outcomes: a secondary analysis of the Women First Trial. <i>American Journal of Clinical Nutrition</i> , <b>2021</b> , 114, 804-812	7	1
21	Effect of the CRADLE vital signs alert device intervention on referrals for obstetric haemorrhage in low-middle income countries: a secondary analysis of a stepped-wedge cluster-randomised control trial. <i>BMC Pregnancy and Childbirth</i> , <b>2021</b> , 21, 317	3.2	1
20	Pregnancy Outcomes and Blood Pressure Visit-to-Visit Variability and Level in Three Less-Developed Countries. <i>Hypertension</i> , <b>2021</b> , 77, 1714-1722	8.5	1
19	Causes and circumstances of maternal death: a secondary analysis of the Community-Level Interventions for Pre-eclampsia (CLIP) trials cohort. <i>The Lancet Global Health</i> , <b>2021</b> , 9, e1242-e1251	13.6	1
18	Lung Findings in Minimally Invasive Tissue Sampling (MITS) Examinations of Fetal and Preterm Neonatal Deaths: A Report From the PURPOSE Study. <i>Clinical Infectious Diseases</i> , <b>2021</b> , 73, S430-S434	11.6	1
17	B-Vitamins and Choline in Human Milk Are Not Impacted by a Preconception Lipid-Based Nutrient Supplement, but Differ Among Three Low-to-Middle Income Settings-Findings From the Women First Trial. <i>Frontiers in Nutrition</i> , <b>2021</b> , 8, 750680	6.2	1
16	Integrating an Adapted, Low-Intensity Program to Promote Early Childhood Development in Routine Health Visits in Rural India: A Feasibility Study. <i>Journal of Developmental and Behavioral Pediatrics</i> , <b>2020</b> , 41, 281-288	2.4	0
15	Methodology to Determine Cause of Death for Stillbirths and Neonatal Deaths Using Automated Case Reports and a Cause-of-Death Panel. <i>Clinical Infectious Diseases</i> , <b>2021</b> , 73, S368-S373	11.6	0
14	Feasibility, acceptability, and preliminary impact of an mHealth supported breastfeeding peer counselor intervention in rural India. <i>International Journal of Gynecology and Obstetrics</i> , <b>2022</b> , 156, 48-54		0
13	RAPIDIRON: Reducing Anaemia in Pregnancy in India-a 3-arm, randomized-controlled trial comparing the effectiveness of oral iron with single-dose intravenous iron in the treatment of iron deficiency anaemia in pregnant women and reducing low birth weight deliveries. <i>Trials</i> , <b>2021</b> , 22, 649	2.8	0
12	Antenatal Doppler screening for fetuses at risk of adverse outcomes: a multicountry cohort study of the prevalence of abnormal resistance index in low-risk pregnant women. <i>BMJ Open</i> , <b>2022</b> , 12, e053622	3.22	0
11	Estimating the effect of unplanned interventions in the randomized misoprostol trial: A mixed model analysis. <i>International Journal of Gynecology and Obstetrics</i> , <b>2006</b> , 94 Suppl 2, S136	4	
10	Preventability of stillbirths: context matters. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2021</b> ,	3.7	

9	Duration of third stage labour and postpartum blood loss: a secondary analysis of the WHO CHAMPION trial data. <i>Reproductive Health</i> , <b>2021</b> , 18, 230	3.5
8	Effect of heat stable carbetocin vs oxytocin for preventing postpartum haemorrhage on post delivery hemoglobin-a randomized controlled trial. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2021</b> , 1-8	2
7	Global Maternal and Child Health:: A Research Partnership's Approach for Addressing Challenges and Reducing Health Disparities in Developing Countries. <i>Delaware Journal of Public Health</i> , <b>2018</b> , 4, 4-12	0.1
6	Evaluation of the effect of structured exercise therapy on neurophysiological and cognitive functions of young adults with type 2 diabetes mellitus: Study protocol. <i>Journal of the Scientific Society</i> , <b>2015</b> , 42, 216	0.2
5	Reports from the NICHD Global Network's Maternal and Newborn Health Registry: supplement introduction. <i>Reproductive Health</i> , <b>2020</b> , 17, 177	3.5
4	The impact of low-dose aspirin on markers of inflammation and placental function: an ancillary study of the ASPIRIN trial. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2021</b> , 1-5	2
3	Planned early delivery for late preterm pre-eclampsia in a low- and middle-income setting: a feasibility study. <i>Reproductive Health</i> , <b>2021</b> , 18, 110	3.5
2	Factors Associated With Parental Acceptance of Minimally Invasive Tissue Sampling to Identify the Causes of Stillbirth and Neonatal Death.. <i>Clinical Infectious Diseases</i> , <b>2021</b> , 73, S422-S429	11.6
1	Anemia and adverse outcomes in pregnancy: subgroup analysis of the CLIP cluster-randomized trial in India.. <i>BMC Pregnancy and Childbirth</i> , <b>2022</b> , 22, 407	3.2