Shivaprasad Goudar

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6549541/shivaprasad-goudar-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

188 61 4,547 35 h-index g-index citations papers 5,647 4.8 211 5.4 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
188	Feasibility, acceptability, and preliminary impact of an mHealth supported breastfeeding peer counselor intervention in rural India. <i>International Journal of Gynecology and Obstetrics</i> , 2022 , 156, 48-	54 ⁴	O
187	Antenatal Doppler screening for fetuses at risk of adverse outcomes: a multicountry cohort study of the prevalence of abnormal resistance index in low-risk pregnant women <i>BMJ Open</i> , 2022 , 12, e05	3622	0
186	Anemia and adverse outcomes in pregnancy: subgroup analysis of the CLIP cluster-randomized trial in India <i>BMC Pregnancy and Childbirth</i> , 2022 , 22, 407	3.2	
185	Preventability of stillbirths: context matters. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 ,	3.7	
184	Duration of third stage labour and postpartum blood loss: a secondary analysis of the WHO CHAMPION trial data. <i>Reproductive Health</i> , 2021 , 18, 230	3.5	
183	Effect of heat stable carbetocin vs oxytocin for preventing postpartum haemorrhage on post delivery hemoglobin-a randomized controlled trial. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-8	2	
182	Mixed-methods, descriptive and observational cohort study examining feeding and growth patterns among low birthweight infants in India, Malawi and Tanzania: the LIFE study protocol. <i>BMJ Open</i> , 2021 , 11, e048216	3	1
181	Gestational weight gain in 4 low- and middle-income countries and associations with birth outcomes: a secondary analysis of the Women First Trial. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 804-812	7	1
180	Association of haemoglobin levels in the first trimester and at 26-30 weeks with fetal and neonatal outcomes: a secondary analysis of the Global Network for Women's and Children's Health's ASPIRIN Trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 1487-1496	3.7	4
179	Effect of the CRADLE vital signs alert device intervention on referrals for obstetric haemorrhage in low-middle income countries: a secondary analysis of a stepped- wedge cluster-randomised control trial. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 317	3.2	1
178	The impact of low-dose aspirin on markers of inflammation and placental function: an ancillary study of the ASPIRIN trial. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-5	2	
177	Improved first trimester maternal iodine status with preconception supplementation: The Women First Trial. <i>Maternal and Child Nutrition</i> , 2021 , 17, e13204	3.4	2
176	Pregnancy Outcomes and Blood Pressure Visit-to-Visit Variability and Level in Three Less-Developed Countries. <i>Hypertension</i> , 2021 , 77, 1714-1722	8.5	1
175	Maternal and fetal vascular lesions of malperfusion in the placentas associated with fetal and neonatal death: results of a prospective observational study. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 225, 660.e1-660.e12	6.4	2
174	Planned early delivery for late preterm pre-eclampsia in a low- and middle-income setting: a feasibility study. <i>Reproductive Health</i> , 2021 , 18, 110	3.5	
173	Preventable stillbirths in India and Pakistan: a prospective, observational study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 1762-1773	3.7	2
172	Caesarean birth by maternal request: a poorly understood phenomenon in low- and middle-income countries. <i>International Health</i> , 2021 , 13, 63-69	2.4	2

171	Growth from Birth Through Six Months for Infants of Mothers in the "Women First" Preconception Maternal Nutrition Trial. <i>Journal of Pediatrics</i> , 2021 , 229, 199-206.e4	3.6	4
170	Usability, acceptability, and feasibility of the World Health Organization Labour Care Guide: A mixed-methods, multicountry evaluation. <i>Birth</i> , 2021 , 48, 66-75	3.1	3
169	Factors Associated With Parental Acceptance of Minimally Invasive Tissue Sampling to Identify the Causes of Stillbirth and Neonatal Death <i>Clinical Infectious Diseases</i> , 2021 , 73, S422-S429	11.6	
168	Methodology to Determine Cause of Death for Stillbirths and Neonatal Deaths Using Automated Case Reports and a Cause-of-Death Panel <i>Clinical Infectious Diseases</i> , 2021 , 73, S368-S373	11.6	O
167	Cost of hospital care of women with postpartum haemorrhage in India, Kenya, Nigeria and Uganda: a financial case for improved prevention. <i>Reproductive Health</i> , 2021 , 18, 18	3.5	2
166	Safety of daily low-dose aspirin use during pregnancy in low-income and middle-income countries. <i>AJOG Global Reports</i> , 2021 , 1,		2
165	Blood pressure thresholds in pregnancy for identifying maternal and infant risk: a secondary analysis of Community-Level Interventions for Pre-eclampsia (CLIP) trial data. <i>The Lancet Global Health</i> , 2021 , 9, e1119-e1128	13.6	2
164	Causes and circumstances of maternal death: a secondary analysis of the Community-Level Interventions for Pre-eclampsia (CLIP) trials cohort. <i>The Lancet Global Health</i> , 2021 , 9, e1242-e1251	13.6	1
163	Community Health Worker Evaluation of Implementing an mHealth Application to Support Maternal Health Care in Rural India. <i>Frontiers in Global Women S Health</i> , 2021 , 2, 645690	8.4	2
162	RAPIDIRON: Reducing Anaemia in Pregnancy in India-a 3-arm, randomized-controlled trial comparing the effectiveness of oral iron with single-dose intravenous iron in the treatment of iron deficiency anaemia in pregnant women and reducing low birth weight deliveries. <i>Trials</i> , 2021 , 22, 649	2.8	O
161	Lung Findings in Minimally Invasive Tissue Sampling (MITS) Examinations of Fetal and Preterm Neonatal Deaths: A Report From the PURPOSe Study <i>Clinical Infectious Diseases</i> , 2021 , 73, S430-S434	11.6	1
160	B-Vitamins and Choline in Human Milk Are Not Impacted by a Preconception Lipid-Based Nutrient Supplement, but Differ Among Three Low-to-Middle Income Settings-Findings From the Women First Trial <i>Frontiers in Nutrition</i> , 2021 , 8, 750680	6.2	1
159	Stillbirth 2010-2018: a prospective, population-based, multi-country study from the Global Network. <i>Reproductive Health</i> , 2020 , 17, 146	3.5	6
158	Facilitators and challenges to exclusive breastfeeding in Belagavi District, Karnataka, India. <i>PLoS ONE</i> , 2020 , 15, e0231755	3.7	2
157	Incidence and characteristics of pregnancy-related death across ten low- and middle-income geographical regions: secondary analysis of a cluster randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 1082-1089	3.7	3
156	Community level interventions for pre-eclampsia (CLIP) in India: A cluster randomised controlled trial. <i>Pregnancy Hypertension</i> , 2020 , 21, 166-175	2.6	11
155	Low-dose aspirin for the prevention of preterm delivery in nulliparous women with a singleton pregnancy (ASPIRIN): a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2020 , 395, 285-2	293	83
154	Preconception nutrition intervention improved birth length and reduced stunting and wasting in newborns in South Asia: The Women First Randomized Controlled Trial. <i>PLoS ONE</i> , 2020 , 15, e0218960	3.7	6

153	Maternal mortality in six low and lower-middle income countries from 2010 to 2018: risk factors and trends. <i>Reproductive Health</i> , 2020 , 17, 173	3.5	7
152	Institutional deliveries and stillbirth and neonatal mortality in the Global Network's Maternal and Newborn Health Registry. <i>Reproductive Health</i> , 2020 , 17, 179	3.5	4
151	Why are the Pakistani maternal, fetal and newborn outcomes so poor compared to other low and middle-income countries?. <i>Reproductive Health</i> , 2020 , 17, 190	3.5	12
150	Regional trends in birth weight in low- and middle-income countries 2013-2018. <i>Reproductive Health</i> , 2020 , 17, 176	3.5	7
149	Gender variations in neonatal and early infant mortality in India and Pakistan: a secondary analysis from the Global Network Maternal Newborn Health Registry. <i>Reproductive Health</i> , 2020 , 17, 178	3.5	8
148	Rates and risk factors for preterm birth and low birthweight in the global network sites in six low-and low middle-income countries. <i>Reproductive Health</i> , 2020 , 17, 187	3.5	6
147	Development of the Global Network for Women's and Children's Health Research's socioeconomic status index for use in the network's sites in low and lower middle-income countries. <i>Reproductive Health</i> , 2020 , 17, 193	3.5	4
146	Population-level data on antenatal screening for proteinuria; India, Mozambique, Nigeria, Pakistan. <i>Bulletin of the World Health Organization</i> , 2020 , 98, 661-670	8.2	2
145	Integrating an Adapted, Low-Intensity Program to Promote Early Childhood Development in Routine Health Visits in Rural India: A Feasibility Study. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2020 , 41, 281-288	2.4	O
144	Maternal characteristics and causes associated with refractory postpartum haemorrhage after vaginal birth: a secondary analysis of the WHO CHAMPION trial data. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 628-634	3.7	13
143	Antenatal Dexamethasone for Early Preterm Birth in Low-Resource Countries. <i>New England Journal of Medicine</i> , 2020 , 383, 2514-2525	59.2	24
142	Planned early delivery versus expectant management to reduce adverse pregnancy outcomes in pre-eclampsia in a low- and middle-income setting: study protocol for a randomised controlled trial (CRADLE-4 Trial). <i>Trials</i> , 2020 , 21, 960	2.8	4
141	Maternal infection and stillbirth: a review. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 1-9	2	1
140	Hemoglobin concentrations and adverse birth outcomes in South Asian pregnant women: findings from a prospective Maternal and Neonatal Health Registry. <i>Reproductive Health</i> , 2020 , 17, 154	3.5	7
139	Neonatal deaths in infants born weighing [2500] in low and middle-income countries. <i>Reproductive Health</i> , 2020 , 17, 158	3.5	4
138	The relationship between birth intervals and adverse maternal and neonatal outcomes in six low and lower-middle income countries. <i>Reproductive Health</i> , 2020 , 17, 157	3.5	3
137	A comparison of MITS counseling and informed consent processes in Pakistan, India, Bangladesh, Kenya, and Ethiopia. <i>Reproductive Health</i> , 2020 , 17, 120	3.5	6
136	The Community-Level Interventions for Pre-eclampsia (CLIP) cluster randomised trials in Mozambique, Pakistan, and India: an individual participant-level meta-analysis. <i>Lancet, The</i> , 2020 , 396, 553-563	40	17

135	Association of parity with birthweight and neonatal death in five sites: The Global Network's Maternal Newborn Health Registry study. <i>Reproductive Health</i> , 2020 , 17, 182	3.5	6
134	Looking beyond the numbers: quality assurance procedures in the Global Network for Women's and Children's Health Research Maternal Newborn Health Registry. <i>Reproductive Health</i> , 2020 , 17, 159	3.5	3
133	Evaluating the effect of care around labor and delivery practices on early neonatal mortality in the Global Network's Maternal and Newborn Health Registry. <i>Reproductive Health</i> , 2020 , 17, 156	3.5	6
132	Neonatal deaths in rural Karnataka, India 2014-2018: a prospective population-based observational study in a low-resource setting. <i>Reproductive Health</i> , 2020 , 17, 161	3.5	4
131	The Global Network Maternal Newborn Health Registry: a multi-country, community-based registry of pregnancy outcomes. <i>Reproductive Health</i> , 2020 , 17, 184	3.5	1
130	Cesarean birth in the Global Network for Women's and Children's Health Research: trends in utilization, risk factors, and subgroups with high cesarean birth rates. <i>Reproductive Health</i> , 2020 , 17, 165	₅ 3.5	7
129	Reports from the NICHD Global Network's Maternal and Newborn Health Registry: supplement introduction. <i>Reproductive Health</i> , 2020 , 17, 177	3.5	
128	Predictive Modeling for Perinatal Mortality in Resource-Limited Settings. <i>JAMA Network Open</i> , 2020 , 3, e2026750	10.4	6
127	The World Health Organization ACTION-I (Antenatal CorTicosteroids for Improving Outcomes in preterm Newborns) Trial: a multi-country, multi-centre, two-arm, parallel, double-blind, placebo-controlled, individually randomized trial of antenatal corticosteroids for women at risk of	2.8	10
126	imminent birth in the early preterm period in hospitals in low-resource countries. <i>Trials</i> , 2019 , 20, 507 Different Gut Microbial Profiles in Sub-Saharan African and South Asian Women of Childbearing Age Are Primarily Associated With Dietary Intakes. <i>Frontiers in Microbiology</i> , 2019 , 10, 1848	5.7	10
125	Trends of antenatal care during pregnancy in low- and middle-income countries: Findings from the global network maternal and newborn health registry. <i>Seminars in Perinatology</i> , 2019 , 43, 297-307	3.3	20
124	The incidence of pregnancy hypertension in India, Pakistan, Mozambique, and Nigeria: A prospective population-level analysis. <i>PLoS Medicine</i> , 2019 , 16, e1002783	11.6	40
123	Incidence of eclampsia and related complications across 10 low- and middle-resource geographical regions: Secondary analysis of a cluster randomised controlled trial. <i>PLoS Medicine</i> , 2019 , 16, e1002775	11.6	27
122	Effect of a novel vital sign device on maternal mortality and morbidity in low-resource settings: a pragmatic, stepped-wedge, cluster-randomised controlled trial. <i>The Lancet Global Health</i> , 2019 , 7, e347-	- 6 356	21
121	A multicountry randomized controlled trial of comprehensive maternal nutrition supplementation initiated before conception: the Women First trial. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 457-	-469	50
120	Pregnant Women in Four Low-Middle Income Countries Have a High Prevalence of Inadequate Dietary Intakes That Are Improved by Dietary Diversity. <i>Nutrients</i> , 2019 , 11,	6.7	22
119	Maternal Characteristics Affect Fetal Growth Response in the Women First Preconception Nutrition Trial. <i>Nutrients</i> , 2019 , 11,	6.7	5
118	Criteria for assigning cause of death for stillbirths and neonatal deaths in research studies in low-middle income countries. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 1915-1923	2	12

117	Maternal anaemia and maternal, fetal, and neonatal outcomes in a prospective cohort study in India and Pakistan. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 737-743	3.7	31
116	Malpresentation in low- and middle-income countries: Associations with perinatal and maternal outcomes in the Global Network. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2019 , 98, 300-308	3.8	6
115	A Prospective, Population-Based Study of Trends in Operative Vaginal Delivery Compared to Cesarean Delivery Rates in Low- and Middle-Income Countries, 2010-2016. <i>American Journal of Perinatology</i> , 2019 , 36, 730-736	3.3	13
114	The Relationship between Body Mass Index in Pregnancy and Adverse Maternal, Perinatal, and Neonatal Outcomes in Rural India and Pakistan. <i>American Journal of Perinatology</i> , 2018 , 35, 844-851	3.3	12
113	Associations between feeding practices and growth and neurodevelopmental outcomes at 36 months among children living in low- and low-middle income countries who participated in the BRAIN-HIT trial. <i>BMC Nutrition</i> , 2018 , 4,	2.5	2
112	Global Network for Women's and Children's Health Research: probable causes of stillbirth in low-and middle-income countries using a prospectively defined classification system. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 131-138	3.7	34
111	Food insecurity and nutritional status of preconception women in a rural population of North Karnataka, India. <i>Reproductive Health</i> , 2018 , 15, 90	3.5	6
110	The feasibility of task-sharing the identification, emergency treatment, and referral for women with pre-eclampsia by community health workers in India. <i>Reproductive Health</i> , 2018 , 15, 101	3.5	9
109	The project to understand and research preterm pregnancy outcomes and stillbirths in South Asia (PURPOSe): a protocol of a prospective, cohort study of causes of mortality among preterm births and stillbirths. <i>Reproductive Health</i> , 2018 , 15, 89	3.5	18
108	Availability and use of magnesium sulphate at health care facilities in two selected districts of North Karnataka, India. <i>Reproductive Health</i> , 2018 , 15, 91	3.5	5
107	Early pregnancy loss in Belagavi, Karnataka, India 2014-2017: a prospective population-based observational study in a low-resource setting. <i>Reproductive Health</i> , 2018 , 15, 95	3.5	8
106	Trends and determinants of stillbirth in developing countries: results from the Global Network's Population-Based Birth Registry. <i>Reproductive Health</i> , 2018 , 15, 100	3.5	45
105	An approach to identify a minimum and rational proportion of caesarean sections in resource-poor settings: a global network study. <i>The Lancet Global Health</i> , 2018 , 6, e894-e901	13.6	27
104	Evaluation of a novel device for the management of high blood pressure and shock in pregnancy in low-resource settings: study protocol for a stepped-wedge cluster-randomised controlled trial (CRADLE-3 trial). <i>Trials</i> , 2018 , 19, 206	2.8	14
103	Evaluation of a novel vital sign device to reduce maternal mortality and morbidity in low-resource settings: a mixed method feasibility study for the CRADLE-3 trial. <i>BMC Pregnancy and Childbirth</i> , 2018 , 18, 115	3.2	8
102	Global Maternal and Child Health:: A Research Partnership's Approach for Addressing Challenges and Reducing Health Disparities in Developing Countries. <i>Delaware Journal of Public Health</i> , 2018 , 4, 4-12	0.1	
101	A prospective cause of death classification system for maternal deaths in low and middle-income countries: results from the Global Network Maternal Newborn Health Registry. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 1137-1143	3.7	14
100	Development and evaluation of a novel Vital Signs Alert device for use in pregnancy in low-resource settings. <i>BMJ Innovations</i> , 2018 , 4, 192-198	1.8	13

(2016-2018)

99	Clindamycin to reduce preterm birth in a low resource setting: a randomised placebo-controlled clinical trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 1601-1609	3.7	9	
98	Heat-Stable Carbetocin versus Oxytocin to Prevent Hemorrhage after Vaginal Birth. <i>New England Journal of Medicine</i> , 2018 , 379, 743-752	59.2	66	
97	Effects of Essential Newborn Care Training on Fresh Stillbirths and Early Neonatal Deaths by Maternal Education. <i>Neonatology</i> , 2017 , 111, 61-67	4	7	
96	A prospective study of maternal, fetal and neonatal outcomes in the setting of cesarean section in low- and middle-income countries. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2017 , 96, 410-420	3.8	36	
95	Effect of Salacia reticulata W. and Clitoria ternatea L. on the cognitive and behavioral changes in the streptozotocin-induced young diabetic rats. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2017 , 28, 107-114	1.6	9	
94	The Global Network Neonatal Cause of Death algorithm for low-resource settings. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017 , 106, 904-911	3.1	9	
93	A description of the methods of the aspirin supplementation for pregnancy indicated risk reduction in nulliparas (ASPIRIN) study. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 135	3.2	20	
92	Maternal near miss in low-resource areas. <i>International Journal of Gynecology and Obstetrics</i> , 2017 , 138, 347-355	4	24	
91	Ethical issues related to consent for intrapartum trials. Reproductive Health, 2017, 14, 166	3.5	1	
90	Anthropometric indices for non-pregnant women of childbearing age differ widely among four low-middle income populations. <i>BMC Public Health</i> , 2017 , 18, 45	4.1	17	
89	A Comparison of Colorimetric Assessment of Vaginal pH with Nugent Score for the Detection of Bacterial Vaginosis. <i>Infectious Diseases in Obstetrics and Gynecology</i> , 2017 , 2017, 1040984	2.4	9	
88	Maternal and Newborn Health in Karnataka State, India: The Community Level Interventions for Pre-Eclampsia (CLIP) Trial's Baseline Study Results. <i>PLoS ONE</i> , 2017 , 12, e0166623	3.7	7	
87	The global network antenatal corticosteroids trial: impact on stillbirth. <i>Reproductive Health</i> , 2016 , 13, 68	3.5	6	
86	The Antenatal Corticosteroids Trial (ACT)'s explanations for neonatal mortality - a secondary analysis. <i>Reproductive Health</i> , 2016 , 13, 62	3.5	22	
85	The Antenatal Corticosteroids Trial (ACT): a secondary analysis to explore site differences in a multi-country trial. <i>Reproductive Health</i> , 2016 , 13, 64	3.5	9	
84	A pre-post study of a multi-country scale up of resuscitation training of facility birth attendants: does Helping Babies Breathe training save lives?. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 222	3.2	58	
83	Helping Babies Breathe (HBB) training: What happens to knowledge and skills over time?. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 364	3.2	87	
82	Community perceptions of pre-eclampsia in rural Karnataka State, India: a qualitative study. <i>Reproductive Health</i> , 2016 , 13 Suppl 1, 35	3.5	8	

81	Utilization of maternal health care services and their determinants in Karnataka State, India. <i>Reproductive Health</i> , 2016 , 13 Suppl 1, 37	3.5	39
80	Community health worker knowledge and management of pre-eclampsia in rural Karnataka State, India. <i>Reproductive Health</i> , 2016 , 13, 113	3.5	20
79	Use of antenatal corticosteroids at health facilities and communities in low-and-middle income countries. <i>Reproductive Health</i> , 2016 , 13, 66	3.5	10
78	Room temperature stable carbetocin for the prevention of postpartum haemorrhage during the third stage of labour in women delivering vaginally: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 143	2.8	25
77	Misoprostol for primary versus secondary prevention of postpartum haemorrhage: a cluster-randomised non-inferiority community trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 120-7	3.7	24
76	Home-Based Early Intervention and the Influence of Family Resources on Cognitive Development. <i>Pediatrics</i> , 2016 , 137,	7.4	27
75	Refining the Journal Club Presentations of Postgraduate Students in Seven Clinical Departments for Better Evidence-based Practice. <i>Annals of Medical and Health Sciences Research</i> , 2016 , 6, 185-9		5
74	Trends in the incidence of possible severe bacterial infection and case fatality rates in rural communities in Sub-Saharan Africa, South Asia and Latin America, 2010-2013: a multicenter prospective cohort study. <i>Reproductive Health</i> , 2016 , 13, 65	3.5	11
73	The Global Network for Women's and Children's Health Research: A model of capacity-building research. <i>Seminars in Fetal and Neonatal Medicine</i> , 2015 , 20, 293-9	3.7	11
72	Development of a 12 month screener based on items from the Bayley II Scales of Infant Development for use in Low Middle Income countries. <i>Early Human Development</i> , 2015 , 91, 253-8	2.2	7
71	Impact of exposure to cooking fuels on stillbirths, perinatal, very early and late neonatal mortality - a multicenter prospective cohort study in rural communities in India, Pakistan, Kenya, Zambia and Guatemala. <i>Maternal Health, Neonatology and Perinatology</i> , 2015 , 1, 18	3.4	29
70	Evaluating time between birth to cry or bag and mask ventilation using mobile delivery room timers in India: the NICHD Global Network's Helping Babies Breathe Trial. <i>BMC Pediatrics</i> , 2015 , 15, 93	2.6	4
69	An Intervention to Enhance Obstetric and Newborn Care in India: A Cluster Randomized-Trial. <i>Maternal and Child Health Journal</i> , 2015 , 19, 2698-706	2.4	6
68	A population-based, multifaceted strategy to implement antenatal corticosteroid treatment versus standard care for the reduction of neonatal mortality due to preterm birth in low-income and middle-income countries: the ACT cluster-randomised trial. <i>Lancet, The,</i> 2015 , 385, 629-639	40	196
67	Adverse maternal and perinatal outcomes in adolescent pregnancies: The Global Network's Maternal Newborn Health Registry study. <i>Reproductive Health</i> , 2015 , 12 Suppl 2, S8	3.5	104
66	Postpartum contraceptive use and unmet need for family planning in five low-income countries. <i>Reproductive Health</i> , 2015 , 12 Suppl 2, S11	3.5	80
65	Neonatal mortality and coverage of essential newborn interventions 2010 - 2013: a prospective, population-based study from low-middle income countries. <i>Reproductive Health</i> , 2015 , 12 Suppl 2, S6	3.5	29
64	A prospective population-based study of maternal, fetal, and neonatal outcomes in the setting of prolonged labor, obstructed labor and failure to progress in low- and middle-income countries. <i>Reproductive Health</i> , 2015 , 12 Suppl 2, S9	3.5	34

(2014-2015)

63	Maternal and newborn outcomes in Pakistan compared to other low and middle income countries in the Global Network's Maternal Newborn Health Registry: an active, community-based, pregnancy surveillance mechanism. <i>Reproductive Health</i> , 2015 , 12 Suppl 2, S15	3.5	34
62	Stillbirth rates in low-middle income countries 2010 - 2013: a population-based, multi-country study from the Global Network. <i>Reproductive Health</i> , 2015 , 12 Suppl 2, S7	3.5	73
61	The Global Network Maternal Newborn Health Registry: a multi-national, community-based registry of pregnancy outcomes. <i>Reproductive Health</i> , 2015 , 12 Suppl 2, S1	3.5	72
60	Rates and determinants of early initiation of breastfeeding and exclusive breast feeding at 42 days postnatal in six low and middle-income countries: A prospective cohort study. <i>Reproductive Health</i> , 2015 , 12 Suppl 2, S10	3.5	61
59	A prospective observational description of frequency and timing of antenatal care attendance and coverage of selected interventions from sites in Argentina, Guatemala, India, Kenya, Pakistan and Zambia. <i>Reproductive Health</i> , 2015 , 12 Suppl 2, S12	3.5	16
58	Institutional deliveries and perinatal and neonatal mortality in Southern and Central India. <i>Reproductive Health</i> , 2015 , 12 Suppl 2, S13	3.5	23
57	Data quality monitoring and performance metrics of a prospective, population-based observational study of maternal and newborn health in low resource settings. <i>Reproductive Health</i> , 2015 , 12 Suppl 2, S2	3.5	15
56	Establishment of a Maternal Newborn Health Registry in the Belgaum District of Karnataka, India. <i>Reproductive Health</i> , 2015 , 12 Suppl 2, S3	3.5	7
55	A Population-Based, Multifaceted Strategy to Implement Antenatal Corticosteroid Treatment Versus Standard Care for the Reduction of Neonatal Mortality Due to Preterm Birth in Low-Income and Middle-Income Countries. <i>Obstetrical and Gynecological Survey</i> , 2015 , 70, 379-381	2.4	2
54	Global network for women's and children's health research: a system for low-resource areas to determine probable causes of stillbirth, neonatal, and maternal death. <i>Maternal Health, Neonatology and Perinatology</i> , 2015 , 1, 11	3.4	22
53	Influence of athletic training on hematological parameters in runners: A cross-sectional study. <i>National Journal of Physiology, Pharmacy and Pharmacology</i> , 2015 , 5, 125	2.6	3
52	Risk factors for maternal death and trends in maternal mortality in low- and middle-income countries: a prospective longitudinal cohort analysis. <i>Reproductive Health</i> , 2015 , 12 Suppl 2, S5	3.5	49
51	A color-coded tape for uterine height measurement: a tool to identify preterm pregnancies in low resource settings. <i>PLoS ONE</i> , 2015 , 10, e0117134	3.7	6
50	Oral Clindamycin to prevent Preterm Birth: A Randomized Placebo Controlled Trial in South India. <i>Journal of SAFOG</i> , 2015 , 7, 191-196	0.1	2
49	Evaluation of the effect of structured exercise therapy on neurophysiological and cognitive functions of young adults with type 2 diabetes mellitus: Study protocol. <i>Journal of the Scientific Society</i> , 2015 , 42, 216	0.2	
48	Development of children at risk for adverse outcomes participating in early intervention in developing countries: a randomized controlled trial. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014 , 55, 1251-9	7.9	38
47	Estimates of possible severe bacterial infection in neonates in sub-Saharan Africa, south Asia, and Latin America for 2012: a systematic review and meta-analysis. <i>Lancet Infectious Diseases, The</i> , 2014 , 14, 731-741	25.5	165
46	Implementation and evaluation of the Helping Babies Breathe curriculum in three resource limited settings: does Helping Babies Breathe save lives? A study protocol. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 116	3.2	39

45	Developmental trajectories of children with birth asphyxia through 36 months of age in low/low-middle income countries. <i>Early Human Development</i> , 2014 , 90, 343-8	2.2	9
44	A prospective study of maternal, fetal and neonatal deaths in low- and middle-income countries. <i>Bulletin of the World Health Organization</i> , 2014 , 92, 605-12	8.2	113
43	Perinatal outcomes of multiple-gestation pregnancies in Kenya, Zambia, Pakistan, India, Guatemala, and Argentina: a global network study. <i>American Journal of Perinatology</i> , 2014 , 31, 125-32	3.3	12
42	Preconception maternal nutrition: a multi-site randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 111	3.2	52
41	Dose of early intervention treatment during children's first 36 months of life is associated with developmental outcomes: an observational cohort study in three low/low-middle income countries. <i>BMC Pediatrics</i> , 2014 , 14, 281	2.6	20
40	A combined community- and facility-based approach to improve pregnancy outcomes in low-resource settings: a Global Network cluster randomized trial. <i>BMC Medicine</i> , 2013 , 11, 215	11.4	38
39	A multi-country study of the "intrapartum stillbirth and early neonatal death indicator" in hospitals in low-resource settings. <i>International Journal of Gynecology and Obstetrics</i> , 2013 , 122, 230-3	4	22
38	Randomized trial of early developmental intervention on outcomes in children after birth asphyxia in developing countries. <i>Journal of Pediatrics</i> , 2013 , 162, 705-712.e3	3.6	33
37	Assessment of obstetric and neonatal health services in developing country health facilities. American Journal of Perinatology, 2013 , 30, 787-94	3.3	37
36	Stillbirth and newborn mortality in India after helping babies breathe training. <i>Pediatrics</i> , 2013 , 131, e3	34 4. <u>\$</u> 2	150
36 35	Stillbirth and newborn mortality in India after helping babies breathe training. <i>Pediatrics</i> , 2013 , 131, e3 Neurodevelopmental outcomes in infants requiring resuscitation in developing countries. <i>Journal of Pediatrics</i> , 2012 , 160, 781-5.e1	3.6	150 20
	Neurodevelopmental outcomes in infants requiring resuscitation in developing countries. <i>Journal</i>	<i>,</i> ,	
35	Neurodevelopmental outcomes in infants requiring resuscitation in developing countries. <i>Journal of Pediatrics</i> , 2012 , 160, 781-5.e1 Active management of the third stage of labour with and without controlled cord traction: a	3.6	20
35	Neurodevelopmental outcomes in infants requiring resuscitation in developing countries. <i>Journal of Pediatrics</i> , 2012 , 160, 781-5.e1 Active management of the third stage of labour with and without controlled cord traction: a randomised, controlled, non-inferiority trial. <i>Lancet, The</i> , 2012 , 379, 1721-7 ENC training reduces perinatal mortality in Karnataka, India. <i>Journal of Maternal-Fetal and Neonatal</i>	3.6	20
35 34 33	Neurodevelopmental outcomes in infants requiring resuscitation in developing countries. <i>Journal of Pediatrics</i> , 2012 , 160, 781-5.e1 Active management of the third stage of labour with and without controlled cord traction: a randomised, controlled, non-inferiority trial. <i>Lancet, The</i> , 2012 , 379, 1721-7 ENC training reduces perinatal mortality in Karnataka, India. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 568-74 Provider insights on barriers and opportunities for birth spacing utilization in Karnataka, India.	3.6	20 100 27
35 34 33 32	Neurodevelopmental outcomes in infants requiring resuscitation in developing countries. <i>Journal of Pediatrics</i> , 2012 , 160, 781-5.e1 Active management of the third stage of labour with and without controlled cord traction: a randomised, controlled, non-inferiority trial. <i>Lancet, The</i> , 2012 , 379, 1721-7 ENC training reduces perinatal mortality in Karnataka, India. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 568-74 Provider insights on barriers and opportunities for birth spacing utilization in Karnataka, India. <i>Health Care for Women International</i> , 2012 , 33, 1035-45 Prevention of postpartum haemorrhage with sublingual misoprostol or oxytocin: a double-blind randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012 ,	3.6 40 2	20 100 27 3
35 34 33 32 31	Neurodevelopmental outcomes in infants requiring resuscitation in developing countries. <i>Journal of Pediatrics</i> , 2012 , 160, 781-5.e1 Active management of the third stage of labour with and without controlled cord traction: a randomised, controlled, non-inferiority trial. <i>Lancet, The</i> , 2012 , 379, 1721-7 ENC training reduces perinatal mortality in Karnataka, India. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 568-74 Provider insights on barriers and opportunities for birth spacing utilization in Karnataka, India. <i>Health Care for Women International</i> , 2012 , 33, 1035-45 Prevention of postpartum haemorrhage with sublingual misoprostol or oxytocin: a double-blind randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012 , 119, 975-82; discussion 982-6 The Maternal and Newborn Health Registry Study of the Global Network for Women's and	3.6 40 2 1.5	20 100 27 3 25

(2007-2012)

27	Consanguinity, prematurity, birth weight and pregnancy loss: a prospective cohort study at four primary health center areas of Karnataka, India. <i>Journal of Perinatology</i> , 2012 , 32, 431-7	3.1	20
26	Neonatal death in low- to middle-income countries: a global network study. <i>American Journal of Perinatology</i> , 2012 , 29, 649-56	3.3	42
25	Association of overnutritional status with anxiety in medical students. <i>National Journal of Physiology, Pharmacy and Pharmacology</i> , 2012 , 2, 123	2.6	2
24	Anthropometric Profile and Special Judo Fitness levels of Indian Judo Players. <i>Asian Journal of Sports Medicine</i> , 2012 , 3, 113-8	1.4	20
23	Epidemiology of stillbirth in low-middle income countries: a Global Network Study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2011 , 90, 1379-85	3.8	62
22	Pregnant women and children's exposure to tobacco and solid fuel smoke in southwestern India. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011 , 24, 973-7	2	2
21	Effects of duration of diabetes on behavioural and cognitive parameters in streptozotocin-induced juvenile diabetic rats. <i>The Malaysian Journal of Medical Sciences</i> , 2011 , 18, 26-31	1.3	14
20	High mortality rates for very low birth weight infants in developing countries despite training. <i>Pediatrics</i> , 2010 , 126, e1072-80	7.4	38
19	Newborn-care training and perinatal mortality in developing countries. <i>New England Journal of Medicine</i> , 2010 , 362, 614-23	59.2	289
18	Exposure of pregnant women to indoor air pollution: a study from nine low and middle income countries. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2010 , 89, 540-548	3.8	22
17	Communities, birth attendants and health facilities: a continuum of emergency maternal and newborn care (the Global Network's EmONC trial). <i>BMC Pregnancy and Childbirth</i> , 2010 , 10, 82	3.2	35
16	Brain research to ameliorate impaired neurodevelopmenthome-based intervention trial (BRAIN-HIT). <i>BMC Pediatrics</i> , 2010 , 10, 27	2.6	25
15	Side effects of oral misoprostol for the prevention of postpartum hemorrhage: results of a community-based randomised controlled trial in rural India. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 24-8	2	21
14	Active management of the third stage of labour without controlled cord traction: a randomized non-inferiority controlled trial. <i>Reproductive Health</i> , 2009 , 6, 2	3.5	18
13	Factors associated with acute postpartum hemorrhage in low-risk women delivering in rural India. <i>International Journal of Gynecology and Obstetrics</i> , 2008 , 101, 94-9	4	21
12	Variation in the postpartum hemorrhage rate in a clinical trial of oral misoprostol. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 559-64	2	12
11	Tobacco use and secondhand smoke exposure during pregnancy: an investigative survey of women in 9 developing nations. <i>American Journal of Public Health</i> , 2008 , 98, 1833-40	5.1	98
10	The global network: a prospective study of stillbirths in developing countries. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 247.e1-5	6.4	65

9	Oral misoprostol in preventing postpartum haemorrhage in resource-poor communities: a randomised controlled trial. <i>Lancet, The</i> , 2006 , 368, 1248-53	40	230
8	Ethical issues in conducting international research studies. <i>International Journal of Gynecology and Obstetrics</i> , 2006 , 94 Suppl 2, S129-S130	4	1
7	Estimating the effect of unplanned interventions in the randomized misoprostol trial: A mixed model analysis. <i>International Journal of Gynecology and Obstetrics</i> , 2006 , 94 Suppl 2, S136	4	
6	The efficacy of oral misoprostol in preventing postpartum hemorrhage in a community setting: A randomized double-blind placebo-controlled trial. <i>International Journal of Gynecology and Obstetrics</i> , 2006 , 94 Suppl 2, S141-S142	4	8
5	Drape estimation vs. visual assessment for estimating postpartum hemorrhage. <i>International Journal of Gynecology and Obstetrics</i> , 2006 , 93, 220-4	4	168
4	Corrigendum to Drape estimation vs. visual assessment for estimating postpartum hemorrhage [International Journal of Gynecology & Obstetrics 93 (2006) 220 [24]. International Journal of Gynecology and Obstetrics, 2006, 95, 312-312	4	1
3	Conducting international collaborative research in developing nations. <i>International Journal of Gynecology and Obstetrics</i> , 2004 , 87, 267-71	4	14
2	Initiating a novel therapy in preventing postpartum hemorrhage in rural India: a joint collaboration between the United States and India. <i>International Journal of Fertility and Women Medicine</i> , 2004 , 49, 91-6		9
1	Equitable data sharing: challenges and suggestions for ways forward. Wellcome Open Research,4, 172	4.8	5