

Anders Stockmarr

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6549800/publications.pdf>

Version: 2024-02-01

61
papers

1,531
citations

331670

21
h-index

330143

37
g-index

63
all docs

63
docs citations

63
times ranked

2581
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Social disparities in the prevalence of multimorbidity – A register-based population study. BMC Public Health, 2017, 17, 422. | 2.9 | 123 |
| 2 | The Gut Microbiotassay: a high-throughput qPCR approach combinable with next generation sequencing to study gut microbial diversity. BMC Genomics, 2013, 14, 788. | 2.8 | 105 |
| 3 | Multimorbidity, healthcare utilization and socioeconomic status: A register-based study in Denmark. PLoS ONE, 2019, 14, e0214183. | 2.5 | 94 |
| 4 | Optimal combinations of acute phase proteins for detecting infectious disease in pigs. Veterinary Research, 2011, 42, 50. | 3.0 | 82 |
| 5 | Characterization of the bacterial gut microbiota of piglets suffering from new neonatal porcine diarrhoea. BMC Veterinary Research, 2015, 11, 139. | 1.9 | 72 |
| 6 | Prevalence and trends in overweight and obesity among children and adolescents in Denmark. Scandinavian Journal of Public Health, 2008, 36, 153-160. | 2.3 | 69 |
| 7 | Survival and Transmission of Salmonella enterica Serovar Typhimurium in an Outdoor Organic Pig Farming Environment. Applied and Environmental Microbiology, 2006, 72, 1833-1842. | 3.1 | 68 |
| 8 | Likelihood Ratios for Evaluating DNA Evidence When the Suspect is Found Through a Database Search. Biometrics, 1999, 55, 671-677. | 1.4 | 56 |
| 9 | Analysis of the acute phase responses of Serum Amyloid A, Haptoglobin and Type 1 Interferon in cattle experimentally infected with foot-and-mouth disease virus serotype O. Veterinary Research, 2011, 42, 66. | 3.0 | 52 |
| 10 | Significant decrease in yield under future climate conditions: Stability and production of 138 spring barley accessions. European Journal of Agronomy, 2015, 63, 105-113. | 4.1 | 43 |
| 11 | Spatial and temporal variation in the abundance of Culicoides biting midges (Diptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 342 | 2.5 | 43 |
| 12 | Correlations between fatigue and disease duration, disease activity, and pain in patients with rheumatoid arthritis: a systematic review. Scandinavian Journal of Rheumatology, 2016, 45, 255-261. | 1.1 | 42 |
| 13 | Intake of dairy products and associations with major atherosclerotic cardiovascular diseases: a systematic review and meta-analysis of cohort studies. Scientific Reports, 2021, 11, 1303. | 3.3 | 40 |
| 14 | Comparative, Collaborative, and On-Site Validation of a TaqMan PCR Method as a Tool for Certified Production of Fresh, Campylobacter -Free Chickens. Applied and Environmental Microbiology, 2006, 72, 5463-5468. | 3.1 | 36 |
| 15 | Fluorescence in situ hybridization investigation of potentially pathogenic bacteria involved in neonatal porcine diarrhea. BMC Veterinary Research, 2014, 10, 68. | 1.9 | 35 |
| 16 | Trends in overweight and obesity in Danish children and adolescents: 2000-2008 – exploring changes according to parental education. Scandinavian Journal of Public Health, 2014, 42, 385-392. | 2.3 | 33 |
| 17 | A Synoviocyte Model for Osteoarthritis and Rheumatoid Arthritis: Response to Ibuprofen, Betamethasone, and Ginger Extract – A Cross-Sectional <i>In Vitro</i> Study. Arthritis, 2012, 2012, 1-9. | 2.0 | 29 |
| 18 | The range of attraction for light traps catching Culicoides biting midges (Diptera: Ceratopogonidae). Parasites and Vectors, 2013, 6, 67. | 2.5 | 29 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Quantifying Dispersal of European Culicoides (Diptera: Ceratopogonidae) Vectors between Farms Using a Novel Mark-Release-Recapture Technique. PLoS ONE, 2013, 8, e61269. | 2.5 | 29 |
| 20 | Persistence of Low-Pathogenic Avian Influenza H5N7 and H7N1 Subtypes in House Flies (Diptera: Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 | 1.8 | 26 |
| 21 | Concurrent elevation of CO ₂ , O ₃ and temperature severely affects oil quality and quantity in rapeseed. Journal of Experimental Botany, 2016, 67, 4117-4125. | 4.8 | 26 |
| 22 | Danish children born to parents with lower levels of education are more likely to become overweight. Acta Paediatrica, International Journal of Paediatrics, 2014, 103, 1083-1088. | 1.5 | 22 |
| 23 | How a 10-day heatwave impacts barley grain yield when superimposed onto future levels of temperature and CO ₂ as single and combined factors. Agriculture, Ecosystems and Environment, 2018, 259, 45-52. | 5.3 | 22 |
| 24 | Persistence of low-pathogenic H5N7 and H7N1 avian influenza subtypes in filtered natural waters. Veterinary Microbiology, 2013, 166, 419-428. | 1.9 | 21 |
| 25 | The distribution of particles in the plane dispersed by a simple 3-dimensional diffusion process. Journal of Mathematical Biology, 2002, 45, 461-469. | 1.9 | 20 |
| 26 | Monthly variation in the probability of presence of adult Culicoides populations in nine European countries and the implications for targeted surveillance. Parasites and Vectors, 2018, 11, 608. | 2.5 | 20 |
| 27 | Spatial abundance and clustering of Culicoides (Diptera: Ceratopogonidae) on a local scale. Parasites and Vectors, 2013, 6, 43. | 2.5 | 19 |
| 28 | Modelling the monthly abundance of Culicoides biting midges in nine European countries using Random Forests machine learning. Parasites and Vectors, 2020, 13, 194. | 2.5 | 17 |
| 29 | Grain protein concentration and harvestable protein under future climate conditions. A study of 108 spring barley accessions. Journal of Experimental Botany, 2016, 67, 2151-2158. | 4.8 | 16 |
| 30 | Cell-Mediated and Humoral Immune Responses after Immunization of Calves with a Recombinant Multiantigenic Mycobacterium avium subsp. paratuberculosis Subunit Vaccine at Different Ages. Vaccine Journal, 2013, 20, 551-558. | 3.1 | 15 |
| 31 | Fitting a distribution to microbial counts: Making sense of zeroes. International Journal of Food Microbiology, 2015, 196, 40-50. | 4.7 | 15 |
| 32 | Effect of tulathromycin on the carrier status of <i>Actinobacillus pleuropneumoniae</i> serotype 2 in the tonsils of pigs. Veterinary Record, 2008, 163, 445-447. | 0.3 | 14 |
| 33 | Modulation of Cytokine mRNA Expression in Pharyngeal Epithelial Samples obtained from Cattle Infected with Foot-and-Mouth Disease Virus. Journal of Comparative Pathology, 2012, 146, 243-252. | 0.4 | 14 |
| 34 | Infectious risk factors for individual postweaning multisystemic wasting syndrome (PMWS) development in pigs from affected farms in Spain and Denmark. Research in Veterinary Science, 2012, 93, 1231-1240. | 1.9 | 13 |
| 35 | A Comparison between Two Simulation Models for Spread of Foot-and-Mouth Disease. PLoS ONE, 2014, 9, e92521. | 2.5 | 13 |
| 36 | Factors influencing observed and self-reported functional ability in women with chronic widespread pain: A cross-sectional study. Journal of Rehabilitation Medicine, 2014, 46, 1014-1021. | 1.1 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | The Relationship between Mechanical Hyperalgesia Assessed by Manual Tender Point Examination and Disease Severity in Patients with Chronic Widespread Pain: A Cross-Sectional Study. <i>International Journal of Rheumatology</i> , 2014, 2014, 1-13. | 1.6 | 12 |
| 38 | Quantitative assessment of the risk of introduction of bovine viral diarrhoea virus in Danish dairy herds. <i>Preventive Veterinary Medicine</i> , 2014, 116, 75-88. | 1.9 | 12 |
| 39 | Stochastic simulation modeling to determine time to detect Bovine Viral Diarrhoea antibodies in bulk tank milk. <i>Preventive Veterinary Medicine</i> , 2014, 117, 149-159. | 1.9 | 11 |
| 40 | Obesity Prevention in the Nordic Countries. <i>Current Obesity Reports</i> , 2016, 5, 156-165. | 8.4 | 11 |
| 41 | Intake of Unprocessed and Processed Meat and the Association with Cardiovascular Disease: An Overview of Systematic Reviews. <i>Nutrients</i> , 2021, 13, 3303. | 4.1 | 10 |
| 42 | Challenges for bovine viral diarrhoea virus antibody detection in bulk milk by antibody enzyme-linked immunosorbent assays due to changes in milk production levels. <i>Acta Veterinaria Scandinavica</i> , 2015, 57, 32. | 1.6 | 9 |
| 43 | Dispersal Distances for Airborne Spores Based on Deposition Rates and Stochastic Modeling. <i>Phytopathology</i> , 2007, 97, 1325-1330. | 2.2 | 8 |
| 44 | Evaluation of temporal surveillance system sensitivity and freedom from bovine viral diarrhoea in Danish dairy herds using scenario tree modelling. <i>BMC Veterinary Research</i> , 2016, 12, 118. | 1.9 | 8 |
| 45 | Dynamic changes in antibody levels as an early warning of <i>Salmonella</i> Dublin in bovine dairy herds. <i>Journal of Dairy Science</i> , 2013, 96, 7558-7564. | 3.4 | 7 |
| 46 | Spatio-temporal optimization of sampling for bluetongue vectors (<i>Culicoides</i>) near grazing livestock. <i>Parasites and Vectors</i> , 2013, 6, 151. | 2.5 | 6 |
| 47 | Probabilistic approach for assessing cancer risk due to benzo[a]pyrene in barbecued meat: Informing advice for population groups. <i>PLoS ONE</i> , 2018, 13, e0207032. | 2.5 | 6 |
| 48 | SeaGrassDetect: A Novel Method for the Detection of Seagrass from Unlabelled Underwater Videos. <i>Ecological Informatics</i> , 2020, 57, 101083. | 5.2 | 6 |
| 49 | Semi-supervised covariate shift modelling of spectroscopic data. <i>Journal of Chemometrics</i> , 2020, 34, e3204. | 1.3 | 6 |
| 50 | Effects of Lifestyle on Muscle Strength in a Healthy Danish Population. <i>Journal of Lifestyle Medicine</i> , 2018, 8, 16-22. | 0.8 | 6 |
| 51 | Submerged aquatic vegetation: Overview of monitoring techniques used for the identification and determination of spatial distribution in European coastal waters. <i>Integrated Environmental Assessment and Management</i> , 2022, 18, 892-908. | 2.9 | 6 |
| 52 | GWAS of Barley Phenotypes Established Under Future Climate Conditions of Elevated Temperature, CO ₂ , O ₃ and Elevated Temperature and CO ₂ Combined. <i>Procedia Environmental Sciences</i> , 2015, 29, 164-165. | 1.4 | 5 |
| 53 | A Rollercoaster to Model Touch Interactions during Turbulence. <i>Advances in Human-Computer Interaction</i> , 2018, 2018, 1-16. | 2.8 | 2 |
| 54 | Gap-Filling of NDVI Satellite Data Using Tucker Decomposition: Exploiting Spatio-Temporal Patterns. <i>Remote Sensing</i> , 2021, 13, 4007. | 4.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Age-dependent windows for cohort culling in BSE herds. Preventive Veterinary Medicine, 2009, 92, 79-88. | 1.9 | 1 |
| 56 | Effects of health related farm-level factors on skin size and quality in commercial mink (Neovison) Tj ETQq0 0 0 rgBTJ Overlock 10 Tf 50 | 1.9 | 1 |
| 57 | Patients' assessment of care for type 2 diabetes: Results of the Patient Assessment of Chronic Illness Care scale in a Danish population. BMC Health Services Research, 2021, 21, 1069. | 2.2 | 1 |
| 58 | Association between land cover and <i>Culicoides</i> (Diptera: Ceratopogonidae) breeding sites on four Danish cattle farms. Entomologica Fennica, 2009, 20, . | 0.6 | 1 |
| 59 | Listen Carefully protocol: an exploratory case-control study of the association between listening effort and cognitive function. BMJ Open, 2022, 12, e051109. | 1.9 | 1 |
| 60 | Likelihood ratios for evaluating DNA matches obtained from a database search when there is substructure in the population. Statistics in Medicine, 2019, 38, 5010-5020. | 1.6 | 0 |
| 61 | Principles, application areas and an example of risk assessment conducted at the Danish Institute for Food and Veterinary Research. Berliner Und Munchener Tierarztliche Wochenschrift, 2004, 117, 177-81. | 0.7 | 0 |