

Juha P Vyrynen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6550788/juha-p-vayrynen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61
papers

1,375
citations

20
h-index

36
g-index

73
ext. papers

1,852
ext. citations

6.3
avg, IF

4.48
L-index

#	Paper	IF	Citations
61	Coffee Intake of Colorectal Cancer Patients and Prognosis According to Histopathologic Lymphocytic Reaction and T-Cell Infiltrates.. <i>Mayo Clinic Proceedings</i> , 2022 , 97, 124-133	6.4	1
60	Desmoplastic Reaction, Immune Cell Response, and Prognosis in Colorectal Cancer.. <i>Frontiers in Immunology</i> , 2022 , 13, 840198	8.4	0
59	Monocarboxylate Transporters 1 and 4 and Prognosis in Small Bowel Neuroendocrine Tumors. <i>Cancers</i> , 2022 , 14, 2552	6.6	1
58	Immune cell profiles of metastatic HER2-positive breast cancer patients according to the sites of metastasis. <i>Breast Cancer Research and Treatment</i> , 2021 , 1	4.4	0
57	Immune Contexture of MMR-Proficient Primary Colorectal Cancer and Matched Liver and Lung Metastases. <i>Cancers</i> , 2021 , 13,	6.6	3
56	Prognostic significance of myeloid immune cells and their spatial distribution in the colorectal cancer microenvironment 2021 , 9,		2
55	Tumor Long Interspersed Nucleotide Element-1 (LINE-1) Hypomethylation in Relation to Age of Colorectal Cancer Diagnosis and Prognosis. <i>Cancers</i> , 2021 , 13,	6.6	6
54	CD3, CD8, CD4 and FOXP3 T Cells in the Immune Microenvironment of Small Bowel Neuroendocrine Tumors. <i>Diseases (Basel, Switzerland)</i> , 2021 , 9,	4.4	1
53	Stromal hyaluronan accumulation is associated with low immune response and poor prognosis in pancreatic cancer. <i>Scientific Reports</i> , 2021 , 11, 12216	4.9	5
52	Smoking and Incidence of Colorectal Cancer Subclassified by Tumor-Associated Macrophage Infiltrates. <i>Journal of the National Cancer Institute</i> , 2021 ,	9.7	2
51	The Prognostic Role of Macrophage Polarization in the Colorectal Cancer Microenvironment. <i>Cancer Immunology Research</i> , 2021 , 9, 8-19	12.5	27
50	Composition, Spatial Characteristics, and Prognostic Significance of Myeloid Cell Infiltration in Pancreatic Cancer. <i>Clinical Cancer Research</i> , 2021 , 27, 1069-1081	12.9	20
49	Association of mutation and PTEN loss with expression of CD274 (PD-L1) in colorectal carcinoma. <i>Oncology</i> , 2021 , 10, 1956173	7.2	2
48	Immune cell score, PD-L1 expression and prognosis in esophageal cancer. <i>Acta Oncologica</i> , 2021 , 60, 544-548	3.2	
47	Association of with Specific T-cell Subsets in the Colorectal Carcinoma Microenvironment. <i>Clinical Cancer Research</i> , 2021 , 27, 2816-2826	12.9	12
46	Immune cell profiles in the tumor microenvironment of early-onset, intermediate-onset, and later-onset colorectal cancer. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 1	7.4	2
45	Immune Cell Infiltrate and Prognosis in Gastric Cancer. <i>Cancers</i> , 2020 , 12,	6.6	3

44	An integrated analysis of lymphocytic reaction, tumour molecular characteristics and patient survival in colorectal cancer. <i>British Journal of Cancer</i> , 2020 , 122, 1367-1377	8.7	18
43	Putative anoikis-resistant subpopulations in colorectal carcinoma: a marker of adverse prognosis. <i>Apmis</i> , 2020 , 128, 390-400	3.4	2
42	Prognostic Significance of Immune Cell Populations Identified by Machine Learning in Colorectal Cancer Using Routine Hematoxylin and Eosin-Stained Sections. <i>Clinical Cancer Research</i> , 2020 , 26, 4326-4338	13.9	13
41	Association of autophagy status with amount of Fusobacterium nucleatum in colorectal cancer. <i>Journal of Pathology</i> , 2020 , 250, 397-408	9.4	16
40	Tumour budding, poorly differentiated clusters, and T-cell response in colorectal cancer. <i>EBioMedicine</i> , 2020 , 57, 102860	8.8	19
39	Systemic inflammation is associated with circulating cell death released keratin 18 fragments in colorectal cancer. <i>Oncotarget</i> , 2020 , 9, 1783046	7.2	6
38	Coffee Intake and Colorectal Cancer Incidence According to T-Cell Response. <i>JNCI Cancer Spectrum</i> , 2020 , 4, pkaa068	4.6	1
37	Smoking Status at Diagnosis and Colorectal Cancer Prognosis According to Tumor Lymphocytic Reaction. <i>JNCI Cancer Spectrum</i> , 2020 , 4, pkaa040	4.6	3
36	Immunophenotype based on inflammatory cells, PD-1/PD-L1 signalling pathway and M2 macrophages predicts survival in gastric cancer. <i>British Journal of Cancer</i> , 2020 , 123, 1625-1632	8.7	3
35	Metabolic Profiling of Formalin-Fixed Paraffin-Embedded Tissues Discriminates Normal Colon from Colorectal Cancer. <i>Molecular Cancer Research</i> , 2020 , 18, 883-890	6.6	16
34	Platelet count, aspirin use, and characteristics of host inflammatory responses in colorectal cancer. <i>Journal of Translational Medicine</i> , 2019 , 17, 199	8.5	11
33	Serum TLR2 and TLR4 levels in colorectal cancer and their association with systemic inflammatory markers, tumor characteristics, and disease outcome. <i>Apmis</i> , 2019 , 127, 561-569	3.4	9
32	Immune cell score in pancreatic cancer-comparison of hotspot and whole-section techniques. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019 , 474, 691-699	5.1	13
31	Serum enterolactone concentrations are low in colon but not in rectal cancer patients. <i>Scientific Reports</i> , 2019 , 9, 11209	4.9	1
30	Prognostic and predictive role of tumour-associated macrophages in HER2 positive breast cancer. <i>Scientific Reports</i> , 2019 , 9, 10961	4.9	34
29	Systemic inflammation in colorectal cancer: Underlying factors, effects, and prognostic significance. <i>World Journal of Gastroenterology</i> , 2019 , 25, 4383-4404	5.6	75
28	Alterations in serum amino-acid profile in the progression of colorectal cancer: associations with systemic inflammation, tumour stage and patient survival. <i>British Journal of Cancer</i> , 2019 , 120, 238-246	8.7	27
27	Preoperative anemia in colorectal cancer: relationships with tumor characteristics, systemic inflammation, and survival. <i>Scientific Reports</i> , 2018 , 8, 1126	4.9	53

26	High-serum MMP-8 levels are associated with decreased survival and systemic inflammation in colorectal cancer. <i>British Journal of Cancer</i> , 2018 , 119, 213-219	8.7	27
25	Significant Role of Collagen XVII And Integrin β in Migration and Invasion of The Less Aggressive Squamous Cell Carcinoma Cells. <i>Scientific Reports</i> , 2017 , 7, 45057	4.9	22
24	Clinical Efficiency of Topical Calcipotriol/Betamethasone Treatment in Psoriasis Relies on Suppression of the Inflammatory TNF α IL-23 - IL-17 Axis. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 449-455	2.2	10
23	Immunoscore in mismatch repair-proficient and -deficient colon cancer. <i>Journal of Pathology: Clinical Research</i> , 2017 , 3, 203-213	5.3	43
22	Decreased serum apolipoprotein A1 levels are associated with poor survival and systemic inflammatory response in colorectal cancer. <i>Scientific Reports</i> , 2017 , 7, 5374	4.9	50
21	Prognostic and predictive role of spatially positioned tumour infiltrating lymphocytes in metastatic HER2 positive breast cancer treated with trastuzumab. <i>Scientific Reports</i> , 2017 , 7, 18027	4.9	11
20	HIF-1 α expression and high microvessel density are characteristic features in serrated colorectal cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016 , 469, 395-404	5.1	9
19	Decreased preoperative serum 25-Hydroxyvitamin D levels in colorectal cancer are associated with systemic inflammation and serrated morphology. <i>Scientific Reports</i> , 2016 , 6, 36519	4.9	14
18	Clinical impact and network of determinants of tumour necrosis in colorectal cancer. <i>British Journal of Cancer</i> , 2016 , 114, 1334-42	8.7	40
17	Isotretinoin treatment reduces acne lesions but not directly lesional acne inflammation. <i>Experimental Dermatology</i> , 2016 , 25, 477-8	4	16
16	Expression of Glucocorticoid Receptors GR α and GR β in Bullous Pemphigoid. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 922-926	2.2	4
15	Gremlin1 expression associates with serrated pathway and favourable prognosis in colorectal cancer. <i>Histopathology</i> , 2016 , 69, 831-838	7.3	12
14	The relationships between serum cytokine levels and tumor infiltrating immune cells and their clinical significance in colorectal cancer. <i>International Journal of Cancer</i> , 2016 , 139, 112-21	7.5	39
13	Ectopic crypt foci in conventional and serrated colorectal polyps. <i>Journal of Clinical Pathology</i> , 2016 , 69, 1063-1069	3.9	6
12	Glucocorticoid receptors GR α and GR β are expressed in inflammatory dermatoses. <i>European Journal of Dermatology</i> , 2016 , 26, 21-7	0.8	5
11	Collagen XVII expression correlates with the invasion and metastasis of colorectal cancer. <i>Human Pathology</i> , 2015 , 46, 434-42	3.7	34
10	Annexin A10 is a marker for the serrated pathway of colorectal carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015 , 466, 5-12	5.1	25
9	VE1 immunohistochemistry accurately detects BRAF V600E mutations in colorectal carcinoma and can be utilized in the detection of poorly differentiated colorectal serrated adenocarcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014 , 464, 637-43	5.1	18

8	Characteristics and significance of colorectal cancer associated lymphoid reaction. <i>International Journal of Cancer</i> , 2014 , 134, 2126-35	7.5	75
7	IL-17/Th17 pathway is activated in acne lesions. <i>PLoS ONE</i> , 2014 , 9, e105238	3.7	82
6	Serum endostatin levels are elevated in colorectal cancer and correlate with invasion and systemic inflammatory markers. <i>British Journal of Cancer</i> , 2014 , 111, 1605-13	8.7	38
5	Detailed analysis of inflammatory cell infiltration in colorectal cancer. <i>British Journal of Cancer</i> , 2013 , 109, 1839-47	8.7	98
4	Reply: Comment on Xstage-dependent alterations of the serum cytokine pattern in colorectal carcinomaX <i>British Journal of Cancer</i> , 2013 , 108, 1917-8	8.7	7
3	Serum MMP-8 levels increase in colorectal cancer and correlate with disease course and inflammatory properties of primary tumors. <i>International Journal of Cancer</i> , 2012 , 131, E463-74	7.5	46
2	An improved image analysis method for cell counting lends credibility to the prognostic significance of T cells in colorectal cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012 , 460, 455-65	5.1	70
1	Stage-dependent alterations of the serum cytokine pattern in colorectal carcinoma. <i>British Journal of Cancer</i> , 2012 , 107, 1729-36	8.7	162