

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6550811/xu-shen-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|-------------------|-------------------------|----------------|-----------------|
| 50 papers | 787 citations | 15 h-index | 26 g-index |
| 56 ext. papers | 1,035 ext. citations | 6.5 avg, IF | 3.65 L-index |

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 50 | Arctigenin effectively ameliorates memory impairment in Alzheimer's disease model mice targeting both β -amyloid production and clearance. <i>Journal of Neuroscience</i> , 2013 , 33, 13138-49 | 6.6 | 150 |
| 49 | Crystal structures of 7-methylguanosine 5'-triphosphate (m7GTP)- and P1-7-methylguanosine-P3-adenosine-5',5'-triphosphate (m7GpppA)-bound human full-length eukaryotic initiation factor 4E: biological importance of the C-terminal flexible region. <i>Biochemical Journal</i> , 2002 , 362, 539-544 | 3.8 | 90 |
| 48 | Discovery and optimization of 1,3,4-trisubstituted-pyrazolone derivatives as novel, potent, and nonsteroidal farnesoid X receptor (FXR) selective antagonists. <i>Journal of Medicinal Chemistry</i> , 2012 , 55, 7037-53 | 8.3 | 50 |
| 47 | 2,2',4,4'-Tetrahydroxychalcone from <i>Glycyrrhiza glabra</i> as a new specific BACE1 inhibitor efficiently ameliorates memory impairment in mice. <i>Journal of Neurochemistry</i> , 2010 , 114, 374-85 | 6 | 43 |
| 46 | Structural Basis for Small Molecule NDB (N-Benzyl-N-(3-(tert-butyl)-4-hydroxyphenyl)-2,6-dichloro-4-(dimethylamino) Benzamide) as a Selective Antagonist of Farnesoid X Receptor (FXR) in Stabilizing the Homodimerization of the Receptor. <i>Journal of Medicinal Chemistry</i> , 2015 , 58, 10000-00 | 5.4 | 34 |
| 45 | Danshen extract 15,16-dihydrotanshinone I functions as a potential modulator against metabolic syndrome through multi-target pathways. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2010 , 120, 155-63 | 5.1 | 31 |
| 44 | Arctigenin efficiently enhanced sedentary mice treadmill endurance. <i>PLoS ONE</i> , 2011 , 6, e24224 | 3.7 | 28 |
| 43 | LX2343 alleviates cognitive impairments in AD model rats by inhibiting oxidative stress-induced neuronal apoptosis and tauopathy. <i>Acta Pharmacologica Sinica</i> , 2017 , 38, 1104-1119 | 8 | 22 |
| 42 | Protopanaxadiol derivative DDPU improves behavior and cognitive deficit in AD mice involving regulation of both ER stress and autophagy. <i>Neuropharmacology</i> , 2018 , 130, 77-91 | 5.5 | 22 |
| 41 | Structural and thermodynamic behavior of eukaryotic initiation factor 4E in supramolecular formation with 4E-binding protein 1 and mRNA cap analogue, studied by spectroscopic methods. <i>Chemical and Pharmaceutical Bulletin</i> , 2001 , 49, 1299-303 | 1.9 | 21 |
| 40 | Discovery and structure-activity relationships study of thieno[2,3-b]pyridine analogues as hepatic gluconeogenesis inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2018 , 152, 307-317 | 6.8 | 20 |
| 39 | Nitazoxanide, an anti-parasitic drug, efficiently ameliorates learning and memory impairments in AD model mice. <i>Acta Pharmacologica Sinica</i> , 2019 , 40, 1279-1291 | 8 | 18 |
| 38 | TGF- β /p65/MAT2A pathway regulates liver fibrogenesis via intracellular SAM. <i>EBioMedicine</i> , 2019 , 42, 458-469 | 8.8 | 18 |
| 37 | Identification of 15d-PGJ2 as an antagonist of farnesoid X receptor: molecular modeling with biological evaluation. <i>Steroids</i> , 2013 , 78, 813-22 | 2.8 | 16 |
| 36 | Discovery and SAR study of hydroxyacetophenone derivatives as potent, non-steroidal farnesoid X receptor (FXR) antagonists. <i>Bioorganic and Medicinal Chemistry</i> , 2014 , 22, 1596-607 | 3.4 | 15 |
| 35 | BBT improves glucose homeostasis by ameliorating β -cell dysfunction in type 2 diabetic mice. <i>Journal of Endocrinology</i> , 2015 , 224, 327-41 | 4.7 | 13 |
| 34 | Free-Radical-Promoted Dehydrogenative Coupling of Polyfluorinated Alcohol with Quinone, Chromone, and Coumarin. <i>Organic Letters</i> , 2020 , 22, 4844-4847 | 6.2 | 13 |

| | | | |
|----|---|------|----|
| 33 | HS218 as an FXR antagonist suppresses gluconeogenesis by inhibiting FXR binding to PGC-1 α promoter. <i>Metabolism: Clinical and Experimental</i> , 2018 , 85, 126-138 | 12.7 | 12 |
| 32 | Allosteric inhibitor remotely modulates the conformation of the orthosteric pockets in mutant IDH2/R140Q. <i>Scientific Reports</i> , 2017 , 7, 16458 | 4.9 | 12 |
| 31 | Activating transcription factor 6 protects insulin receptor from ER stress-stimulated desensitization via p42/44 ERK pathway. <i>Acta Pharmacologica Sinica</i> , 2011 , 32, 1138-47 | 8 | 12 |
| 30 | Design, synthesis and biological evaluation of vincamine derivatives as potential pancreatic β -cells protective agents for the treatment of type 2 diabetes mellitus. <i>European Journal of Medicinal Chemistry</i> , 2020 , 188, 111976 | 6.8 | 12 |
| 29 | Brucine alleviates neuropathic pain in mice via reducing the current of the sodium channel. <i>Journal of Ethnopharmacology</i> , 2019 , 233, 56-63 | 5 | 11 |
| 28 | Adolescent cocaine exposure enhances the GABAergic transmission in the prelimbic cortex of adult mice. <i>FASEB Journal</i> , 2019 , 33, 8614-8622 | 0.9 | 9 |
| 27 | Latanoprost effectively ameliorates glucose and lipid disorders in db/db and ob/ob mice. <i>Diabetologia</i> , 2013 , 56, 2702-12 | 10.3 | 9 |
| 26 | Synergistic photothermal cancer immunotherapy by Cas9 ribonucleoprotein-based copper sulfide nanotherapeutic platform targeting PTPN2. <i>Biomaterials</i> , 2021 , 279, 121233 | 15.6 | 9 |
| 25 | DMT efficiently inhibits hepatic gluconeogenesis by regulating the G α_q signaling pathway. <i>Journal of Molecular Endocrinology</i> , 2017 , 59, 151-169 | 4.5 | 8 |
| 24 | Vector Analysis of Cytoskeletal Structural Tension and the Mechanisms that Underpin Spectrin-Related Forces in Pyroptosis. <i>Antioxidants and Redox Signaling</i> , 2019 , 30, 1503-1520 | 8.4 | 8 |
| 23 | Discovery of nitazoxanide-based derivatives as autophagy activators for the treatment of Alzheimer's disease. <i>Acta Pharmaceutica Sinica B</i> , 2020 , 10, 646-666 | 15.5 | 8 |
| 22 | Antiallergic drug desloratadine as a selective antagonist of 5HT receptor ameliorates pathology of Alzheimer's disease model mice by improving microglial dysfunction. <i>Aging Cell</i> , 2021 , 20, e13286 | 9.9 | 7 |
| 21 | Small molecule IVQ, as a prodrug of gluconeogenesis inhibitor QVO, efficiently ameliorates glucose homeostasis in type 2 diabetic mice. <i>Acta Pharmacologica Sinica</i> , 2019 , 40, 1193-1204 | 8 | 6 |
| 20 | Discovery and SAR study of 3-(tert-butyl)-4-hydroxyphenyl benzoate and benzamide derivatives as novel farnesoid X receptor (FXR) antagonists. <i>Bioorganic and Medicinal Chemistry</i> , 2015 , 23, 6427-36 | 3.4 | 6 |
| 19 | Pharmacokinetic study of precisely representative antidepressant, prokinetic, anti-inflammatory and anti-oxidative compounds from Fructus aurantii and Magnolia Bark. <i>Chemico-Biological Interactions</i> , 2020 , 315, 108851 | 5 | 6 |
| 18 | Genome-wide analysis reveals molecular convergence underlying domestication in 7 bird and mammals. <i>BMC Genomics</i> , 2020 , 21, 204 | 4.5 | 5 |
| 17 | Design, synthesis and biological evaluation of LX2343 derivatives as neuroprotective agents for the treatment of Alzheimer's disease. <i>European Journal of Medicinal Chemistry</i> , 2018 , 145, 622-633 | 6.8 | 5 |
| 16 | Protein Nanoparticle-Related Osmotic Pressure Modifies Nonselective Permeability of the Blood-Brain Barrier by Increasing Membrane Fluidity. <i>International Journal of Nanomedicine</i> , 2021 , 16, 1663-1680 | 7.3 | 5 |

| | | | |
|----|---|------|---|
| 15 | DW14006 as a direct AMPK α activator improves pathology of AD model mice by regulating microglial phagocytosis and neuroinflammation. <i>Brain, Behavior, and Immunity</i> , 2020 , 90, 55-69 | 16.6 | 4 |
| 14 | Simultaneous quantification of nine components in the plasma of depressed rats after oral administration of Chaihu-Shugan-San by ultra-performance liquid chromatography/quadrupole-time-of-flight mass spectrometry and its application to pharmacokinetic studies. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 186, 113310 | 3.5 | 4 |
| 13 | SP6616 as a Kv2.1 inhibitor efficiently ameliorates peripheral neuropathy in diabetic mice. <i>EBioMedicine</i> , 2020 , 61, 103061 | 8.8 | 3 |
| 12 | Mebhydrolin ameliorates glucose homeostasis in type 2 diabetic mice by functioning as a selective FXR antagonist. <i>Metabolism: Clinical and Experimental</i> , 2021 , 119, 154771 | 12.7 | 3 |
| 11 | Meranzin hydrate elicits antidepressant effects and restores reward circuitry. <i>Behavioural Brain Research</i> , 2021 , 398, 112898 | 3.4 | 3 |
| 10 | DW14006 as a Direct AMPK α Activator Ameliorates Diabetic Peripheral Neuropathy in Mice. <i>Diabetes</i> , 2020 , 69, 1974-1988 | 0.9 | 2 |
| 9 | TSPA as a novel ATF6 α translocation inducer efficiently ameliorates insulin sensitivity restoration and glucose homeostasis in db/db mice. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 499, 948-953 | 3.4 | 2 |
| 8 | Antispasmodic Drug Drofenine as an Inhibitor of Kv2.1 Channel Ameliorates Peripheral Neuropathy in Diabetic Mice. <i>IScience</i> , 2020 , 23, 101617 | 6.1 | 2 |
| 7 | Aryl Hydrocarbon Receptor Deficiency in Intestinal Epithelial Cells Aggravates Alcohol-Related Liver Disease. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021 , 13, 233-256 | 7.9 | 2 |
| 6 | NRXN1 β s associated with increased excitability in ASD iPSC-derived neurons. <i>BMC Neuroscience</i> , 2021 , 22, 56 | 3.2 | 2 |
| 5 | Dichotomy of platinum(II) and gold(III) carbene intermediates switching from N- to O-selectivity.. <i>Nature Communications</i> , 2022 , 13, 1672 | 17.4 | 2 |
| 4 | Ophiopogonin B alleviates cisplatin resistance of lung cancer cells by inducing Caspase-1/GSDMD dependent pyroptosis.. <i>Journal of Cancer</i> , 2022 , 13, 715-727 | 4.5 | 1 |
| 3 | FX5 as a non-steroidal GR antagonist improved glucose homeostasis in type 2 diabetic mice via GR/HNF4 α /miR-122-5p pathway. <i>Aging</i> , 2020 , 13, 2436-2458 | 5.6 | 1 |
| 2 | Synergistic Network Pharmacology for Traditional Chinese Medicine Liangxue Tongyu Formula in Acute Intracerebral Hemorrhagic Stroke. <i>Neural Plasticity</i> , 2021 , 2021, 8874296 | 3.3 | 1 |
| 1 | Ipriflavone as a non-steroidal glucocorticoid receptor antagonist ameliorates diabetic cognitive impairment in mice.. <i>Aging Cell</i> , 2022 , e13572 | 9.9 | 1 |