

# Franz Bauer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6552473/publications.pdf>

Version: 2024-02-01

341  
papers

26,650  
citations

6592

79  
h-index

7931

149  
g-index

343  
all docs

343  
docs citations

343  
times ranked

10048  
citing authors

#	ARTICLE	IF	CITATIONS
1	THE <i>NUCLEAR SPECTROSCOPIC TELESCOPE ARRAY</i> (<i>NuSTAR</i>) HIGH-ENERGY X-RAY MISSION. <i>Astrophysical Journal</i> , 2013, 770, 103.	1.6	1,627
2	The Great Observatories Origins Deep Survey: Initial Results from Optical and Near-Infrared Imaging. <i>Astrophysical Journal</i> , 2004, 600, L93-L98.	1.6	1,351
3	Multiwavelength Study of Massive Galaxies at <i>z</i> $\hat{=}$ 1/2. I. Star Formation and Galaxy Growth. <i>Astrophysical Journal</i> , 2007, 670, 156-172.	1.6	1,276
4	The Chandra Deep Field North Survey. XIII. 2 Ms Point-Source Catalogs. <i>Astronomical Journal</i> , 2003, 126, 539-574.	1.9	664
5	A kilonova as the electromagnetic counterpart to a gravitational-wave source. <i>Nature</i> , 2017, 551, 75-79.	13.7	601
6	THE CHANDRA DEEP FIELD-SOUTH SURVEY: 4 Ms SOURCE CATALOGS. <i>Astrophysical Journal</i> , Supplement Series, 2011, 195, 10.	3.0	488
7	The X-ray Spectral Properties of SCUBA Galaxies. <i>Astrophysical Journal</i> , 2005, 632, 736-750.	1.6	354
8	THE CHANDRA DEEP FIELD-SOUTH SURVEY: 7 MS SOURCE CATALOGS. <i>Astrophysical Journal</i> , Supplement Series, 2017, 228, 2.	3.0	337
9	BAT AGN Spectroscopic Survey. V. X-Ray Properties of the <i>Swift</i> /BAT 70-month AGN Catalog. <i>Astrophysical Journal</i> , Supplement Series, 2017, 233, 17.	3.0	318
10	The Chandra Deep Field North Survey. V. 1 M[CLC]s/[CLC] Source Catalogs. <i>Astronomical Journal</i> , 2001, 122, 2810-2832.	1.9	314
11	BlackCAT: A catalogue of stellar-mass black holes in X-ray transients. <i>Astronomy and Astrophysics</i> , 2016, 587, A61.	2.1	293
12	Multiwavelength Study of Massive Galaxies at <i>z</i> $\hat{=}$ 1/4. II. Widespread Compton-thick Active Galactic Nuclei and the Concurrent Growth of Black Holes and Bulges. <i>Astrophysical Journal</i> , 2007, 670, 173-189.	1.6	289
13	Optical and Infrared Properties of the 2 Ms Chandra Deep Field North X-Ray Sources. <i>Astronomical Journal</i> , 2003, 126, 632-665.	1.9	283
14	Spitzer Observations of Massive, Red Galaxies at High Redshift. <i>Astrophysical Journal</i> , 2006, 640, 92-113.	1.6	279
15	A <i>CHANDRA</i> PERSPECTIVE ON GALAXY-WIDE X-RAY BINARY EMISSION AND ITS CORRELATION WITH STAR FORMATION RATE AND STELLAR MASS: NEW RESULTS FROM LUMINOUS INFRARED GALAXIES. <i>Astrophysical Journal</i> , 2010, 724, 559-571.	1.6	268
16	The onset of star formation 250 million years after the Big Bang. <i>Nature</i> , 2018, 557, 392-395.	13.7	261
17	The <i>Chandra</i> Deep Field "South Survey: 2 Ms Source Catalogs. <i>Astrophysical Journal</i> , Supplement Series, 2008, 179, 19-36.	3.0	250
18	The Fall of Active Galactic Nuclei and the Rise of Star-forming Galaxies: A Close Look at the Chandra Deep Field X-Ray Number Counts. <i>Astronomical Journal</i> , 2004, 128, 2048-2065.	1.9	245

#	ARTICLE	IF	CITATIONS
19	The Extended Chandra Deep Fieldâ€œSouth Survey: Chandra Pointâ€œSource Catalogs. <i>Astrophysical Journal, Supplement Series</i> , 2005, 161, 21-40.	3.0	244
20	ALMA SPECTROSCOPIC SURVEY IN THE HUBBLE ULTRA DEEP FIELD: THE INFRARED EXCESS OF UV-SELECTED $z \approx 10$ GALAXIES AS A FUNCTION OF UV-CONTINUUM SLOPE AND STELLAR MASS. <i>Astrophysical Journal</i> , 2016, 833, 72.	1.6	243
21	PESSTO: survey description and products from the first data release by the Public ESO Spectroscopic Survey of Transient Objects. <i>Astronomy and Astrophysics</i> , 2015, 579, A40.	2.1	239
22	Dust in the Reionization Era: ALMA Observations of a $z \approx 8.38$ Gravitationally Lensed Galaxy. <i>Astrophysical Journal Letters</i> , 2017, 837, L21.	3.0	239
23	COMPTON-THICK ACCRETION IN THE LOCAL UNIVERSE. <i>Astrophysical Journal Letters</i> , 2015, 815, L13.	3.0	235
24	INNOVATIONS IN THE ANALYSIS OF CHANDRA-ACIS OBSERVATIONS. <i>Astrophysical Journal</i> , 2010, 714, 1582-1605.	1.6	234
25	The close environments of accreting massive black holes are shaped by radiative feedback. <i>Nature</i> , 2017, 549, 488-491.	13.7	230
26	GOODS-Herschel: the far-infrared view of star formation in active galactic nucleus host galaxies since $z \approx 3$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 419, 95-115.	1.6	226
27	Infrared Power Law Galaxies in the Chandra Deep Fieldâ€œSouth: Active Galactic Nuclei and Ultraluminous Infrared Galaxies. <i>Astrophysical Journal</i> , 2006, 640, 167-184.	1.6	204
28	Rapid growth of black holes in massive star-forming galaxies. <i>Nature</i> , 2005, 434, 738-740.	13.7	192
29	AGN Host Galaxies at $z \approx 0.4-1.3$ : Bulge-dominated and Lacking Merger-AGN Connection. <i>Astrophysical Journal</i> , 2005, 627, L97-L100.	1.6	183
30	Enhanced star formation rates in AGN hosts with respect to inactive galaxies from PEP-Herschel observations. <i>Astronomy and Astrophysics</i> , 2012, 540, A109.	2.1	183
31	COLOR-MAGNITUDE RELATIONS OF ACTIVE AND NON-ACTIVE GALAXIES IN THE CHANDRA DEEP FIELDS: HIGH-REDSHIFT CONSTRAINTS AND STELLAR-MASS SELECTION EFFECTS. <i>Astrophysical Journal</i> , 2010, 720, 368-391.	1.6	180
32	The unresolved hard X-ray background: the missing source population implied by the Chandra and XMM-Newton deep fields. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 357, 1281-1287.	1.6	176
33	Spectroscopy of superluminous supernova host galaxies. A preference of hydrogen-poor events for extreme emission line galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 449, 917-932.	1.6	174
34	THE 4 Ms CHANDRA DEEP FIELD-SOUTH NUMBER COUNTS APPORTIONED BY SOURCE CLASS: PERVASIVE ACTIVE GALACTIC NUCLEI AND THE ASCENT OF NORMAL GALAXIES. <i>Astrophysical Journal</i> , 2012, 752, 46.	1.6	173
35	ALMA SPECTROSCOPIC SURVEY IN THE HUBBLE ULTRA DEEP FIELD: SURVEY DESCRIPTION. <i>Astrophysical Journal</i> , 2016, 833, 67.	1.6	172
36	Energetic galaxy-wide outflows in high-redshift ultraluminous infrared galaxies hosting AGN activity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 426, 1073-1096.	1.6	171

#	ARTICLE	IF	CITATIONS
37	The Chandra [ITAL]CHANDRA[/ITAL] [ITAL]Chandra[/ITAL] Deep Field North Survey. VI. The Nature of the Optically Faint X-Ray Source Population. <i>Astronomical Journal</i> , 2001, 122, 2156-2176.	1.9	169
38	WEIGHING THE BLACK HOLES IN $z \sim 2$ SUBMILLIMETER-EMITTING GALAXIES HOSTING ACTIVE GALACTIC NUCLEI. <i>Astronomical Journal</i> , 2008, 135, 1968-1981.	1.9	161
39	THE EVOLUTION OF NORMAL GALAXY X-RAY EMISSION THROUGH COSMIC HISTORY: CONSTRAINTS FROM THE 6 MS CHANDRA DEEP FIELD-SOUTH. <i>Astrophysical Journal</i> , 2016, 825, 7.	1.6	160
40	The Chandra Deep Field North Survey. XIV. X-Ray "Detected Obscured AGN [CLC]s[/CLC] and Starburst Galaxies in the Bright Submillimeter Source Population. <i>Astronomical Journal</i> , 2003, 125, 383-397.	1.9	156
41	On the diversity of superluminous supernovae: ejected mass as the dominant factor. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 452, 3869-3893.	1.6	154
42	Star formation in AGN hosts in GOODS-N. <i>Astronomy and Astrophysics</i> , 2010, 518, L26.	2.1	149
43	The Population of B $z$ K -selected ULIRGs at $z \sim 2$ . <i>Astrophysical Journal</i> , 2005, 631, L13-L16.	1.6	148
44	A CATALOG OF X-RAY POINT SOURCES FROM TWO MEGASECONDS OF <i>CHANDRA</i> OBSERVATIONS OF THE GALACTIC CENTER. <i>Astrophysical Journal</i> , Supplement Series, 2009, 181, 110-128.	3.0	147
45	The Evolution of AGN Host Galaxies: From Blue to Red and the Influence of Large-scale Structures. <i>Astrophysical Journal</i> , 2008, 675, 1025-1040.	1.6	136
46	Obscured Active Galactic Nuclei and the X-ray, Optical, and Far-infrared Number Counts of Active Galactic Nuclei in the GOODS Fields. <i>Astrophysical Journal</i> , 2004, 616, 123-135.	1.6	135
47	IDENTIFICATIONS AND PHOTOMETRIC REDSHIFTS OF THE 2 Ms CHANDRA DEEP FIELD-SOUTH SOURCES. <i>Astrophysical Journal</i> , Supplement Series, 2010, 187, 560-580.	3.0	133
48	DEEP SILICATE ABSORPTION FEATURES IN COMPTON-THICK ACTIVE GALACTIC NUCLEI PREDOMINANTLY ARISE DUE TO DUST IN THE HOST GALAXY. <i>Astrophysical Journal</i> , 2012, 755, 5.	1.6	127
49	THE EXTENDED <i>CHANDRA</i> DEEP FIELD-SOUTH SURVEY: OPTICAL SPECTROSCOPY OF FAINT X-RAY SOURCES WITH THE VLT AND KECK. <i>Astrophysical Journal</i> , Supplement Series, 2010, 191, 124-142.	3.0	123
50	THE 2 Ms CHANDRA DEEP FIELD-NORTH SURVEY AND THE 250 Ks EXTENDED CHANDRA DEEP FIELD-SOUTH SURVEY: IMPROVED POINT-SOURCE CATALOGS. <i>Astrophysical Journal</i> , Supplement Series, 2016, 224, 15.	3.0	123
51	Cosmic evolution and metal aversion in superluminous supernova host galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 1258-1285.	1.6	120
52	The <i>XMM</i> Deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2011, 526, L9.	2.1	119
53	Growing supermassive black holes in the late stages of galaxy mergers are heavily obscured. <i>Monthly Notices of the Royal Astronomical Society</i> , 0, , stx173.	1.6	118
54	<i>NuSTAR</i> SPECTROSCOPY OF MULTI-COMPONENT X-RAY REFLECTION FROM NGC 1068. <i>Astrophysical Journal</i> , 2015, 812, 116.	1.6	117

#	ARTICLE	IF	CITATIONS
55	Reliable Identification of Compton-thick Quasars at $z \approx 2$ : Spitzer Infrared Spectroscopy of HDF49. <i>Astrophysical Journal</i> , 2008, 687, 835-847.	1.6	116
56	THE ALMA SPECTROSCOPIC SURVEY IN THE HUBBLE ULTRA DEEP FIELD: CONTINUUM NUMBER COUNTS, RESOLVED 1.2 mm EXTRAGALACTIC BACKGROUND, AND PROPERTIES OF THE FAINTEST DUSTY STAR-FORMING GALAXIES. <i>Astrophysical Journal</i> , 2016, 833, 68.	1.6	115
57	A density cusp of quiescent X-ray binaries in the central parsec of the Galaxy. <i>Nature</i> , 2018, 556, 70-73.	13.7	115
58	A GEOMETRICALLY SUPPORTED $z \approx 1/4$ 10 CANDIDATE MULTIPLY IMAGED BY THE HUBBLE FRONTIER FIELDS CLUSTER A2744. <i>Astrophysical Journal Letters</i> , 2014, 793, L12.	3.0	114
59	The ALMA Spectroscopic Survey in the HUDF: CO Luminosity Functions and the Molecular Gas Content of Galaxies through Cosmic History. <i>Astrophysical Journal</i> , 2019, 882, 138.	1.6	114
60	SN2009ip in the PESSTO: no evidence for core collapse yet... <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 433, 1312-1337.	1.6	110
61	GOODS-Herschel: radio-excess signature of hidden AGN activity in distant star-forming galaxies. <i>Astronomy and Astrophysics</i> , 2013, 549, A59.	2.1	110
62	THE 2-79 keV X-RAY SPECTRUM OF THE CIRCINUS GALAXY WITH NuSTAR, XMM-Newton, AND CHANDRA: A FULLY COMPTON-THICK ACTIVE GALACTIC NUCLEUS. <i>Astrophysical Journal</i> , 2014, 791, 81.	1.6	109
63	THE CHANDRA DEEP PROTOCLUSTER SURVEY: Ly $\alpha$ BLOBS ARE POWERED BY HEATING, NOT COOLING. <i>Astrophysical Journal</i> , 2009, 700, 1-9.	1.6	108
64	The KMOS AGN Survey at High redshift (KASH): the prevalence and drivers of ionized outflows in the host galaxies of X-ray AGN. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 456, 1195-1220.	1.6	105
65	The Chandra Deep Field North Survey. XII. The Link between Faint X-Ray and Radio Source Populations. <i>Astronomical Journal</i> , 2002, 124, 2351-2363.	1.9	103
66	A NEW POPULATION OF COMPTON-THICK AGNs IDENTIFIED USING THE SPECTRAL CURVATURE ABOVE 10 keV. <i>Astrophysical Journal</i> , 2016, 825, 85.	1.6	101
67	The prevalence of cooling cores in clusters of galaxies at $z \approx 0.15-0.4$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 359, 1481-1490.	1.6	98
68	ALMA SPECTROSCOPIC SURVEY IN THE HUBBLE ULTRA DEEP FIELD: CO LUMINOSITY FUNCTIONS AND THE EVOLUTION OF THE COSMIC DENSITY OF MOLECULAR GAS. <i>Astrophysical Journal</i> , 2016, 833, 69.	1.6	97
69	NUCLEAR ACTIVITY IS MORE PREVALENT IN STAR-FORMING GALAXIES. <i>Astrophysical Journal</i> , 2013, 771, 63.	1.6	96
70	NuSTAR AND XMM-NEWTON OBSERVATIONS OF LUMINOUS, HEAVILY OBSCURED, WISE-SELECTED QUASARS AT $z \approx 2$ . <i>Astrophysical Journal</i> , 2014, 794, 102.	1.6	93
71	SUPERMASSIVE BLACK HOLE GROWTH IN STARBURST GALAXIES OVER COSMIC TIME: CONSTRAINTS FROM THE DEEPEST CHANDRA FIELDS. <i>Astrophysical Journal</i> , 2011, 742, 3.	1.6	90
72	THE NuSTAR VIEW OF NEARBY COMPTON-THICK ACTIVE GALACTIC NUCLEI: THE CASES OF NGC 424, NGC 1320, AND IC 2560. <i>Astrophysical Journal</i> , 2014, 794, 111.	1.6	90

#	ARTICLE	IF	CITATIONS
73	THE ALMA SPECTROSCOPIC SURVEY IN THE HUBBLE ULTRA DEEP FIELD: MOLECULAR GAS RESERVOIRS IN HIGH-REDSHIFT GALAXIES. <i>Astrophysical Journal</i> , 2016, 833, 70.	1.6	89
74	Very High Redshift X-Ray-selected Active Galactic Nuclei in the Chandra Deep Field-North. <i>Astrophysical Journal</i> , 2003, 584, L61-L64.	1.6	89
75	GRB 120422A/SN 2012bz: Bridging the gap between low- and high-luminosity gamma-ray bursts. <i>Astronomy and Astrophysics</i> , 2014, 566, A102.	2.1	87
76	THE CHANDRA DEEP PROTOCLUSTER SURVEY: EVIDENCE FOR AN ENHANCEMENT OF AGN ACTIVITY IN THE SSA22 PROTOCLUSTER AT $z = 3.09$ . <i>Astrophysical Journal</i> , 2009, 691, 687-695.	1.6	86
77	NuSTAR catches the unveiling nucleus of NGC 1068. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 456, L94-L98.	1.2	85
78	RBSC/VSS Sample. I. Radio and Optical Identifications of a Complete Sample of 1556 Bright X-Ray Sources. <i>Astrophysical Journal, Supplement Series</i> , 2000, 129, 547-562.	3.0	85
79	THE ALMA SPECTROSCOPIC SURVEY IN THE HUBBLE ULTRA DEEP FIELD: SEARCH FOR [ ] LINE AND DUST EMISSION IN $z > 8$ GALAXIES. <i>Astrophysical Journal</i> , 2016, 833, 71.	1.6	83
80	The Chandra Deep Field North Survey. XV. Optically Bright, X-Ray-Faint Sources. <i>Astronomical Journal</i> , 2003, 126, 575-595.	1.9	82
81	Rapidly growing black holes and host galaxies in the distant Universe from the Herschel Radio Galaxy Evolution Project. <i>Astronomy and Astrophysics</i> , 2014, 566, A53.	2.1	82
82	NuSTAR REVEALS AN INTRINSICALLY X-RAY WEAK BROAD ABSORPTION LINE QUASAR IN THE ULTRALUMINOUS INFRARED GALAXY MARKARIAN 231. <i>Astrophysical Journal</i> , 2014, 785, 19.	1.6	80
83	WEAK HARD X-RAY EMISSION FROM BROAD ABSORPTION LINE QUASARS: EVIDENCE FOR INTRINSIC X-RAY WEAKNESS. <i>Astrophysical Journal</i> , 2014, 794, 70.	1.6	79
84	A magnetar-powered X-ray transient as the aftermath of a binary neutron-star merger. <i>Nature</i> , 2019, 568, 198-201.	13.7	79
85	A Chandra Catalog of X-Ray Sources in the Central 150 pc of the Galaxy. <i>Astrophysical Journal, Supplement Series</i> , 2006, 165, 173-187.	3.0	78
86	BAT AGN Spectroscopic Survey - XII. The relation between coronal properties of active galactic nuclei and the Eddington ratio. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 480, 1819-1830.	1.6	78
87	The Automatic Learning for the Rapid Classification of Events (ALeRCE) Alert Broker. <i>Astronomical Journal</i> , 2021, 161, 242.	1.9	76
88	Spitzer Number Counts of Active Galactic Nuclei in the GOODS Fields. <i>Astrophysical Journal</i> , 2006, 640, 603-611.	1.6	74
89	THE NuSTAR EXTRAGALACTIC SURVEY: A FIRST SENSITIVE LOOK AT THE HIGH-ENERGY COSMIC X-RAY BACKGROUND POPULATION. <i>Astrophysical Journal</i> , 2013, 773, 125.	1.6	73
90	Black Hole Growth Is Mainly Linked to Host-galaxy Stellar Mass Rather Than Star Formation Rate. <i>Astrophysical Journal</i> , 2017, 842, 72.	1.6	73

#	ARTICLE	IF	CITATIONS
91	The [ITAL]Chandra[/ITAL] Deep Fieldâ€œNorth Survey. VII. X-Ray Emission from Lyman Break Galaxies. <i>Astrophysical Journal</i> , 2001, 558, L5-L9.	1.6	73
92	The Evolution of the Baryons Associated with Galaxies Averaged over Cosmic Time and Space. <i>Astrophysical Journal</i> , 2020, 902, 111.	1.6	73
93	BAT AGN Spectroscopic Survey. XI. The Covering Factor of Dust and Gas in Swift/BAT Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2019, 870, 31.	1.6	72
94	Tracing the Massâ€œDependent Star Formation History of Lateâ€œType Galaxies Using Xâ€œRay Emission: Results from the Chandra Deep Fields. <i>Astrophysical Journal</i> , 2008, 681, 1163-1182.	1.6	71
95	STORM IN A â€œTEACUPâ€œ A RADIO-QUIET QUASAR WITH â‰ˆ10 kpc RADIO-EMITTING BUBBLES AND EXTREME GAS KINEMATICS. <i>Astrophysical Journal</i> , 2015, 800, 45.	1.6	71
96	An atlas of MUSE observations towards twelve massive lensing clusters. <i>Astronomy and Astrophysics</i> , 2021, 646, A83.	2.1	71
97	The X-ray properties of <i>z</i> > 6 quasars: no evident evolution of accretion physics in the first Gyr of the Universe. <i>Astronomy and Astrophysics</i> , 2019, 630, A118.	2.1	71
98	Observational constraints on the optical and near-infrared emission from the neutron starâ€œblack hole binary merger candidate S190814bv. <i>Astronomy and Astrophysics</i> , 2020, 643, A113.	2.1	70
99	IC 751: A NEW CHANGING LOOK AGN DISCOVERED BY<i>NUSTAR</i>. <i>Astrophysical Journal</i> , 2016, 820, 5.	1.6	69
100	The Chandra Deep Fieldâ€œNorth Survey. XI. X-Ray Emission from Luminous Infrared Starburst Galaxies. <i>Astrophysical Journal</i> , 2002, 568, L85-L88.	1.6	67
101	NuSTAR UNVEILS A COMPTON-THICK TYPE 2 QUASAR IN Mrk 34. <i>Astrophysical Journal</i> , 2014, 792, 117.	1.6	66
102	THE VARIABLE HARD X-RAY EMISSION OF NGC 4945 AS OBSERVED BY<i>NUSTAR</i>. <i>Astrophysical Journal</i> , 2014, 793, 26.	1.6	66
103	Mid-infrared luminous quasars in the GOODSâ€œ<i>Herschel</i> fields: a large population of heavily obscured, Compton-thick quasars at<i>z</i>â‰ˆ2. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 456, 2105-2125.	1.6	65
104	An early and comprehensive millimetre and centimetre wave and X-ray study of SN 2011dh: a non-equipartition blast wave expanding into a massive stellar wind. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 436, 1258-1267.	1.6	64
105	The deepest X-ray view of high-redshift galaxies: constraints on low-rate black hole accretion. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 463, 348-374.	1.6	64
106	A Possible New Population of Sources with Extreme X-Ray/Optical Ratios. <i>Astrophysical Journal</i> , 2004, 600, L123-L126.	1.6	63
107	A<i>NuSTAR</i> SURVEY OF NEARBY ULTRALUMINOUS INFRARED GALAXIES. <i>Astrophysical Journal</i> , 2015, 814, 56.	1.6	63
108	DETERMINING THE COVERING FACTOR OF COMPTON-THICK ACTIVE GALACTIC NUCLEI WITH<i>NuSTAR</i>. <i>Astrophysical Journal</i> , 2015, 805, 41.	1.6	63

#	ARTICLE	IF	CITATIONS
109	THE NuSTAR EXTRAGALACTIC SURVEYS: THE NUMBER COUNTS OF ACTIVE GALACTIC NUCLEI AND THE RESOLVED FRACTION OF THE COSMIC X-RAY BACKGROUND. <i>Astrophysical Journal</i> , 2016, 831, 185.	1.6	63
110	Galaxy gas as obscurer â€“ II. Separating the galaxy-scale and nuclear obscurers of active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 465, 4348-4362.	1.6	63
111	<i>NuSTAR</i> REVEALS EXTREME ABSORPTION IN <i>z</i> <i><math>\leq 0.5</math></i> TYPE 2 QUASARS. <i>Astrophysical Journal</i> , 2015, 809, 115.	1.6	62
112	The Atacama Large Millimeter/submillimeter Array Spectroscopic Survey in the Hubble Ultra Deep Field: CO Emission Lines and 3 mm Continuum Sources. <i>Astrophysical Journal</i> , 2019, 882, 139.	1.6	62
113	A [ITAL]CHANDRA[/ITAL] [ITAL]Chandra[/ITAL] Study of the Circinus Galaxy Point-Source Population. <i>Astronomical Journal</i> , 2001, 122, 182-193.	1.9	62
114	YOUNG GALAXY CANDIDATES IN THE HUBBLE FRONTIER FIELDS. I. A2744. <i>Astrophysical Journal</i> , 2014, 795, 93.	1.6	61
115	NuSTAR observations of water megamaser AGN. <i>Astronomy and Astrophysics</i> , 2016, 589, A59.	2.1	61
116	AGN Feedback and Star Formation of Quasar Host Galaxies: Insights from the Molecular Gas. <i>Astrophysical Journal</i> , 2020, 899, 112.	1.6	61
117	Extended hard-X-ray emission in the inner few parsecs of the Galaxy. <i>Nature</i> , 2015, 520, 646-649.	13.7	60
118	The Xâ€Ray Evolution of Earlyâ€Type Galaxies in the Extended Chandra Deep Fieldâ€South. <i>Astrophysical Journal</i> , 2007, 657, 681-699.	1.6	59
119	The XMM-Newton serendipitous survey. <i>Astronomy and Astrophysics</i> , 2007, 469, 27-46.	2.1	59
120	The XMM-SERVS survey: new XMMâ€Newton point-source catalogue for the XMM-LSS field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 478, 2132-2163.	1.6	59
121	The Chandra Deep Field North Survey. X. X-Ray Emission from Very Red Objects. <i>Astronomical Journal</i> , 2002, 123, 1149-1162.	1.9	59
122	The ALMA Spectroscopic Survey in the Hubble Ultra Deep Field: Evolution of the Molecular Gas in CO-selected Galaxies. <i>Astrophysical Journal</i> , 2019, 882, 136.	1.6	59
123	The<i>Chandra</i> Deep Protocluster Survey: point-source catalogues for a 400-ks observation of the <i>z</i> = 3.09 protocluster in SSA22. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 400, 299-316.	1.6	58
124	WEAK HARD X-RAY EMISSION FROM TWO BROAD ABSORPTION LINE QUASARS OBSERVED WITH <i>NuSTAR</i>: COMPTON-THICK ABSORPTION OR INTRINSIC X-RAY WEAKNESS?. <i>Astrophysical Journal</i> , 2013, 772, 153.	1.6	58
125	<i>NuSTAR</i> OBSERVATIONS OF HEAVILY OBSCURED QUASARS AT <i>z</i> <i><math>\sim 0.5</math></i>. <i>Astrophysical Journal</i> , 2014, 785, 17.	1.6	58
126	BROADBAND OBSERVATIONS OF THE COMPTON-THICK NUCLEUS OF NGC 3393. <i>Astrophysical Journal</i> , 2015, 807, 149.	1.6	58



#	ARTICLE	IF	CITATIONS
127	The host galaxies of X-ray selected active galactic nuclei to $z < 2.5$ : Structure, star formation, and their relationships from CANDELS and Herschel/PACS. <i>Astronomy and Astrophysics</i> , 2015, 573, A85.	2.1	58
128	X-Ray Properties of Lyman Break Galaxies in the Great Observatories Origins Deep Survey. <i>Astronomical Journal</i> , 2005, 129, 1-8.	1.9	57
129	The Chandra Deep Field North Survey. IX. Extended X-Ray Sources. <i>Astronomical Journal</i> , 2002, 123, 1163-1178.	1.9	57
130	VARIABILITY-SELECTED LOW-LUMINOSITY ACTIVE GALACTIC NUCLEI IN THE 4 Ms CHANDRA DEEP FIELD-SOUTH. <i>Astrophysical Journal</i> , 2012, 748, 124.	1.6	56
131	NuSTAR OBSERVATIONS OF THE COMPTON-THICK ACTIVE GALACTIC NUCLEUS AND ULTRALUMINOUS X-RAY SOURCE CANDIDATE IN NGC 5643. <i>Astrophysical Journal</i> , 2015, 815, 36.	1.6	56
132	THE NuSTAR EXTRAGALACTIC SURVEYS: OVERVIEW AND CATALOG FROM THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2015, 808, 185.	1.6	56
133	LONG-TERM X-RAY VARIABILITY OF TYPICAL ACTIVE GALACTIC NUCLEI IN THE DISTANT UNIVERSE. <i>Astrophysical Journal</i> , 2016, 831, 145.	1.6	56
134	NuSTAR OBSERVATIONS OF WISE J1036+0449, A GALAXY AT $z \approx 1.4$ OBSCURED BY HOT DUST. <i>Astrophysical Journal</i> , 2017, 835, 105.	1.6	55
135	Supernova 1996cr: SN 1987A's Wild Cousin?. <i>Astrophysical Journal</i> , 2008, 688, 1210-1234.	1.6	54
136	NuSTAR AND SUZAKU X-RAY SPECTROSCOPY OF NGC 4151: EVIDENCE FOR REFLECTION FROM THE INNER ACCRETION DISK. <i>Astrophysical Journal</i> , 2015, 806, 149.	1.6	54
137	The ALMA Frontier Fields Survey. <i>Astronomy and Astrophysics</i> , 2017, 597, A41.	2.1	54
138	X-RAY SPECTRAL CONSTRAINTS FOR $z < 2$ MASSIVE GALAXIES: THE IDENTIFICATION OF REFLECTION-DOMINATED ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2011, 738, 44.	1.6	53
139	YOUNG GALAXY CANDIDATES IN THE HUBBLE FRONTIER FIELDS. III. MACSJ0717.5+3745. <i>Astrophysical Journal</i> , 2016, 820, 98.	1.6	53
140	X-Ray Spectral Analyses of AGNs from the 7Ms Chandra Deep Field-South Survey: The Distribution, Variability, and Evolutions of AGN Obscuration. <i>Astrophysical Journal, Supplement Series</i> , 2017, 232, 8.	3.0	52
141	The absence of $[C\alpha]$ $158\mu m$ emission in spectroscopically confirmed galaxies at $z > 8$ . <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 487, L81-L85.	1.2	52
142	BAT AGN Spectroscopic Survey. XX. Molecular Gas in Nearby Hard-X-Ray-selected AGN Galaxies. <i>Astrophysical Journal, Supplement Series</i> , 2021, 252, 29.	3.0	52
143	SN 2007bg: the complex circumstellar medium around one of the most radio-luminous broad-lined Type Ic supernovae. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 428, 1207-1217.	1.6	51
144	THE NuSTAR EXTRAGALACTIC SURVEY: FIRST DIRECT MEASUREMENTS OF THE $> 10$ keV X-RAY LUMINOSITY FUNCTION FOR ACTIVE GALACTIC NUCLEI AT $z > 0.1$ . <i>Astrophysical Journal</i> , 2015, 815, 66.	1.6	50

#	ARTICLE	IF	CITATIONS
145	Interacting supernovae and supernova impostors. LSQ13zm: an outburst heralds the death of a massive star. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 459, 1039-1059.	1.6	50
146	A Submillimeter Perspective on the GOODS Fields (SUPER GOODS). III. A Large Sample of ALMA Sources in the GOODS-S. <i>Astrophysical Journal</i> , 2018, 865, 106.	1.6	50
147	TRACKING DOWN THE SOURCE POPULATION RESPONSIBLE FOR THE UNRESOLVED COSMIC $6\text{--}8\text{ keV}$ BACKGROUND. <i>Astrophysical Journal</i> , 2012, 758, 129.	1.6	49
148	The NuSTAR Serendipitous Survey: The 40-month Catalog and the Properties of the Distant High-energy X-Ray Source Population. <i>Astrophysical Journal</i> , 2017, 836, 99.	1.6	49
149	ALMA and GMRT Constraints on the Off-axis Gamma-Ray Burst 170817A from the Binary Neutron Star Merger GW170817. <i>Astrophysical Journal Letters</i> , 2017, 850, L21.	3.0	49
150	The Chandra Deep Fieldâ€œNorth Survey. VIII. Xâ€œRay Constraints on Spiral Galaxies from $0.4 <z < 1.5$ . <i>Astrophysical Journal</i> , 2002, 568, 82-87.	1.6	49
151	The ALMA Spectroscopic Survey in the HUDF: Deep 1.2 mm Continuum Number Counts. <i>Astrophysical Journal</i> , 2020, 897, 91.	1.6	49
152	NuSTAR HARD X-RAY SURVEY OF THE GALACTIC CENTER REGION. II. X-RAY POINT SOURCES. <i>Astrophysical Journal</i> , 2016, 825, 132.	1.6	48
153	Alert Classification for the ALerCE Broker System: The Light Curve Classifier. <i>Astronomical Journal</i> , 2021, 161, 141.	1.9	48
154	Chandra Observations of the Three Most Metal Deficient Blue Compact Dwarf Galaxies Known in the Local Universe, SBS 0335âˆ“052, SBS 0335âˆ“052W, and I Zw 18. <i>Astrophysical Journal</i> , 2004, 606, 213-220.	1.6	47
155	Chandra and Hubble Space Telescope Confirmation of the Luminous and Variable X-Ray Source IC 10 X-1 as a Possible Wolf-Rayet, Black Hole Binary. <i>Astrophysical Journal</i> , 2004, 601, L67-L70.	1.6	46
156	THE<i>NuSTAR</i>VIEW OF REFLECTION AND ABSORPTION IN NGC 7582. <i>Astrophysical Journal</i> , 2015, 815, 55.	1.6	46
157	NuSTAR RESOLVES THE FIRST DUAL AGN ABOVE 10 keV IN SWIFT J2028.5+2543. <i>Astrophysical Journal Letters</i> , 2016, 824, L4.	3.0	46
158	SNâ€œ2015bh: NGCâ€œ2770â€™s 4th supernova or a luminous blue variable on its way to a Wolf-Rayet star?. <i>Astronomy and Astrophysics</i> , 2017, 599, A129.	2.1	46
159	A new, faint population of X-ray transients. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 467, 4841-4857.	1.6	46
160	The NuSTAR Serendipitous Survey: Hunting for the Most Extreme Obscured AGN at $>10\text{ keV}$ . <i>Astrophysical Journal</i> , 2017, 846, 20.	1.6	46
161	X-ray spectral and eclipsing model of the clumpy obscurer in active galactic nuclei. <i>Astronomy and Astrophysics</i> , 2019, 629, A16.	2.1	46
162	The Chandra Deep Fieldâ€œNorth Survey. XVII. Evolution of Magnetic Activity in Old Lateâ€œType Stars. <i>Astrophysical Journal</i> , 2004, 611, 1107-1120.	1.6	45

#	ARTICLE	IF	CITATIONS
163	SN 2009ip at late times â€“ an interacting transient at +2Âyears. Monthly Notices of the Royal Astronomical Society, 2015, 453, 3887-3906.	1.6	45
164	The ALMA Spectroscopic Survey in the Hubble Ultra Deep Field: The Nature of the Faintest Dusty Star-forming Galaxies. Astrophysical Journal, 2020, 901, 79.	1.6	45
165	HARD X-RAY MORPHOLOGICAL AND SPECTRAL STUDIES OF THE GALACTIC CENTER MOLECULAR CLOUD SGR B2: CONSTRAINING PAST SGR A<sup>â†</sup> FLARING ACTIVITY. Astrophysical Journal, 2015, 815, 132.	1.6	44
166	SpIES: THE SPITZER IRAC EQUATORIAL SURVEY. Astrophysical Journal, Supplement Series, 2016, 225, 1.	3.0	43
167	CONFIRMATION OF A CORRELATION BETWEEN THE X-RAY LUMINOSITY AND SPECTRAL SLOPE OF ACTIVE GALACTIC NUCLEI IN THE<i>CHANDRA</i>DEEP FIELDS. Astronomical Journal, 2008, 135, 1505-1522.	1.9	42
168	<i>NuSTAR</i>HARD X-RAY SURVEY OF THE GALACTIC CENTER REGION. I. HARD X-RAY MORPHOLOGY AND SPECTROSCOPY OF THE DIFFUSE EMISSION. Astrophysical Journal, 2015, 814, 94.	1.6	42
169	Tracing the accretion history of supermassive black holes through X-ray variability: results from the ChandraDeep Field-South. Monthly Notices of the Royal Astronomical Society, 2017, 471, 4398-4411.	1.6	42
170	The ALMA Spectroscopic Survey in the HUDF: Nature and Physical Properties of Gas-mass Selected Galaxies Using MUSE Spectroscopy. Astrophysical Journal, 2019, 882, 140.	1.6	42
171	Frontier Fields: Combining HST, VLT, and<i>Spitzer</i>data to explore the<i>z</i>- 8 Universe behind the lensing cluster MACSJ0416.1â~2403. Astronomy and Astrophysics, 2015, 575, A92.	2.1	41
172	The ALMA Spectroscopic Survey in the HUDF: The Cosmic Dust and Gas Mass Densities in Galaxies up to zÂ~1/43. Astrophysical Journal, 2020, 892, 66.	1.6	41
173	Xâ€Ray Luminosity Functions of Normal Galaxies in the Great Observatories Origins Deep Survey. Astrophysical Journal, 2007, 667, 826-858.	1.6	40
174	Optimization of the Observing Cadence for the Rubin Observatory Legacy Survey of Space and Time: A Pioneering Process of Community-focused Experimental Design. Astrophysical Journal, Supplement Series, 2022, 258, 1.	3.0	40
175	Hard X-ray emission of the luminous infrared galaxy NGC 6240 as observed by NuSTAR. Astronomy and Astrophysics, 2016, 585, A157.	2.1	39
176	Ultra-deep catalog of X-ray groups in the Extended<i>Chandra</i>Deep Field South. Astronomy and Astrophysics, 2015, 576, A130.	2.1	39
177	Probing 3D Structure with a Large MUSE Mosaic: Extending the Mass Model of Frontier Field Abell 370. Monthly Notices of the Royal Astronomical Society, 0, , .	1.6	38
178	THE LONG-TERM X-RAY VARIABILITY OF BROAD ABSORPTION LINE QUASARS. Astrophysical Journal, 2012, 759, 42.	1.6	37
179	The high-redshift (z > 3) active galactic nucleus population in the 4-Ms Chandra Deep Field-South. Monthly Notices of the Royal Astronomical Society, 2013, 428, 354-369.	1.6	37
180	X-RAY CONSTRAINTS ON THE ACTIVE GALACTIC NUCLEI PROPERTIES IN<i>SPITZER</i>-INFRARED SPECTROGRAPH IDENTIFIED<i>z</i>- 2 ULTRALUMINOUS INFRARED GALAXIES. Astrophysical Journal, 2010, 710, 212-226.	1.6	36

#	ARTICLE	IF	CITATIONS
181	REVEALING A POPULATION OF HEAVILY OBSCURED ACTIVE GALACTIC NUCLEI AT $z \approx 0.5-1$ IN THE CHANDRA DEEP FIELD-SOUTH. <i>Astrophysical Journal</i> , 2011, 740, 37.	1.6	36
182	Reversal or no reversal: the evolution of the star formation rate–density relation up to $z \approx 1.6$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 437, 458-474.	1.6	36
183	THE X-RAY LUMINOSITY FUNCTIONS OF FIELD LOW-MASS X-RAY BINARIES IN EARLY-TYPE GALAXIES: EVIDENCE FOR A STELLAR AGE DEPENDENCE. <i>Astrophysical Journal</i> , 2014, 789, 52.	1.6	36
184	Galaxy gas as obscurer – I. GRBs x-ray galaxies and find an $N_{\text{H}} \propto M_{\text{star}}^{-1}$ relation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 464, 4545-4566.	1.6	36
185	A hard X-ray view of luminous and ultra-luminous infrared galaxies in GOALS – I. AGN obscuration along the merger sequence. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 506, 5935-5950.	1.6	36
186	THE <i>NuSTAR</i> EXTRAGALACTIC SURVEYS: INITIAL RESULTS AND CATALOG FROM THE EXTENDED CHANDRA DEEP FIELD SOUTH. <i>Astrophysical Journal</i> , 2015, 808, 184.	1.6	35
187	Kinematics, turbulence, and star formation of $z \approx 1$ strongly lensed galaxies seen with MUSE. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 477, 18-44.	1.6	34
188	The <i>NuSTAR</i> Extragalactic Surveys: X-Ray Spectroscopic Analysis of the Bright Hard-band Selected Sample. <i>Astrophysical Journal</i> , 2018, 854, 33.	1.6	33
189	An ALMA CO(2–1) Survey of Nearby Palomar Green Quasars. <i>Astrophysical Journal, Supplement Series</i> , 2020, 247, 15.	3.0	33
190	The Clustering of High-redshift ( $2.9 \leq z \leq 5.1$ ) Quasars in SDSS Stripe 82. <i>Astrophysical Journal</i> , 2018, 859, 20.	1.6	32
191	The LSST DESC DC2 Simulated Sky Survey. <i>Astrophysical Journal, Supplement Series</i> , 2021, 253, 31.	3.0	32
192	LAGER Ly $\alpha$ Luminosity Function at $z \approx 7$ : Implications for Reionization. <i>Astrophysical Journal</i> , 2022, 927, 36.	1.6	32
193	BASS. XXII. The BASS DR2 AGN Catalog and Data. <i>Astrophysical Journal, Supplement Series</i> , 2022, 261, 2.	3.0	32
194	The lack of star formation gradients in galaxy groups up to $z \approx 1.6$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 434, 3089-3103.	1.6	31
195	Does black-hole growth depend on the cosmic environment?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 480, 1022-1042.	1.6	31
196	Discovery of the first heavily obscured QSO candidate at $z \approx 6$ in a close galaxy pair. <i>Astronomy and Astrophysics</i> , 2019, 628, L6.	2.1	31
197	BAT AGN spectroscopic survey - XV: the high frequency radio cores of ultra-hard X-ray selected AGN. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 492, 4216-4234.	1.6	31
198	NEAR-INFRARED COUNTERPARTS TO CHANDRA X-RAY SOURCES TOWARD THE GALACTIC CENTER. I. STATISTICS AND A CATALOG OF CANDIDATES. <i>Astrophysical Journal</i> , 2009, 703, 30-41.	1.6	30

#	ARTICLE	IF	CITATIONS
199	YOUNG GALAXY CANDIDATES IN THE HUBBLE FRONTIER FIELDS. II. MACS J0416-2403. <i>Astrophysical Journal</i> , 2015, 815, 18.	1.6	30
200	The Seyfert 2 galaxy NGC 2110: hard X-ray emission observed by NuSTAR and variability of the iron K $\alpha$ line. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 447, 160-167.	1.6	30
201	Faint end of the $z \sim 4$ luminosity function of Lyman-alpha emitters behind lensing clusters observed with MUSE. <i>Astronomy and Astrophysics</i> , 2019, 628, A3.	2.1	30
202	PHOTOMETRIC REDSHIFTS IN THE HAWAII-HUBBLE DEEP FIELD-NORTH (H-HDF-N). <i>Astrophysical Journal, Supplement Series</i> , 2014, 215, 27.	3.0	29
203	NuSTAR J033202+2746.8: DIRECT CONSTRAINTS ON THE COMPTON REFLECTION IN A HEAVILY OBSCURED QUASAR AT $z \sim 2$ . <i>Astrophysical Journal</i> , 2014, 786, 16.	1.6	29
204	Can the unresolved X-ray background be explained by the emission from the optically-detected faint galaxies of the GOODS project?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006, 368, 1735-1741.	1.6	28
205	FIRST HARD X-RAY DETECTION OF THE NON-THERMAL EMISSION AROUND THE ARCHES CLUSTER: MORPHOLOGY AND SPECTRAL STUDIES WITH NuSTAR. <i>Astrophysical Journal</i> , 2014, 781, 107.	1.6	28
206	The NuSTAR X-ray spectrum of the low-luminosity active galactic nucleus in NGC 7213. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 452, 3266-3272.	1.6	28
207	NuSTAR UNVEILS A HEAVILY OBSCURED LOW-LUMINOSITY ACTIVE GALACTIC NUCLEUS IN THE LUMINOUS INFRARED GALAXY NGC 6286. <i>Astrophysical Journal</i> , 2016, 819, 4.	1.6	28
208	Hard X-Ray-selected AGNs in Low-mass Galaxies from the NuSTAR Serendipitous Survey. <i>Astrophysical Journal</i> , 2017, 837, 48.	1.6	28
209	BAT AGN Spectroscopic Survey - XIX. Type 1 versus type 2 AGN dichotomy from the point of view of ionized outflows. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 491, 5867-5880.	1.6	28
210	The Properties and Redshift Evolution of Intermediate-Luminosity Off-Nuclear X-Ray Sources in the Chandra Deep Fields. <i>Astronomical Journal</i> , 2006, 131, 2394-2405.	1.9	27
211	Radiation pressure, absorption and AGN feedback in the Chandra Deep Fields. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 408, 1714-1720.	1.6	27
212	The MUSE view of the host galaxy of GRB 100316D. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 472, 4480-4496.	1.6	27
213	Uncovering the Near-IR Dwarf Galaxy Population of the Coma Cluster with Spitzer/IRAC. <i>Astrophysical Journal</i> , 2007, 666, 846-862.	1.6	26
214	Magellan/MMIRS near-infrared multi-object spectroscopy of nebular emission from star-forming galaxies at $z \sim 3$ . <i>Astronomy and Astrophysics</i> , 2013, 551, A93.	2.1	26
215	NuSTAR reveals the extreme properties of the super-Eddington accreting supermassive black hole in PG 1247+267. <i>Astronomy and Astrophysics</i> , 2016, 590, A77.	2.1	26
216	The weak Fe fluorescence line and long-term X-ray evolution of the Compton-thick active galactic nucleus in NGC 7674. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 467, 4606-4621.	1.6	26

#	ARTICLE	IF	CITATIONS
217	BASS. XXI. The Data Release 2 Overview. <i>Astrophysical Journal, Supplement Series</i> , 2022, 261, 1.	3.0	26
218	Probing the Complex and Variable X-Ray Absorption of Markarian 6 with XMM-Newton. <i>Astronomical Journal</i> , 2003, 126, 153-157.	1.9	25
219	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2015, 583, A141.	2.1	25
220	X-ray and radio emission from the luminous supernova 2005kd. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 462, 1101-1110.	1.6	25
221	Deepest View of AGN X-Ray Variability with the 7 Ms Chandra Deep Field-South Survey. <i>Astrophysical Journal</i> , 2017, 849, 127.	1.6	25
222	SNe 2013K and 2013am: observed and physical properties of two slow, normal Type IIP events. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 475, 1937-1959.	1.6	25
223	ALMA Lensing Cluster Survey: Bright [C ii] 158 $\mu$ m Lines from a Multiply Imaged Sub-L $\nu$ Galaxy at $z = 6.0719$ . <i>Astrophysical Journal</i> , 2021, 911, 99.	1.6	25
224	The Chandra Deep Field "North Survey. XVI. The X-Ray Properties of Moderate-Luminosity Active Galaxies at [CLC][ITAL]z[ITAL][/CLC] ] 4. <i>Astrophysical Journal</i> , 2002, 580, L105-L109.	1.6	25
225	The ALMA Spectroscopic Survey in the HUDF: A Model to Explain Observed 1.1 and 0.85 mm Dust Continuum Number Counts. <i>Astrophysical Journal</i> , 2020, 891, 135.	1.6	25
226	A Chandra observation of the $z = 2.285$ galaxy FSC 10214+4724: evidence for a Compton-thick quasar?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2005, 357, L16-L20.	1.2	24
227	X-Ray Bolometric Corrections for Compton-thick Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2017, 844, 10.	1.6	24
228	A Unified Binary Neutron Star Merger Magnetar Model for the Chandra X-Ray Transients CDF-S XT1 and XT2. <i>Astrophysical Journal</i> , 2019, 886, 129.	1.6	24
229	BASS. XXV. DR2 Broad-line-based Black Hole Mass Estimates and Biases from Obscuration. <i>Astrophysical Journal, Supplement Series</i> , 2022, 261, 5.	3.0	24
230	The ALMA Frontier Fields Survey. <i>Astronomy and Astrophysics</i> , 2017, 604, A132.	2.1	23
231	Lower Mass Black Holes in the Great Observatories Origins Deep Survey? Off-nuclear X-Ray Sources. <i>Astrophysical Journal</i> , 2004, 600, L147-L150.	1.6	22
232	IC 3639 "A NEW BONA FIDE COMPTON-THICK AGN UNVEILED BY NuSTAR. <i>Astrophysical Journal</i> , 2016, 833, 245.	1.6	22
233	The nature of the torus in the heavily obscured AGN Markarian 3: an X-ray study. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 460, 1954-1969.	1.6	22
234	A New Compton-thick AGN in Our Cosmic Backyard: Unveiling the Buried Nucleus in NGC 1448 with NuSTAR. <i>Astrophysical Journal</i> , 2017, 836, 165.	1.6	22

#	ARTICLE	IF	CITATIONS
235	Physically motivated X-ray obscurer models. <i>Astronomy and Astrophysics</i> , 2021, 651, A58.	2.1	22
236	BASS. XXX. Distribution Functions of DR2 Eddington Ratios, Black Hole Masses, and X-Ray Luminosities. <i>Astrophysical Journal, Supplement Series</i> , 2022, 261, 9.	3.0	22
237	HIGH-ENERGY X-RAY DETECTION OF G359.89±0.08 (SGR A±E): MAGNETIC FLUX TUBE EMISSION POWERED BY COSMIC RAYS?. <i>Astrophysical Journal</i> , 2014, 784, 6.	1.6	21
238	Do some AGN lack X-ray emission?. <i>Astronomy and Astrophysics</i> , 2016, 596, A64.	2.1	21
239	Young Galaxy Candidates in the Hubble Frontier Fields. IV. MACS J1149.5+2223. <i>Astrophysical Journal</i> , 2017, 836, 210.	1.6	21
240	The ALMA Frontier Fields Survey. <i>Astronomy and Astrophysics</i> , 2017, 608, A138.	2.1	21
241	First results from GeMS/GSAOI for project SUNBIRD: Supernovae UNmasked By Infra-Red Detection. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 5641-5657.	1.6	21
242	Probing the circumnuclear absorbing medium of the buried AGN in NGC 1068 through <i>NuSTAR</i> observations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 492, 3872-3884.	1.6	21
243	The nature of supernovae 2010O and 2010P in Arp299 ± II. Radio emission. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 440, 1067-1079.	1.6	20
244	The Molecular Gas in the NGC 6240 Merging Galaxy System at the Highest Spatial Resolution. <i>Astrophysical Journal</i> , 2020, 890, 149.	1.6	20
245	BAT AGN Spectroscopic Survey XXVII: scattered X-Ray radiation in obscured active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 504, 428-443.	1.6	20
246	Alert Classification for the ALerCE Broker System: The Real-time Stamp Classifier. <i>Astronomical Journal</i> , 2021, 162, 231.	1.9	20
247	The X-Ray Properties of the Nearby Star-forming Galaxy IC 342: TheXMM-NewtonView. <i>Astronomical Journal</i> , 2003, 126, 2797-2805.	1.9	19
248	ChandraObservations of Red Sloan Digital Sky Survey Quasars. <i>Astronomical Journal</i> , 2006, 132, 1977-1988.	1.9	19
249	THE GEOMETRY OF THE INFRARED AND X-RAY OBSCURER IN A DUSTY HYPERLUMINOUS QUASAR. <i>Astrophysical Journal</i> , 2016, 831, 76.	1.6	19
250	XZ: Deriving redshifts from X-ray spectra of obscured AGN. <i>Astronomy and Astrophysics</i> , 2018, 618, A66.	2.1	19
251	BASS. XXVI. DR2 Host Galaxy Stellar Velocity Dispersions. <i>Astrophysical Journal, Supplement Series</i> , 2022, 261, 6.	3.0	19
252	BASS. XXIV. The BASS DR2 Spectroscopic Line Measurements and AGN Demographics. <i>Astrophysical Journal, Supplement Series</i> , 2022, 261, 4.	3.0	19

#	ARTICLE	IF	CITATIONS
253	THE QUESTâ€“La SILLA AGN VARIABILITY SURVEY. <i>Astrophysical Journal</i> , 2015, 810, 164.	1.6	18
254	An extragalactic spectroscopic survey of the SSA22 field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 450, 2615-2630.	1.6	18
255	The NuSTAR Extragalactic Survey: Average Broadband X-Ray Spectral Properties of the NuSTAR-detected AGNs. <i>Astrophysical Journal</i> , 2017, 849, 57.	1.6	18
256	The ALMA Frontier Fields Survey. <i>Astronomy and Astrophysics</i> , 2018, 620, A125.	2.1	18
257	Spectral Classification and Ionized Gas Outflows in $z \sim 1/4$ WISE-selected Hot Dust-obscured Galaxies. <i>Astrophysical Journal</i> , 2020, 888, 110.	1.6	18
258	Searching for Changing-state AGNs in Massive Data Sets. I. Applying Deep Learning and Anomaly-detection Techniques to Find AGNs with Anomalous Variability Behaviors. <i>Astronomical Journal</i> , 2021, 162, 206.	1.9	18
259	BASS XXXI: Outflow scaling relations in low redshift X-ray AGN host galaxies with MUSE. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 511, 2105-2124.	1.6	18
260	ALMA Lensing Cluster Survey: ALMA-Herschel Joint Study of Lensed Dusty Star-forming Galaxies across $z \approx 0.5 - 6$ . <i>Astrophysical Journal</i> , 2022, 932, 77.	1.6	18
261	Correlations between bright submillimetre sources and low-redshift galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 358, 875-882.	1.6	17
262	Optically variable AGN in the three-year VST survey of the COSMOS field. <i>Astronomy and Astrophysics</i> , 2019, 627, A33.	2.1	17
263	<i>Chandra</i> and <i>Magellan</i>/FIRE follow-up observations of PSO167â€“13: An X-ray weak QSO at <i>z</i> = 6.515. <i>Astronomy and Astrophysics</i> , 2021, 649, A133.	2.1	17
264	Determinations of Metal Abundances from ROSAT Observations. <i>Astrophysical Journal</i> , 1996, 457, 382.	1.6	17
265	BASS. XXIX. The Near-infrared View of the Broad-line Region (BLR): The Effects of Obscuration in BLR Characterization*. <i>Astrophysical Journal, Supplement Series</i> , 2022, 261, 8.	3.0	17
266	Deepâ€“Survey Constraints on Xâ€“Ray Outbursts from Galactic Nuclei. <i>Astrophysical Journal</i> , 2008, 674, 122-132.	1.6	16
267	MOONS: a multi-object optical and near-infrared spectrograph for the VLT. <i>Proceedings of SPIE</i> , 2012, , .	0.8	16
268	HIGH-ENERGY X-RAYS FROM J174545.5-285829, THE CANNONBALL: A CANDIDATE PULSAR WIND NEBULA ASSOCIATED WITH Sgr A EAST. <i>Astrophysical Journal Letters</i> , 2013, 778, L31.	3.0	16
269	The XMM-SERVS Survey: XMM-Newton Point-source Catalogs for the W-CDF-S and ELAIS-S1 Fields. <i>Astrophysical Journal, Supplement Series</i> , 2021, 256, 21.	3.0	16
270	Hot Dust-obscured Galaxies with Excess Blue Light. <i>Astrophysical Journal</i> , 2020, 897, 112.	1.6	16



#	ARTICLE	IF	CITATIONS
271	THE ACTIVE GALACTIC NUCLEUS POPULATION IN X-RAY-SELECTED GALAXY GROUPS AT $0.5 < z < 1.1$ . <i>Astrophysical Journal</i> , 2014, 790, 43.	1.6	15
272	The NuSTAR Hard X-Ray Survey of the Norma Arm Region. <i>Astrophysical Journal, Supplement Series</i> , 2017, 229, 33.	3.0	15
273	The QUEST-La Silla AGN Variability Survey: Selection of AGN Candidates through Optical Variability. <i>Astrophysical Journal, Supplement Series</i> , 2019, 242, 10.	3.0	15
274	On the Prevalence of Supermassive Black Holes over Cosmic Time. <i>Astrophysical Journal</i> , 2019, 874, 117.	1.6	15
275	THE NORMA ARM REGION <i>CHANDRA</i> SURVEY CATALOG: X-RAY POPULATIONS IN THE SPIRAL ARMS. <i>Astrophysical Journal</i> , 2014, 796, 105.	1.6	14
276	NGC 1068: No change in the mid-infrared torus structure despite X-ray variability. <i>Astronomy and Astrophysics</i> , 2017, 602, A78.	2.1	14
277	Investigating the Covering Fraction Distribution of Swift/BAT AGNs with X-Ray and Infrared Observations. <i>Astrophysical Journal</i> , 2019, 870, 26.	1.6	14
278	Compact Molecular Gas Distribution in Quasar Host Galaxies. <i>Astrophysical Journal</i> , 2021, 908, 231.	1.6	14
279	<i>Chandra</i> reveals a luminous Compton-thick QSO powering a Ly $\alpha$ blob in a $z = 4$ starbursting protocluster. <i>Astronomy and Astrophysics</i> , 2020, 642, A149.	2.1	14
280	Extensive Lensing Survey of Optical and Near-infrared Dark Objects (El Sonido): HST H-faint Galaxies behind 101 Lensing Clusters. <i>Astrophysical Journal</i> , 2021, 922, 114.	1.6	14
281	An infrared imaging survey of the faint Chandra sources near the Galactic Centre. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 364, 1195-1202.	1.6	13
282	SPATIALLY RESOLVED SPECTROSCOPY OF SUBMILLIMETER GALAXIES AT $z \sim 2$ . <i>Astrophysical Journal</i> , 2016, 827, 57.	1.6	13
283	Optical, Near-IR, and Sub-mm IFU Observations of the Nearby Dual Active Galactic Nuclei MRK 463. <i>Astrophysical Journal</i> , 2018, 854, 83.	1.6	13
284	NuSTAR observations of four nearby X-ray faint AGNs: low luminosity or heavy obscuration?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 497, 229-245.	1.6	13
285	ALMA Lensing Cluster Survey: a strongly lensed multiply imaged dusty system at $z \approx 6$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 505, 4838-4846.	1.6	13
286	On the Absence of High-redshift AGNs: Little Growth in the Supermassive Black Hole Population at High Redshifts. <i>Astrophysical Journal</i> , 2020, 891, 69.	1.6	13
287	BASS. XXVIII. Near-infrared Data Release 2: High-ionization and Broad Lines in Active Galactic Nuclei*. <i>Astrophysical Journal, Supplement Series</i> , 2022, 261, 7.	3.0	13
288	The Chandra Deep Field "North Survey and the cosmic X-ray background. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2002, 360, 2057-2075.	1.6	12

#	ARTICLE	IF	CITATIONS
289	Searching for fast extragalactic X-ray transients in Chandra surveys. Monthly Notices of the Royal Astronomical Society, 2019, 487, 4721-4736.	1.6	12
290	Pilot-WINGS: An extended MUSE view of the structure of Abell 370. Monthly Notices of the Royal Astronomical Society, 2022, 514, 497-517.	1.6	12
291	MULTI-SIGHTLINE OBSERVATION OF NARROW ABSORPTION LINES IN LENSED QUASAR SDSS J1029+2623* $\hat{a}$ . Astrophysical Journal, 2016, 825, 25.	1.6	11
292	The ALMA Spectroscopic Survey in the Hubble Ultra Deep Field: Constraining the Molecular Content at $\log(M_{\text{sub}}^*/M_{\text{sub}}^{\text{S}^{\text{TM}}}) \hat{A}^{\wedge} \frac{1}{4} \hat{A}^{\wedge} 1.5$ with CO Stacking of MUSE-detected $z \hat{A}^{\wedge} \frac{1}{4} \hat{A}^{\wedge} 1.5$ Galaxies. Astrophysical Journal, 2020, 902, 113.	1.6	11
293	A multiwavelength-motivated X-ray model for the Circinus Galaxy. Monthly Notices of the Royal Astronomical Society, 2022, 511, 5768-5781.	1.6	11
294	Chandra X-ray Observations of Galaxies in an Off-center Region of the Coma Cluster. Astrophysical Journal, 2006, 643, 144-153.	1.6	10
295	DISCOVERY OF THE MOST DISTANT DOUBLE-PEAKED EMITTER AT $z = 1.369$ . Astrophysical Journal, 2009, 695, 1227-1232.	1.6	10
296	The X-ray properties of the cometary blue compact dwarf galaxies Mrk 59 and Mrk 71. Monthly Notices of the Royal Astronomical Society, 2014, 441, 1841-1853.	1.6	10
297	A Submillimeter Perspective on the GOODS Fields (SUPER GOODS). IV. The Submillimeter Properties of X-Ray Sources in the CDF-S. Astrophysical Journal, 2019, 887, 23.	1.6	10
298	The ALMA Frontier Fields Survey. Astronomy and Astrophysics, 2020, 633, A160.	2.1	10
299	A random forest-based selection of optically variable AGN in the VST-COSMOS field. Astronomy and Astrophysics, 2021, 645, A103.	2.1	10
300	X-ray spectroscopy and variability of AGN detected in the 2 Ms Chandra Deep Field-North Survey. Advances in Space Research, 2004, 34, 2555-2560.	1.2	9
301	G359.97-0.038: A HARD X-RAY FILAMENT ASSOCIATED WITH A SUPERNOVA SHELL-MOLECULAR CLOUD INTERACTION. Astrophysical Journal, 2015, 800, 119.	1.6	9
302	Searching for molecular outflows in hyperluminous infrared galaxies. Monthly Notices of the Royal Astronomical Society, 2016, 460, 3052-3062.	1.6	9
303	Constraining X-ray reflection in the low-luminosity AGN NGC 3718 using NuSTAR and XMM-Newton. Monthly Notices of the Royal Astronomical Society, 2020, 496, 5399-5413.	1.6	9
304	Extending the variability selection of active galactic nuclei in the W-CDF-S and SERVS/SWIRE region. Astronomy and Astrophysics, 2020, 634, A50.	2.1	9
305	The Black Hole-Galaxy Connection: Interplay between Feedback, Obscuration, and Host Galaxy Substructure. Astrophysical Journal, 2022, 925, 203.	1.6	9
306	Performing a stellar autopsy using the radio-bright remnant of SN 1996cr. Monthly Notices of the Royal Astronomical Society, 2013, 431, 2453-2463.	1.6	8

#	ARTICLE	IF	CITATIONS
307	INITIAL RESULTS FROM <i>NuSTAR</i> OBSERVATIONS OF THE NORMA ARM. <i>Astrophysical Journal</i> , 2014, 791, 68.	1.6	8
308	The exceptional X-ray evolution of SN 1996cr in high resolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 490, 4536-4564.	1.6	8
309	Chandra Observations of Excess Fe K $\pm$ Line Emission in Galaxies with High Star Formation Rates: X-Ray Reflection on Galaxy Scales?. <i>Astrophysical Journal</i> , 2021, 914, 83.	1.6	8
310	THREE NEW GALACTIC CENTER X-RAY SOURCES IDENTIFIED WITH NEAR-INFRARED SPECTROSCOPY. <i>Astronomical Journal</i> , 2013, 146, 109.	1.9	7
311	The long-term optical evolution of the black hole candidate MAXI J1659-152. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 475, 1036-1045.	1.6	7
312	How to Fuel an AGN: Mapping Circumnuclear Gas in NGC 6240 with ALMA. <i>Astrophysical Journal Letters</i> , 2019, 885, L21.	3.0	7
313	The Complex Gaseous and Stellar Environments of the Nearby Dual Active Galactic Nucleus Mrk 739. <i>Astrophysical Journal</i> , 2021, 911, 100.	1.6	7
314	X-rays from the first massive black holes. <i>Advances in Space Research</i> , 2004, 34, 2478-2485.	1.2	6
315	The Phoenix galaxy as seen by <i>NuSTAR</i> . <i>Astronomy and Astrophysics</i> , 2017, 597, A100.	2.1	6
316	A Multi-band Forced-photometry Catalog in the ELAIS-S1 Field. <i>Research Notes of the AAS</i> , 2021, 5, 31.	0.3	6
317	NuSTAR J163433-4738.7: A FAST X-RAY TRANSIENT IN THE GALACTIC PLANE. <i>Astrophysical Journal</i> , 2014, 785, 4.	1.6	5
318	Photometric Redshifts in the W-CDF-S and ELAIS-S1 Fields Based on Forced Photometry from 0.36 to 4.5 Microns. <i>Research Notes of the AAS</i> , 2021, 5, 56.	0.3	5
319	Near-infrared spectroscopy of 20 new <i>Chandra</i> sources in the Norma arm. <i>Astronomy and Astrophysics</i> , 2014, 568, A54.	2.1	5
320	The Luminous Blue Variable RMC 127 as Seen with ALMA and ATCA. <i>Astrophysical Journal</i> , 2017, 841, 130.	1.6	5
321	Unveiling the AGN in IC 883: discovery of a parsec-scale radio jet. <i>Monthly Notices of the Royal Astronomical Society</i> , 0, , stx224.	1.6	4
322	The X-rays wind connection in PG 2112+059. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 506, 343-356.	1.6	4
323	ALMA Lensing Cluster Survey: A spectral stacking analysis of [C II] in lensed $z \sim 6$ galaxies. <i>Astronomy and Astrophysics</i> , 2021, 652, A128.	2.1	4
324	Resolving the source populations that contribute to the X-ray background: The 2 Ms <i>Chandra</i> Deep Field-North Survey. <i>Astronomische Nachrichten</i> , 2003, 324, 8-11.	0.6	3

#	ARTICLE	IF	CITATIONS
325	The weak outnumbering the mighty: normal galaxies in deep Chandra surveys. <i>Astronomische Nachrichten</i> , 2003, 324, 12-15.	0.6	2
326	Modeling SN 1996cr's X-ray lines at high-resolution: Sleuthing the ejecta's CSM geometry. <i>AIP Conference Proceedings</i> , 2011, , .	0.3	2
327	A FIRST LOOK AT THE X-RAY POPULATION OF THE YOUNG MASSIVE CLUSTER VV CL077. <i>Astrophysical Journal</i> , 2015, 801, 49.	1.6	2
328	The ALMA Frontier Fields Survey. <i>Astronomy and Astrophysics</i> , 2019, 631, C2.	2.1	2
329	Resolving the X-ray Background. <i>AIP Conference Proceedings</i> , 2005, , .	0.3	1
330	SN 1996cr: Confirmation of a Luminous Type II In Supernova in the Circinus Galaxy. <i>AIP Conference Proceedings</i> , 2007, , .	0.3	1
331	Spectropolarimetry of Type II In SN2010jl: Peering Into the Heart of a Monster. <i>Proceedings of the International Astronomical Union</i> , 2011, 7, 325-326.	0.0	1
332	Constraining the shielded wind scenario in PG 2112+059. <i>Astronomische Nachrichten</i> , 2016, 337, 541-545.	0.6	1
333	Luminous and Obscured Quasars and Their Host Galaxies. <i>Frontiers in Astronomy and Space Sciences</i> , 2018, 4, .	1.1	1
334	Exploring the Nature of Weak Chandra Sources near the Galactic Centre. <i>AIP Conference Proceedings</i> , 2005, , .	0.3	0
335	SN 1996cr: Confirmation of a Luminous Type II In Supernova in the Circinus Galaxy. , 2007, , .		0
336	Supermassive Black Hole Growth in Starburst Galaxies: Constraints from the Deepest Chandra Fields. , 2009, , .		0
337	Radio Insight into the Nature of Type II b Progenitors. <i>Proceedings of the International Astronomical Union</i> , 2011, 7, 393-394.	0.0	0
338	Photometric Redshifts in the Hawaii-Hubble Deep Field-North. <i>Proceedings of the International Astronomical Union</i> , 2015, 11, 56-56.	0.0	0
339	The 2 Ms Chandra Deep Field-North. , 2004, , 291-294.		0
340	THE CHANDRA DEEP FIELDS AND THE PREVALANCE OF SUPER-MASSIVE BLACK HOLES IN THE UNIVERSE. , 2006, , .		0
341	A Serendipitous Hard X-Ray Detection of the Blazar LBQS 1319+0039. <i>Research Notes of the AAS</i> , 2018, 2, 177.	0.3	0