

# Franz Bauer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6552473/publications.pdf>

Version: 2024-02-01

341  
papers

26,650  
citations

6592

79  
h-index

7931

149  
g-index

343  
all docs

343  
docs citations

343  
times ranked

10048  
citing authors

#	ARTICLE	IF	CITATIONS
1	BASS XXXI: Outflow scaling relations in low redshift X-ray AGN host galaxies with MUSE. Monthly Notices of the Royal Astronomical Society, 2022, 511, 2105-2124.	1.6	18
2	The Black Hole–Galaxy Connection: Interplay between Feedback, Obscuration, and Host Galaxy Substructure. Astrophysical Journal, 2022, 925, 203.	1.6	9
3	Optimization of the Observing Cadence for the Rubin Observatory Legacy Survey of Space and Time: A Pioneering Process of Community-focused Experimental Design. Astrophysical Journal, Supplement Series, 2022, 258, 1.	3.0	40
4	Pilot-WINGS: An extended MUSE view of the structure of Abell 370. Monthly Notices of the Royal Astronomical Society, 2022, 514, 497-517.	1.6	12
5	A multiwavelength-motivated X-ray model for the Circinus Galaxy. Monthly Notices of the Royal Astronomical Society, 2022, 511, 5768-5781.	1.6	11
6	LAGER Ly $\alpha$ Luminosity Function at $z \sim 7$ : Implications for Reionization. Astrophysical Journal, 2022, 927, 36.	1.6	32
7	ALMA Lensing Cluster Survey: ALMA-Herschel Joint Study of Lensed Dusty Star-forming Galaxies across $z \sim 0.5 - 6$ . Astrophysical Journal, 2022, 932, 77.	1.6	18
8	BASS. XXX. Distribution Functions of DR2 Eddington Ratios, Black Hole Masses, and X-Ray Luminosities. Astrophysical Journal, Supplement Series, 2022, 261, 9.	3.0	22
9	BASS. XXVI. DR2 Host Galaxy Stellar Velocity Dispersions. Astrophysical Journal, Supplement Series, 2022, 261, 6.	3.0	19
10	BASS. XXVIII. Near-infrared Data Release 2: High-ionization and Broad Lines in Active Galactic Nuclei*. Astrophysical Journal, Supplement Series, 2022, 261, 7.	3.0	13
11	BASS. XXIV. The BASS DR2 Spectroscopic Line Measurements and AGN Demographics. Astrophysical Journal, Supplement Series, 2022, 261, 4.	3.0	19
12	BASS. XXIX. The Near-infrared View of the Broad-line Region (BLR): The Effects of Obscuration in BLR Characterization*. Astrophysical Journal, Supplement Series, 2022, 261, 8.	3.0	17
13	BASS. XXV. DR2 Broad-line-based Black Hole Mass Estimates and Biases from Obscuration. Astrophysical Journal, Supplement Series, 2022, 261, 5.	3.0	24
14	BASS. XXI. The Data Release 2 Overview. Astrophysical Journal, Supplement Series, 2022, 261, 1.	3.0	26
15	BASS. XXII. The BASS DR2 AGN Catalog and Data. Astrophysical Journal, Supplement Series, 2022, 261, 2.	3.0	32
16	A random forest-based selection of optically variable AGN in the VST-COSMOS field. Astronomy and Astrophysics, 2021, 645, A103.	2.1	10
17	Alert Classification for the ALerCE Broker System: The Light Curve Classifier. Astronomical Journal, 2021, 161, 141.	1.9	48
18	Compact Molecular Gas Distribution in Quasar Host Galaxies. Astrophysical Journal, 2021, 908, 231.	1.6	14

#	ARTICLE	IF	CITATIONS
19	A Multi-band Forced-photometry Catalog in the ELAIS-S1 Field. <i>Research Notes of the AAS</i> , 2021, 5, 31.	0.3	6
20	An atlas of MUSE observations towards twelve massive lensing clusters. <i>Astronomy and Astrophysics</i> , 2021, 646, A83.	2.1	71
21	BAT AGN Spectroscopic Survey. XX. Molecular Gas in Nearby Hard-X-Ray-selected AGN Galaxies. <i>Astrophysical Journal, Supplement Series</i> , 2021, 252, 29.	3.0	52
22	Photometric Redshifts in the W-CDF-S and ELAIS-S1 Fields Based on Forced Photometry from 0.36 to 4.5 Microns. <i>Research Notes of the AAS</i> , 2021, 5, 56.	0.3	5
23	The LSST DESC DC2 Simulated Sky Survey. <i>Astrophysical Journal, Supplement Series</i> , 2021, 253, 31.	3.0	32
24	BAT AGN Spectroscopic Survey XXVII: scattered X-Ray radiation in obscured active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 504, 428-443.	1.6	20
25	ALMA Lensing Cluster Survey: Bright [C ii] 158 $\mu$ m Lines from a Multiply Imaged Sub-L $z \approx 6$ Galaxy at $z = 6.0719$ . <i>Astrophysical Journal</i> , 2021, 911, 99.	1.6	25
26	The Complex Gaseous and Stellar Environments of the Nearby Dual Active Galactic Nucleus Mrk 739. <i>Astrophysical Journal</i> , 2021, 911, 100.	1.6	7
27	The Automatic Learning for the Rapid Classification of Events (ALeRCE) Alert Broker. <i>Astronomical Journal</i> , 2021, 161, 242.	1.9	76
28	<i>Chandra</i> and <i>Magellan</i> /FIRE follow-up observations of PSO167 $\hat{=}$ 13: An X-ray weak QSO at $z = 6.515$ . <i>Astronomy and Astrophysics</i> , 2021, 649, A133.	2.1	17
29	<i>Chandra</i> Observations of Excess Fe $K\hat{\pm}$ Line Emission in Galaxies with High Star Formation Rates: X-Ray Reflection on Galaxy Scales?. <i>Astrophysical Journal</i> , 2021, 914, 83.	1.6	8
30	The X-rays wind connection in PG $\hat{=}$ 2112+059. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 506, 343-356.	1.6	4
31	Physically motivated X-ray obscurer models. <i>Astronomy and Astrophysics</i> , 2021, 651, A58.	2.1	22
32	A hard X-ray view of luminous and ultra-luminous infrared galaxies in GOALS $\hat{=}$ I. AGN obscuration along the merger sequence. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 506, 5935-5950.	1.6	36
33	ALMA Lensing Cluster Survey: A spectral stacking analysis of [C II] in lensed $z \approx 6$ galaxies. <i>Astronomy and Astrophysics</i> , 2021, 652, A128.	2.1	4
34	The XMM-SERVS Survey: XMM-Newton Point-source Catalogs for the W-CDF-S and ELAIS-S1 Fields. <i>Astrophysical Journal, Supplement Series</i> , 2021, 256, 21.	3.0	16
35	ALMA Lensing Cluster Survey: a strongly lensed multiply imaged dusty system at $z \approx 6$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 505, 4838-4846.	1.6	13
36	Searching for Changing-state AGNs in Massive Data Sets. I. Applying Deep Learning and Anomaly-detection Techniques to Find AGNs with Anomalous Variability Behaviors. <i>Astronomical Journal</i> , 2021, 162, 206.	1.9	18

#	ARTICLE	IF	CITATIONS
37	Alert Classification for the ALerCE Broker System: The Real-time Stamp Classifier. <i>Astronomical Journal</i> , 2021, 162, 231.	1.9	20
38	Extensive Lensing Survey of Optical and Near-infrared Dark Objects (El Sonido): HST H-faint Galaxies behind 101 Lensing Clusters. <i>Astrophysical Journal</i> , 2021, 922, 114.	1.6	14
39	NuSTAR observations of four nearby X-ray faint AGNs: low luminosity or heavy obscuration?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 497, 229-245.	1.6	13
40	The Molecular Gas in the NGC 6240 Merging Galaxy System at the Highest Spatial Resolution. <i>Astrophysical Journal</i> , 2020, 890, 149.	1.6	20
41	BAT AGN Spectroscopic Survey – XIX. Type 1 versus type 2 AGN dichotomy from the point of view of ionized outflows. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 491, 5867-5880.	1.6	28
42	An ALMA CO(2–1) Survey of Nearby Palomar Green Quasars. <i>Astrophysical Journal, Supplement Series</i> , 2020, 247, 15.	3.0	33
43	Constraining X-ray reflection in the low-luminosity AGN NGC 3718 using NuSTAR and XMM-Newton. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 496, 5399-5413.	1.6	9
44	Probing the circumnuclear absorbing medium of the buried AGN in NGC 1068 through NuSTAR observations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 492, 3872-3884.	1.6	21
45	BAT AGN spectroscopic survey - XV: the high frequency radio cores of ultra-hard X-ray selected AGN. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 492, 4216-4234.	1.6	31
46	Spectral Classification and Ionized Gas Outflows in $z \sim 1/4$ WISE-selected Hot Dust-obscured Galaxies. <i>Astrophysical Journal</i> , 2020, 888, 110.	1.6	18
47	The ALMA Frontier Fields Survey. <i>Astronomy and Astrophysics</i> , 2020, 633, A160.	2.1	10
48	Extending the variability selection of active galactic nuclei in the W-CDF-S and SERVS/SWIRE region. <i>Astronomy and Astrophysics</i> , 2020, 634, A50.	2.1	9
49	Observational constraints on the optical and near-infrared emission from the neutron star/black hole binary merger candidate S190814bv. <i>Astronomy and Astrophysics</i> , 2020, 643, A113.	2.1	70
50	Chandra reveals a luminous Compton-thick QSO powering a Ly $\alpha$ blob in a $z = 4$ starbursting protocluster. <i>Astronomy and Astrophysics</i> , 2020, 642, A149.	2.1	14
51	On the Absence of High-redshift AGNs: Little Growth in the Supermassive Black Hole Population at High Redshifts. <i>Astrophysical Journal</i> , 2020, 891, 69.	1.6	13
52	The ALMA Spectroscopic Survey in the HUDF: Deep 1.2 mm Continuum Number Counts. <i>Astrophysical Journal</i> , 2020, 897, 91.	1.6	49
53	The ALMA Spectroscopic Survey in the HUDF: A Model to Explain Observed 1.1 and 0.85 mm Dust Continuum Number Counts. <i>Astrophysical Journal</i> , 2020, 891, 135.	1.6	25
54	The ALMA Spectroscopic Survey in the HUDF: The Cosmic Dust and Gas Mass Densities in Galaxies up to $z \sim 3$ . <i>Astrophysical Journal</i> , 2020, 892, 66.	1.6	41

#	ARTICLE	IF	CITATIONS
55	Hot Dust-obscured Galaxies with Excess Blue Light. <i>Astrophysical Journal</i> , 2020, 897, 112.	1.6	16
56	The ALMA Spectroscopic Survey in the Hubble Ultra Deep Field: The Nature of the Faintest Dusty Star-forming Galaxies. <i>Astrophysical Journal</i> , 2020, 901, 79.	1.6	45
57	AGN Feedback and Star Formation of Quasar Host Galaxies: Insights from the Molecular Gas. <i>Astrophysical Journal</i> , 2020, 899, 112.	1.6	61
58	The Evolution of the Baryons Associated with Galaxies Averaged over Cosmic Time and Space. <i>Astrophysical Journal</i> , 2020, 902, 111.	1.6	73
59	The ALMA Spectroscopic Survey in the Hubble Ultra Deep Field: Constraining the Molecular Content at $\log(M_{\text{dust}}/M_{\text{SFR}}) \sim 1.5$ with CO Stacking of MUSE-detected $z \sim 1.5$ Galaxies. <i>Astrophysical Journal</i> , 2020, 902, 113.	1.6	11
60	Optically variable AGN in the three-year VST survey of the COSMOS field. <i>Astronomy and Astrophysics</i> , 2019, 627, A33.	2.1	17
61	Searching for fast extragalactic X-ray transients in Chandra surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 487, 4721-4736.	1.6	12
62	The exceptional X-ray evolution of SN 1996cr in high resolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 490, 4536-4564.	1.6	8
63	The QUEST-La Silla AGN Variability Survey: Selection of AGN Candidates through Optical Variability. <i>Astrophysical Journal, Supplement Series</i> , 2019, 242, 10.	3.0	15
64	The Atacama Large Millimeter/submillimeter Array Spectroscopic Survey in the Hubble Ultra Deep Field: CO Emission Lines and 3 mm Continuum Sources. <i>Astrophysical Journal</i> , 2019, 882, 139.	1.6	62
65	Discovery of the first heavily obscured QSO candidate at $z \sim 6$ in a close galaxy pair. <i>Astronomy and Astrophysics</i> , 2019, 628, L6.	2.1	31
66	BAT AGN Spectroscopic Survey. XI. The Covering Factor of Dust and Gas in Swift/BAT Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2019, 870, 31.	1.6	72
67	The absence of $[\text{C II}] 158 \mu\text{m}$ emission in spectroscopically confirmed galaxies at $z \sim 8$ . <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 487, L81-L85.	1.2	52
68	Investigating the Covering Fraction Distribution of Swift/BAT AGNs with X-Ray and Infrared Observations. <i>Astrophysical Journal</i> , 2019, 870, 26.	1.6	14
69	A magnetar-powered X-ray transient as the aftermath of a binary neutron-star merger. <i>Nature</i> , 2019, 568, 198-201.	13.7	79
70	On the Prevalence of Supermassive Black Holes over Cosmic Time. <i>Astrophysical Journal</i> , 2019, 874, 117.	1.6	15
71	A Submillimeter Perspective on the GOODS Fields (SUPER GOODS). IV. The Submillimeter Properties of X-Ray Sources in the CDF-S. <i>Astrophysical Journal</i> , 2019, 887, 23.	1.6	10
72	How to Fuel an AGN: Mapping Circumnuclear Gas in NGC 6240 with ALMA. <i>Astrophysical Journal Letters</i> , 2019, 885, L21.	3.0	7

#	ARTICLE	IF	CITATIONS
73	The ALMA Frontier Fields Survey. <i>Astronomy and Astrophysics</i> , 2019, 631, C2.	2.1	2
74	X-ray spectral and eclipsing model of the clumpy obscurer in active galactic nuclei. <i>Astronomy and Astrophysics</i> , 2019, 629, A16.	2.1	46
75	A Unified Binary Neutron Star Merger Magnetar Model for the Chandra X-Ray Transients CDF-S XT1 and XT2. <i>Astrophysical Journal</i> , 2019, 886, 129.	1.6	24
76	Faint end of the $z \sim 7$ luminosity function of Lyman-alpha emitters behind lensing clusters observed with MUSE. <i>Astronomy and Astrophysics</i> , 2019, 628, A3.	2.1	30
77	The X-ray properties of $z > 6$ quasars: no evident evolution of accretion physics in the first Gyr of the Universe. <i>Astronomy and Astrophysics</i> , 2019, 630, A118.	2.1	71
78	The ALMA Spectroscopic Survey in the Hubble Ultra Deep Field: Evolution of the Molecular Gas in CO-selected Galaxies. <i>Astrophysical Journal</i> , 2019, 882, 136.	1.6	59
79	The ALMA Spectroscopic Survey in the HUDF: CO Luminosity Functions and the Molecular Gas Content of Galaxies through Cosmic History. <i>Astrophysical Journal</i> , 2019, 882, 138.	1.6	114
80	The ALMA Spectroscopic Survey in the HUDF: Nature and Physical Properties of Gas-mass Selected Galaxies Using MUSE Spectroscopy. <i>Astrophysical Journal</i> , 2019, 882, 140.	1.6	42
81	A density cusp of quiescent X-ray binaries in the central parsec of the Galaxy. <i>Nature</i> , 2018, 556, 70-73.	13.7	115
82	The XMM-SERVS survey: new XMM-Newton point-source catalogue for the XMM-LSS field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 478, 2132-2163.	1.6	59
83	SNe 2013K and 2013am: observed and physical properties of two slow, normal Type IIp events. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 475, 1937-1959.	1.6	25
84	Cosmic evolution and metal aversion in superluminous supernova host galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 1258-1285.	1.6	120
85	The NuSTAR Extragalactic Surveys: X-Ray Spectroscopic Analysis of the Bright Hard-band Selected Sample. <i>Astrophysical Journal</i> , 2018, 854, 33.	1.6	33
86	Kinematics, turbulence, and star formation of $z \sim 1$ strongly lensed galaxies seen with MUSE. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 477, 18-44.	1.6	34
87	A Submillimeter Perspective on the GOODS Fields (SUPER GOODS). III. A Large Sample of ALMA Sources in the GOODS-S. <i>Astrophysical Journal</i> , 2018, 865, 106.	1.6	50
88	Optical, Near-IR, and Sub-mm IFU Observations of the Nearby Dual Active Galactic Nuclei MRK 463. <i>Astrophysical Journal</i> , 2018, 854, 83.	1.6	13
89	The ALMA Frontier Fields Survey. <i>Astronomy and Astrophysics</i> , 2018, 620, A125.	2.1	18
90	XZ: Deriving redshifts from X-ray spectra of obscured AGN. <i>Astronomy and Astrophysics</i> , 2018, 618, A66.	2.1	19

#	ARTICLE	IF	CITATIONS
91	First results from GeMS/GSAOI for project SUNBIRD: Supernovae UNmasked By Infra-Red Detection. Monthly Notices of the Royal Astronomical Society, 2018, 473, 5641-5657.	1.6	21
92	The Clustering of High-redshift ( $2.9 < z < 5.1$ ) Quasars in SDSS Stripe 82. Astrophysical Journal, 2018, 859, 20.	1.6	32
93	The long-term optical evolution of the black hole candidate MAXI J1659-152. Monthly Notices of the Royal Astronomical Society, 2018, 475, 1036-1045.	1.6	7
94	The onset of star formation 250 million years after the Big Bang. Nature, 2018, 557, 392-395.	13.7	261
95	Luminous and Obscured Quasars and Their Host Galaxies. Frontiers in Astronomy and Space Sciences, 2018, 4, .	1.1	1
96	BAT AGN Spectroscopic Survey â€“ XII. The relation between coronal properties of active galactic nuclei and the Eddington ratio. Monthly Notices of the Royal Astronomical Society, 2018, 480, 1819-1830.	1.6	78
97	Does black-hole growth depend on the cosmic environment?. Monthly Notices of the Royal Astronomical Society, 2018, 480, 1022-1042.	1.6	31
98	A Serendipitous Hard X-Ray Detection of the Blazar LBQS 1319+0039. Research Notes of the AAS, 2018, 2, 177.	0.3	0
99	THE CHANDRA DEEP FIELD-SOUTH SURVEY: 7 MS SOURCE CATALOGS. Astrophysical Journal, Supplement Series, 2017, 228, 2.	3.0	337
100	NuSTAR OBSERVATIONS OF WISE J1036+0449, A GALAXY AT $z \approx 1$ OBSCURED BY HOT DUST. Astrophysical Journal, 2017, 835, 105.	1.6	55
101	A New Compton-thick AGN in Our Cosmic Backyard: Unveiling the Buried Nucleus in NGC 1448 with NuSTAR. Astrophysical Journal, 2017, 836, 165.	1.6	22
102	Young Galaxy Candidates in the Hubble Frontier Fields. IV. MACS J1149.5+2223. Astrophysical Journal, 2017, 836, 210.	1.6	21
103	Dust in the Reionization Era: ALMA Observations of a $z \approx 8.38$ Gravitationally Lensed Galaxy. Astrophysical Journal Letters, 2017, 837, L21.	3.0	239
104	Hard X-Ray-selected AGNs in Low-mass Galaxies from the NuSTAR Serendipitous Survey. Astrophysical Journal, 2017, 837, 48.	1.6	28
105	The ALMA Frontier Fields Survey. Astronomy and Astrophysics, 2017, 597, A41.	2.1	54
106	The NuSTAR Serendipitous Survey: The 40-month Catalog and the Properties of the Distant High-energy X-Ray Source Population. Astrophysical Journal, 2017, 836, 99.	1.6	49
107	Black Hole Growth Is Mainly Linked to Host-galaxy Stellar Mass Rather Than Star Formation Rate. Astrophysical Journal, 2017, 842, 72.	1.6	73
108	SNâ€™s 2015bh: NGCâ€™s 2770â€™s 4th supernova or a luminous blue variable on its way to a Wolf-Rayet star?. Astronomy and Astrophysics, 2017, 599, A129.	2.1	46

#	ARTICLE	IF	CITATIONS
109	A new, faint population of X-ray transients. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 467, 4841-4857.	1.6	46
110	The NuSTAR Hard X-Ray Survey of the Norma Arm Region. <i>Astrophysical Journal, Supplement Series</i> , 2017, 229, 33.	3.0	15
111	The close environments of accreting massive black holes are shaped by radiative feedback. <i>Nature</i> , 2017, 549, 488-491.	13.7	230
112	A kilonova as the electromagnetic counterpart to a gravitational-wave source. <i>Nature</i> , 2017, 551, 75-79.	13.7	601
113	X-Ray Bolometric Corrections for Compton-thick Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2017, 844, 10.	1.6	24
114	Deepest View of AGN X-Ray Variability with the 7 Ms Chandra Deep Field-South Survey. <i>Astrophysical Journal</i> , 2017, 849, 127.	1.6	25
115	The NuSTAR Extragalactic Survey: Average Broadband X-Ray Spectral Properties of the NuSTAR-detected AGNs. <i>Astrophysical Journal</i> , 2017, 849, 57.	1.6	18
116	ALMA and GMRT Constraints on the Off-axis Gamma-Ray Burst 170817A from the Binary Neutron Star Merger GW170817. <i>Astrophysical Journal Letters</i> , 2017, 850, L21.	3.0	49
117	Galaxy gas as obscurer I. GRBs x-ray galaxies and find an $N_{\text{H}}^{\text{propto}} M_{\text{star}}$ relation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 464, 4545-4566.	1.6	36
118	The weak Fe fluorescence line and long-term X-ray evolution of the Compton-thick active galactic nucleus in NGC 7674. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 467, 4606-4621.	1.6	26
119	The MUSE view of the host galaxy of GRB 100316D. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 472, 4480-4496.	1.6	27
120	The NuSTAR Serendipitous Survey: Hunting for the Most Extreme Obscured AGN at $>10$ keV. <i>Astrophysical Journal</i> , 2017, 846, 20.	1.6	46
121	X-Ray Spectral Analyses of AGNs from the 7Ms Chandra Deep Field-South Survey: The Distribution, Variability, and Evolutions of AGN Obscuration. <i>Astrophysical Journal, Supplement Series</i> , 2017, 232, 8.	3.0	52
122	BAT AGN Spectroscopic Survey. V. X-Ray Properties of the <i>Swift</i> /BAT 70-month AGN Catalog. <i>Astrophysical Journal, Supplement Series</i> , 2017, 233, 17.	3.0	318
123	Tracing the accretion history of supermassive black holes through X-ray variability: results from the Chandra Deep Field-South. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 471, 4398-4411.	1.6	42
124	Galaxy gas as obscurer II. Separating the galaxy-scale and nuclear obscurers of active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 465, 4348-4362.	1.6	63
125	The Phoenix galaxy as seen by <i>NuSTAR</i> . <i>Astronomy and Astrophysics</i> , 2017, 597, A100.	2.1	6
126	The ALMA Frontier Fields Survey. <i>Astronomy and Astrophysics</i> , 2017, 604, A132.	2.1	23



#	ARTICLE	IF	CITATIONS
127	The ALMA Frontier Fields Survey. <i>Astronomy and Astrophysics</i> , 2017, 608, A138.	2.1	21
128	NGC 1068: No change in the mid-infrared torus structure despite X-ray variability. <i>Astronomy and Astrophysics</i> , 2017, 602, A78.	2.1	14
129	The Luminous Blue Variable RMC 127 as Seen with ALMA and ATCA. <i>Astrophysical Journal</i> , 2017, 841, 130.	1.6	5
130	NuSTAR UNVEILS A HEAVILY OBSCURED LOW-LUMINOSITY ACTIVE GALACTIC NUCLEUS IN THE LUMINOUS INFRARED GALAXY NGC 6286. <i>Astrophysical Journal</i> , 2016, 819, 4.	1.6	28
131	SPATIALLY RESOLVED SPECTROSCOPY OF SUBMILLIMETER GALAXIES AT $z \sim 2$ . <i>Astrophysical Journal</i> , 2016, 827, 57.	1.6	13
132	BlackCAT: A catalogue of stellar-mass black holes in X-ray transients. <i>Astronomy and Astrophysics</i> , 2016, 587, A61.	2.1	293
133	SpIES: THE SPITZER IRAC EQUATORIAL SURVEY. <i>Astrophysical Journal, Supplement Series</i> , 2016, 225, 1.	3.0	43
134	LONG-TERM X-RAY VARIABILITY OF TYPICAL ACTIVE GALACTIC NUCLEI IN THE DISTANT UNIVERSE. <i>Astrophysical Journal</i> , 2016, 831, 145.	1.6	56
135	THE ALMA SPECTROSCOPIC SURVEY IN THE HUBBLE ULTRA DEEP FIELD: MOLECULAR GAS RESERVOIRS IN HIGH-REDSHIFT GALAXIES. <i>Astrophysical Journal</i> , 2016, 833, 70.	1.6	89
136	Constraining the shielded wind scenario in PG 2112+059. <i>Astronomische Nachrichten</i> , 2016, 337, 541-545.	0.6	1
137	<i>NuSTAR</i> reveals the extreme properties of the super-Eddington accreting supermassive black hole in PG 1247+267. <i>Astronomy and Astrophysics</i> , 2016, 590, A77.	2.1	26
138	THE EVOLUTION OF NORMAL GALAXY X-RAY EMISSION THROUGH COSMIC HISTORY: CONSTRAINTS FROM THE 6 MS CHANDRA DEEP FIELD-SOUTH. <i>Astrophysical Journal</i> , 2016, 825, 7.	1.6	160
139	THE 2 Ms CHANDRA DEEP FIELD-NORTH SURVEY AND THE 250 Ks EXTENDED CHANDRA DEEP FIELD-SOUTH SURVEY: IMPROVED POINT-SOURCE CATALOGS. <i>Astrophysical Journal, Supplement Series</i> , 2016, 224, 15.	3.0	123
140	NuSTAR HARD X-RAY SURVEY OF THE GALACTIC CENTER REGION. II. X-RAY POINT SOURCES. <i>Astrophysical Journal</i> , 2016, 825, 132.	1.6	48
141	Hard X-ray emission of the luminous infrared galaxy NGC 6240 as observed by NuSTAR. <i>Astronomy and Astrophysics</i> , 2016, 585, A157.	2.1	39
142	NuSTAR observations of water megamaser AGN. <i>Astronomy and Astrophysics</i> , 2016, 589, A59.	2.1	61
143	Interacting supernovae and supernova impostors. LSQ13zm: an outburst heralds the death of a massive star. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 459, 1039-1059.	1.6	50
144	MULTI-SIGHTLINE OBSERVATION OF NARROW ABSORPTION LINES IN LENSED QUASAR SDSS J1029+2623. <i>Astrophysical Journal</i> , 2016, 825, 25.	1.6	11

#	ARTICLE	IF	CITATIONS
145	NuSTAR RESOLVES THE FIRST DUAL AGN ABOVE 10 keV IN SWIFT J2028.5+2543. <i>Astrophysical Journal Letters</i> , 2016, 824, L4.	3.0	46
146	THE NuSTAR EXTRAGALACTIC SURVEYS: THE NUMBER COUNTS OF ACTIVE GALACTIC NUCLEI AND THE RESOLVED FRACTION OF THE COSMIC X-RAY BACKGROUND. <i>Astrophysical Journal</i> , 2016, 831, 185.	1.6	63
147	The deepest X-ray view of high-redshift galaxies: constraints on low-rate black hole accretion. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 463, 348-374.	1.6	64
148	YOUNG GALAXY CANDIDATES IN THE HUBBLE FRONTIER FIELDS. III. MACSJ0717.5+3745. <i>Astrophysical Journal</i> , 2016, 820, 98.	1.6	53
149	THE ALMA SPECTROSCOPIC SURVEY IN THE HUBBLE ULTRA DEEP FIELD: SEARCH FOR [ ] LINE AND DUST EMISSION IN 6 Å&lt;Åz&lt;Å8 GALAXIES. <i>Astrophysical Journal</i> , 2016, 833, 71.	1.6	83
150	X-ray and radio emission from the luminous supernova 2005kd. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 462, 1101-1110.	1.6	25
151	THE ALMA SPECTROSCOPIC SURVEY IN THE HUBBLE ULTRA DEEP FIELD: CONTINUUM NUMBER COUNTS, RESOLVED 1.2 mm EXTRAGALACTIC BACKGROUND, AND PROPERTIES OF THE FAINTEST DUSTY STAR-FORMING GALAXIES. <i>Astrophysical Journal</i> , 2016, 833, 68.	1.6	115
152	ALMA SPECTROSCOPIC SURVEY IN THE HUBBLE ULTRA DEEP FIELD: CO LUMINOSITY FUNCTIONS AND THE EVOLUTION OF THE COSMIC DENSITY OF MOLECULAR GAS. <i>Astrophysical Journal</i> , 2016, 833, 69.	1.6	97
153	ALMA SPECTROSCOPIC SURVEY IN THE HUBBLE ULTRA DEEP FIELD: THE INFRARED EXCESS OF UV-SELECTED $z \approx 10$ GALAXIES AS A FUNCTION OF UV-CONTINUUM SLOPE AND STELLAR MASS. <i>Astrophysical Journal</i> , 2016, 833, 72.	1.6	243
154	ALMA SPECTROSCOPIC SURVEY IN THE HUBBLE ULTRA DEEP FIELD: SURVEY DESCRIPTION. <i>Astrophysical Journal</i> , 2016, 833, 67.	1.6	172
155	IC 3639â€”A NEW BONA FIDE COMPTON-THICK AGN UNVEILED BY NuSTAR. <i>Astrophysical Journal</i> , 2016, 833, 245.	1.6	22
156	Do some AGN lack X-ray emission?. <i>Astronomy and Astrophysics</i> , 2016, 596, A64.	2.1	21
157	THE GEOMETRY OF THE INFRARED AND X-RAY OBSCURER IN A DUSTY HYPERLUMINOUS QUASAR. <i>Astrophysical Journal</i> , 2016, 831, 76.	1.6	19
158	IC 751: A NEW CHANGING LOOK AGN DISCOVERED BY <i>NuSTAR</i> . <i>Astrophysical Journal</i> , 2016, 820, 5.	1.6	69
159	The nature of the torus in the heavily obscured AGN Markarian 3: an X-ray study. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 460, 1954-1969.	1.6	22
160	Searching for molecular outflows in hyperluminous infrared galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 460, 3052-3062.	1.6	9
161	<i>NuSTAR</i> catches the unveiling nucleus of NGC 1068. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 456, L94-L98.	1.2	85
162	The KMOS AGN Survey at High redshift (KASH $z < 1$ ): the prevalence and drivers of ionized outflows in the host galaxies of X-ray AGN. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 456, 1195-1220.	1.6	105

#	ARTICLE	IF	CITATIONS
163	Mid-infrared luminous quasars in the GOODSâ€“ <i>Herschel</i> fields: a large population of heavily obscured, Compton-thick quasars at $z \sim 2$ . Monthly Notices of the Royal Astronomical Society, 2016, 456, 2105-2125.	1.6	65
164	A NEW POPULATION OF COMPTON-THICK AGNs IDENTIFIED USING THE SPECTRAL CURVATURE ABOVE 10 keV. Astrophysical Journal, 2016, 825, 85.	1.6	101
165	Spectroscopy of superluminous supernova host galaxies. A preference of hydrogen-poor events for extreme emission line galaxies. Monthly Notices of the Royal Astronomical Society, 2015, 449, 917-932.	1.6	174
166	SN 2009ip at late times â€“ an interacting transient at +2Âyears. Monthly Notices of the Royal Astronomical Society, 2015, 453, 3887-3906.	1.6	45
167	<i>NuSTAR</i> REVEALS EXTREME ABSORPTION IN $z < 0.5$ TYPE 2 QUASARS. Astrophysical Journal, 2015, 809, 115.	1.6	62
168	BROADBAND OBSERVATIONS OF THE COMPTON-THICK NUCLEUS OF NGC 3393. Astrophysical Journal, 2015, 807, 149.	1.6	58
169	<i>NuSTAR</i> SPECTROSCOPY OF MULTI-COMPONENT X-RAY REFLECTION FROM NGC 1068. Astrophysical Journal, 2015, 812, 116.	1.6	117
170	A <i>NuSTAR</i> SURVEY OF NEARBY ULTRALUMINOUS INFRARED GALAXIES. Astrophysical Journal, 2015, 814, 56.	1.6	63
171	<i>NuSTAR</i> OBSERVATIONS OF THE COMPTON-THICK ACTIVE GALACTIC NUCLEUS AND ULTRALUMINOUS X-RAY SOURCE CANDIDATE IN NGC 5643. Astrophysical Journal, 2015, 815, 36.	1.6	56
172	<i>NuSTAR</i> HARD X-RAY SURVEY OF THE GALACTIC CENTER REGION. I. HARD X-RAY MORPHOLOGY AND SPECTROSCOPY OF THE DIFFUSE EMISSION. Astrophysical Journal, 2015, 814, 94.	1.6	42
173	HARD X-RAY MORPHOLOGICAL AND SPECTRAL STUDIES OF THE GALACTIC CENTER MOLECULAR CLOUD SGR B2: CONSTRAINING PAST SGR A $\uparrow$ FLARING ACTIVITY. Astrophysical Journal, 2015, 815, 132.	1.6	44
174	COMPTON-THICK ACCRETION IN THE LOCAL UNIVERSE. Astrophysical Journal Letters, 2015, 815, L13.	3.0	235
175	THE <i>NuSTAR</i> VIEW OF REFLECTION AND ABSORPTION IN NGC 7582. Astrophysical Journal, 2015, 815, 55.	1.6	46
176	THE <i>NuSTAR</i> EXTRAGALACTIC SURVEY: FIRST DIRECT MEASUREMENTS OF THE $\sim 30$ keV X-RAY LUMINOSITY FUNCTION FOR ACTIVE GALACTIC NUCLEI AT $z > 0.1$ . Astrophysical Journal, 2015, 815, 66.	1.6	50
177	PESSTO: survey description and products from the first data release by the Public ESO Spectroscopic Survey of Transient Objects. Astronomy and Astrophysics, 2015, 579, A40.	2.1	239
178	On the diversity of superluminous supernovae: ejected mass as the dominant factor. Monthly Notices of the Royal Astronomical Society, 2015, 452, 3869-3893.	1.6	154
179	The XMM deep survey in the CDF-S. Astronomy and Astrophysics, 2015, 583, A141.	2.1	25
180	Photometric Redshifts in the Hawaii-Hubble Deep Field-North. Proceedings of the International Astronomical Union, 2015, 11, 56-56.	0.0	0

#	ARTICLE	IF	CITATIONS
181	Frontier Fields: Combining HST, VLT, and <i>Spitzer</i> data to explore the $z \sim 8$ Universe behind the lensing cluster MACSJ0416.1 $\hat{~}$ 2403. <i>Astronomy and Astrophysics</i> , 2015, 575, A92.	2.1	41
182	THE <i>NuSTAR</i> EXTRAGALACTIC SURVEYS: OVERVIEW AND CATALOG FROM THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2015, 808, 185.	1.6	56
183	THE <i>NuSTAR</i> EXTRAGALACTIC SURVEYS: INITIAL RESULTS AND CATALOG FROM THE EXTENDED <i>CHANDRA</i> DEEP FIELD SOUTH. <i>Astrophysical Journal</i> , 2015, 808, 184.	1.6	35
184	YOUNG GALAXY CANDIDATES IN THE <i>HUBBLE</i> FRONTIER FIELDS. II. MACS J0416 $\hat{~}$ 2403. <i>Astrophysical Journal</i> , 2015, 815, 18.	1.6	30
185	THE QUEST $\hat{~}$ La SILLA AGN VARIABILITY SURVEY. <i>Astrophysical Journal</i> , 2015, 810, 164.	1.6	18
186	G359.97-0.038: A HARD X-RAY FILAMENT ASSOCIATED WITH A SUPERNOVA SHELL-MOLECULAR CLOUD INTERACTION. <i>Astrophysical Journal</i> , 2015, 800, 119.	1.6	9
187	STORM IN A $\alpha$ TEACUP $\hat{~}$ A RADIO-QUIET QUASAR WITH $\sim 10$ kpc RADIO-EMITTING BUBBLES AND EXTREME GAS KINEMATICS. <i>Astrophysical Journal</i> , 2015, 800, 45.	1.6	71
188	The Seyfert 2 galaxy NGC 2110: hard X-ray emission observed by <i>NuSTAR</i> and variability of the iron $K\hat{~}$ line. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 447, 160-167.	1.6	30
189	Extended hard-X-ray emission in the inner few parsecs of the Galaxy. <i>Nature</i> , 2015, 520, 646-649.	13.7	60
190	DETERMINING THE COVERING FACTOR OF COMPTON-THICK ACTIVE GALACTIC NUCLEI WITH <i>NuSTAR</i> . <i>Astrophysical Journal</i> , 2015, 805, 41.	1.6	63
191	The <i>NuSTAR</i> X-ray spectrum of the low-luminosity active galactic nucleus in NGC 7213. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 452, 3266-3272.	1.6	28
192	An extragalactic spectroscopic survey of the SSA22 field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 450, 2615-2630.	1.6	18
193	<i>NUSTAR</i> AND <i>SUZAKU</i> X-RAY SPECTROSCOPY OF NGC 4151: EVIDENCE FOR REFLECTION FROM THE INNER ACCRETION DISK. <i>Astrophysical Journal</i> , 2015, 806, 149.	1.6	54
194	A FIRST LOOK AT THE X-RAY POPULATION OF THE YOUNG MASSIVE CLUSTER VV CL077. <i>Astrophysical Journal</i> , 2015, 801, 49.	1.6	2
195	Ultra-deep catalog of X-ray groups in the Extended <i>Chandra</i> Deep Field South. <i>Astronomy and Astrophysics</i> , 2015, 576, A130.	2.1	39
196	The host galaxies of X-ray selected active galactic nuclei to $z = 2.5$ : Structure, star formation, and their relationships from CANDELS and <i>Herschel</i> /PACS. <i>Astronomy and Astrophysics</i> , 2015, 573, A85.	2.1	58
197	Rapidly growing black holes and host galaxies in the distant Universe from the <i>Herschel</i> Radio Galaxy Evolution Project. <i>Astronomy and Astrophysics</i> , 2014, 566, A53.	2.1	82
198	THE ACTIVE GALACTIC NUCLEUS POPULATION IN X-RAY-SELECTED GALAXY GROUPS AT $0.5 < z < 1.1$ . <i>Astrophysical Journal</i> , 2014, 790, 43.	1.6	15

#	ARTICLE	IF	CITATIONS
199	Reversal or no reversal: the evolution of the star formation rateâ€“density relation up to $z \approx 1.6$ . Monthly Notices of the Royal Astronomical Society, 2014, 437, 458-474.	1.6	36
200	The nature of supernovae 2010O and 2010P in Arp 299 II. Radio emission. Monthly Notices of the Royal Astronomical Society, 2014, 440, 1067-1079.	1.6	20
201	PHOTOMETRIC REDSHIFTS IN THE HAWAII-HUBBLE DEEP FIELD-NORTH (H-HDF-N). Astrophysical Journal, Supplement Series, 2014, 215, 27.	3.0	29
202	HIGH-ENERGY X-RAY DETECTION OF G359.89â€“0.08 (SGR Aâ€“E): MAGNETIC FLUX TUBE EMISSION POWERED BY COSMIC RAYS?. Astrophysical Journal, 2014, 784, 6.	1.6	21
203	THE X-RAY LUMINOSITY FUNCTIONS OF FIELD LOW-MASS X-RAY BINARIES IN EARLY-TYPE GALAXIES: EVIDENCE FOR A STELLAR AGE DEPENDENCE. Astrophysical Journal, 2014, 789, 52.	1.6	36
204	<i>NuSTAR</i> AND <i>XMM-NEWTON</i> OBSERVATIONS OF LUMINOUS, HEAVILY OBSCURED, <i>WISE</i>-SELECTED QUASARS AT <i>Z</i> $\approx 2$ . Astrophysical Journal, 2014, 794, 102.	1.6	93
205	YOUNG GALAXY CANDIDATES IN THE HUBBLE FRONTIER FIELDS. I. A2744. Astrophysical Journal, 2014, 795, 93.	1.6	61
206	NuSTAR J033202â€“2746.8: DIRECT CONSTRAINTS ON THE COMPTON REFLECTION IN A HEAVILY OBSCURED QUASAR AT $z \approx 2$ . Astrophysical Journal, 2014, 786, 16.	1.6	29
207	WEAK HARD X-RAY EMISSION FROM BROAD ABSORPTION LINE QUASARS: EVIDENCE FOR INTRINSIC X-RAY WEAKNESS. Astrophysical Journal, 2014, 794, 70.	1.6	79
208	The X-ray properties of the cometary blue compact dwarf galaxies Mrk 59 and Mrk 71. Monthly Notices of the Royal Astronomical Society, 2014, 441, 1841-1853.	1.6	10
209	<i>NuSTAR</i> REVEALS AN INTRINSICALLY X-RAY WEAK BROAD ABSORPTION LINE QUASAR IN THE ULTRALUMINOUS INFRARED GALAXY MARKARIAN 231. Astrophysical Journal, 2014, 785, 19.	1.6	80
210	THE <i>NuSTAR</i> VIEW OF NEARBY COMPTON-THICK ACTIVE GALACTIC NUCLEI: THE CASES OF NGC 424, NGC 1320, AND IC 2560. Astrophysical Journal, 2014, 794, 111.	1.6	90
211	THE 2-79 keV X-RAY SPECTRUM OF THE CIRCINUS GALAXY WITH <i>NuSTAR</i>, <i>XMM-Newton</i>, AND <i>CHANDRA</i>: A FULLY COMPTON-THICK ACTIVE GALACTIC NUCLEUS. Astrophysical Journal, 2014, 791, 81.	1.6	109
212	A GEOMETRICALLY SUPPORTED <i>z</i> $\approx 10$ CANDIDATE MULTIPLY IMAGED BY THE HUBBLE FRONTIER FIELDS CLUSTER A2744. Astrophysical Journal Letters, 2014, 793, L12.	3.0	114
213	THE NORMA ARM REGION <i>CHANDRA</i> SURVEY CATALOG: X-RAY POPULATIONS IN THE SPIRAL ARMS. Astrophysical Journal, 2014, 796, 105.	1.6	14
214	<i>NuSTAR</i> OBSERVATIONS OF HEAVILY OBSCURED QUASARS AT <i>z</i> $\approx 0.5$ . Astrophysical Journal, 2014, 785, 17.	1.6	58
215	NuSTAR J163433-4738.7: A FAST X-RAY TRANSIENT IN THE GALACTIC PLANE. Astrophysical Journal, 2014, 785, 4.	1.6	5
216	INITIAL RESULTS FROM <i>NuSTAR</i> OBSERVATIONS OF THE NORMA ARM. Astrophysical Journal, 2014, 791, 68.	1.6	8

#	ARTICLE	IF	CITATIONS
217	NuSTAR UNVEILS A COMPTON-THICK TYPE 2 QUASAR IN MrK 34. <i>Astrophysical Journal</i> , 2014, 792, 117.	1.6	66
218	THE VARIABLE HARD X-RAY EMISSION OF NGC 4945 AS OBSERVED BY <i>NuSTAR</i> . <i>Astrophysical Journal</i> , 2014, 793, 26.	1.6	66
219	FIRST HARD X-RAY DETECTION OF THE NON-THERMAL EMISSION AROUND THE ARCHES CLUSTER: MORPHOLOGY AND SPECTRAL STUDIES WITH <i>NuSTAR</i> . <i>Astrophysical Journal</i> , 2014, 781, 107.	1.6	28
220	GRB 120422A/SN 2012bz: Bridging the gap between low- and high-luminosity gamma-ray bursts. <i>Astronomy and Astrophysics</i> , 2014, 566, A102.	2.1	87
221	Near-infrared spectroscopy of 20 new <i>Chandra</i> sources in the Norma arm. <i>Astronomy and Astrophysics</i> , 2014, 568, A54.	2.1	5
222	An early and comprehensive millimetre and centimetre wave and X-ray study of SN 2011dh: a non-equipartition blast wave expanding into a massive stellar wind. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 436, 1258-1267.	1.6	64
223	The lack of star formation gradients in galaxy groups up to $z \approx 1.6$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 434, 3089-3103.	1.6	31
224	SN 2009ip <i>À la PESSTO</i> : no evidence for core collapse yet... <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 433, 1312-1337.	1.6	110
225	SN 2007bg: the complex circumstellar medium around one of the most radio-luminous broad-lined Type Ic supernovae. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 428, 1207-1217.	1.6	51
226	Performing a stellar autopsy using the radio-bright remnant of SN 1996cr. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 431, 2453-2463.	1.6	8
227	THE <i>NuSTAR</i> EXTRAGALACTIC SURVEY: A FIRST SENSITIVE LOOK AT THE HIGH-ENERGY COSMIC X-RAY BACKGROUND POPULATION. <i>Astrophysical Journal</i> , 2013, 773, 125.	1.6	73
228	NUCLEAR ACTIVITY IS MORE PREVALENT IN STAR-FORMING GALAXIES. <i>Astrophysical Journal</i> , 2013, 771, 63.	1.6	96
229	HIGH-ENERGY X-RAYS FROM J174545.5-285829, THE CANNONBALL: A CANDIDATE PULSAR WIND NEBULA ASSOCIATED WITH Sgr A EAST. <i>Astrophysical Journal Letters</i> , 2013, 778, L31.	3.0	16
230	WEAK HARD X-RAY EMISSION FROM TWO BROAD ABSORPTION LINE QUASARS OBSERVED WITH <i>NuSTAR</i> : COMPTON-THICK ABSORPTION OR INTRINSIC X-RAY WEAKNESS?. <i>Astrophysical Journal</i> , 2013, 772, 153.	1.6	58
231	The high-redshift ( $z > 3$ ) active galactic nucleus population in the 4-Ms <i>Chandra</i> Deep Field-South. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 428, 354-369.	1.6	37
232	THREE NEW GALACTIC CENTER X-RAY SOURCES IDENTIFIED WITH NEAR-INFRARED SPECTROSCOPY. <i>Astronomical Journal</i> , 2013, 146, 109.	1.9	7
233	THE <i>NUCLEAR SPECTROSCOPIC TELESCOPE ARRAY</i> ( <i>NuSTAR</i> ) HIGH-ENERGY X-RAY MISSION. <i>Astrophysical Journal</i> , 2013, 770, 103.	1.6	1,627
234	GOODS- <i>Herschel</i> : radio-excess signature of hidden AGN activity in distant star-forming galaxies. <i>Astronomy and Astrophysics</i> , 2013, 549, A59.	2.1	110

#	ARTICLE	IF	CITATIONS
235	<i>Magellan</i>/MMIRS near-infrared multi-object spectroscopy of nebular emission from star-forming galaxies at $2 < i > z < / i > \leq 3$ . <i>Astronomy and Astrophysics</i> , 2013, 551, A93.	2.1	26
236	VARIABILITY-SELECTED LOW-LUMINOSITY ACTIVE GALACTIC NUCLEI IN THE 4 Ms CHANDRA DEEP FIELD-SOUTH. <i>Astrophysical Journal</i> , 2012, 748, 124.	1.6	56
237	TRACKING DOWN THE SOURCE POPULATION RESPONSIBLE FOR THE UNRESOLVED COSMIC $6\text{--}8\text{ keV}$ BACKGROUND. <i>Astrophysical Journal</i> , 2012, 758, 129.	1.6	49
238	THE LONG-TERM X-RAY VARIABILITY OF BROAD ABSORPTION LINE QUASARS. <i>Astrophysical Journal</i> , 2012, 759, 42.	1.6	37
239	THE 4 Ms<i>CHANDRA</i> DEEP FIELD-SOUTH NUMBER COUNTS APPORTIONED BY SOURCE CLASS: PERVASIVE ACTIVE GALACTIC NUCLEI AND THE ASCENT OF NORMAL GALAXIES. <i>Astrophysical Journal</i> , 2012, 752, 46.	1.6	173
240	DEEP SILICATE ABSORPTION FEATURES IN COMPTON-THICK ACTIVE GALACTIC NUCLEI PREDOMINANTLY ARISE DUE TO DUST IN THE HOST GALAXY. <i>Astrophysical Journal</i> , 2012, 755, 5.	1.6	127
241	Energetic galaxy-wide outflows in high-redshift ultraluminous infrared galaxies hosting AGN activity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 426, 1073-1096.	1.6	171
242	MOONS: a multi-object optical and near-infrared spectrograph for the VLT. <i>Proceedings of SPIE</i> , 2012, , .	0.8	16
243	GOODS-Herschel: the far-infrared view of star formation in active galactic nucleus host galaxies since $z \approx 3$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 419, 95-115.	1.6	226
244	Enhanced star formation rates in AGN hosts with respect to inactive galaxies from PEP-<i>Herschel</i> observations. <i>Astronomy and Astrophysics</i> , 2012, 540, A109.	2.1	183
245	REVEALING A POPULATION OF HEAVILY OBSCURED ACTIVE GALACTIC NUCLEI AT $0.5 < i > z < / i > \leq 1$ IN THE CHANDRA DEEP FIELD-SOUTH. <i>Astrophysical Journal</i> , 2011, 740, 37.	1.6	36
246	Spectropolarimetry of Type IIIn SN2010jl: Peering Into the Heart of a Monster. <i>Proceedings of the International Astronomical Union</i> , 2011, 7, 325-326.	0.0	1
247	Radio Insight into the Nature of Type IIb Progenitors. <i>Proceedings of the International Astronomical Union</i> , 2011, 7, 393-394.	0.0	0
248	SUPERMASSIVE BLACK HOLE GROWTH IN STARBURST GALAXIES OVER COSMIC TIME: CONSTRAINTS FROM THE DEEPEST<i>CHANDRA</i> FIELDS. <i>Astrophysical Journal</i> , 2011, 742, 3.	1.6	90
249	X-RAY SPECTRAL CONSTRAINTS FOR<math>z < / math> \leq 2</math> MASSIVE GALAXIES: THE IDENTIFICATION OF REFLECTION-DOMINATED ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2011, 738, 44.	1.6	53
250	The<i>XMM</i> Deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2011, 526, L9.	2.1	119
251	Modeling SN 1996cr's X-ray lines at high-resolution: Sleuthing the ejecta's CSM geometry. <i>AIP Conference Proceedings</i> , 2011, , .	0.3	2
252	THE CHANDRA DEEP FIELD-SOUTH SURVEY: 4 Ms SOURCE CATALOGS. <i>Astrophysical Journal, Supplement Series</i> , 2011, 195, 10.	3.0	488

#	ARTICLE	IF	CITATIONS
253	COLOR-MAGNITUDE RELATIONS OF ACTIVE AND NON-ACTIVE GALAXIES IN THE CHANDRA DEEP FIELDS: HIGH-REDSHIFT CONSTRAINTS AND STELLAR-MASS SELECTION EFFECTS. <i>Astrophysical Journal</i> , 2010, 720, 368-391.	1.6	180
254	INNOVATIONS IN THE ANALYSIS OF CHANDRA-ACIS OBSERVATIONS. <i>Astrophysical Journal</i> , 2010, 714, 1582-1605.	1.6	234
255	X-RAY CONSTRAINTS ON THE ACTIVE GALACTIC NUCLEI PROPERTIES IN SPITZER-INFRARED SPECTROGRAPH IDENTIFIED $z \approx 1.4$ 2 ULTRALUMINOUS INFRARED GALAXIES. <i>Astrophysical Journal</i> , 2010, 710, 212-226.	1.6	36
256	A CHANDRA PERSPECTIVE ON GALAXY-WIDE X-RAY BINARY EMISSION AND ITS CORRELATION WITH STAR FORMATION RATE AND STELLAR MASS: NEW RESULTS FROM LUMINOUS INFRARED GALAXIES. <i>Astrophysical Journal</i> , 2010, 724, 559-571.	1.6	268
257	Radiation pressure, absorption and AGN feedback in the Chandra Deep Fields. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 408, 1714-1720.	1.6	27
258	Star formation in AGN hosts in GOODS-N. <i>Astronomy and Astrophysics</i> , 2010, 518, L26.	2.1	149
259	THE EXTENDED CHANDRA DEEP FIELD-SOUTH SURVEY: OPTICAL SPECTROSCOPY OF FAINT X-RAY SOURCES WITH THE VLT AND KECK. <i>Astrophysical Journal, Supplement Series</i> , 2010, 191, 124-142.	3.0	123
260	IDENTIFICATIONS AND PHOTOMETRIC REDSHIFTS OF THE 2 Ms CHANDRA DEEP FIELD-SOUTH SOURCES. <i>Astrophysical Journal, Supplement Series</i> , 2010, 187, 560-580.	3.0	133
261	NEAR-INFRARED COUNTERPARTS TO CHANDRA X-RAY SOURCES TOWARD THE GALACTIC CENTER. I. STATISTICS AND A CATALOG OF CANDIDATES. <i>Astrophysical Journal</i> , 2009, 703, 30-41.	1.6	30
262	THE CHANDRA DEEP PROTOCLUSTER SURVEY: $L_{\text{Ly}\alpha}$ BLOBS ARE POWERED BY HEATING, NOT COOLING. <i>Astrophysical Journal</i> , 2009, 700, 1-9.	1.6	108
263	DISCOVERY OF THE MOST DISTANT DOUBLE-PEAKED EMITTER AT $z = 1.369$ . <i>Astrophysical Journal</i> , 2009, 695, 1227-1232.	1.6	10
264	Supermassive Black Hole Growth in Starburst Galaxies: Constraints from the Deepest Chandra Fields. , 2009, , .		0
265	The Chandra Deep Protocluster Survey: point-source catalogues for a 400-ks observation of the $z = 3.09$ protocluster in SSA22. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 400, 299-316.	1.6	58
266	A CATALOG OF X-RAY POINT SOURCES FROM TWO MEGASECONDS OF CHANDRA OBSERVATIONS OF THE GALACTIC CENTER. <i>Astrophysical Journal, Supplement Series</i> , 2009, 181, 110-128.	3.0	147
267	THE CHANDRA DEEP PROTOCLUSTER SURVEY: EVIDENCE FOR AN ENHANCEMENT OF AGN ACTIVITY IN THE SSA22 PROTOCLUSTER AT $z = 3.09$ . <i>Astrophysical Journal</i> , 2009, 691, 687-695.	1.6	86
268	Tracing the Mass-Dependent Star Formation History of Late-Type Galaxies Using X-Ray Emission: Results from the Chandra Deep Fields. <i>Astrophysical Journal</i> , 2008, 681, 1163-1182.	1.6	71
269	The Evolution of AGN Host Galaxies: From Blue to Red and the Influence of Large-Scale Structures. <i>Astrophysical Journal</i> , 2008, 675, 1025-1040.	1.6	136
270	Deep Survey Constraints on X-Ray Outbursts from Galactic Nuclei. <i>Astrophysical Journal</i> , 2008, 674, 122-132.	1.6	16



#	ARTICLE	IF	CITATIONS
271	CONFIRMATION OF A CORRELATION BETWEEN THE X-RAY LUMINOSITY AND SPECTRAL SLOPE OF ACTIVE GALACTIC NUCLEI IN THE CHANDRA DEEP FIELDS. <i>Astronomical Journal</i> , 2008, 135, 1505-1522.	1.9	42
272	The Chandra Deep Field "South Survey: 2 Ms Source Catalogs. <i>Astrophysical Journal, Supplement Series</i> , 2008, 179, 19-36.	3.0	250
273	Supernova 1996cr: SN 1987A's Wild Cousin?. <i>Astrophysical Journal</i> , 2008, 688, 1210-1234.	1.6	54
274	WEIGHING THE BLACK HOLES IN $z < 2$ SUBMILLIMETER-EMITTING GALAXIES HOSTING ACTIVE GALACTIC NUCLEI. <i>Astronomical Journal</i> , 2008, 135, 1968-1981.	1.9	161
275	Reliable Identification of Compton-thick Quasars at $z < 2$ : Spitzer Mid-Infrared Spectroscopy of HDF-MD49. <i>Astrophysical Journal</i> , 2008, 687, 835-847.	1.6	116
276	SN 1996cr: Confirmation of a Luminous Type II In Supernova in the Circinus Galaxy. <i>AIP Conference Proceedings</i> , 2007, , .	0.3	1
277	SN 1996cr: Confirmation of a Luminous Type II In Supernova in the Circinus Galaxy. , 2007, , .		0
278	X-Ray Luminosity Functions of Normal Galaxies in the Great Observatories Origins Deep Survey. <i>Astrophysical Journal</i> , 2007, 667, 826-858.	1.6	40
279	Multiwavelength Study of Massive Galaxies at $z < 1/2$ . I. Star Formation and Galaxy Growth. <i>Astrophysical Journal</i> , 2007, 670, 156-172.	1.6	1,276
280	The X-Ray Evolution of Early-Type Galaxies in the Extended Chandra Deep Field "South. <i>Astrophysical Journal</i> , 2007, 657, 681-699.	1.6	59
281	Multiwavelength Study of Massive Galaxies at $z < 1/2$ . II. Widespread Compton-thick Active Galactic Nuclei and the Concurrent Growth of Black Holes and Bulges. <i>Astrophysical Journal</i> , 2007, 670, 173-189.	1.6	289
282	Uncovering the Near-IR Dwarf Galaxy Population of the Coma Cluster with Spitzer IRAC. <i>Astrophysical Journal</i> , 2007, 666, 846-862.	1.6	26
283	The XMM-Newton serendipitous survey. <i>Astronomy and Astrophysics</i> , 2007, 469, 27-46.	2.1	59
284	Spitzer Number Counts of Active Galactic Nuclei in the GOODS Fields. <i>Astrophysical Journal</i> , 2006, 640, 603-611.	1.6	74
285	Chandra X-Ray Observations of Galaxies in an Off-Center Region of the Coma Cluster. <i>Astrophysical Journal</i> , 2006, 643, 144-153.	1.6	10
286	A Chandra Catalog of X-Ray Sources in the Central 150 pc of the Galaxy. <i>Astrophysical Journal, Supplement Series</i> , 2006, 165, 173-187.	3.0	78
287	The Properties and Redshift Evolution of Intermediate-Luminosity Off-Nuclear X-Ray Sources in the Chandra Deep Fields. <i>Astronomical Journal</i> , 2006, 131, 2394-2405.	1.9	27
288	Chandra Observations of Red Sloan Digital Sky Survey Quasars. <i>Astronomical Journal</i> , 2006, 132, 1977-1988.	1.9	19

#	ARTICLE	IF	CITATIONS
289	Can the unresolved X-ray background be explained by the emission from the optically-detected faint galaxies of the GOODS project?. Monthly Notices of the Royal Astronomical Society, 2006, 368, 1735-1741.	1.6	28
290	Infrared Powerâ€Law Galaxies in the Chandra Deep Fieldâ€South: Active Galactic Nuclei and Ultraluminous Infrared Galaxies. Astrophysical Journal, 2006, 640, 167-184.	1.6	204
291	SpitzerObservations of Massive, Red Galaxies at High Redshift. Astrophysical Journal, 2006, 640, 92-113.	1.6	279
292	THE CHANDRA DEEP FIELDS AND THE PREVALANCE OF SUPER-MASSIVE BLACK HOLES IN THE UNIVERSE. , 2006, , .		0
293	X-Ray Properties of Lyman Break Galaxies in the Great Observatories Origins Deep Survey. Astronomical Journal, 2005, 129, 1-8.	1.9	57
294	AGN Host Galaxies at $z \sim 0.4-1.3$ : Bulge-dominated and Lacking Merger-AGN Connection. Astrophysical Journal, 2005, 627, L97-L100.	1.6	183
295	The Extended Chandra Deep Fieldâ€South Survey: Chandra Pointâ€Source Catalogs. Astrophysical Journal, Supplement Series, 2005, 161, 21-40.	3.0	244
296	The unresolved hard X-ray background: the missing source population implied by the Chandra and XMM-Newton deep fields. Monthly Notices of the Royal Astronomical Society, 2005, 357, 1281-1287.	1.6	176
297	Correlations between bright submillimetre sources and low-redshift galaxies. Monthly Notices of the Royal Astronomical Society, 2005, 358, 875-882.	1.6	17
298	The prevalence of cooling cores in clusters of galaxies at $z \sim 0.15-0.4$ . Monthly Notices of the Royal Astronomical Society, 2005, 359, 1481-1490.	1.6	98
299	Rapid growth of black holes in massive star-forming galaxies. Nature, 2005, 434, 738-740.	13.7	192
300	A Chandra observation of the $z = 2.285$ galaxy FSC 10214+4724: evidence for a Compton-thick quasar?. Monthly Notices of the Royal Astronomical Society: Letters, 2005, 357, L16-L20.	1.2	24
301	Exploring the Nature of Weak Chandra Sources near the Galactic Centre. AIP Conference Proceedings, 2005, , .	0.3	0
302	Resolving the X-ray Background. AIP Conference Proceedings, 2005, , .	0.3	1
303	The Population of B z K -selected ULIRGs at $z \sim 2$ . Astrophysical Journal, 2005, 631, L13-L16.	1.6	148
304	An infrared imaging survey of the faint Chandra sources near the Galactic Centre. Monthly Notices of the Royal Astronomical Society, 2005, 364, 1195-1202.	1.6	13
305	The Xâ€Ray Spectral Properties of SCUBA Galaxies. Astrophysical Journal, 2005, 632, 736-750.	1.6	354
306	The Great Observatories Origins Deep Survey: Initial Results from Optical and Near-Infrared Imaging. Astrophysical Journal, 2004, 600, L93-L98.	1.6	1,351

#	ARTICLE	IF	CITATIONS
307	X-ray spectroscopy and variability of AGN detected in the 2 Ms Chandra Deep Field-North Survey. <i>Advances in Space Research</i> , 2004, 34, 2555-2560.	1.2	9
308	X-rays from the first massive black holes. <i>Advances in Space Research</i> , 2004, 34, 2478-2485.	1.2	6
309	A Possible New Population of Sources with Extreme X-Ray/Optical Ratios. <i>Astrophysical Journal</i> , 2004, 600, L123-L126.	1.6	63
310	Chandra Observations of the Three Most Metal Deficient Blue Compact Dwarf Galaxies Known in the Local Universe, SBS 0335-052, SBS 0335-052W, and I Zw 18. <i>Astrophysical Journal</i> , 2004, 606, 213-220.	1.6	47
311	Chandra and Hubble Space Telescope Confirmation of the Luminous and Variable X-Ray Source IC 10 X-1 as a Possible Wolf-Rayet, Black Hole Binary. <i>Astrophysical Journal</i> , 2004, 601, L67-L70.	1.6	46
312	Lower Mass Black Holes in the Great Observatories Origins Deep Survey? Off-nuclear X-Ray Sources. <i>Astrophysical Journal</i> , 2004, 600, L147-L150.	1.6	22
313	The Fall of Active Galactic Nuclei and the Rise of Star-forming Galaxies: A Close Look at the Chandra Deep Field X-Ray Number Counts. <i>Astronomical Journal</i> , 2004, 128, 2048-2065.	1.9	245
314	Obscured Active Galactic Nuclei and the X-Ray, Optical, and Far-Infrared Number Counts of Active Galactic Nuclei in the GOODS Fields. <i>Astrophysical Journal</i> , 2004, 616, 123-135.	1.6	135
315	The Chandra Deep Field-North Survey. XVII. Evolution of Magnetic Activity in Old Late-Type Stars. <i>Astrophysical Journal</i> , 2004, 611, 1107-1120.	1.6	45
316	The 2 Ms Chandra Deep Field-North. , 2004, , 291-294.		0
317	Resolving the source populations that contribute to the X-ray background: The 2 Ms Chandra Deep Field-North Survey. <i>Astronomische Nachrichten</i> , 2003, 324, 8-11.	0.6	3
318	The weak outnumbering the mighty: normal galaxies in deep Chandra surveys. <i>Astronomische Nachrichten</i> , 2003, 324, 12-15.	0.6	2
319	Probing the Complex and Variable X-Ray Absorption of Markarian 6 with XMM-Newton. <i>Astronomical Journal</i> , 2003, 126, 153-157.	1.9	25
320	The X-Ray Properties of the Nearby Star-forming Galaxy IC 342: The XMM-Newton View. <i>Astronomical Journal</i> , 2003, 126, 2797-2805.	1.9	19
321	The Chandra Deep Field North Survey. XV. Optically Bright, X-Ray-Faint Sources. <i>Astronomical Journal</i> , 2003, 126, 575-595.	1.9	82
322	The Chandra Deep Field North Survey. XIII. 2 Ms Point-Source Catalogs. <i>Astronomical Journal</i> , 2003, 126, 539-574.	1.9	664
323	Optical and Infrared Properties of the 2 Ms Chandra Deep Field North X-Ray Sources. <i>Astronomical Journal</i> , 2003, 126, 632-665.	1.9	283
324	The Chandra Deep Field North Survey. XIV. X-Ray-Detected Obscured AGN [CLC]s [CLC] and Starburst Galaxies in the Bright Submillimeter Source Population. <i>Astronomical Journal</i> , 2003, 125, 383-397.	1.9	156

#	ARTICLE	IF	CITATIONS
325	Very High Redshift X-Ray-selected Active Galactic Nuclei in the Chandra Deep Field-North. <i>Astrophysical Journal</i> , 2003, 584, L61-L64.	1.6	89
326	The Chandra Deep Field North Survey. XII. The Link between Faint X-Ray and Radio Source Populations. <i>Astronomical Journal</i> , 2002, 124, 2351-2363.	1.9	103
327	The Chandra Deep Field-North Survey and the cosmic X-ray background. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2002, 360, 2057-2075.	1.6	12
328	The Chandra Deep Field-North Survey. VIII. X-Ray Constraints on Spiral Galaxies from $0.4 < z < 1.5$ . <i>Astrophysical Journal</i> , 2002, 568, 82-87.	1.6	49
329	The Chandra Deep Field North Survey. X. X-Ray Emission from Very Red Objects. <i>Astronomical Journal</i> , 2002, 123, 1149-1162.	1.9	59
330	The Chandra Deep Field North Survey. IX. Extended X-Ray Sources. <i>Astronomical Journal</i> , 2002, 123, 1163-1178.	1.9	57
331	The Chandra Deep Field-North Survey. XI. X-Ray Emission from Luminous Infrared Starburst Galaxies. <i>Astrophysical Journal</i> , 2002, 568, L85-L88.	1.6	67
332	The Chandra Deep Field-North Survey. XVI. The X-Ray Properties of Moderate-Luminosity Active Galaxies at $z \leq 4$ . <i>Astrophysical Journal</i> , 2002, 580, L105-L109.	1.6	25
333	The Chandra Deep Field North Survey. V. 1 Mpc Source Catalogs. <i>Astronomical Journal</i> , 2001, 122, 2810-2832.	1.9	314
334	The Chandra Deep Field North Survey. VI. The Nature of the Optically Faint X-Ray Source Population. <i>Astronomical Journal</i> , 2001, 122, 2156-2176.	1.9	169
335	A Study of the Circinus Galaxy Point-Source Population. <i>Astronomical Journal</i> , 2001, 122, 182-193.	1.9	62
336	The Chandra Deep Field-North Survey. VII. X-Ray Emission from Lyman Break Galaxies. <i>Astrophysical Journal</i> , 2001, 558, L5-L9.	1.6	73
337	RBSC-VSS Sample. I. Radio and Optical Identifications of a Complete Sample of 1556 Bright X-Ray Sources. <i>Astrophysical Journal, Supplement Series</i> , 2000, 129, 547-562.	3.0	85
338	Determinations of Metal Abundances from ROSAT Observations. <i>Astrophysical Journal</i> , 1996, 457, 382.	1.6	17
339	Unveiling the AGN in IC883: discovery of a parsec-scale radio jet. <i>Monthly Notices of the Royal Astronomical Society</i> , 0, , stx224.	1.6	4
340	Growing supermassive black holes in the late stages of galaxy mergers are heavily obscured. <i>Monthly Notices of the Royal Astronomical Society</i> , 0, , stx173.	1.6	118
341	Probing 3D Structure with a Large MUSE Mosaic: Extending the Mass Model of Frontier Field Abell 370. <i>Monthly Notices of the Royal Astronomical Society</i> , 0, , .	1.6	38