
Bei Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6552646/publications.pdf Version: 2024-02-01



Reiliu

#	Article	IF	CITATIONS
1	Association between delayed transthoracic echocardiography and in-hospital mortality in type A acute aortic dissection-associated ST-segment elevated myocardial infarction. Journal of Thoracic Disease, 2021, 13, 2923-2932.	1.4	1
2	Novel deep intronic and frameshift mutations causing a TRIP11 â€related disorder. American Journal of Medical Genetics, Part A, 2021, 185, 2482-2487.	1.2	2
3	Modulation of Ca ²⁺ -induced Ca ²⁺ release by ubiquitin protein ligase E3 component n-recognin UBR3 and 6 in cardiac myocytes. Channels, 2020, 14, 326-335.	2.8	4
4	Electrochemical mixed aptamer-antibody sandwich assay for mucin protein 16 detection through hybridization chain reaction amplification. Analytical and Bioanalytical Chemistry, 2020, 412, 7169-7178.	3.7	17
5	Identification of a likely pathogenic structural variation in the LAMA1 gene by Bionano optical mapping. Npj Genomic Medicine, 2020, 5, 31.	3.8	14
6	The association between the two more common genetic causes of spermatogenic failure: a 7-year retrospective study. Asian Journal of Andrology, 2020, 22, 642.	1.6	1
7	Detection of fetal subchromosomal aberration with cell-free DNA screening led to diagnosis of parental translocation: Review of 11344 consecutive cases in a university hospital. European Journal of Medical Genetics, 2019, 62, 115-123.	1.3	10
8	Comprehensive genetic diagnosis of patients with Duchenne/Becker muscular dystrophy (DMD/BMD) and pathogenicity analysis of splice site variants in the DMD gene. Journal of Zhejiang University: Science B, 2019, 20, 753-765.	2.8	12
9	Exosomes from nicotine-stimulated macrophages accelerate atherosclerosis through miR-21-3p/PTEN-mediated VSMC migration and proliferation. Theranostics, 2019, 9, 6901-6919.	10.0	245
10	Electrochemical determination of the activity of DNA methyltransferase based on the methyl binding domain protein and a customized modular detector. Mikrochimica Acta, 2019, 186, 229.	5.0	9
11	Amperometric sandwich immunoassay for determination of myeloperoxidase by using gold nanoparticles encapsulated in graphitized mesoporous carbon. Mikrochimica Acta, 2019, 186, 262.	5.0	10
12	Nicotine-mediated autophagy of vascular smooth muscle cell accelerates atherosclerosis via nAChRs/ROS/NF-lºB signaling pathway. Atherosclerosis, 2019, 284, 1-10.	0.8	73
13	Gastroscopic Panoramic View: Application to Automatic Polyps Detection under Gastroscopy. Computational and Mathematical Methods in Medicine, 2019, 2019, 1-8.	1.3	4
14	Preimplantation genetic diagnosis and screening (PGD/S) using a semiconductor sequencing platform. Human Genomics, 2019, 13, 1.	2.9	24
15	A feasible diagnostic approach for the translocation carrier from the indication of products of conception. Molecular Cytogenetics, 2018, 11, 12.	0.9	10
16	Rutin attenuates H 2 O 2 -induced oxidation damage and apoptosis in Leydig cells by activating PI3K/Akt signal pathways. Biomedicine and Pharmacotherapy, 2017, 88, 500-506.	5.6	51
17	Expressions of TGF-β2, bFGF and ICAM-1 in lens epithelial cells of complicated cataract with silicone oil tamponade. International Journal of Ophthalmology, 2017, 10, 1034-1039.	1.1	2
18	Electrochemical sandwich immunoassay for human epididymis-specific protein 4 using a screen-printed electrode modified with graphene sheets and gold nanoparticles, and applying a modular magnetic detector device produced by 3D laser sintering. Mikrochimica Acta, 2016, 183, 837-843.	5.0	14

Bei Liu

#	Article	IF	CITATIONS
19	Label-free sandwich type of immunosensor for hepatitis C virus core antigen based on the use of gold nanoparticles on a nanostructured metal oxide surface. Mikrochimica Acta, 2012, 178, 331-340.	5.0	37
20	Detection of the human prostate-specific antigen using an aptasensor with gold nanoparticles encapsulated by graphitized mesoporous carbon. Mikrochimica Acta, 2012, 178, 163-170.	5.0	95
21	Disposable electrochemical immunosensor for myeloperoxidase based on the indium tin oxide electrode modified with an ionic liquid composite film containing gold nanoparticles, poly(o-phenylenediamine) and carbon nanotubes. Mikrochimica Acta, 2011, 173, 513-520.	5.0	21
22	Improved electrochemical immunosensor for myeloperoxidase in human serum based on nanogold/cerium dioxide-BMIMPF6/I-Cysteine composite film. Colloids and Surfaces B: Biointerfaces, 2011, 86, 339-344.	5.0	33
23	Amperometric Immunosensor for Myeloperoxidase in Human Serum Based on a Multi-wall Carbon Nanotubes-Ionic Liquid-Cerium Dioxide Film-modified Electrode. Bulletin of the Korean Chemical Society, 2010, 31, 3259-3264.	1.9	15