

Matthieu Despeisse

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6553233/matthieu-despeisse-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123
papers

4,612
citations

36
h-index

65
g-index

132
ext. papers

5,322
ext. citations

7.1
avg, IF

5.11
L-index

#	Paper	IF	Citations
123	Transferability of the Light-Soaking Benefits on Silicon Heterojunction Cells to Module. <i>IEEE Journal of Photovoltaics</i> , 2022 , 1-7	3.7	0
122	Influence of Light Soaking on Silicon Heterojunction Solar Cells With Various Architectures. <i>IEEE Journal of Photovoltaics</i> , 2021 , 11, 575-583	3.7	9
121	Implementation and understanding of p+ fired rear hole selective tunnel oxide passivating contacts enabling >22% conversion efficiency in p-type c-Si solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2021 , 219, 110809	6.4	4
120	Hole-Selective Front Contact Stack Enabling 24.1%-Efficient Silicon Heterojunction Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2021 , 11, 9-15	3.7	3
119	The versatility of passivating carrier-selective silicon thin films for diverse high-efficiency screen-printed heterojunction-based solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2020 , 28, 569-577	6.8	12
118	Dopant-Free Back-Contacted Silicon Solar Cells with an Efficiency of 22.1%. <i>Physica Status Solidi - Rapid Research Letters</i> , 2020 , 14, 1900688	2.5	20
117	A Mixed-Phase SiO _x Hole Selective Junction Compatible With High Temperatures Used in Industrial Solar Cell Manufacturing. <i>IEEE Journal of Photovoltaics</i> , 2020 , 10, 1262-1269	3.7	3
116	Record-Efficiency n-Type and High-Efficiency p-Type Monolike Silicon Heterojunction Solar Cells with a High-Temperature Gettering Process. <i>ACS Applied Energy Materials</i> , 2019 , 2, 4900-4906	6.1	10
115	Low-Temperature Screen-Printed Metallization for the Scale-Up of Two-Terminal Perovskite/Silicon Tandems. <i>ACS Applied Energy Materials</i> , 2019 , 2, 3815-3821	6.1	50
114	Analysis of hydrogen distribution and migration in fired passivating contacts (FPC). <i>Solar Energy Materials and Solar Cells</i> , 2019 , 200, 110018	6.4	24
113	Field test and electrode optimization of electrodynamic cleaning systems for solar panels. <i>Progress in Photovoltaics: Research and Applications</i> , 2019 , 27, 1020-1033	6.8	8
112	Corrections to Highly Conductive and Broadband Transparent Zr-Doped In ₂ O ₃ as Front Electrode for Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2019 , 9, 1155-1155	3.7	
111	. <i>IEEE Journal of Photovoltaics</i> , 2019 , 9, 346-354	3.7	28
110	. <i>IEEE Journal of Photovoltaics</i> , 2018 , 8, 389-396	3.7	27
109	Highly Conductive and Broadband Transparent Zr-Doped In ₂ O ₃ as Front Electrode for Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2018 , 8, 1202-1207	3.7	30
108	Silicon Heterojunction Solar Cells on Quasi-mono Wafers 2018 ,		3
107	A passivating contact for silicon solar cells formed during a single firing thermal annealing. <i>Nature Energy</i> , 2018 , 3, 800-808	62.3	72

106	New guidelines for a more accurate extraction of solar cells and modules key data from their current-voltage curves. <i>Progress in Photovoltaics: Research and Applications</i> , 2017 , 25, 623-635	6.8	3
105	Simple processing of back-contacted silicon heterojunction solar cells using selective-area crystalline growth. <i>Nature Energy</i> , 2017 , 2,	62.3	70
104	The impact of silicon solar cell architecture and cell interconnection on energy yield in hot & sunny climates. <i>Energy and Environmental Science</i> , 2017 , 10, 1196-1206	35.4	49
103	ITO/MoOx/a-Si:H(i) Hole-Selective Contacts for Silicon Heterojunction Solar Cells: Degradation Mechanisms and Cell Integration. <i>IEEE Journal of Photovoltaics</i> , 2017 , 7, 1584-1590	3.7	47
102	Perovskite/Silicon Tandem Solar Cells: Challenges Towards High- Efficiency in 4-Terminal and Monolithic Devices 2017 ,		2
101	Raising the one-sun conversion efficiency of III-V/Si solar cells to 32.8% for two junctions and 35.9% for three junctions. <i>Nature Energy</i> , 2017 , 2,	62.3	303
100	Increasing the efficiency of silicon heterojunction solar cells and modules by light soaking. <i>Solar Energy Materials and Solar Cells</i> , 2017 , 173, 43-49	6.4	34
99	Interplay of annealing temperature and doping in hole selective rear contacts based on silicon-rich silicon-carbide thin films. <i>Solar Energy Materials and Solar Cells</i> , 2017 , 173, 18-24	6.4	62
98	Metallization of Si heterojunction solar cells by nanosecond laser ablation and Ni-Cu plating. <i>Solar Energy Materials and Solar Cells</i> , 2017 , 159, 243-250	6.4	19
97	Solar-to-Hydrogen Production at 14.2% Efficiency with Silicon Photovoltaics and Earth-Abundant Electrocatalysts. <i>Journal of the Electrochemical Society</i> , 2016 , 163, F1177-F1181	3.9	62
96	Accurate Determination of Photovoltaic Cell and Module Peak Power From Their Current-Voltage Characteristics. <i>IEEE Journal of Photovoltaics</i> , 2016 , 6, 1564-1575	3.7	9
95	Passivating electron contact based on highly crystalline nanostructured silicon oxide layers for silicon solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2016 , 158, 2-10	6.4	68
94	Comparison of amorphous silicon absorber materials: Kinetics of light-induced degradation. <i>Progress in Photovoltaics: Research and Applications</i> , 2016 , 24, 446-457	6.8	14
93	Passivating contacts for silicon solar cells with 800 °C stability based on tunnel-oxide and highly crystalline thin silicon layer 2016 ,		3
92	Silicon-Rich Silicon Carbide Hole-Selective Rear Contacts for Crystalline-Silicon-Based Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 35660-35667	9.5	41
91	High-efficiency perovskite/silicon heterojunction tandem solar cells 2016 ,		1
90	Profilometry of thin films on rough substrates by Raman spectroscopy. <i>Scientific Reports</i> , 2016 , 6, 378594.9		13
89	Light-induced performance increase of silicon heterojunction solar cells. <i>Applied Physics Letters</i> , 2016 , 109, 153503	3.4	37

88	Boosting the efficiency of III-V/Si tandem solar cells 2016 ,		4
87	. <i>IEEE Journal of Photovoltaics</i> , 2016 , 6, 1012-1019	3.7	86
86	Efficient Near-Infrared-Transparent Perovskite Solar Cells Enabling Direct Comparison of 4-Terminal and Monolithic Perovskite/Silicon Tandem Cells. <i>ACS Energy Letters</i> , 2016 , 1, 474-480	20.1	281
85	Silicon Heterojunction Solar Cells: Towards Low-cost High-Efficiency Industrial Devices and Application to Low-concentration PV. <i>Energy Procedia</i> , 2015 , 77, 508-514	2.3	20
84	22.5% efficient silicon heterojunction solar cell with molybdenum oxide hole collector. <i>Applied Physics Letters</i> , 2015 , 107, 081601	3.4	297
83	Back-Contacted Silicon Heterojunction Solar Cells: Optical-Loss Analysis and Mitigation. <i>IEEE Journal of Photovoltaics</i> , 2015 , 5, 1293-1303	3.7	42
82	Recent advances and remaining challenges in thin-film silicon photovoltaic technology. <i>Materials Today</i> , 2015 , 18, 378-384	21.8	63
81	Amorphous silicon/germanium for triple and quadruple junction thin-film silicon based solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2015 , 133, 163-169	6.4	56
80	The boron-tailing myth in hydrogenated amorphous silicon solar cells. <i>Applied Physics Letters</i> , 2015 , 107, 201112	3.4	3
79	New concept of PECVD reactor for efficient production of silicon heterojunction solar cells 2015 ,		1
78	Advances in crystalline silicon heterojunction research and opportunities for low manufacturing costs 2015 ,		1
77	Metal-free crystalline silicon solar cells in module 2015 ,		2
76	Microcrystalline silicon solar cells with passivated interfaces for high open-circuit voltage. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2015 , 212, 840-845	1.6	10
75	Silicon oxide buffer layer at the p/n interface in amorphous and microcrystalline silicon solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2014 , 120, 143-150	6.4	40
74	2014 ,		4
73	Class AAA LED-Based Solar Simulator for Steady-State Measurements and Light Soaking. <i>IEEE Journal of Photovoltaics</i> , 2014 , 4, 1282-1287	3.7	25
72	Thin-Film Silicon Triple-Junction Solar Cells on Highly Transparent Front Electrodes With Stabilized Efficiencies up to 12.8%. <i>IEEE Journal of Photovoltaics</i> , 2014 , 4, 757-762	3.7	28
71	Silicon Heterojunction Solar Cells With Copper-Plated Grid Electrodes: Status and Comparison With Silver Thick-Film Techniques. <i>IEEE Journal of Photovoltaics</i> , 2014 , 4, 1055-1062	3.7	75

70	The role of front and back electrodes in parasitic absorption in thin-film solar cells. <i>EPJ Photovoltaics</i> , 2014 , 5, 50601	0.7	4
69	THIN-FILM SOLAR CELLS BASED ON AMORPHOUS AND MICROCRYSTALLINE SILICON. <i>Series on Photoconversion of Solar Energy</i> , 2014 , 139-207		1
68	High-Stable-Efficiency Tandem Thin-Film Silicon Solar Cell With Low-Refractive-Index Silicon-Oxide Interlayer. <i>IEEE Journal of Photovoltaics</i> , 2014 , 4, 1368-1373	3.7	45
67	Light-induced Voc increase and decrease in high-efficiency amorphous silicon solar cells. <i>Journal of Applied Physics</i> , 2014 , 116, 094503	2.5	25
66	Optimized short-circuit current mismatch in multi-junction solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2013 , 117, 120-125	6.4	52
65	On the Interplay Between Microstructure and Interfaces in High-Efficiency Microcrystalline Silicon Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2013 , 3, 11-16	3.7	27
64	Optimization of the Asymmetric Intermediate Reflector Morphology for High Stabilized Efficiency Thin n-i-p Micromorph Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2013 , 3, 41-45	3.7	7
63	New progress in the fabrication of n ⁺ i ⁺ micromorph solar cells for opaque substrates. <i>Solar Energy Materials and Solar Cells</i> , 2013 , 114, 147-155	6.4	28
62	Smoothing intermediate reflecting layer for tandem thin-film silicon solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2013 , 119, 12-17	6.4	10
61	High-efficiency microcrystalline silicon single-junction solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2013 , 21, 821-826	6.8	80
60	Current matching optimization in high-efficiency thin-film silicon tandem solar cells 2013 ,		4
59	2013 ,		1
58	Comparison of amorphous silicon absorber materials: Light-induced degradation and solar cell efficiency. <i>Journal of Applied Physics</i> , 2013 , 114, 154509	2.5	46
57	Highly transparent ZnO bilayers by LP-MOCVD as front electrodes for thin-film micromorph silicon solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2012 , 98, 331-336	6.4	33
56	Variable light biasing method to measure component I _V characteristics of multi-junction solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2012 , 103, 128-133	6.4	12
55	Silicon filaments in silicon oxide for next-generation photovoltaics. <i>Advanced Materials</i> , 2012 , 24, 1182-624		103
54	. <i>IEEE Journal of Photovoltaics</i> , 2012 , 2, 164-168	3.7	4
53	Nanometer- and Micrometer-Scale Texturing for High-Efficiency Micromorph Thin-Film Silicon Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2012 , 2, 83-87	3.7	25

52	New Generation Transparent LPCVD ZnO Electrodes for Enhanced Photocurrent in Micromorph Solar Cells and Modules. <i>IEEE Journal of Photovoltaics</i> , 2012 , 2, 88-93	3.7	10
51	Optimization of ZnO Front Electrodes for High-Efficiency Micromorph Thin-Film Si Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2012 , 2, 229-235	3.7	36
50	Latest Developments of High-Efficiency Micromorph Tandem Silicon Solar Cells Implementing Innovative Substrate Materials and Improved Cell Design. <i>IEEE Journal of Photovoltaics</i> , 2012 , 2, 236-240	3.7	15
49	Geometric light trapping for high efficiency thin film silicon solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2012 , 98, 185-190	6.4	83
48	High Spatial Resolution of Thin-Film-on-ASIC Particle Detectors. <i>IEEE Transactions on Nuclear Science</i> , 2012 , 59, 2614-2621	1.7	3
47	Multiscale transparent electrode architecture for efficient light management and carrier collection in solar cells. <i>Nano Letters</i> , 2012 , 12, 1344-8	11.5	119
46	Light harvesting schemes for high efficiency thin film silicon solar cells 2012 ,		2
45	Light trapping in solar cells: can periodic beat random?. <i>ACS Nano</i> , 2012 , 6, 2790-7	16.7	406
44	Charge collection in amorphous silicon solar cells: Cell analysis and simulation of high-efficiency pin devices. <i>Journal of Non-Crystalline Solids</i> , 2012 , 358, 2187-2189	3.9	5
43	Time evolution of surface defect states in hydrogenated amorphous silicon studied by photothermal and photocurrent spectroscopy and optical simulation. <i>Journal of Non-Crystalline Solids</i> , 2012 , 358, 2035-2038	3.9	15
42	Light trapping in solar cells: Analytical modeling. <i>Applied Physics Letters</i> , 2012 , 101, 151105	3.4	25
41	A New View of Microcrystalline Silicon: The Role of Plasma Processing in Achieving a Dense and Stable Absorber Material for Photovoltaic Applications. <i>Advanced Functional Materials</i> , 2012 , 22, 3665-3671	15.6	69
40	Innovative Device Architecture for High Efficiency Thin Film Silicon Solar Cells. <i>Materials Research Society Symposia Proceedings</i> , 2012 , 1426, 131-135		
39	Nanoimprint lithography for high-efficiency thin-film silicon solar cells. <i>Nano Letters</i> , 2011 , 11, 661-5	11.5	156
38	Nanomoulding of transparent zinc oxide electrodes for efficient light trapping in solar cells. <i>Nature Photonics</i> , 2011 , 5, 535-538	33.9	226
37	Control of LPCVD ZnO growth modes for improved light trapping in thin film silicon solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2011 , 95, 1031-1034	6.4	44
36	. <i>IEEE Transactions on Nuclear Science</i> , 2011 , 58, 404-417	1.7	21
35	Optimization of thin film silicon solar cells on highly textured substrates. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011 , 208, 1863-1868	1.6	74

34	Realization of high efficiency micromorph tandem silicon solar cells on glass and plastic substrates: Issues and potential. <i>Solar Energy Materials and Solar Cells</i> , 2011 , 95, 127-130	6.4	20
33	Substrate dependent stability and interplay between optical and electrical properties in μ -Si:H single junction solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2011 , 95, 195-198	6.4	25
32	LPCVD ZnO-based intermediate reflector for micromorph tandem solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2011 , 95, 2161-2166	6.4	19
31	High rate deposition of microcrystalline silicon with silicon oxide doped layers: Highlighting the competing roles of both intrinsic and extrinsic defects on the cells performances 2011 ,		1
30	. <i>IEEE Transactions on Nuclear Science</i> , 2011 , 58, 202-208	1.7	13
29	Light absorption in textured thin film silicon solar cells: A simple scalar scattering approach versus rigorous simulation. <i>Applied Physics Letters</i> , 2011 , 98, 051102	3.4	22
28	Mixed phase silicon oxide layers for thin-film silicon solar cells. <i>Materials Research Society Symposia Proceedings</i> , 2011 , 1321, 349		18
27	Micromorph thin-film silicon solar cells with transparent high-mobility hydrogenated indium oxide front electrodes. <i>Journal of Applied Physics</i> , 2011 , 109, 114501	2.5	39
26	Amorphous Silicon Based Particle Detectors. <i>Materials Research Society Symposia Proceedings</i> , 2011 , 1321, 423		
25	Micro-Channel Plate Detectors Based on Hydrogenated Amorphous Silicon. <i>Materials Research Society Symposia Proceedings</i> , 2010 , 1245, 1		4
24	Efficient light management scheme for thin film silicon solar cells via transparent random nanostructures fabricated by nanoimprinting. <i>Applied Physics Letters</i> , 2010 , 96, 213504	3.4	55
23	2010 ,		11
22	ZnO transparent conductive oxide for thin film silicon solar cells 2010 ,		10
21	Mixed-phase p-type silicon oxide containing silicon nanocrystals and its role in thin-film silicon solar cells. <i>Applied Physics Letters</i> , 2010 , 97, 213502	3.4	110
20	Resistive interlayer for improved performance of thin film silicon solar cells on highly textured substrate. <i>Applied Physics Letters</i> , 2010 , 96, 073507	3.4	106
19	Unlinking absorption and haze in thin film silicon solar cells front electrodes. <i>Physica Status Solidi - Rapid Research Letters</i> , 2010 , 4, 326-328	2.5	25
18	A time driven readout scheme for PET and CT using APDs and SiPMs. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2010 , 617, 232-236	1.2	3
17	Time based readout of a silicon photomultiplier (SiPM) for time of flight positron emission tomography (TOF-PET) 2009 ,		11

16	Research and developments in thin-film silicon photovoltaics 2009 ,		5
15	Low-Power Amplifier-Discriminators for High Time Resolution Detection. <i>IEEE Transactions on Nuclear Science</i> , 2009 , 56, 375-381	1.7	16
14	A high-throughput, multi-channel photon-counting detector with picosecond timing. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2009 , 604, 199-201	1.2	5
13	A multi-channel high time resolution detector for high content imaging. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2009 , 610, 123-127	1.2	8
12	Hydrogenated Amorphous Silicon Sensor Deposited on Integrated Circuit for Radiation Detection. <i>IEEE Transactions on Nuclear Science</i> , 2008 , 55, 802-811	1.7	10
11	Quantum efficiency measurement of n ⁺ p a-Si:H photodiode array on CMOS circuit for positron emission tomography (PET). <i>Journal of Non-Crystalline Solids</i> , 2008 , 354, 2603-2605	3.9	1
10	Radiation hardness of amorphous silicon particle sensors. <i>Journal of Non-Crystalline Solids</i> , 2006 , 352, 1797-1800	3.9	20
9	Characterization of a thick layer a-Si:H pixel detector with TFA technology using a scanning electron microscope. <i>Journal of Non-Crystalline Solids</i> , 2006 , 352, 1832-1836	3.9	
8	TFA pixel sensor technology for vertex detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2006 , 560, 122-126 ^{1.2}		3
7	Preliminary radiation tests of 32 μ m thick hydrogenated amorphous silicon films. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2005 , 552, 88-92	1.2	1
6	Characterization of 13 and 30 μ m thick hydrogenated amorphous silicon diodes deposited over CMOS integrated circuits for particle detection application. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2004 , 518, 357-361	1.2	12
5	A new concept of monolithic silicon pixel detectors: hydrogenated amorphous silicon on ASIC. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2004 , 518, 366-372	1.2	14
4	A novel low noise hydrogenated amorphous silicon pixel detector. <i>Journal of Non-Crystalline Solids</i> , 2004 , 338-340, 729-731	3.9	11
3	A high-speed low-noise transimpedance amplifier in a 0.25 μ m CMOS technology. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2003 , 512, 117-128	1.2	16
2	Modeling of an integrated active feedback preamplifier in a 0.25 μ m CMOS technology at cryogenic temperatures. <i>IEEE Transactions on Nuclear Science</i> , 2003 , 50, 1290-1296	1.7	2
1	Hydrogenated amorphous silicon sensors based on thin film on ASIC technology		2