
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6553787/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effect of Physical Activity on Cognitive Function in Older Adults at Risk for Alzheimer Disease. JAMA - Journal of the American Medical Association, 2008, 300, 1027.	7.4	1,331
2	Short versions of the geriatric depression scale: a study of their validity for the diagnosis of a major depressive episode according to ICD-10 and DSM-IV. International Journal of Geriatric Psychiatry, 1999, 14, 858-865.	2.7	946
3	Efficacy of Estradiol for the Treatment of Depressive Disorders in Perimenopausal Women. Archives of General Psychiatry, 2001, 58, 529.	12.3	635
4	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. BMJ, The, 2014, 349, g4164-g4164.	6.0	528
5	The Assessment of Insight in Psychosis. British Journal of Psychiatry, 1992, 161, 599-602.	2.8	332
6	Effect modification by population dietary folate on the association between MTHFR genotype, homocysteine, and stroke risk: a meta-analysis of genetic studies and randomised trials. Lancet, The, 2011, 378, 584-594.	13.7	273
7	A systematic review of the association between the Behavioral and Psychological Symptoms of Dementia and burden of care. International Psychogeriatrics, 2004, 16, 295-315.	1.0	254
8	One year follow-up study of the association between chemical castration, sex hormones, beta-amyloid, memory and depression in men. Psychoneuroendocrinology, 2004, 29, 1071-1081.	2.7	241
9	Low Free Testosterone Predicts Frailty in Older Men: The Health in Men Study. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 3165-3172.	3.6	240
10	Longâ€Term Effects of Childhood Abuse on the Quality of Life and Health of Older People: Results from the Depression and Early Prevention of Suicide in General Practice Project. Journal of the American Geriatrics Society, 2008, 56, 262-271.	2.6	226
11	Lower Testosterone Levels Predict Incident Stroke and Transient Ischemic Attack in Older Men. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 2353-2359.	3.6	226
12	Cohort Profile: The Health In Men Study (HIMS). International Journal of Epidemiology, 2009, 38, 48-52.	1.9	209
13	A voxel-based morphometry study of temporal lobe gray matter reductions in Alzheimer's disease. Neurobiology of Aging, 2003, 24, 221-231.	3.1	193
14	Severe hypoglycaemia and cognitive impairment in older patients with diabetes: the Fremantle Diabetes Study. Diabetologia, 2009, 52, 1808-1815.	6.3	191
15	Psychiatric, neurological and medical aspects of misidentification syndromes: a review of 260 cases. Psychological Medicine, 1991, 21, 905-910.	4.5	188
16	Body Mass Index and Survival in Men and Women Aged 70 to 75. Journal of the American Geriatrics Society, 2010, 58, 234-241.	2.6	185
17	The mind of a failing heart: a systematic review of the association between congestive heart failure and cognitive functioning. Internal Medicine Journal, 2001, 31, 290-295.	0.8	168
18	Testosterone, Sex Hormone-Binding Globulin and the Metabolic Syndrome in Men: An Individual Participant Data Meta-Analysis of Observational Studies. PLoS ONE, 2014, 9, e100409.	2.5	162

#	Article	IF	CITATIONS
19	Factors associated with suicidal thoughts in a large community study of older adults. British Journal of Psychiatry, 2012, 201, 466-472.	2.8	158
20	Low Free Testosterone Predicts Mortality from Cardiovascular Disease But Not Other Causes: The Health in Men Study. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 179-189.	3.6	155
21	In Older Men an Optimal Plasma Testosterone Is Associated With Reduced All-Cause Mortality and Higher Dihydrotestosterone With Reduced Ischemic Heart Disease Mortality, While Estradiol Levels Do Not Predict Mortality. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E9-E18.	3.6	155
22	Phenomenology, demography and diagnosis in late paraphrenia. Psychological Medicine, 1994, 24, 397-410.	4.5	145
23	Depression as a modifiable factor to decrease the risk of dementia. Translational Psychiatry, 2017, 7, e1117-e1117.	4.8	138
24	Low Free Testosterone Concentration as a Potentially Treatable Cause of Depressive Symptoms in Older Men. Archives of General Psychiatry, 2008, 65, 283.	12.3	137
25	Smoking as a risk factor for Alzheimer's disease: contrasting evidence from a systematic review of case–control and cohort studies. Addiction, 2002, 97, 15-28.	3.3	133
26	Smoking Is Associated With Reduced Cortical Regional Gray Matter Density in Brain Regions Associated With Incipient Alzheimer Disease. American Journal of Geriatric Psychiatry, 2008, 16, 92-98.	1.2	133
27	Homocysteine and Depression in Later Life. Archives of General Psychiatry, 2008, 65, 1286.	12.3	133
28	Subclinical Thyroid Dysfunction and the Risk of Cognitive Decline: a Meta-Analysis of Prospective Cohort Studies. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 4945-4954.	3.6	133
29	Bipolar Disorder: Similarities and Differences Between Patients With Illness Onset Before and After 65 Years of Age. International Psychogeriatrics, 2002, 14, 311-322.	1.0	132
30	Cognitive and brain changes associated with ischaemic heart disease and heart failure. European Heart Journal, 2012, 33, 1769-1776.	2.2	131
31	High prevalence of dementia and cognitive impairment in Indigenous Australians. Neurology, 2008, 71, 1470-1473.	1.1	130
32	Clinical characteristics of individuals with subjective memory loss in Western Australia: results from a cross-sectional survey. International Journal of Geriatric Psychiatry, 2001, 16, 168-174.	2.7	126
33	Falls, Depression and Antidepressants in Later Life: A Large Primary Care Appraisal. PLoS ONE, 2008, 3, e2423.	2.5	126
34	High prevalence of dementia among older adults from poor socioeconomic backgrounds in São Paulo, Brazil. International Psychogeriatrics, 2008, 20, 394-405.	1.0	125
35	Cognitive impairment, physical disability and depressive symptoms in older diabetic patients: the Fremantle Cognition in Diabetes Study. Diabetes Research and Clinical Practice, 2003, 61, 59-67.	2.8	124
36	Predictors of cognitive impairment and dementia in older people with diabetes. Diabetologia, 2008, 51, 241-248.	6.3	123

#	Article	IF	CITATIONS
37	Chemical Andropause and Amyloid-Î ² Peptide. JAMA - Journal of the American Medical Association, 2001, 285, 2195.	7.4	121
38	Systematic review and meta-analysis of randomized placebo-controlled trials of folate and vitamin B12 for depression. International Psychogeriatrics, 2015, 27, 727-737.	1.0	121
39	Limitations of the Mini-Mental State Examination for screening dementia in a community with low socioeconomic status. European Archives of Psychiatry and Clinical Neuroscience, 2009, 259, 8-15.	3.2	120
40	In men older than 70 years, total testosterone remains stable while free testosterone declines with age. The Health in Men Study. European Journal of Endocrinology, 2007, 156, 585-594.	3.7	118
41	Effect of Homocysteine Lowering Treatment on Cognitive Function: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. Journal of Alzheimer's Disease, 2012, 29, 133-149.	2.6	114
42	White matter hyperintensities, cortisol levels, brain atrophy and continuing cognitive deficits in late-life depression. British Journal of Psychiatry, 2010, 196, 143-149.	2.8	113
43	Falls, injuries from falls, health related quality of life and mortality in older adults with vision and hearing impairment—Is there a gender difference?. Maturitas, 2011, 69, 359-364.	2.4	112
44	Hearing loss and the risk of dementia in later life. Maturitas, 2018, 112, 1-11.	2.4	111
45	Psychotic States Arising in Late Life (Late Paraphrenia). British Journal of Psychiatry, 1995, 166, 215-228.	2.8	109
46	A 20-week randomized controlled trial of estradiol replacement therapy for women aged 70 years and older: Effect on mood, cognition and quality of life. Neurobiology of Aging, 2006, 27, 141-149.	3.1	107
47	Physical activity and all-cause mortality in older women and men. British Journal of Sports Medicine, 2012, 46, 664-668.	6.7	105
48	Depressive Symptoms before and after Treatment of Obstructive Sleep Apnea in Men and Women. Journal of Clinical Sleep Medicine, 2015, 11, 1029-1038.	2.6	104
49	Association Between Lifestyle Factors and Mental Health Measures Among Community-Dwelling Older Women. Australian and New Zealand Journal of Psychiatry, 2004, 38, 940-947.	2.3	101
50	Vitamins B ₁₂ , B ₆ , and folic acid for cognition in older men. Neurology, 2010, 75, 1540-1547.	1.1	101
51	Quality use of medicines and health outcomes among a cohort of community dwelling older men: an observational study. British Journal of Clinical Pharmacology, 2011, 71, 592-599.	2.4	101
52	150â€minutes of vigorous physical activity per week predicts survival and successful ageing: a population-based 11-year longitudinal study of 12â€201 older Australian men. British Journal of Sports Medicine, 2014, 48, 220-225.	6.7	100
53	Kimberley Indigenous Cognitive Assessment tool (KICA): development of a cognitive assessment tool for older indigenous Australians. International Psychogeriatrics, 2006, 18, 269-280.	1.0	99
54	Psychotic States Arising in Late Life (Late Paraphrenia). British Journal of Psychiatry, 1995, 166, 205-214.	2.8	98

#	Article	IF	CITATIONS
55	Lower sex hormone-binding globulin is more strongly associated with metabolic syndrome than lower total testosterone in older men: the Health in Men Study. European Journal of Endocrinology, 2008, 158, 785-792.	3.7	96
56	Patterns of dietary intake and psychological distress in older Australians: benefits not just from a Mediterranean diet. International Psychogeriatrics, 2013, 25, 456-466.	1.0	96
57	Association of Cardiovascular Risk Factors and Disease With Depression in Later Life. American Journal of Geriatric Psychiatry, 2007, 15, 506-513.	1.2	94
58	Successful Mental Health Aging: Results From a Longitudinal Study of Older Australian Men. American Journal of Geriatric Psychiatry, 2006, 14, 27-35.	1.2	93
59	Predictors of Cognitive Decline in Older Individuals With Diabetes. Diabetes Care, 2008, 31, 2103-2107.	8.6	93
60	Factors Associated with Self and Informant Ratings of the Quality of Life of People with Dementia Living in Care Facilities: A Cross Sectional Study. PLoS ONE, 2010, 5, e15621.	2.5	92
61	The Association of C-Reactive Protein and CRP Genotype with Coronary Heart Disease: Findings from Five Studies with 4,610 Cases amongst 18,637 Participants. PLoS ONE, 2008, 3, e3011.	2.5	90
62	Safety and efficacy of fluoxetine on functional outcome after acute stroke (AFFINITY): a randomised, double-blind, placebo-controlled trial. Lancet Neurology, The, 2020, 19, 651-660.	10.2	90
63	Depression, Frailty, and All-Cause Mortality: A Cohort Study of Men Older than 75ÂYears. Journal of the American Medical Directors Association, 2015, 16, 296-300.	2.5	89
64	MRI Study of Caudate Nucleus Volume in Parkinson's Disease with and without Dementia with Lewy Bodies and Alzheimer's Disease. Dementia and Geriatric Cognitive Disorders, 2003, 16, 57-63.	1.5	88
65	Prevalence of Sexual Activity and Associated Factors in Men Aged 75 to 95 Years. Annals of Internal Medicine, 2010, 153, 693.	3.9	88
66	Anxiety, depression, and comorbid anxiety and depression: risk factors and outcome over two years. International Psychogeriatrics, 2012, 24, 1622-1632.	1.0	88
67	Physical activity and cognition in old age. Current Opinion in Psychiatry, 2006, 19, 190-193.	6.3	85
68	The community prevalence of depression in older Australians. Journal of Affective Disorders, 2009, 115, 54-61.	4.1	85
69	Bâ€vitamins reduce the longâ€ŧerm risk of depression after stroke: The VITATOPSâ€ĐEP trial. Annals of Neurology, 2010, 68, 503-510.	5.3	85
70	KIBRA genetic polymorphism influences episodic memory in later life, but does not increase the risk of mild cognitive impairment. Journal of Cellular and Molecular Medicine, 2008, 12, 1672-1676.	3.6	83
71	Prevention of depression in older age. Maturitas, 2014, 79, 136-141.	2.4	83
72	Contribution of the MTHFR gene to the causal pathway for depression, anxiety and cognitive impairment in later life. Neurobiology of Aging, 2005, 26, 251-257.	3.1	81

#	Article	IF	CITATIONS
73	Risk factors across the life course and dementia in a Brazilian population: results from the Sao Paulo Ageing & Health Study (SPAH). International Journal of Epidemiology, 2008, 37, 879-890.	1.9	79
74	24-Month effect of smoking cessation on cognitive function and brain structure in later life. NeuroImage, 2011, 55, 1480-1489.	4.2	79
75	Caregiver burden in an elderly population with depression in São Paulo, Brazil. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 416-422.	3.1	77
76	Depression with late onset is associated with right frontal lobe atrophy. Psychological Medicine, 2003, 33, 675-681.	4.5	76
77	Associations between Testosterone Levels and Incident Prostate, Lung, and Colorectal Cancer. A Population-Based Study. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 1319-1329.	2.5	76
78	In Older Men, Higher Plasma Testosterone or Dihydrotestosterone Is an Independent Predictor for Reduced Incidence of Stroke but Not Myocardial Infarction. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 4565-4573.	3.6	76
79	Dementia associated with infectious diseases. International Psychogeriatrics, 2005, 17, S65-S77.	1.0	75
80	Obesity and Metabolic Syndrome Increase the Risk of Incident Depression in Older Men: The Health in Men Study. American Journal of Geriatric Psychiatry, 2009, 17, 889-898.	1.2	75
81	Recruiting and retaining GPs and patients in intervention studies: the DEPS-GP project as a case study. BMC Medical Research Methodology, 2007, 7, 42.	3.1	74
82	Effect of Vitamin B Supplementation on Cognitive Function in the Elderly: A Systematic Review and Meta-Analysis. Drugs and Aging, 2019, 36, 419-434.	2.7	74
83	Relation between medial temporal atrophy and functional brain activity during memory processing in Alzheimer's disease: a combined MRI and SPECT study. Journal of Neurology, Neurosurgery and Psychiatry, 2002, 73, 508-516.	1.9	73
84	Dementia associated with alcohol and other drug use. International Psychogeriatrics, 2005, 17, S109-S127.	1.0	73
85	The Built Environment and Depression in Later Life: The Health In Men Study. American Journal of Geriatric Psychiatry, 2011, 19, 461-470.	1.2	73
86	Preventing Depression After Stroke. Journal of Clinical Psychiatry, 2006, 67, 1104-1109.	2.2	73
87	Suicide and attempted suicide among older adults in Western Australia. Psychological Medicine, 2000, 30, 813-821.	4.5	72
88	Polymorphisms of the CRP gene inhibit inflammatory response and increase susceptibility to depression: The Health in Men Study. International Journal of Epidemiology, 2009, 38, 1049-1059.	1.9	70
89	Depression, Antidepressant Use and Mortality in Later Life: The Health in Men Study. PLoS ONE, 2010, 5, e11266.	2.5	69
90	Effect of B Vitamins and Lowering Homocysteine on Cognitive Impairment in Patients With Previous Stroke or Transient Ischemic Attack. Stroke, 2013, 44, 2232-2239.	2.0	67

#	Article	IF	CITATIONS
91	Mortality among People with Severe Mental Disorders Who Reach Old Age: A Longitudinal Study of a Community-Representative Sample of 37892 Men. PLoS ONE, 2014, 9, e111882.	2.5	67
92	Effectiveness of a smoking cessation intervention in older adults. Addiction, 2007, 102, 148-155.	3.3	66
93	Quality of life in Alzheimer's disease: different factors associated with complementary ratings by patients and family carers. International Psychogeriatrics, 2012, 24, 708-721.	1.0	66
94	Association between speech and high-frequency hearing loss and depression, anxiety and stress in older adults. Maturitas, 2018, 110, 86-91.	2.4	66
95	Congestive heart failure and cognitive functioning amongst older adults. Arquivos De Neuro-Psiquiatria, 2001, 59, 324-329.	0.8	65
96	Subjective Memory Complaints With and Without Objective Memory Impairment: Relationship With Risk Factors for Dementia. American Journal of Geriatric Psychiatry, 2005, 13, 731-734.	1.2	65
97	Mortality Associated with Incident Mental Health Disorders After Stroke. Australian and New Zealand Journal of Psychiatry, 2007, 41, 274-281.	2.3	65
98	APOE-ε4 and APOE â^'491A polymorphisms in individuals with subjective memory loss. Molecular Psychiatry, 2002, 7, 768-775.	7.9	63
99	Vitamins B12, B6, and Folic Acid for Onset of Depressive Symptoms in Older Men. Journal of Clinical Psychiatry, 2008, 69, 1203-1209.	2.2	63
100	Depression and smoking amongst older general practice patients. Journal of Affective Disorders, 2005, 86, 317-321.	4.1	62
101	Higher Free Thyroxine Levels Predict Increased Incidence of Dementia in Older Men: The Health In Men Study. Journal of Clinical Endocrinology and Metabolism, 2012, 97, E2230-E2237.	3.6	62
102	Higher serum free testosterone is associated with better cognitive function in older men, while total testosterone is not. The Health In Men Study. Clinical Endocrinology, 2008, 68, 404-412.	2.4	59
103	Prospective longitudinal study of testosterone and incident depression in older men: The Health In Men Study. Psychoneuroendocrinology, 2016, 64, 57-65.	2.7	58
104	Can physical activity improve the mental health of older adults?. Annals of General Psychiatry, 2004, 3, 12.	0.1	57
105	Factors Associated with Dementia in Aboriginal Australians. Australian and New Zealand Journal of Psychiatry, 2010, 44, 888-893.	2.3	57
106	A Randomized Trial to Reduce the Prevalence of Depression and Self-Harm Behavior in Older Primary Care Patients. Annals of Family Medicine, 2012, 10, 347-356.	1.9	57
107	Duration of diabetes and its association with depression in later life: The Health In Men Study (HIMS). Maturitas, 2016, 86, 3-9.	2.4	57
108	Body Adiposity in Later Life and the Incidence of Dementia: The Health in Men Study. PLoS ONE, 2011, 6, e17902.	2.5	55

#	Article	IF	CITATIONS
109	Older Men Who Use Computers Have Lower Risk of Dementia. PLoS ONE, 2012, 7, e44239.	2.5	55
110	Risk of dementia and death in community-dwelling older men with bipolar disorder. British Journal of Psychiatry, 2016, 209, 121-126.	2.8	55
111	Thyroid Hormones and Depression: The Health In Men Study. American Journal of Geriatric Psychiatry, 2011, 19, 763-770.	1.2	54
112	Use of Potentially Harmful Medications and Health-Related Quality of Life among People with Dementia Living in Residential Aged Care Facilities. Dementia and Geriatric Cognitive Disorders Extra, 2012, 2, 361-371.	1.3	53
113	B vitamins to enhance treatment response to antidepressants in middle-aged and older adults: results from the B-VITAGE randomised, double-blind, placebo-controlled trial. British Journal of Psychiatry, 2014, 205, 450-457.	2.8	53
114	Premorbid personality traits are associated with post-stroke behavioral and psychological symptoms: a three-month follow-up study in Perth, Western Australia. International Psychogeriatrics, 2009, 21, 1063-1071.	1.0	52
115	Aspirin decreases the risk of depression in older men with high plasma homocysteine. Translational Psychiatry, 2012, 2, e151-e151.	4.8	52
116	Quantitative Magnetic Resonance Imaging Volumetry Distinguishes Delusional Disorder from Late-Onset Schizophrenia. British Journal of Psychiatry, 1994, 165, 474-480.	2.8	51
117	Contributors to cognitive impairment in congestive heart failure: a pilot case–control study. Internal Medicine Journal, 2009, 39, 600-605.	0.8	51
118	A practical approach to assess depression risk and to guide risk reduction strategies in later life. International Psychogeriatrics, 2011, 23, 280-291.	1.0	51
119	Higher free thyroxine levels are associated with frailty in older men: the Health In Men Study. Clinical Endocrinology, 2012, 76, 741-748.	2.4	51
120	Association of Thyroid Dysfunction With Cognitive Function. JAMA Internal Medicine, 2021, 181, 1440.	5.1	51
121	White matter signal hyperintensities in the brains of patients with late paraphrenia and the normal, community-living elderly. Biological Psychiatry, 1995, 38, 86-91.	1.3	50
122	Prevalence and Predictors of Sexual Problems in Men Aged 75–95 Years: A Populationâ€Based Study. Journal of Sexual Medicine, 2012, 9, 442-453.	0.6	50
123	Apathy and depressive symptoms in older people and incident myocardial infarction, stroke, and mortality: a systematic review and meta-analysis of individual participant data. Clinical Epidemiology, 2018, Volume 10, 363-379.	3.0	49
124	Sleep complaints among older general practice patients: association with depression. British Journal of General Practice, 2005, 55, 864-6.	1.4	49
125	The association between C-reactive protein concentration and depression in later life is due to poor physical health: results from the Health in Men Study (HIMS). Psychological Medicine, 2007, 37, 1775-1786.	4.5	48
126	Do current national and international guidelines have specific recommendations for older adults with bipolar disorder? A brief report. International Journal of Geriatric Psychiatry, 2016, 31, 1295-1300.	2.7	48

#	Article	IF	CITATIONS
127	Association between depression and hospital outcomes among older men. Cmaj, 2013, 185, 117-123.	2.0	47
128	Permeable walls, floors, ceilings and doors. Partition delusions in late paraphrenia. International Journal of Geriatric Psychiatry, 1992, 7, 719-724.	2.7	46
129	Healthier lifestyle predicts higher circulating testosterone in older men: the Health In Men Study. Clinical Endocrinology, 2009, 70, 455-463.	2.4	46
130	Complaints of difficulty to fall asleep increase the risk of depression in later life: The health in men study. Journal of Affective Disorders, 2011, 134, 208-216.	4.1	45
131	The Kimberley Assessment of Depression of Older Indigenous Australians: Prevalence of Depressive Disorders, Risk Factors and Validation of the KICA-dep Scale. PLoS ONE, 2014, 9, e94983.	2.5	45
132	Magnetic resonance imaging volumetric measurements of the superior temporal gyrus, hippocampus, parahippocampal gyrus, frontal and temporal lobes in late paraphrenia. Psychological Medicine, 1995, 25, 495-503.	4.5	44
133	The role of literacy, occupation and income in dementia prevention: the São Paulo Ageing & Health Study (SPAH). International Psychogeriatrics, 2010, 22, 1209-1215.	1.0	44
134	Higher Luteinizing Hormone is Associated with Poor Memory Recall: The Health in Men Study. Journal of Alzheimer's Disease, 2010, 19, 943-951.	2.6	44
135	Elevated LH predicts ischaemic heart disease events in older men: the Health in Men Study. European Journal of Endocrinology, 2011, 164, 569-577.	3.7	44
136	Brain and mood changes over 2 years in healthy controls and adults with heart failure and ischaemic heart disease. European Journal of Heart Failure, 2013, 15, 850-858.	7.1	42
137	Detecting suicidal ideation in older patients: identifying risk factors within the general practice setting. British Journal of General Practice, 2005, 55, 269-73.	1.4	42
138	Alcohol use and mortality in older men and women. Addiction, 2010, 105, 1391-1400.	3.3	41
139	Determining the Predictors of Change in Quality of Life Self-ratings and Carer-ratings for Community-dwelling People With Alzheimer Disease. Alzheimer Disease and Associated Disorders, 2013, 27, 363-371.	1.3	41
140	Clinical and cognitive diversity of psychotic states arising in late life (late paraphrenia). Psychological Medicine, 1995, 25, 699-714.	4.5	40
141	B-vitamins reduce plasma levels of beta amyloid. Neurobiology of Aging, 2008, 29, 303-305.	3.1	40
142	Chronic medical conditions mediate the association between depression and cardiovascular disease mortality. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 615-625.	3.1	40
143	Cognitive features of psychotic states arising in late life (late paraphrenia). Psychological Medicine, 1995, 25, 685-698.	4.5	39
144	Two-year course of cognitive function and mood in adults with congestive heart failure and coronary artery disease: the Heart-Mind Study. International Psychogeriatrics, 2012, 24, 38-47.	1.0	39

#	Article	IF	CITATIONS
145	Vitamin D concentration and its association with past, current and future depression in older men: The Health In Men Study. Maturitas, 2015, 81, 36-41.	2.4	39
146	ASPIRIN USE, DEPRESSION, AND COGNITIVE IMPAIRMENT IN LATER LIFE: THE HEALTH IN MEN STUDY. Journal of the American Geriatrics Society, 2010, 58, 990-992.	2.6	38
147	Socioeconomic disadvantage increases risk of prevalent and persistent depression in later life. Journal of Affective Disorders, 2012, 138, 322-331.	4.1	38
148	Changes in body mass in later life and incident dementia. International Psychogeriatrics, 2013, 25, 467-478.	1.0	38
149	The PACE Study: A Randomized Clinical Trial of Cognitive Activity Strategy Training for Older People with Mild Cognitive Impairment. American Journal of Geriatric Psychiatry, 2015, 23, 360-372.	1.2	38
150	Delphi survey of maintenance lithium treatment in older adults with bipolar disorder: An ISBD task force report. Bipolar Disorders, 2019, 21, 117-123.	1.9	38
151	Homocysteine, methylenetetrahydrofolate reductase C677T polymorphism and cognitive impairment: the health in men study. Molecular Psychiatry, 2012, 17, 559-566.	7.9	37
152	Homocysteine, Frailty, and All-Cause Mortality in Older Men: The Health in Men Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 590-598.	3.6	37
153	Antidepressant Efficacy and Safety of Low-Dose Sertraline and Standard-Dose Imipramine for the Treatment of Depression in Older Adults: Results From a Double-Blind, Randomized, Controlled Clinical Trial. International Psychogeriatrics, 2001, 13, 75-84.	1.0	36
154	Association Between Homocysteine, Depression, and Cognitive Function in Communityâ€Dwelling Older Women from Australia. Journal of the American Geriatrics Society, 2004, 52, 327-328.	2.6	36
155	Identifying suicidal ideation among older adults in a general practice setting. Journal of Affective Disorders, 2004, 83, 73-77.	4.1	35
156	Uncommon causes of dementia: rare, but not marginal. International Psychogeriatrics, 2005, 17, S1-S2.	1.0	35
157	Vascular depression in older people with diabetes. Diabetologia, 2006, 49, 2828-2836.	6.3	35
158	Vascular depression: myth or reality?. International Psychogeriatrics, 2008, 20, 645-652.	1.0	35
159	Depression, Anxiety, and Suicide After Stroke: A Narrative Review of the Best Available Evidence. Stroke, 2022, 53, 1402-1410.	2.0	34
160	Plasma homocysteine and MTHFRC677T polymorphism as risk factors for incident dementia. Journal of Neurology, Neurosurgery and Psychiatry, 2012, 83, 70-75.	1.9	33
161	CRP 1846G>A polymorphism increases risk of frailty. Maturitas, 2012, 71, 261-266.	2.4	32
162	How Many Older People Are Frail? Using Multiple Imputation to Investigate Frailty in the Population. Journal of the American Medical Directors Association, 2015, 16, 439.e1-439.e7.	2.5	32

#	Article	IF	CITATIONS
163	Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 4224-4231.	3.6	32
164	Olanzapine for the Treatment of Tardive Dyskinesia. Journal of Clinical Psychiatry, 1998, 59, 380-381.	2.2	32
165	Predictors of impaired cognitive function in men over the age of 80 years: results from the Health in Men Study. Age and Ageing, 2005, 34, 77-80.	1.6	31
166	Efficacy of B Vitamins in Lowering Homocysteine in Older Men. Stroke, 2006, 37, 547-549.	2.0	31
167	A Cluster-Randomised Trial of Staff Education to Improve the Quality of Life of People with Dementia Living in Residential Care: The DIRECT Study. PLoS ONE, 2011, 6, e28155.	2.5	31
168	A risk table to assist health practitioners assess and prevent the onset of depression in later life. Preventive Medicine, 2013, 57, 878-882.	3.4	31
169	Sex hormones and incident dementia in older men: The health in men study. Psychoneuroendocrinology, 2018, 98, 139-147.	2.7	31
170	Obstructive sleep apnea and depression: A systematic review and meta-analysis. Maturitas, 2020, 142, 45-54.	2.4	31
171	Demographic and clinical features of patients attending a memory clinic. International Journal of Geriatric Psychiatry, 1993, 8, 497-501.	2.7	30
172	Unilateral Auditory Hallucinations. British Journal of Psychiatry, 1993, 162, 262-264.	2.8	30
173	Clinical treatment reverses attentional deficits in congestive heart failure. BMC Geriatrics, 2001, 1, 2.	2.7	30
174	The KICA Screen: The psychometric properties of a shortened version of the KICA (Kimberley Indigenous) Tj ETQq(0	/Gyerlock 10
175	Women who smoke like men die like men who smoke: findings from two Australian cohort studies. Tobacco Control, 2011, 20, 258-265.	3.2	30
176	Homocysteine, depression and cognitive function in older adults. Journal of Affective Disorders, 2013, 151, 646-651.	4.1	30
177	Alcohol consumption and cognitive impairment in older men: A mendelian randomization study. Neurology, 2014, 82, 1038-1044.	1.1	30
178	Depression as a risk factor for cognitive impairment in later life: the Health In Men cohort study. International Journal of Geriatric Psychiatry, 2016, 31, 412-420.	2.7	30
179	Progressive impairment of testicular endocrine function in ageing men: Testosterone and dihydrotestosterone decrease, and luteinizing hormone increases, in men transitioning from the 8th to 9th decades of life. Clinical Endocrinology, 2018, 88, 88-95.	2.4	30
180	Association between hearing loss and frailty: a systematic review and meta-analysis. BMC Geriatrics, 2021, 21, 333.	2.7	30

#	Article	IF	CITATIONS
181	Late paraphrenia: A review. International Journal of Geriatric Psychiatry, 1992, 7, 543-548.	2.7	29
182	Association Between Physiological Serum Concentration of Estrogen and the Mental Health of Community-Dwelling Postmenopausal Women Age 70 Years and Over. American Journal of Geriatric Psychiatry, 2005, 13, 142-149.	1.2	29
183	Development and evaluation of an educational intervention for general practitioners and staff caring for people with dementia living in residential facilities. International Psychogeriatrics, 2011, 23, 221-229.	1.0	29
184	Impact of the Reelin signaling cascade (Ligands–Receptors–Adaptor Complex) on cognition in schizophrenia. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 392-404.	1.7	29
185	ACTIVEDEP: a randomised, controlled trial of a home-based exercise intervention to alleviate depression in middle-aged and older adults. British Journal of Sports Medicine, 2014, 48, 226-232.	6.7	29
186	A randomized trial of early psychiatric intervention in residential care: impact on health outcomes. International Psychogeriatrics, 2005, 17, 475-485.	1.0	28
187	Preliminary evaluation of the prevalence of falls, pain and urinary incontinence in remote living Indigenous Australians over the age of 45 years. Internal Medicine Journal, 2012, 42, e102-7.	0.8	28
188	Diabetes, Myocardial Infarction and Stroke Are Distinct and Duration-Dependent Predictors of Subsequent Cardiovascular Events and All-Cause Mortality in Older Men. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 1038-1047.	3.6	28
189	Management of Depression in Patients with Dementia: Is Pharmacological Treatment Justified?. Drugs and Aging, 2017, 34, 89-95.	2.7	28
190	Subjective Memory Complaints With and Without Objective Memory Impairment: Relationship With Risk Factors for Dementia. American Journal of Geriatric Psychiatry, 2005, 13, 731-734.	1.2	28
191	Sex hormones and their impact on dementia and depression: a clinical perspective. Expert Opinion on Pharmacotherapy, 2001, 2, 527-535.	1.8	27
192	Medical morbidity and severity of depression in a large primary care sample of older Australians: the DEPSâ€CP project. Medical Journal of Australia, 2009, 190, S75-80.	1.7	27
193	The FABS trial: A randomised control trial of the effects of a 6-month physical activity intervention on adherence and long-term physical activity and self-efficacy in older adults with memory complaints. Preventive Medicine, 2013, 57, 824-830.	3.4	27
194	The Global Aging & Geriatric Experiments in Bipolar Disorder Database (GAGEâ€BD) project: Understanding olderâ€age bipolar disorder by combining multiple datasets. Bipolar Disorders, 2019, 21, 642-649.	1.9	27
195	Should the diagnosis of late paraphrenia be abandoned?. Psychological Medicine, 1992, 22, 11-14.	4.5	26
196	A Cross-Sectional Analysis of Factors that Influence the Detection of Depression in Older Primary Care Patients. Australian and New Zealand Journal of Psychiatry, 2005, 39, 262-265.	2.3	26
197	Coronary heart disease is associated with regional grey matter volume loss: implications for cognitive function and behaviour. Internal Medicine Journal, 2008, 38, 599-606.	0.8	26
198	The triangular association of ADH1B genetic polymorphism, alcohol consumption and the risk of depression in older men. Molecular Psychiatry, 2014, 19, 995-1000.	7.9	26

#	Article	IF	CITATIONS
199	Risk of dementia associated with psychotic disorders in later life: the health in men study (HIMS). Psychological Medicine, 2019, 49, 232-242.	4.5	26
200	Sex playing with the mind: effects of oestrogen and testosterone on moon and cognition. Arquivos De Neuro-Psiquiatria, 1999, 57, 701-706.	0.8	25
201	Association between hormone replacement therapy and dementia: is it time to forget?. International Psychogeriatrics, 2005, 17, 155-164.	1.0	25
202	Current experiences and educational preferences of general practitioners and staff caring for people with dementia living in residential facilities. BMC Geriatrics, 2009, 9, 36.	2.7	25
203	Assessing cognitive impairment in Indigenous Australians: Re-evaluation of the Kimberley Indigenous Cognitive Assessment in Western Australia and the Northern Territory. Australian Psychologist, 2009, 44, 54-61.	1.6	25
204	Validity of Self-Reported versus Hospital-Coded Diagnosis of Stroke: A Cross-Sectional and Longitudinal Study. Cerebrovascular Diseases, 2014, 37, 256-262.	1.7	25
205	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. Cancer Research, 2019, 79, 274-285.	0.9	25
206	The Healthy Heartâ€Mind Trial: Randomized Controlled Trial of Melatonin for Prevention of Delirium. Journal of the American Geriatrics Society, 2020, 68, 112-119.	2.6	25
207	Insight and paranoid disorders in late life (late paraphenia). , 1996, 11, 653-658.		24
208	PSYCHIATRIC MORBIDITY AMONG THE ELDERLY IN A PRIMARY CARE SETTING—REPORT FROM A SURVEY IN SÃO PAULO, BRAZIL. , 1997, 12, 728-736.		24
209	Latent Semantic Analysis: A New Method to Measure Prose Recall. Journal of Clinical and Experimental Neuropsychology, 2002, 24, 26-35.	1.3	24
210	Traditional Risk Factors for Incident Cardiovascular Events Have Limited Importance in Later Life Compared With the Health in Men Study Cardiovascular Risk Score. Stroke, 2011, 42, 952-959.	2.0	24
211	Insulin Resistance and Depressive Symptoms in Older Men: The Health in Men Study. American Journal of Geriatric Psychiatry, 2015, 23, 872-880.	1.2	24
212	Pharmacological interventions for preventing delirium in the elderly. Maturitas, 2015, 81, 287-292.	2.4	24
213	Bipolar symptoms, somatic burden, and functioning in olderâ€age bipolar disorder: Analyses from the Global Aging & Geriatric Experiments in Bipolar Disorder Database project. Bipolar Disorders, 2022, 24, 195-206.	1.9	24
214	Depression During the Perimenopause. Archives of General Psychiatry, 2001, 58, 306-306.	12.3	24
215	Inspection time in non-demented older adults with mild cognitive impairment. Neuropsychologia, 2006, 44, 1452-1456.	1.6	23
216	Changes in the prevalence of psychological distress and use of antidepressants or anti-anxiety medications associated with comorbid chronic diseases in the adult Australian population, 2001–2008. Australian and New Zealand Journal of Psychiatry, 2012, 46, 445-456.	2.3	23

#	Article	IF	CITATIONS
217	Suicide in older men: The health in men cohort study (HIMS). Preventive Medicine, 2016, 93, 33-38.	3.4	23
218	Computer-assisted CT measurements in late paraphrenics with and without Schneiderian first-rank symptoms: A preliminary report. International Journal of Geriatric Psychiatry, 1992, 7, 35-38.	2.7	22
219	The PACE Study: A randomised clinical trial of cognitive activity (CA) for older adults with mild cognitive impairment (MCI). Trials, 2009, 10, 114.	1.6	22
220	Awareness of Cognitive Deficits in Older Adults With Cognitive-impairment-no-dementia (CIND). Alzheimer Disease and Associated Disorders, 2011, 25, 24-33.	1.3	22
221	Cardiovascular Disease, Depression and Mortality: The Health In Men Study. American Journal of Geriatric Psychiatry, 2012, 20, 433-440.	1.2	22
222	Plasma Angiopoietin-1 Is Lower After Ischemic Stroke and Associated With Major Disability But Not Stroke Incidence. Stroke, 2014, 45, 1064-1068.	2.0	22
223	Apolipoprotein E4 and Alzheimer's disease in São Paulo - Brazil. Arquivos De Neuro-Psiquiatria, 1997, 55, 1-7.	0.8	21
224	Healthy mental ageing. The Journal of the British Menopause Society, 2006, 12, 92-96.	1.3	21
225	Depressive symptoms in midlife: the role of reproductive stage. Menopause, 2016, 23, 669-675.	2.0	21
226	Prevalence, associated factors, mood and cognitive outcomes of traumatic brain injury in later life: the health in men study (HIMS). International Journal of Geriatric Psychiatry, 2015, 30, 1215-1223.	2.7	20
227	Promoter polymorphisms in two overlapping 6p25 genes implicate mitochondrial proteins in cognitive deficit in schizophrenia. Molecular Psychiatry, 2012, 17, 1328-1339.	7.9	19
228	An individual participant data analysis of prospective cohort studies on the association between subclinical thyroid dysfunction and depressive symptoms. Scientific Reports, 2020, 10, 19111.	3.3	19
229	A prospective cohort study of prodromal Alzheimer's disease: Prospective Imaging Study of Ageing: Genes, Brain and Behaviour (PISA). NeuroImage: Clinical, 2021, 29, 102527.	2.7	19
230	Association Between Physiological Serum Concentration of Estrogen and the Mental Health of Community-Dwelling Postmenopausal Women Age 70 Years and Over. American Journal of Geriatric Psychiatry, 2005, 13, 142-149.	1.2	19
231	Lower serum testosterone concentrations are associated with a higher incidence of dementia in men: The UK Biobank prospective cohort study. Alzheimer's and Dementia, 2022, 18, 1907-1918.	0.8	19
232	HDL cholesterol and the risk of depression over 5 years. Molecular Psychiatry, 2014, 19, 637-638.	7.9	18
233	Depression, antidepressants and the risk of cardiovascular events and death in older men. Maturitas, 2019, 128, 4-9.	2.4	18
234	The fitness for the Ageing Brain Study II (FABS II): protocol for a randomized controlled clinical trial evaluating the effect of physical activity on cognitive function in patients with Alzheimer's disease. Trials, 2010, 11, 120.	1.6	17

#	Article	IF	CITATIONS
235	The B-VITAGE trial: A randomized trial of homocysteine lowering treatment of depression in later life. Trials, 2010, 11, 8.	1.6	17
236	Longevity Klotho gene polymorphism and the risk of dementia in older men. Maturitas, 2017, 101, 1-5.	2.4	17
237	Older men with bipolar disorder: Clinical associations with early and late onset illness. International Journal of Geriatric Psychiatry, 2018, 33, 1613-1619.	2.7	17
238	Validity of the Michigan Alcoholism Screening Test (MAST) for the Detection of Alcohol–Related Problems Among Male Geriatric Outpatients. American Journal of Geriatric Psychiatry, 2001, 9, 30-34.	1.2	16
239	Preventing Dementia: Why We Should Focus on Health Promotion Now. International Psychogeriatrics, 2003, 15, 111-119.	1.0	16
240	Relationship between Quantity and Frequency of Alcohol Use and Indices of Suicidal Behavior in an Elderly Australian Sample. Suicide and Life-Threatening Behavior, 2007, 37, 616-626.	1.9	16
241	?Ngana minyarti? What is this?? Development of cognitive questions for the Kimberley Indigenous Cognitive Assessment. Australasian Journal on Ageing, 2007, 26, 115-119.	0.9	16
242	Homocysteine, Grey Matter and Cognitive Function in Adults with Cardiovascular Disease. PLoS ONE, 2012, 7, e33345.	2.5	16
243	Cognitive activity for the treatment of older adults with mild Alzheimer's Disease (AD) - PACE AD: study protocol for a randomised controlled trial. Trials, 2011, 12, 47.	1.6	15
244	Depression Among Nonfrail Old Men Is Associated With Reduced Physical Function and Functional Capacity After 9ÂYears Follow-up: The Health in Men Cohort Study. Journal of the American Medical Directors Association, 2017, 18, 65-69.	2.5	15
245	Risk of prevalent and incident dementia associated with insulin-like growth factor and insulin-like growth factor-binding protein 3. Molecular Psychiatry, 2018, 23, 1825-1829.	7.9	15
246	Reported High Salt Intake Is Associated with Increased Prevalence of Abdominal Aortic Aneurysm and Larger Aortic Diameter in Older Men. PLoS ONE, 2014, 9, e102578.	2.5	15
247	Idosos atendidos em serviço de emergência de saúde mental: caracterÃsticas demográficas e clÃnicas. Revista Brasileira De Psiquiatria, 1999, 21, 12-18.	1.7	14
248	Neurological soft signs are associated with APOE genotype, age and cognitive performance. Journal of Alzheimer's Disease, 2005, 7, 325-330.	2.6	14
249	Approaches to decrease the prevalence of depression in later life. Current Opinion in Psychiatry, 2012, 25, 451-456.	6.3	14
250	Hospital costs associated with depression in a cohort of older men living in Western Australia. General Hospital Psychiatry, 2014, 36, 33-37.	2.4	14
251	Depression Outcomes Among Patients Treated With Fluoxetine for Stroke Recovery. JAMA Neurology, 2021, 78, 1072.	9.0	14
252	Physical Health Burden Among Older Men and Women With Bipolar Disorder: Results From the Gage-Bd Collaboration. American Journal of Geriatric Psychiatry, 2022, 30, 727-732.	1.2	14

#	Article	IF	CITATIONS
253	Capgras delusion in the elderly: The evidence for a possible organic origin. International Journal of Geriatric Psychiatry, 1991, 6, 845-852.	2.7	13
254	Individual differences in the experience of burden in caring for relatives with dementia: role of personality and mastery. Australasian Journal on Ageing, 2005, 24, 202-206.	0.9	13
255	Dementia in residential care: education intervention trial (DIRECT); protocol for a randomised controlled trial. Trials, 2010, 11, 63.	1.6	13
256	Reducing depression during the menopausal transition with health coaching: Results from the healthy menopausal transition randomised controlled trial. Maturitas, 2016, 92, 41-48.	2.4	13
257	Higher circulating androgens and higher physical activity levels are associated with less central adiposity and lower risk of cardiovascular death in older men. Clinical Endocrinology, 2019, 90, 375-383.	2.4	13
258	Hearing aids to support cognitive functions of older adults at risk of dementia: the HearCog trial- clinical protocols. BMC Geriatrics, 2020, 20, 508.	2.7	13
259	Association between the Advanced Glycosylation End Product-Specific Receptor Gene and Cardiovascular Death in Older Men. PLoS ONE, 2015, 10, e0134475.	2.5	13
260	Disrupted sleep and risk of depression in later life: A prospective cohort study with extended follow up and a systematic review and meta-analysis. Journal of Affective Disorders, 2022, 309, 314-323.	4.1	13
261	Use of a risk nomogram to predict emergency department reattendance in older people after discharge: a validation study. Internal and Emergency Medicine, 2015, 10, 481-487.	2.0	12
262	Reference Ranges for Thyroid-Stimulating Hormone and Free Thyroxine in Older Men: Results From the Health In Men Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 72, glw132.	3.6	12
263	Excessive alcohol consumption increases mortality in later life: a genetic analysis of the health in men cohort study. Addiction Biology, 2017, 22, 570-578.	2.6	12
264	The longevity gene Klotho is differentially associated with cognition in subtypes of schizophrenia. Schizophrenia Research, 2018, 193, 348-353.	2.0	12
265	High‣ensitivity Cardiac Troponin I Improves Cardiovascular Risk Prediction in Older Men: HIMS (The) Tj ETQq1 ∷	1	4 rgBT /Over
266	Preventing depression among older people living in rural areas: A randomised controlled trial of behavioural activation in collaborative care. International Journal of Geriatric Psychiatry, 2021, 36, 530-539.	2.7	12
267	Can Neuroimaging Techniques Identify Individuals at Risk of Developing Alzheimer's Disease?. International Psychogeriatrics, 1997, 9, 389-403.	1.0	11
268	Premenstrual syndrome and psychiatric morbidity at the menopause. Journal of Psychosomatic Obstetrics and Gynaecology, 1999, 20, 56-57.	2.1	11
269	Sleep Complaints Among the Elderly: Results From a Survey in a Psychogeriatric Outpatient Clinic in Brazil. International Psychogeriatrics, 1999, 11, 47-56.	1.0	11
270	Schizophrenia in later life. Current Opinion in Psychiatry, 2000, 13, 423-427.	6.3	11

#	Article	IF	CITATIONS
271	Effect of testosterone deprivation on the cognitive performance of a patient with Alzheimer's disease. International Journal of Geriatric Psychiatry, 2001, 16, 823-825.	2.7	11
272	Association between the presenilin-1 mutation Glu318Gly and complaints of memory impairment. Neurobiology of Aging, 2002, 23, 55-58.	3.1	11
273	Latent Semantic Analysis: An Improved Method to Measure Cognitive Performance in Subjects of Non-English-Speaking-Background. Journal of Clinical and Experimental Neuropsychology, 2006, 28, 1381-1387.	1.3	11
274	Impact of behavioural risk factors on death within 10 years for women and men in their 70s: absolute risk charts. BMC Public Health, 2012, 12, 669.	2.9	11
275	Angiogenesis inhibition and depression in older men. Journal of Psychiatry and Neuroscience, 2014, 39, 200-205.	2.4	11
276	Grey Matter Changes Associated with Deficit Awareness in Mild Cognitive Impairment: A Voxel-Based Morphometry Study. Journal of Alzheimer's Disease, 2014, 42, 1251-1259.	2.6	11
277	Physical activity and vascular disease in a prospective cohort study of older men: The Health In Men Study (HIMS). BMC Geriatrics, 2015, 15, 164.	2.7	11
278	A Randomized, Placebo-Controlled, Double-Blind Efficacy Study of Nefiracetam to Treat Poststroke Apathy. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 1119-1127.	1.6	11
279	U-Shaped Association of Plasma Testosterone, and no Association of Plasma Estradiol, with Incidence of Fractures in Men. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 1489-1500.	3.6	11
280	Risk of Fractures in Stroke Patients Treated With a Selective Serotonin Reuptake Inhibitor: A Systematic Review and Meta-Analysis. Stroke, 2021, 52, 2802-2808.	2.0	11
281	Testosterone and dementia: too much ado about too little data. The Journal of the British Menopause Society, 2003, 9, 107-110.	1.3	11
282	NORTRIPTYLINE FOR THE TREATMENT OF DEPRESSION IN PROGRESSIVE SUPRANUCLEAR PALSY. Journal of the American Geriatrics Society, 1997, 45, 1033-1034.	2.6	10
283	Successful Treatment of Behavioural Problems in Dementia Using a Cholinesterase Inhibitor: The Ethical Questions. Australian and New Zealand Journal of Psychiatry, 2002, 36, 259-262.	2.3	10
284	Are the national guidelines for health behaviour appropriate for older Australians? Evidence from the Men, Women and Ageing project. Australasian Journal on Ageing, 2011, 30, 13-16.	0.9	10
285	Do changes in specific cognitive functions predict changes in healthâ€related quality of life in people with Alzheimer's disease?. International Journal of Geriatric Psychiatry, 2014, 29, 694-703.	2.7	10
286	The Healthy Heart-Mind trial: melatonin for prevention of delirium following cardiac surgery: study protocol for a randomized controlled trial. Trials, 2016, 17, 55.	1.6	10
287	A randomized controlled trial of physical activity with individual goal-setting and volunteer mentors to overcome sedentary lifestyle in older adults at risk of cognitive decline: the INDIGO trial protocol. BMC Geriatrics, 2017, 17, 215.	2.7	10
288	Mortality in a cohort of remote-living Aboriginal Australians and associated factors. PLoS ONE, 2018, 13, e0195030.	2.5	10

#	Article	IF	CITATIONS
289	Twelve-Month Outcomes of the AFFINITY Trial of Fluoxetine for Functional Recovery After Acute Stroke: AFFINITY Trial Steering Committee on Behalf of the AFFINITY Trial Collaboration. Stroke, 2021, 52, 2502-2509.	2.0	10
290	Associations of plasma IGF1, IGFBP3 and estradiol with leucocyte telomere length, a marker of biological age, in men. European Journal of Endocrinology, 2020, 182, 23-33.	3.7	10
291	Perception of worsening health predicts mortality in older men: The Health in Men Study (HIMS). Archives of Gerontology and Geriatrics, 2012, 55, 363-368.	3.0	9
292	Treatment fidelity and acceptability of a cognition-focused intervention for older adults with mild cognitive impairment (MCI). International Psychogeriatrics, 2013, 25, 815-823.	1.0	9
293	Cognitive bias modification to prevent depression (COPE): study protocol for a randomised controlled trial. Trials, 2014, 15, 282.	1.6	9
294	Older men with bipolar disorder diagnosed in early and later life: Physical health morbidity and general hospital service use. Journal of Affective Disorders, 2018, 241, 269-274.	4.1	9
295	Crossâ€sectional associations of sex hormones with leucocyte telomere length, a marker of biological age, in a communityâ€based cohort of older men. Clinical Endocrinology, 2019, 90, 562-569.	2.4	9
296	Cognitive bias modification to prevent depression (COPE): results of a randomised controlled trial. Psychological Medicine, 2020, 50, 2514-2525.	4.5	9
297	Birth month and depressive and suicidal symptoms in an elderly Australian sample born in the Southern or Northern Hemisphere. Psychiatry Research, 2006, 144, 217-219.	3.3	8
298	Social Support and Mortality: If You're Sick, Friends Can't Save You. Journal of the American Geriatrics Society, 2011, 59, 1984-1986.	2.6	8
299	Depression, dementia and cognition in older people. Maturitas, 2014, 79, 133-135.	2.4	8
300	The KICA Carer: informant information to enhance the Kimberley Indigenous Cognitive Assessment. International Psychogeriatrics, 2016, 28, 101-107.	1.0	8
301	Plasma ferritin concentrations are not associated with abdominal aortic aneurysm diagnosis, size or growth. Atherosclerosis, 2016, 251, 19-24.	0.8	8
302	Cognitive Domains and Health-Related Quality of Life in Alzheimer's Disease. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2016, 71, 275-287.	3.9	8
303	Substance use among older adults with bipolar disorder varies according to age at first treatment contact. Journal of Affective Disorders, 2018, 239, 269-273.	4.1	8
304	Hearing loss and incident psychosis in later life: The Health in Men Study (HIMS). International Journal of Geriatric Psychiatry, 2019, 34, 408-414.	2.7	8
305	Long-term exposure to outdoor air pollution and risk factors for cardiovascular disease within a cohort of older men in Perth. PLoS ONE, 2021, 16, e0248931.	2.5	8
306	Symptom Severity Mixity in Older-Age Bipolar Disorder: Analyses From the Global Aging and Geriatric Experiments in Bipolar Disorder Database (GAGE-BD). American Journal of Geriatric Psychiatry, 2022, 30, 1096-1107.	1.2	8

#	Article	IF	CITATIONS
307	Schizophrenic Symptoms in Late Paraphrenia. Psychopathology, 1993, 26, 95-101.	1.5	7
308	Alcoholism in a Geriatric Outpatient Clinic of São Paulo-Brazil. International Psychogeriatrics, 1997, 9, 95-103.	1.0	7
309	Understanding cognitive impairment and dementia: stroke studies. Current Opinion in Psychiatry, 2003, 16, 615-620.	6.3	7
310	Two-Year Outcomes From a Cessation of Smoking Intervention in Older Adults. Journal of Smoking Cessation, 2008, 3, 101-109.	1.0	7
311	Plasma free thyroxine in the upper quartile is associated with an increased incidence of major cardiovascular events in older men that do not have thyroid dysfunction according to conventional criteria. International Journal of Cardiology, 2018, 254, 316-321.	1.7	7
312	Neuroimaging and the differential diagnosis of early dementia: Quantitative CT scan analysis in patients attending a memory clinic. International Journal of Geriatric Psychiatry, 1992, 7, 879-883.	2.7	6
313	Long-term mortality following stroke, myocardial infarction and fractured neck of femur in Western Australia. Internal Medicine Journal, 2007, 37, 815-819.	0.8	6
314	Cognition-Focused Interventions for Older Adults: the State of Play. Australasian Psychiatry, 2011, 19, 313-316.	0.7	6
315	Elevated homocysteine is associated with poorer self-perceived physical health in older men: The Health in Men Study. Maturitas, 2012, 73, 158-163.	2.4	6
316	Impact of a prudent lifestyle on the clinical outcomes of older men with bipolar disorder. Aging and Mental Health, 2020, 24, 627-633.	2.8	6
317	U-Shaped Relationship of Leukocyte Telomere Length With All-Cause and Cancer-Related Mortality in Older Men. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 164-171.	3.6	6
318	Depression and the Risk of Fractures in Later Life: the Health In Men Cohort Study. Maturitas, 2021, 145, 6-11.	2.4	6
319	Affective Disorders, Psychosis and Dementia in a Community Sample of Older Men with and without Parkinson's Disease. PLoS ONE, 2016, 11, e0163781.	2.5	6
320	Efficacy of 17beta-Estradiol on Depression. Journal of Clinical Psychiatry, 2002, 63, 451.	2.2	6
321	Homocysteine and vitamin status in older people in Perth. Medical Journal of Australia, 2004, 180, 539-540.	1.7	6
322	The Hospital Frailty Risk Score Identifies Fewer Cases of Frailty in a Community-Based Cohort of Older Men Than the FRAIL Scale and Frailty Index. Journal of the American Medical Directors Association, 2022, 23, 1348-1353.e8.	2.5	6
323	Associations between diabetes, body mass index and frailty: The Western Australian Health In Men Study. Maturitas, 2022, 161, 58-64.	2.4	6
324	Behavioral Activation in Nursing Homes to Treat Depression (BAN-Dep): Results From a Clustered, Randomized, Single-Blinded, Controlled Clinical Trial. American Journal of Geriatric Psychiatry, 2022, 30, 1313-1323.	1.2	6

#	Article	IF	CITATIONS
325	Review: most laboratory tests do not add to the diagnostic accuracy of clinical criteria for dementia. Evidence-Based Mental Health, 2002, 5, 26-26.	4.5	5
326	Effect of nortriptyline on the Day–Night systolic blood pressure difference in hypertensive and normotensive elderly depressed women. American Journal of Cardiology, 2003, 91, 1279-1281.	1.6	5
327	Cerebrovascular disease and psychosis. , 0, , 197-203.		5
328	Memory loss. Medical Journal of Australia, 2012, 196, 114-117.	1.7	5
329	RAndomised controlled trial to imProve depression and the quality of life of people with Dementia using cognitive bias modification: RAPID study protocol. BMJ Open, 2014, 4, e005623-e005623.	1.9	5
330	Reducing depression during the menopausal transition: study protocol for a randomised controlled trial. Trials, 2014, 15, 312.	1.6	5
331	Psychological treatment for depression and anxiety associated with dementia and mild cognitive impairment. British Journal of Psychiatry, 2015, 207, 286-287.	2.8	5
332	Systolic Blood Pressure and Vascular Disease in Men Aged 65 Years and Over. Hypertension, 2017, 69, 1053-1059.	2.7	5
333	A randomized-controlled trial of a patient-centred intervention in high-risk discharged older patients. European Journal of Emergency Medicine, 2018, 25, 237-241.	1.1	5
334	Hearing impairment and frailty in later life: The Health in Men Study (HIMS). Maturitas, 2022, 156, 30-36.	2.4	5
335	Measures Associated With Early, Late, and Persistent Clinically Significant Symptoms of Depression 1 Year After Stroke in the AFFINITY Trial. Neurology, 2022, 98, .	1.1	5
336	Cardiovascular diseases do not influence the mental health outcome of older men with depression over 6 years. Journal of Affective Disorders, 2013, 144, 248-252.	4.1	4
337	Association of Depression with Sexual and Daily Activities: A Community Study of Octogenarian Men. American Journal of Geriatric Psychiatry, 2015, 23, 234-242.	1.2	4
338	Does bipolar disorder have a benign course?. International Psychogeriatrics, 2016, 28, 1755-1757.	1.0	4
339	Dubious findings concerning the prevalence of late-life depression. Australian and New Zealand Journal of Psychiatry, 2016, 50, 284-285.	2.3	4
340	Behavioural activation in nursing homes to treat depression (BAN-Dep): study protocol for a pragmatic randomised controlled trial. BMJ Open, 2019, 9, e032421.	1.9	4
341	A Randomized Controlled Trial on the Effects of a 6-Month Home-Based Physical Activity Program with Individual Goal-Setting and Volunteer Mentors on Physical Activity, Adherence, and Physical Fitness in Inactive Older Adults at Risk of Cognitive Decline: The INDIGO Study. Journal of Alzheimer's Disease. 2021, 84, 207-226.	2.6	4
342	Association between lifestyle factors and mental health measures among community-dwelling older women. Australian and New Zealand Journal of Psychiatry, 2004, 38, 940-947.	2.3	4

#	Article	IF	CITATIONS
343	DEPRESSION AND WEALTH IN OLDER PEOPLE: WHEN MONEY MAKES THE DIFFERENCE. Journal of the American Geriatrics Society, 1998, 46, 1328-1329.	2.6	3
344	Risk factors and consequences of depression in later life: Findings from the health in men study (HIMS). Aging Brain, 2021, 1, 100014.	1.3	3
345	Can we prevent Alzheimer's disease?. Revista Brasileira De Psiquiatria, 2005, 27, 264-265.	1.7	3
346	Bone Turnover Markers Including Undercarboxylated Osteocalcin Are Associated With Mortality Risk in Older Men. Journal of Bone and Mineral Research, 2020, 37, 1464-1472.	2.8	3
347	Differing Methodologies Are Required to Estimate Prevalence of Dementia: Single Study Types Are No Longer Reliable. Journal of Alzheimer's Disease, 2022, 88, 943-948.	2.6	3
348	ECT is effective in treating depression in later life, but how should we maintain improvement?. International Journal of Geriatric Psychiatry, 2001, 16, 1179-1180.	2.7	2
349	Reduced awareness of executive dysfunction in Alzheimer's disease is associated with increased carer burden. International Psychogeriatrics, 2007, 19, 1173-5.	1.0	2
350	Body Mass Index and Vascular Disease in Men Aged 65ÂYears and Over: HIMS (Health In Men Study). Journal of the American Heart Association, 2017, 6, .	3.7	2
351	Profile of diabetes in men aged 79–97 years: the Western Australian Health in Men Study. Diabetic Medicine, 2017, 34, 786-793.	2.3	2
352	A cross-sectional analysis of factors that influence the detection of depression in older primary care patients. Australian and New Zealand Journal of Psychiatry, 2005, 39, 262-265.	2.3	2
353	Intermetamorphosis of Doubles or Double-Golyadkin Phenomenon — a new syndrome?. Psychiatric Bulletin, 1991, 15, 580-581.	0.3	1
354	Late-onset schizophrenia versus late paraphrenia. British Journal of Psychiatry, 1994, 164, 127-128.	2.8	1
355	Dementia: What is it All About?. Neuroradiology Journal, 2006, 19, 433-440.	1.2	1
356	Evolution, depression and the interplay between chance and choices. International Psychogeriatrics, 2011, 23, 1021-1025.	1.0	1
357	Obesity in later life and dementia risk: a tale of many paradoxes. Aging Health, 2012, 8, 225-227.	0.3	1
358	Correlation Between Hypertension, C-Reactive Protein and Serum Uric Acid With Psychological Well-being. Iranian Red Crescent Medical Journal, 2014, 16, e17205.	0.5	1
359	An Overview of the Association Between Obesity in Later Life and Dementia Risk. , 2015, , 379-392.		1
360	Comparison of <scp>DSMâ€₩ and DSMâ€5</scp> dementia criteria among older people living in a community sample. International Journal of Geriatric Psychiatry, 2018, 33, 801-802.	2.7	1

#	Article	IF	CITATIONS
361	Differential associations of ferritin and 25â€hydroxyvitamin D with fasting glucose and diabetes risk in community dwelling older men. Diabetes/Metabolism Research and Reviews, 2019, 35, e3172.	4.0	1
362	Are We Getting Better at Managing Agitation in Dementia?. American Journal of Geriatric Psychiatry, 2020, 28, 401-403.	1.2	1
363	Effect of biological treatments on psychotic symptoms in lewy body disease: A systematic review and metaâ€analysis of randomized controlled trials. International Journal of Geriatric Psychiatry, 2020, 35, 1083-1096.	2.7	1
364	Boon or bane? Using antidepressants after stroke. Maturitas, 2021, 153, 68-70.	2.4	1
365	Early- vs. Late-Onset Schizophrenia: Is It Time to Define the Difference?. American Journal of Geriatric Psychiatry, 1998, 6, 345-346.	1.2	0
366	Early- vs. Late-Onset Schizophrenia. American Journal of Geriatric Psychiatry, 1998, 6, 345-346.	1.2	0
367	Testosterone and Dementia: Too much Ado About too Little Data. The Journal of the British Menopause Society, 2003, 9, 107-110.	1.3	0
368	The Memory Clinic Guide Editors: ZUZANA WALKER AND ROB BUTLER Taylor and Francis Books Ltd., 2003 U.K. £10.95. Paperback, pp. 53. ISBN 184 184 0998. International Psychogeriatrics, 2004, 16, 367-368.	1.0	0
369	The Challenge of Treating Depression in Dementia. American Journal of Geriatric Psychiatry, 2019, 27, 932-933.	1.2	0
370	COVIDâ€19 and older adults with bipolar disorder: Problems and solutions. Bipolar Disorders, 2021, 23, 420-422.	1.9	0
371	Mental Health of Men in Later Life. , 2021, , 251-262.		0

Prevalence and Predictors of Sexual Dysfunction in Older Men., 2011, , P1-341-P1-341.