

Osvaldo P Almeida

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6553787/osvaldo-p-almeida-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

351 papers	16,592 citations	68 h-index	113 g-index
389 ext. papers	18,966 ext. citations	4.7 avg, IF	6.58 L-index

#	Paper	IF	Citations
351	Effect of physical activity on cognitive function in older adults at risk for Alzheimer disease: a randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 1027-37	27.4	1059
350	Short versions of the geriatric depression scale: a study of their validity for the diagnosis of a major depressive episode according to ICD-10 and DSM-IV. <i>International Journal of Geriatric Psychiatry</i> , 1999 , 14, 858-65	3.9	725
349	Efficacy of estradiol for the treatment of depressive disorders in perimenopausal women: a double-blind, randomized, placebo-controlled trial. <i>Archives of General Psychiatry</i> , 2001 , 58, 529-34		540
348	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. <i>BMJ, The</i> , 2014 , 349, g4164	5.9	406
347	The assessment of insight in psychosis. <i>British Journal of Psychiatry</i> , 1992 , 161, 599-602	5.4	308
346	Effect modification by population dietary folate on the association between MTHFR genotype, homocysteine, and stroke risk: a meta-analysis of genetic studies and randomised trials. <i>Lancet, The</i> , 2011 , 378, 584-94	4.0	231
345	A systematic review of the association between the Behavioral and Psychological Symptoms of Dementia and burden of care. <i>International Psychogeriatrics</i> , 2004 , 16, 295-315	3.4	221
344	One year follow-up study of the association between chemical castration, sex hormones, beta-amyloid, memory and depression in men. <i>Psychoneuroendocrinology</i> , 2004 , 29, 1071-81	5	215
343	Cohort Profile: The Health In Men Study (HIMS). <i>International Journal of Epidemiology</i> , 2009 , 38, 48-52	7.8	192
342	Low free testosterone predicts frailty in older men: the health in men study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3165-72	5.6	191
341	Lower testosterone levels predict incident stroke and transient ischemic attack in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 2353-9	5.6	190
340	Long-term effects of childhood abuse on the quality of life and health of older people: results from the Depression and Early Prevention of Suicide in General Practice Project. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 262-71	5.6	190
339	A voxel-based morphometry study of temporal lobe gray matter reductions in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2003 , 24, 221-31	5.6	166
338	Body mass index and survival in men and women aged 70 to 75. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 234-41	5.6	161
337	Severe hypoglycaemia and cognitive impairment in older patients with diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2009 , 52, 1808-15	10.3	155
336	The mind of a failing heart: a systematic review of the association between congestive heart failure and cognitive functioning. <i>Internal Medicine Journal</i> , 2001 , 31, 290-5	1.6	152
335	Psychiatric, neurological and medical aspects of misidentification syndromes: a review of 260 cases. <i>Psychological Medicine</i> , 1991 , 21, 905-10	6.9	151

334	Low free testosterone predicts mortality from cardiovascular disease but not other causes: the Health in Men Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 179-89	5.6	133
333	Testosterone, sex hormone-binding globulin and the metabolic syndrome in men: an individual participant data meta-analysis of observational studies. <i>PLoS ONE</i> , 2014 , 9, e100409	3.7	131
332	Factors associated with suicidal thoughts in a large community study of older adults. <i>British Journal of Psychiatry</i> , 2012 , 201, 466-72	5.4	131
331	In older men an optimal plasma testosterone is associated with reduced all-cause mortality and higher dihydrotestosterone with reduced ischemic heart disease mortality, while estradiol levels do not predict mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E9-18	5.6	128
330	Phenomenology, demography and diagnosis in late paraphrenia. <i>Psychological Medicine</i> , 1994 , 24, 397-410	6.0	125
329	Homocysteine and depression in later life. <i>Archives of General Psychiatry</i> , 2008 , 65, 1286-94		121
328	Low free testosterone concentration as a potentially treatable cause of depressive symptoms in older men. <i>Archives of General Psychiatry</i> , 2008 , 65, 283-9		121
327	Smoking is associated with reduced cortical regional gray matter density in brain regions associated with incipient Alzheimer disease. <i>American Journal of Geriatric Psychiatry</i> , 2008 , 16, 92-8	6.5	115
326	Falls, depression and antidepressants in later life: a large primary care appraisal. <i>PLoS ONE</i> , 2008 , 3, e24237	3.7	113
325	Cognitive impairment, physical disability and depressive symptoms in older diabetic patients: the Fremantle Cognition in Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2003 , 61, 59-67	7.4	108
324	Bipolar disorder: similarities and differences between patients with illness onset before and after 65 years of age. <i>International Psychogeriatrics</i> , 2002 , 14, 311-22	3.4	108
323	In men older than 70 years, total testosterone remains stable while free testosterone declines with age. The Health in Men Study. <i>European Journal of Endocrinology</i> , 2007 , 156, 585-94	6.5	107
322	Clinical characteristics of individuals with subjective memory loss in Western Australia: results from a cross-sectional survey. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 168-74	3.9	105
321	Effect of homocysteine lowering treatment on cognitive function: a systematic review and meta-analysis of randomized controlled trials. <i>Journal of Alzheimer's Disease</i> , 2012 , 29, 133-49	4.3	103
320	Predictors of cognitive impairment and dementia in older people with diabetes. <i>Diabetologia</i> , 2008 , 51, 241-8	10.3	103
319	Smoking as a risk factor for Alzheimer's disease: contrasting evidence from a systematic review of case-control and cohort studies. <i>Addiction</i> , 2002 , 97, 15-28	4.6	102
318	Chemical andropause and amyloid-beta peptide. <i>JAMA - Journal of the American Medical Association</i> , 2001 , 285, 2195-6	27.4	100
317	Psychotic states arising in late life (late paraphrenia). The role of risk factors. <i>British Journal of Psychiatry</i> , 1995 , 166, 215-28	5.4	99

316	High prevalence of dementia and cognitive impairment in Indigenous Australians. <i>Neurology</i> , 2008 , 71, 1470-3	6.5	98
315	Limitations of the Mini-Mental State Examination for screening dementia in a community with low socioeconomic status: results from the Sao Paulo Ageing & Health Study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 8-15	5.1	97
314	Cognitive and brain changes associated with ischaemic heart disease and heart failure. <i>European Heart Journal</i> , 2012 , 33, 1769-76	9.5	96
313	White matter hyperintensities, cortisol levels, brain atrophy and continuing cognitive deficits in late-life depression. <i>British Journal of Psychiatry</i> , 2010 , 196, 143-9	5.4	93
312	A 20-week randomized controlled trial of estradiol replacement therapy for women aged 70 years and older: effect on mood, cognition and quality of life. <i>Neurobiology of Aging</i> , 2006 , 27, 141-9	5.6	91
311	Systematic review and meta-analysis of randomized placebo-controlled trials of folate and vitamin B12 for depression. <i>International Psychogeriatrics</i> , 2015 , 27, 727-37	3.4	89
310	Physical activity and all-cause mortality in older women and men. <i>British Journal of Sports Medicine</i> , 2012 , 46, 664-8	10.3	87
309	High prevalence of dementia among older adults from poor socioeconomic backgrounds in S ^o Paulo, Brazil. <i>International Psychogeriatrics</i> , 2008 , 20, 394-405	3.4	86
308	Falls, injuries from falls, health related quality of life and mortality in older adults with vision and hearing impairment--is there a gender difference?. <i>Maturitas</i> , 2011 , 69, 359-64	5	85
307	Depression as a modifiable factor to decrease the risk of dementia. <i>Translational Psychiatry</i> , 2017 , 7, e1117	8.6	84
306	Subclinical Thyroid Dysfunction and the Risk of Cognitive Decline: a Meta-Analysis of Prospective Cohort Studies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 4945-4954	5.6	84
305	Lower sex hormone-binding globulin is more strongly associated with metabolic syndrome than lower total testosterone in older men: the Health in Men Study. <i>European Journal of Endocrinology</i> , 2008 , 158, 785-92	6.5	82
304	Factors associated with self and informant ratings of the quality of life of people with dementia living in care facilities: a cross sectional study. <i>PLoS ONE</i> , 2010 , 5, e15621	3.7	81
303	Vitamins B(12), B(6), and folic acid for cognition in older men. <i>Neurology</i> , 2010 , 75, 1540-7	6.5	80
302	Predictors of cognitive decline in older individuals with diabetes. <i>Diabetes Care</i> , 2008 , 31, 2103-7	14.6	79
301	The association of C-reactive protein and CRP genotype with coronary heart disease: findings from five studies with 4,610 cases amongst 18,637 participants. <i>PLoS ONE</i> , 2008 , 3, e3011	3.7	79
300	Psychotic states arising in late life (late paraphrenia) psychopathology and nosology. <i>British Journal of Psychiatry</i> , 1995 , 166, 205-14	5.4	77
299	Quality use of medicines and health outcomes among a cohort of community dwelling older men: an observational study. <i>British Journal of Clinical Pharmacology</i> , 2011 , 71, 592-9	3.8	76

298	Kimberley Indigenous Cognitive Assessment tool (KICA): development of a cognitive assessment tool for older indigenous Australians. <i>International Psychogeriatrics</i> , 2006 , 18, 269-80	3.4	75
297	Depressive Symptoms before and after Treatment of Obstructive Sleep Apnea in Men and Women. <i>Journal of Clinical Sleep Medicine</i> , 2015 , 11, 1029-38	3.1	74
296	Association of cardiovascular risk factors and disease with depression in later life. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 506-13	6.5	74
295	Association between lifestyle factors and mental health measures among community-dwelling older women. <i>Australian and New Zealand Journal of Psychiatry</i> , 2004 , 38, 940-7	2.6	74
294	MRI study of caudate nucleus volume in Parkinson's disease with and without dementia with Lewy bodies and Alzheimer's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2003 , 16, 57-63	2.6	74
293	Patterns of dietary intake and psychological distress in older Australians: benefits not just from a Mediterranean diet. <i>International Psychogeriatrics</i> , 2013 , 25, 456-66	3.4	73
292	The community prevalence of depression in older Australians. <i>Journal of Affective Disorders</i> , 2009 , 115, 54-61	6.6	72
291	KIBRA genetic polymorphism influences episodic memory in later life, but does not increase the risk of mild cognitive impairment. <i>Journal of Cellular and Molecular Medicine</i> , 2008 , 12, 1672-6	5.6	71
290	Contribution of the MTHFR gene to the causal pathway for depression, anxiety and cognitive impairment in later life. <i>Neurobiology of Aging</i> , 2005 , 26, 251-7	5.6	71
289	Physical activity and cognition in old age. <i>Current Opinion in Psychiatry</i> , 2006 , 19, 190-3	4.9	71
288	Prevalence of sexual activity and associated factors in men aged 75 to 95 years: a cohort study. <i>Annals of Internal Medicine</i> , 2010 , 153, 693-702	8	69
287	150 minutes of vigorous physical activity per week predicts survival and successful ageing: a population-based 11-year longitudinal study of 12 201 older Australian men. <i>British Journal of Sports Medicine</i> , 2014 , 48, 220-5	10.3	68
286	24-month effect of smoking cessation on cognitive function and brain structure in later life. <i>NeuroImage</i> , 2011 , 55, 1480-9	7.9	67
285	B-vitamins reduce the long-term risk of depression after stroke: The VITATOPS-DEP trial. <i>Annals of Neurology</i> , 2010 , 68, 503-10	9.4	67
284	Successful mental health aging: results from a longitudinal study of older Australian men. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 27-35	6.5	67
283	Obesity and metabolic syndrome increase the risk of incident depression in older men: the health in men study. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 889-98	6.5	66
282	Risk factors across the life course and dementia in a Brazilian population: results from the Sao Paulo Ageing & Health Study (SPAH). <i>International Journal of Epidemiology</i> , 2008 , 37, 879-90	7.8	66
281	Depression with late onset is associated with right frontal lobe atrophy. <i>Psychological Medicine</i> , 2003 , 33, 675-81	6.9	65

280	Hearing loss and the risk of dementia in later life. <i>Maturitas</i> , 2018 , 112, 1-11	5	64
279	In older men, higher plasma testosterone or dihydrotestosterone is an independent predictor for reduced incidence of stroke but not myocardial infarction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 4565-73	5.6	64
278	Suicide and attempted suicide among older adults in Western Australia. <i>Psychological Medicine</i> , 2000 , 30, 813-21	6.9	63
277	Caregiver burden in an elderly population with depression in S ^o Paulo, Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 416-22	4.5	61
276	Dementia associated with infectious diseases. <i>International Psychogeriatrics</i> , 2005 , 17 Suppl 1, S65-77	3.4	61
275	Anxiety, depression, and comorbid anxiety and depression: risk factors and outcome over two years. <i>International Psychogeriatrics</i> , 2012 , 24, 1622-32	3.4	60
274	Depression, frailty, and all-cause mortality: a cohort study of men older than 75 years. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 296-300	5.9	59
273	The built environment and depression in later life: the health in men study. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 461-70	6.5	59
272	Preventing depression after stroke: Results from a randomized placebo-controlled trial. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 1104-9	4.6	59
271	Depression, antidepressant use and mortality in later life: the Health In Men Study. <i>PLoS ONE</i> , 2010 , 5, e11266	3.7	57
270	Recruiting and retaining GPs and patients in intervention studies: the DEPS-GP project as a case study. <i>BMC Medical Research Methodology</i> , 2007 , 7, 42	4.7	57
269	Polymorphisms of the CRP gene inhibit inflammatory response and increase susceptibility to depression: the Health in Men Study. <i>International Journal of Epidemiology</i> , 2009 , 38, 1049-59	7.8	56
268	Associations between testosterone levels and incident prostate, lung, and colorectal cancer. A population-based study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1319-29	4	56
267	Dementia associated with alcohol and other drug use. <i>International Psychogeriatrics</i> , 2005 , 17 Suppl 1, S109-27	3.4	56
266	Subjective Memory Complaints With and Without Objective Memory Impairment: Relationship With Risk Factors for Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 731-734	6.5	55
265	APOE-epsilon4 and APOE -491A polymorphisms in individuals with subjective memory loss. <i>Molecular Psychiatry</i> , 2002 , 7, 768-75	15.1	55
264	Congestive heart failure and cognitive functioning amongst older adults. <i>Arquivos De Neuro-Psiquiatria</i> , 2001 , 59, 324-9	1.6	55
263	Higher serum free testosterone is associated with better cognitive function in older men, while total testosterone is not. The Health In Men Study. <i>Clinical Endocrinology</i> , 2008 , 68, 404-12	3.4	54

262	Effect of B vitamins and lowering homocysteine on cognitive impairment in patients with previous stroke or transient ischemic attack: a prespecified secondary analysis of a randomized, placebo-controlled trial and meta-analysis. <i>Stroke</i> , 2013 , 44, 2232-9	6.7	53
261	Mortality associated with incident mental health disorders after stroke. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007 , 41, 274-81	2.6	53
260	Depression and smoking amongst older general practice patients. <i>Journal of Affective Disorders</i> , 2005 , 86, 317-21	6.6	53
259	Relation between medial temporal atrophy and functional brain activity during memory processing in Alzheimer's disease: a combined MRI and SPECT study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2002 , 73, 508-16	5.5	53
258	Effectiveness of a smoking cessation intervention in older adults. <i>Addiction</i> , 2007 , 102, 148-55	4.6	52
257	Higher free thyroxine levels predict increased incidence of dementia in older men: the Health in Men Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E2230-7	5.6	51
256	Vitamins B12, B6, and folic acid for onset of depressive symptoms in older men: results from a 2-year placebo-controlled randomized trial. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1203-9	4.6	51
255	Quality of life in Alzheimer's disease: different factors associated with complementary ratings by patients and family carers. <i>International Psychogeriatrics</i> , 2012 , 24, 708-21	3.4	50
254	Mortality among people with severe mental disorders who reach old age: a longitudinal study of a community-representative sample of 37,892 men. <i>PLoS ONE</i> , 2014 , 9, e111882	3.7	50
253	Safety and efficacy of fluoxetine on functional outcome after acute stroke (AFFINITY): a randomised, double-blind, placebo-controlled trial. <i>Lancet Neurology</i> , 2020 , 19, 651-660	24.1	48
252	Prospective longitudinal study of testosterone and incident depression in older men: The Health In Men Study. <i>Psychoneuroendocrinology</i> , 2016 , 64, 57-65	5	47
251	Use of Potentially Harmful Medications and Health-Related Quality of Life among People with Dementia Living in Residential Aged Care Facilities. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2012 , 2, 361-71	2.5	47
250	Sleep complaints among older general practice patients: association with depression. <i>British Journal of General Practice</i> , 2005 , 55, 864-6	1.6	46
249	Aspirin decreases the risk of depression in older men with high plasma homocysteine. <i>Translational Psychiatry</i> , 2012 , 2, e151	8.6	45
248	Quantitative magnetic resonance imaging volumetry distinguishes delusional disorder from late-onset schizophrenia. <i>British Journal of Psychiatry</i> , 1994 , 165, 474-80	5.4	44
247	Association between speech and high-frequency hearing loss and depression, anxiety and stress in older adults. <i>Maturitas</i> , 2018 , 110, 86-91	5	43
246	Prevention of depression in older age. <i>Maturitas</i> , 2014 , 79, 136-41	5	43
245	Contributors to cognitive impairment in congestive heart failure: a pilot case-control study. <i>Internal Medicine Journal</i> , 2009 , 39, 600-5	1.6	43

244	Duration of diabetes and its association with depression in later life: The Health In Men Study (HIMS). <i>Maturitas</i> , 2016 , 86, 3-9	5	42
243	Prevalence and predictors of sexual problems in men aged 75-95 years: a population-based study. <i>Journal of Sexual Medicine</i> , 2012 , 9, 442-53	1.1	42
242	Older men who use computers have lower risk of dementia. <i>PLoS ONE</i> , 2012 , 7, e44239	3.7	42
241	White matter signal hyperintensities in the brains of patients with late paraphrenia and the normal, community-living elderly. <i>Biological Psychiatry</i> , 1995 , 38, 86-91	7.9	42
240	A practical approach to assess depression risk and to guide risk reduction strategies in later life. <i>International Psychogeriatrics</i> , 2011 , 23, 280-91	3.4	41
239	A randomized trial to reduce the prevalence of depression and self-harm behavior in older primary care patients. <i>Annals of Family Medicine</i> , 2012 , 10, 347-56	2.9	41
238	The association between C-reactive protein concentration and depression in later life is due to poor physical health: results from the Health in Men Study (HIMS). <i>Psychological Medicine</i> , 2007 , 37, 1775-86	6.9	41
237	Complaints of difficulty to fall asleep increase the risk of depression in later life: the health in men study. <i>Journal of Affective Disorders</i> , 2011 , 134, 208-16	6.6	40
236	Factors associated with dementia in Aboriginal Australians. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010 , 44, 888-93	2.6	40
235	Thyroid hormones and depression: the Health in Men study. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 763-70	6.5	40
234	Premorbid personality traits are associated with post-stroke behavioral and psychological symptoms: a three-month follow-up study in Perth, Western Australia. <i>International Psychogeriatrics</i> , 2009 , 21, 1063-71	3.4	40
233	Can physical activity improve the mental health of older adults?. <i>Annals of General Psychiatry</i> , 2004 , 3, 12		40
232	Magnetic resonance imaging volumetric measurements of the superior temporal gyrus, hippocampus, parahippocampal gyrus, frontal and temporal lobes in late paraphrenia. <i>Psychological Medicine</i> , 1995 , 25, 495-503	6.9	40
231	Detecting suicidal ideation in older patients: identifying risk factors within the general practice setting. <i>British Journal of General Practice</i> , 2005 , 55, 269-73	1.6	40
230	Effect of Vitamin B Supplementation on Cognitive Function in the Elderly: A Systematic Review and Meta-Analysis. <i>Drugs and Aging</i> , 2019 , 36, 419-434	4.7	39
229	B vitamins to enhance treatment response to antidepressants in middle-aged and older adults: results from the B-VITAGE randomised, double-blind, placebo-controlled trial. <i>British Journal of Psychiatry</i> , 2014 , 205, 450-7	5.4	39
228	Association between depression and hospital outcomes among older men. <i>Cmaj</i> , 2013 , 185, 117-23	3.5	39
227	Body adiposity in later life and the incidence of dementia: the health in men study. <i>PLoS ONE</i> , 2011 , 6, e17902	3.7	39

226	Healthier lifestyle predicts higher circulating testosterone in older men: the Health In Men Study. <i>Clinical Endocrinology</i> , 2009 , 70, 455-63	3.4	39
225	Permeable walls, floors, ceilings and doors. Partition delusions in late paraphrenia. <i>International Journal of Geriatric Psychiatry</i> , 1992 , 7, 719-724	3.9	39
224	Elevated LH predicts ischaemic heart disease events in older men: the Health in Men Study. <i>European Journal of Endocrinology</i> , 2011 , 164, 569-77	6.5	38
223	Higher luteinizing hormone is associated with poor memory recall: the health in men study. <i>Journal of Alzheimer's Disease</i> , 2010 , 19, 943-51	4.3	38
222	Higher free thyroxine levels are associated with frailty in older men: the Health In Men Study. <i>Clinical Endocrinology</i> , 2012 , 76, 741-8	3.4	37
221	Alcohol use and mortality in older men and women. <i>Addiction</i> , 2010 , 105, 1391-400	4.6	35
220	Cognitive features of psychotic states arising in late life (late paraphrenia). <i>Psychological Medicine</i> , 1995 , 25, 685-98	6.9	35
219	Risk of dementia and death in community-dwelling older men with bipolar disorder. <i>British Journal of Psychiatry</i> , 2016 , 209, 121-6	5.4	35
218	Brain and mood changes over 2 years in healthy controls and adults with heart failure and ischaemic heart disease. <i>European Journal of Heart Failure</i> , 2013 , 15, 850-8	12.3	34
217	Homocysteine, methylenetetrahydrofolate reductase C677T polymorphism and cognitive impairment: the health in men study. <i>Molecular Psychiatry</i> , 2012 , 17, 559-66	15.1	34
216	The role of literacy, occupation and income in dementia prevention: the S ^ˆ ˆ Paulo Ageing & Health Study (SPAH). <i>International Psychogeriatrics</i> , 2010 , 22, 1209-15	3.4	34
215	Chronic medical conditions mediate the association between depression and cardiovascular disease mortality. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 615-25	4.5	33
214	Aspirin use, depression, and cognitive impairment in later life: the health in men study. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 990-2	5.6	33
213	B-vitamins reduce plasma levels of beta amyloid. <i>Neurobiology of Aging</i> , 2008 , 29, 303-5	5.6	33
212	Determining the predictors of change in quality of life self-ratings and carer-ratings for community-dwelling people with Alzheimer disease. <i>Alzheimer Disease and Associated Disorders</i> , 2013 , 27, 363-71	2.5	32
211	Antidepressant efficacy and safety of low-dose sertraline and standard-dose imipramine for the treatment of depression in older adults: results from a double-blind, randomized, controlled clinical trial. <i>International Psychogeriatrics</i> , 2001 , 13, 75-84	3.4	32
210	Vitamin D concentration and its association with past, current and future depression in older men: The Health In Men Study. <i>Maturitas</i> , 2015 , 81, 36-41	5	31
209	Two-year course of cognitive function and mood in adults with congestive heart failure and coronary artery disease: the Heart-Mind Study. <i>International Psychogeriatrics</i> , 2012 , 24, 38-47	3.4	31

208	Plasma homocysteine and MTHFR677T polymorphism as risk factors for incident dementia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2012 , 83, 70-5	5.5	31
207	The PACE study: a randomized clinical trial of cognitive activity strategy training for older people with mild cognitive impairment. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 360-372	6.5	30
206	Homocysteine, frailty, and all-cause mortality in older men: the health in men study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013 , 68, 590-8	6.4	30
205	Clinical and cognitive diversity of psychotic states arising in late life (late paraphrenia). <i>Psychological Medicine</i> , 1995 , 25, 699-714	6.9	30
204	Socioeconomic disadvantage increases risk of prevalent and persistent depression in later life. <i>Journal of Affective Disorders</i> , 2012 , 138, 322-31	6.6	29
203	Association between homocysteine, depression, and cognitive function in community-dwelling older women from Australia. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 327-8	5.6	29
202	The Kimberley assessment of depression of older Indigenous Australians: prevalence of depressive disorders, risk factors and validation of the KICA-dep scale. <i>PLoS ONE</i> , 2014 , 9, e94983	3.7	28
201	Identifying suicidal ideation among older adults in a general practice setting. <i>Journal of Affective Disorders</i> , 2004 , 83, 73-7	6.6	28
200	Do current national and international guidelines have specific recommendations for older adults with bipolar disorder? A brief report. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 1295-1300	3.9	27
199	Apathy and depressive symptoms in older people and incident myocardial infarction, stroke, and mortality: a systematic review and meta-analysis of individual participant data. <i>Clinical Epidemiology</i> , 2018 , 10, 363-379	5.9	27
198	Vascular depression in older people with diabetes. <i>Diabetologia</i> , 2006 , 49, 2828-36	10.3	27
197	CRP 1846G>A polymorphism increases risk of frailty. <i>Maturitas</i> , 2012 , 71, 261-6	5	26
196	Clinical treatment reverses attentional deficits in congestive heart failure. <i>BMC Geriatrics</i> , 2001 , 1, 2	4.1	26
195	A cluster-randomised trial of staff education to improve the quality of life of people with dementia living in residential care: the DIRECT study. <i>PLoS ONE</i> , 2011 , 6, e28155	3.7	25
194	Development and evaluation of an educational intervention for general practitioners and staff caring for people with dementia living in residential facilities. <i>International Psychogeriatrics</i> , 2011 , 23, 221-9	3.4	25
193	A risk table to assist health practitioners assess and prevent the onset of depression in later life. <i>Preventive Medicine</i> , 2013 , 57, 878-82	4.3	24
192	Homocysteine, depression and cognitive function in older adults. <i>Journal of Affective Disorders</i> , 2013 , 151, 646-651	6.6	24
191	The FABS trial: a randomised control trial of the effects of a 6-month physical activity intervention on adherence and long-term physical activity and self-efficacy in older adults with memory complaints. <i>Preventive Medicine</i> , 2013 , 57, 824-30	4.3	24

190	Efficacy of B vitamins in lowering homocysteine in older men: maximal effects for those with B12 deficiency and hyperhomocysteinemia. <i>Stroke</i> , 2006 , 37, 547-9	6.7	24
189	Subjective memory complaints with and without objective memory impairment: relationship with risk factors for dementia. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 731-4	6.5	24
188	How many older people are frail? Using multiple imputation to investigate frailty in the population. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 439.e1-7	5.9	23
187	Depression as a risk factor for cognitive impairment in later life: the Health In Men cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 412-20	3.9	23
186	Validity of self-reported versus hospital-coded diagnosis of stroke: a cross-sectional and longitudinal study. <i>Cerebrovascular Diseases</i> , 2014 , 37, 256-62	3.2	23
185	Impact of the Reelin signaling cascade (ligands-receptors-adaptor complex) on cognition in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 392-404	3.5	23
184	The KICA Screen: the psychometric properties of a shortened version of the KICA (Kimberley Indigenous Cognitive Assessment). <i>Australasian Journal on Ageing</i> , 2011 , 30, 215-9	1.5	23
183	Coronary heart disease is associated with regional grey matter volume loss: implications for cognitive function and behaviour. <i>Internal Medicine Journal</i> , 2008 , 38, 599-606	1.6	23
182	Unilateral auditory hallucinations. <i>British Journal of Psychiatry</i> , 1993 , 162, 262-4	5.4	23
181	Sex hormones and incident dementia in older men: The health in men study. <i>Psychoneuroendocrinology</i> , 2018 , 98, 139-147	5	22
180	Current experiences and educational preferences of general practitioners and staff caring for people with dementia living in residential facilities. <i>BMC Geriatrics</i> , 2009 , 9, 36	4.1	22
179	Predictors of impaired cognitive function in men over the age of 80 years: results from the Health in Men Study. <i>Age and Ageing</i> , 2005 , 34, 77-80	3	22
178	A cross-sectional analysis of factors that influence the detection of depression in older primary care patients. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005 , 39, 262-5	2.6	22
177	Sex hormones and their impact on dementia and depression: a clinical perspective. <i>Expert Opinion on Pharmacotherapy</i> , 2001 , 2, 527-35	4	22
176	Late paraphrenia: A review. <i>International Journal of Geriatric Psychiatry</i> , 1992 , 7, 543-548	3.9	22
175	Diabetes, myocardial infarction and stroke are distinct and duration-dependent predictors of subsequent cardiovascular events and all-cause mortality in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1038-47	5.6	21
174	Alcohol consumption and cognitive impairment in older men: a mendelian randomization study. <i>Neurology</i> , 2014 , 82, 1038-44	6.5	21
173	Women who smoke like men die like men who smoke: findings from two Australian cohort studies. <i>Tobacco Control</i> , 2011 , 20, 258-65	5.3	21

172	Medical morbidity and severity of depression in a large primary care sample of older Australians: the DEPS-GP project. <i>Medical Journal of Australia</i> , 2009 , 190, S75-80	4	21
171	Sex playing with the mind. Effects of oestrogen and testosterone on mood and cognition. <i>Arquivos De Neuro-Psiquiatria</i> , 1999 , 57, 701-6	1.6	21
170	Insight and paranoid disorders in late life (late paraphenia) 1996 , 11, 653-658		21
169	Demographic and clinical features of patients attending a memory clinic. <i>International Journal of Geriatric Psychiatry</i> , 1993 , 8, 497-501	3.9	21
168	Olanzapine for the treatment of tardive dyskinesia. <i>Journal of Clinical Psychiatry</i> , 1998 , 59, 380-1	4.6	21
167	Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 4224-4231	5.6	21
166	Progressive impairment of testicular endocrine function in ageing men: Testosterone and dihydrotestosterone decrease, and luteinizing hormone increases, in men transitioning from the 8th to 9th decades of life. <i>Clinical Endocrinology</i> , 2018 , 88, 88-95	3.4	20
165	ACTIVEDEP: a randomised, controlled trial of a home-based exercise intervention to alleviate depression in middle-aged and older adults. <i>British Journal of Sports Medicine</i> , 2014 , 48, 226-32	10.3	20
164	Preliminary evaluation of the prevalence of falls, pain and urinary incontinence in remote living Indigenous Australians over the age of 45 years. <i>Internal Medicine Journal</i> , 2012 , 42, e102-7	1.6	20
163	Changes in the prevalence of psychological distress and use of antidepressants or anti-anxiety medications associated with comorbid chronic diseases in the adult Australian population, 2001-2008. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012 , 46, 445-56	2.6	20
162	A randomized trial of early psychiatric intervention in residential care: impact on health outcomes. <i>International Psychogeriatrics</i> , 2005 , 17, 475-85	3.4	20
161	Delphi survey of maintenance lithium treatment in older adults with bipolar disorder: An ISBD task force report. <i>Bipolar Disorders</i> , 2019 , 21, 117-123	3.8	20
160	Management of Depression in Patients with Dementia: Is Pharmacological Treatment Justified?. <i>Drugs and Aging</i> , 2017 , 34, 89-95	4.7	19
159	Plasma angiopoietin-1 is lower after ischemic stroke and associated with major disability but not stroke incidence. <i>Stroke</i> , 2014 , 45, 1064-8	6.7	19
158	The triangular association of ADH1B genetic polymorphism, alcohol consumption and the risk of depression in older men. <i>Molecular Psychiatry</i> , 2014 , 19, 995-1000	15.1	19
157	Changes in body mass in later life and incident dementia. <i>International Psychogeriatrics</i> , 2013 , 25, 467-78	3.4	19
156	Assessing cognitive impairment in Indigenous Australians: Re-evaluation of the Kimberley Indigenous Cognitive Assessment in Western Australia and the Northern Territory. <i>Australian Psychologist</i> , 2009 , 44, 54-61	1.7	19
155	PSYCHIATRIC MORBIDITY AMONG THE ELDERLY IN A PRIMARY CARE SETTING: REPORT FROM A SURVEY IN S^O PAULO, BRAZIL 1997 , 12, 728-736		19

154	Inspection time in non-demented older adults with mild cognitive impairment. <i>Neuropsychologia</i> , 2006 , 44, 1452-6	3.2	19
153	Association between hormone replacement therapy and dementia: is it time to forget?. <i>International Psychogeriatrics</i> , 2005 , 17, 155-64	3.4	19
152	Suicide in older men: The health in men cohort study (HIMS). <i>Preventive Medicine</i> , 2016 , 93, 33-38	4.3	19
151	Cardiovascular disease, depression and mortality: the Health In Men Study. <i>American Journal of Geriatric Psychiatry</i> , 2012 , 20, 433-40	6.5	18
150	Traditional risk factors for incident cardiovascular events have limited importance in later life compared with the health in men study cardiovascular risk score. <i>Stroke</i> , 2011 , 42, 952-9	6.7	18
149	Computer-assisted CT measurements in late paraphrenics with and without Schneiderian first-rank symptoms: A preliminary report. <i>International Journal of Geriatric Psychiatry</i> , 1992 , 7, 35-38	3.9	18
148	Association between physiological serum concentration of estrogen and the mental health of community-dwelling postmenopausal women age 70 years and over. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 142-9	6.5	18
147	Prevalence, associated factors, mood and cognitive outcomes of traumatic brain injury in later life: the health in men study (HIMS). <i>International Journal of Geriatric Psychiatry</i> , 2015 , 30, 1215-23	3.9	17
146	Apolipoprotein E4 and Alzheimer's disease in S ^ˆ ˆ Paulo-Brazil. <i>Arquivos De Neuro-Psiquiatria</i> , 1997 , 55, 1-7	1.6	17
145	Association Between Physiological Serum Concentration of Estrogen and the Mental Health of Community-Dwelling Postmenopausal Women Age 70 Years and Over. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 142-149	6.5	17
144	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Research</i> , 2019 , 79, 274-285	10.1	17
143	Depression during the perimenopause. <i>Archives of General Psychiatry</i> , 2001 , 58, 306		17
142	Insulin resistance and depressive symptoms in older men: the health in men study. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 872-80	6.5	16
141	The PACE study: a randomised clinical trial of cognitive activity (CA) for older adults with mild cognitive impairment (MCI). <i>Trials</i> , 2009 , 10, 114	2.8	16
140	Awareness of cognitive deficits in older adults with cognitive-impairment-no-dementia (CIND): comparison with informant report. <i>Alzheimer Disease and Associated Disorders</i> , 2011 , 25, 24-33	2.5	16
139	Latent semantic analysis: a new method to measure prose recall. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2002 , 24, 26-35	2.1	16
138	HDL cholesterol and the risk of depression over 5 years. <i>Molecular Psychiatry</i> , 2014 , 19, 637-8	15.1	15
137	Depressive symptoms in midlife: the role of reproductive stage. <i>Menopause</i> , 2016 , 23, 669-75	2.5	15

136	Promoter polymorphisms in two overlapping 6p25 genes implicate mitochondrial proteins in cognitive deficit in schizophrenia. <i>Molecular Psychiatry</i> , 2012 , 17, 1328-39	15.1	14
135	Nigana minyarti? What is this? Development of cognitive questions for the Kimberley Indigenous Cognitive Assessment. <i>Australasian Journal on Ageing</i> , 2007 , 26, 115-119	1.5	14
134	Relationship between quantity and frequency of alcohol use and indices of suicidal behavior in an elderly Australian sample. <i>Suicide and Life-Threatening Behavior</i> , 2007 , 37, 616-26	3.9	14
133	Older men with bipolar disorder: Clinical associations with early and late onset illness. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 1613-1619	3.9	13
132	Homocysteine, grey matter and cognitive function in adults with cardiovascular disease. <i>PLoS ONE</i> , 2012 , 7, e33345	3.7	13
131	The Fitness for the Ageing Brain Study II (FABS II): protocol for a randomized controlled clinical trial evaluating the effect of physical activity on cognitive function in patients with Alzheimer's disease. <i>Trials</i> , 2010 , 11, 120	2.8	13
130	Individual differences in the experience of burden in caring for relatives with dementia: role of personality and mastery. <i>Australasian Journal on Ageing</i> , 2005 , 24, 202-206	1.5	13
129	Pharmacological interventions for preventing delirium in the elderly. <i>Maturitas</i> , 2015 , 81, 287-92	5	12
128	Hospital costs associated with depression in a cohort of older men living in Western Australia. <i>General Hospital Psychiatry</i> , 2014 , 36, 33-7	5.6	12
127	Healthy mental ageing. <i>The Journal of the British Menopause Society</i> , 2006 , 12, 92-6		12
126	Association between the Advanced Glycosylation End Product-Specific Receptor Gene and Cardiovascular Death in Older Men. <i>PLoS ONE</i> , 2015 , 10, e0134475	3.7	12
125	The Healthy Heart-Mind Trial: Randomized Controlled Trial of Melatonin for Prevention of Delirium. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 112-119	5.6	12
124	Longevity Klotho gene polymorphism and the risk of dementia in older men. <i>Maturitas</i> , 2017 , 101, 1-5	5	11
123	An individual participant data analysis of prospective cohort studies on the association between subclinical thyroid dysfunction and depressive symptoms. <i>Scientific Reports</i> , 2020 , 10, 19111	4.9	11
122	Cognitive activity for the treatment of older adults with mild Alzheimer's disease (AD)--PACE AD: study protocol for a randomised controlled trial. <i>Trials</i> , 2011 , 12, 47	2.8	11
121	The B-VITAGE trial: a randomized trial of homocysteine lowering treatment of depression in later life. <i>Trials</i> , 2010 , 11, 8	2.8	11
120	Latent Semantic Analysis: an improved method to measure cognitive performance in subjects of Non-English-Speaking-Background. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2006 , 28, 1381-7	2.1	11
119	Neurological soft signs are associated with APOE genotype, age and cognitive performance. <i>Journal of Alzheimer's Disease</i> , 2005 , 7, 325-30	4.3	11

118	Sleep complaints among the elderly: results from a survey in a psychogeriatric outpatient clinic in Brazil. <i>International Psychogeriatrics</i> , 1999 , 11, 47-56	3.4	11
117	Testosterone and dementia: too much ado about too little data. <i>The Journal of the British Menopause Society</i> , 2003 , 9, 107-10		11
116	Risk of dementia associated with psychotic disorders in later life: the health in men study (HIMS). <i>Psychological Medicine</i> , 2019 , 49, 232-242	6.9	11
115	Excessive alcohol consumption increases mortality in later life: a genetic analysis of the health in men cohort study. <i>Addiction Biology</i> , 2017 , 22, 570-578	4.6	10
114	Reference Ranges for Thyroid-Stimulating Hormone and Free Thyroxine in Older Men: Results From the Health In Men Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 444-449	6.4	10
113	Do changes in specific cognitive functions predict changes in health-related quality of life in people with Alzheimer's disease?. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 694-703	3.9	10
112	Approaches to decrease the prevalence of depression in later life. <i>Current Opinion in Psychiatry</i> , 2012 , 25, 451-6	4.9	10
111	Dementia in residential care: education intervention trial (DIRECT); protocol for a randomised controlled trial. <i>Trials</i> , 2010 , 11, 63	2.8	10
110	Effect of testosterone deprivation on the cognitive performance of a patient with Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 823-5	3.9	10
109	Association between the presenilin-1 mutation Glu318Gly and complaints of memory impairment. <i>Neurobiology of Aging</i> , 2002 , 23, 55-8	5.6	10
108	Schizophrenia in later life. <i>Current Opinion in Psychiatry</i> , 2000 , 13, 423-427	4.9	10
107	Reported high salt intake is associated with increased prevalence of abdominal aortic aneurysm and larger aortic diameter in older men. <i>PLoS ONE</i> , 2014 , 9, e102578	3.7	10
106	High-Sensitivity Cardiac Troponin I Improves Cardiovascular Risk Prediction in Older Men: HIMS (The Health in Men Study). <i>Journal of the American Heart Association</i> , 2019 , 8, e011818	6	9
105	Use of a risk nomogram to predict emergency department reattendance in older people after discharge: a validation study. <i>Internal and Emergency Medicine</i> , 2015 , 10, 481-7	3.7	9
104	Obstructive sleep apnea and depression: A systematic review and meta-analysis. <i>Maturitas</i> , 2020 , 142, 45-54	5	9
103	Depression, antidepressants and the risk of cardiovascular events and death in older men. <i>Maturitas</i> , 2019 , 128, 4-9	5	9
102	Grey matter changes associated with deficit awareness in mild cognitive impairment: a voxel-based morphometry study. <i>Journal of Alzheimer's Disease</i> , 2014 , 42, 1251-9	4.3	9
101	Depression Among Nonfrail Old Men Is Associated With Reduced Physical Function and Functional Capacity After 9 Years Follow-up: The Health in Men Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 65-69	5.9	9

100	Impact of behavioural risk factors on death within 10 years for women and men in their 70s: absolute risk charts. <i>BMC Public Health</i> , 2012 , 12, 669	4.1	9
99	Nortriptyline for the treatment of depression in progressive supranuclear palsy. <i>Journal of the American Geriatrics Society</i> , 1997 , 45, 1033-4	5.6	9
98	Can neuroimaging techniques identify individuals at risk of developing Alzheimer's disease?. <i>International Psychogeriatrics</i> , 1997 , 9, 389-403	3.4	9
97	The longevity gene Klotho is differentially associated with cognition in subtypes of schizophrenia. <i>Schizophrenia Research</i> , 2018 , 193, 348-353	3.6	8
96	Reducing depression during the menopausal transition with health coaching: Results from the healthy menopausal transition randomised controlled trial. <i>Maturitas</i> , 2016 , 92, 41-48	5	8
95	Plasma ferritin concentrations are not associated with abdominal aortic aneurysm diagnosis, size or growth. <i>Atherosclerosis</i> , 2016 , 251, 19-24	3.1	8
94	Cognitive bias modification to prevent depression (COPE): study protocol for a randomised controlled trial. <i>Trials</i> , 2014 , 15, 282	2.8	8
93	Angiogenesis inhibition and depression in older men. <i>Journal of Psychiatry and Neuroscience</i> , 2014 , 39, 200-5	4.5	8
92	Perception of worsening health predicts mortality in older men: the Health in Men Study (HIMS). <i>Archives of Gerontology and Geriatrics</i> , 2012 , 55, 363-8	4	8
91	Treatment fidelity and acceptability of a cognition-focused intervention for older adults with mild cognitive impairment (MCI). <i>International Psychogeriatrics</i> , 2013 , 25, 815-23	3.4	8
90	Premenstrual syndrome and psychiatric morbidity at the menopause. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 1999 , 20, 56-7	3.6	8
89	A Randomized, Placebo-Controlled, Double-Blind Efficacy Study of Nefiracetam to Treat Poststroke Apathy. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016 , 25, 1119-1127	2.8	8
88	Higher circulating androgens and higher physical activity levels are associated with less central adiposity and lower risk of cardiovascular death in older men. <i>Clinical Endocrinology</i> , 2019 , 90, 375-383	3.4	8
87	U-Shaped Association of Plasma Testosterone, and no Association of Plasma Estradiol, with Incidence of Fractures in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	7
86	The Healthy Heart-Mind trial: melatonin for prevention of delirium following cardiac surgery: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 55	2.8	7
85	Cognitive Domains and Health-Related Quality of Life in Alzheimer's Disease. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2016 , 71, 275-87	4.6	7
84	Mortality in a cohort of remote-living Aboriginal Australians and associated factors. <i>PLoS ONE</i> , 2018 , 13, e0195030	3.7	7
83	Physical activity and vascular disease in a prospective cohort study of older men: The Health In Men Study (HIMS). <i>BMC Geriatrics</i> , 2015 , 15, 164	4.1	7

82	Two-Year Outcomes From a Cessation of Smoking Intervention in Older Adults. <i>Journal of Smoking Cessation</i> , 2008 , 3, 101-109	0.5	7
81	Successful treatment of behavioural problems in dementia using a cholinesterase inhibitor: the ethical questions. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002 , 36, 259-62	2.6	7
80	Capgras delusion in the elderly: The evidence for a possible organic origin. <i>International Journal of Geriatric Psychiatry</i> , 1991 , 6, 845-852	3.9	7
79	Association between hearing loss and frailty: a systematic review and meta-analysis. <i>BMC Geriatrics</i> , 2021 , 21, 333	4.1	7
78	A prospective cohort study of prodromal Alzheimer's disease: Prospective Imaging Study of Ageing: Genes, Brain and Behaviour (PISA). <i>NeuroImage: Clinical</i> , 2021 , 29, 102527	5.3	7
77	Risk of prevalent and incident dementia associated with insulin-like growth factor and insulin-like growth factor-binding protein 3. <i>Molecular Psychiatry</i> , 2018 , 23, 1825-1829	15.1	7
76	Elevated homocysteine is associated with poorer self-perceived physical health in older men: the Health in Men Study. <i>Maturitas</i> , 2012 , 73, 158-63	5	6
75	Alcoholism in a geriatric outpatient clinic of S ^o Paulo-Brazil. <i>International Psychogeriatrics</i> , 1997 , 9, 95-103	10.3	6
74	Long-term mortality following stroke, myocardial infarction and fractured neck of femur in Western Australia. <i>Internal Medicine Journal</i> , 2007 , 37, 815-9	1.6	6
73	Birth month and depressive and suicidal symptoms in an elderly Australian sample born in the Southern or Northern Hemisphere. <i>Psychiatry Research</i> , 2006 , 144, 217-9	9.9	6
72	Understanding cognitive impairment and dementia: stroke studies. <i>Current Opinion in Psychiatry</i> , 2003 , 16, 615-620	4.9	6
71	Efficacy of 17beta-estradiol on depression: is estrogen deficiency really necessary?. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 451; author reply 451-2	4.6	6
70	Hearing aids to support cognitive functions of older adults at risk of dementia: the HearCog trial-clinical protocols. <i>BMC Geriatrics</i> , 2020 , 20, 508	4.1	6
69	Systolic Blood Pressure and Vascular Disease in Men Aged 65 Years and Over: The HIMS (Health in Men Study). <i>Hypertension</i> , 2017 , 69, 1053-1059	8.5	5
68	Reducing depression during the menopausal transition: study protocol for a randomised controlled trial. <i>Trials</i> , 2014 , 15, 312	2.8	5
67	A randomized controlled trial of physical activity with individual goal-setting and volunteer mentors to overcome sedentary lifestyle in older adults at risk of cognitive decline: the INDIGO trial protocol. <i>BMC Geriatrics</i> , 2017 , 17, 215	4.1	5
66	Memory loss. <i>Medical Journal of Australia</i> , 2012 , 196, 114-7	4	5
65	Social support and mortality: if you're sick, friends can't save you. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 1984-6	5.6	5

64	Are the national guidelines for health behaviour appropriate for older Australians? Evidence from the Men, Women and Ageing project. <i>Australasian Journal on Ageing</i> , 2011 , 30 Suppl 2, 13-6	1.5	5
63	Idosos atendidos em serviço de emergência de saúde mental: características demográficas e clínicas. <i>Revista Brasileira De Psiquiatria</i> , 1999 , 21, 12-18	2.6	5
62	Schizophrenic symptoms in late paraphrenia. <i>Psychopathology</i> , 1993 , 26, 95-101	3.4	5
61	Affective Disorders, Psychosis and Dementia in a Community Sample of Older Men with and without Parkinson's Disease. <i>PLoS ONE</i> , 2016 , 11, e0163781	3.7	5
60	Associations of plasma IGF1, IGFBP3 and estradiol with leucocyte telomere length, a marker of biological age, in men. <i>European Journal of Endocrinology</i> , 2020 , 182, 23-33	6.5	5
59	The KICA Carer: informant information to enhance the Kimberley Indigenous Cognitive Assessment. <i>International Psychogeriatrics</i> , 2016 , 28, 101-7	3.4	5
58	Risk of Fractures in Stroke Patients Treated With a Selective Serotonin Reuptake Inhibitor: A Systematic Review and Meta-Analysis. <i>Stroke</i> , 2021 , 52, 2802-2808	6.7	5
57	Plasma free thyroxine in the upper quartile is associated with an increased incidence of major cardiovascular events in older men that do not have thyroid dysfunction according to conventional criteria. <i>International Journal of Cardiology</i> , 2018 , 254, 316-321	3.2	4
56	Substance use among older adults with bipolar disorder varies according to age at first treatment contact. <i>Journal of Affective Disorders</i> , 2018 , 239, 269-273	6.6	4
55	Effect of nortriptyline on the day-night systolic blood pressure difference in hypertensive and normotensive elderly depressed women. <i>American Journal of Cardiology</i> , 2003 , 91, 1279-81	3	4
54	Review: most laboratory tests do not add to the diagnostic accuracy of clinical criteria for dementia. <i>Evidence-Based Mental Health</i> , 2002 , 5, 26	11.1	4
53	Depression, Anxiety, and Suicide After Stroke: A Narrative Review of the Best Available Evidence. <i>Stroke</i> , 2021 , STROKEAHA121035499	6.7	4
52	Lower serum testosterone concentrations are associated with a higher incidence of dementia in men: The UK Biobank prospective cohort study.. <i>Alzheimer's and Dementia</i> , 2022 ,	1.2	4
51	Cross-sectional associations of sex hormones with leucocyte telomere length, a marker of biological age, in a community-based cohort of older men. <i>Clinical Endocrinology</i> , 2019 , 90, 562-569	3.4	4
50	Impact of a prudent lifestyle on the clinical outcomes of older men with bipolar disorder. <i>Aging and Mental Health</i> , 2020 , 24, 627-633	3.5	4
49	Association of Thyroid Dysfunction With Cognitive Function: An Individual Participant Data Analysis. <i>JAMA Internal Medicine</i> , 2021 , 181, 1440-1450	11.5	4
48	The Global Aging & Geriatric Experiments in Bipolar Disorder Database (GAGE-BD) project: Understanding older-age bipolar disorder by combining multiple datasets. <i>Bipolar Disorders</i> , 2019 , 21, 642-649	3.8	3
47	A randomized-controlled trial of a patient-centred intervention in high-risk discharged older patients. <i>European Journal of Emergency Medicine</i> , 2018 , 25, 237-241	2.3	3

46	Dubious findings concerning the prevalence of late-life depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 284-5	2.6	3
45	Older men with bipolar disorder diagnosed in early and later life: Physical health morbidity and general hospital service use. <i>Journal of Affective Disorders</i> , 2018 , 241, 269-274	6.6	3
44	Cardiovascular diseases do not influence the mental health outcome of older men with depression over 6 years. <i>Journal of Affective Disorders</i> , 2013 , 144, 248-52	6.6	3
43	Randomised controlled trial to improve depression and the quality of life of people with Dementia using cognitive bias modification: RAPID study protocol. <i>BMJ Open</i> , 2014 , 4, e005623	3	3
42	Cognition-focused interventions for older adults: the state of play. <i>Australasian Psychiatry</i> , 2011 , 19, 313-6	1.7	3
41	Neuroimaging and the differential diagnosis of early dementia: Quantitative CT scan analysis in patients attending a memory clinic. <i>International Journal of Geriatric Psychiatry</i> , 1992 , 7, 879-883	3.9	3
40	Depression and the Risk of Fractures in Later Life: the Health In Men Cohort Study. <i>Maturitas</i> , 2021 , 145, 6-11	5	3
39	Hearing loss and incident psychosis in later life: The Health in Men Study (HIMS). <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 408-414	3.9	3
38	Cognitive bias modification to prevent depression (COPE): results of a randomised controlled trial. <i>Psychological Medicine</i> , 2020 , 50, 2514-2525	6.9	3
37	Preventing depression among older people living in rural areas: A randomised controlled trial of behavioural activation in collaborative care. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 530-539	3.9	3
36	Association of depression with sexual and daily activities: a community study of octogenarian men. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 234-42	6.5	2
35	Profile of diabetes in men aged 79-97 years: the Western Australian Health in Men Study. <i>Diabetic Medicine</i> , 2017 , 34, 786-793	3.5	2
34	Cerebrovascular disease and psychosis	1.7-2.03	2
33	Validity of the Michigan Alcoholism Screening Test (MAST) for the Detection of Alcohol-Related Problems Among Male Geriatric Outpatients. <i>American Journal of Geriatric Psychiatry</i> , 2001 , 9, 30-34	6.5	2
32	A Cross-Sectional Analysis of Factors that Influence the Detection of Depression in Older Primary Care Patients		2
31	Homocysteine and vitamin status in older people in Perth. <i>Medical Journal of Australia</i> , 2004 , 180, 539-40		2
30	Behavioural activation in nursing homes to treat depression (BAN-Dep): study protocol for a pragmatic randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e032421	3	2
29	U-Shaped Relationship of Leukocyte Telomere Length With All-Cause and Cancer-Related Mortality in Older Men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 164-174	6.4	2

28	Bipolar symptoms, somatic burden, and functioning in older-age bipolar disorder: Analyses from the Global Aging & Geriatric Experiments in Bipolar Disorder Database project. <i>Bipolar Disorders</i> , 2021 ,	3.8	2
27	Depression Outcomes Among Patients Treated With Fluoxetine for Stroke Recovery: The AFFINITY Randomized Clinical Trial. <i>JAMA Neurology</i> , 2021 , 78, 1072-1079	17.2	2
26	Differential associations of ferritin and 25-hydroxyvitamin D with fasting glucose and diabetes risk in community dwelling older men. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3172	7.5	1
25	An Overview of the Association Between Obesity in Later Life and Dementia Risk 2015 , 379-392		1
24	Comparison of DSM-IV and DSM-5 dementia criteria among older people living in a community sample. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 801-802	3.9	1
23	Correlation Between Hypertension, C-Reactive Protein and Serum Uric Acid With Psychological Well-being. <i>Iranian Red Crescent Medical Journal</i> , 2014 , 16, e17205	1.3	1
22	Body Mass Index and Vascular Disease in Men Aged 65 Years and Over: HIMS (Health In Men Study). <i>Journal of the American Heart Association</i> , 2017 , 6,	6	1
21	Reduced awareness of executive dysfunction in Alzheimer's disease is associated with increased carer burden. <i>International Psychogeriatrics</i> , 2007 , 19, 1173-5	3.4	1
20	Dementia: What is it All About?. <i>Neuroradiology Journal</i> , 2006 , 19, 433-40	2	1
19	ECT is effective in treating depression in later life, but how should we maintain improvement?. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 1179-80	3.9	1
18	Late-onset schizophrenia versus late paraphrenia. <i>British Journal of Psychiatry</i> , 1994 , 164, 127-8	5.4	1
17	Effect of biological treatments on psychotic symptoms in lewy body disease: A systematic review and meta-analysis of randomized controlled trials. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 1083-1096	3.9	1
16	Long-term exposure to outdoor air pollution and risk factors for cardiovascular disease within a cohort of older men in Perth. <i>PLoS ONE</i> , 2021 , 16, e0248931	3.7	1
15	Twelve-Month Outcomes of the AFFINITY Trial of Fluoxetine for Functional Recovery After Acute Stroke: AFFINITY Trial Steering Committee on Behalf of the AFFINITY Trial Collaboration. <i>Stroke</i> , 2021 , 52, 2502-2509	6.7	1
14	A Randomized Controlled Trial on the Effects of a 6-Month Home-Based Physical Activity Program with Individual Goal-Setting and Volunteer Mentors on Physical Activity, Adherence, and Physical Fitness in Inactive Older Adults at Risk of Cognitive Decline: The INDIGO Study. <i>Journal of Alzheimer's Disease</i> , 2021 , 84, 207-226	4.3	1
13	Disrupted sleep and risk of depression in later life: A prospective cohort study with extended follow up and a systematic review and meta-analysis.. <i>Journal of Affective Disorders</i> , 2022 , 309, 314-323	6.6	1
12	Intermetamorphosis of Doubles or Double-Golyadkin Phenomenon Is a new syndrome?. <i>Psychiatric Bulletin</i> , 1991 , 15, 580-581		0
11	Hearing impairment and frailty in later life: The Health in Men Study (HIMS).. <i>Maturitas</i> , 2022 , 156, 30-365		0

10	Associations between diabetes, body mass index and frailty: The Western Australian Health In Men Study. <i>Maturitas</i> , 2022 , 161, 58-64	5	0
9	Psychosis 2019 , 133-142		
8	Obesity in later life and dementia risk: a tale of many paradoxes. <i>Aging Health</i> , 2012 , 8, 225-227		
7	Early- vs. Late-Onset Schizophrenia: Is It Time to Define the Difference?. <i>American Journal of Geriatric Psychiatry</i> , 1998 , 6, 345-346	6.5	
6	Testosterone and Dementia: Too much Ado About too Little Data. <i>The Journal of the British Menopause Society</i> , 2003 , 9, 107-110		
5	Early- vs. Late-Onset Schizophrenia. <i>American Journal of Geriatric Psychiatry</i> , 1998 , 6, 345-346	6.5	
4	Depression and wealth in older people: when money makes the difference. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 1328-9	5.6	
3	COVID-19 and older adults with bipolar disorder: Problems and solutions. <i>Bipolar Disorders</i> , 2021 , 23, 420-422	3.8	
2	Mental Health of Men in Later Life 2021 , 251-262		
1	Risk factors and consequences of depression in later life: Findings from the health in men study (HIMS). <i>Aging Brain</i> , 2021 , 1, 100014		