Margot L Day

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6553841/publications.pdf

Version: 2024-02-01

516710 477307 31 853 16 29 citations h-index g-index papers 31 31 31 954 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Intracellular flow cytometric lipid analysis $\hat{a}\in$ a multiparametric system to assess distinct lipid classes in live cells. Journal of Cell Science, 2022, 135, .	2.0	10
2	Structure and permeability of the egg capsule of the placental Australian sharpnose shark, Rhizoprionodon taylori. Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology, 2022, 192, 263-273.	1.5	2
3	mTORC1/2 signaling is downregulated by amino acid-free culture of mouse preimplantation embryos and is only partially restored by amino acid readdition. American Journal of Physiology - Cell Physiology, 2021, 320, C30-C44.	4.6	7
4	In Vitro Fertilisation of Mouse Oocytes in L-Proline and L-Pipecolic Acid Improves Subsequent Development. Cells, 2021, 10, 1352.	4.1	13
5	Redox Regulation and Oxidative Stress in Mammalian Oocytes and Embryos Developed In Vivo and In Vitro. International Journal of Environmental Research and Public Health, 2021, 18, 11374.	2.6	35
6	Selected Amino Acids Promote Mouse Pre-implantation Embryo Development in a Growth Factor-Like Manner. Frontiers in Physiology, 2020, $11,140.$	2.8	26
7	Amino acid supplementation of a simple inorganic salt solution supports efficient in vitro maturation (IVM) of bovine oocytes. Scientific Reports, 2019, 9, 11739.	3.3	17
8	Daily & Hourly Adherence. , 2016, , .		9
9	EpCAM is decreased but is still present in uterine epithelial cells during early pregnancy in the rat: potential mechanism for maintenance of mucosal integrity during implantation. Cell and Tissue Research, 2015, 359, 655-664.	2.9	8
10	Insulin-like growth factor 1 increases apical fibronectin in blastocysts to increase blastocyst attachment to endometrial epithelial cells in vitro. Human Reproduction, 2015, 30, 284-298.	0.9	40
11	Mucin 15 is lost but mucin 13 remains in uterine luminal epithelial cells and the blastocyst at the time of implantation in the rat. Reproduction, Fertility and Development, 2014, 26, 421.	0.4	7
12	Calpain 2 activity increases at the time of implantation in rat uterine luminal epithelial cells and administration of calpain inhibitor significantly reduces implantation sites. Histochemistry and Cell Biology, 2014, 141, 423-430.	1.7	9
13	Inhibition of KCa3.1 suppresses TGF- \hat{l}^21 induced MCP-1 expression in human proximal tubular cells through Smad3, p38 and ERK1/2 signaling pathways. International Journal of Biochemistry and Cell Biology, 2014, 47, 1-10.	2.8	27
14	Uterine epithelial cells: Serving two masters. International Journal of Biochemistry and Cell Biology, 2013, 45, 359-363.	2.8	14
15	Claudin 7 is reduced in uterine epithelial cells during early pregnancy in the rat. Histochemistry and Cell Biology, 2013, 139, 583-593.	1.7	16
16	Extracellular matrix proteins secreted from both the endometrium and the embryo are required for attachment: A study using a coâ€culture model of rat blastocysts and Ishikawa cells. Journal of Morphology, 2013, 274, 63-72.	1.2	27
17	Insulin-like growth factor 1 acts as an autocrine factor to improve early embryogenesis in vitro. International Journal of Developmental Biology, 2013, 57, 837-844.	0.6	11
18	Focal adhesion kinase localizes to sites of cellâ€toâ€cell contact in vivo and increases apically in rat uterine luminal epithelium and the blastocyst at the time of implantation. Journal of Morphology, 2012, 273, 639-650.	1.2	25

#	Article	IF	CITATION
19	Integrin Â3 in rat blastocysts and epithelial cells is essential for implantation in vitro: studies with Ishikawa cells and small interfering RNA transfection. Human Reproduction, 2011, 26, 1665-1674.	0.9	44
20	\hat{l}^21 and \hat{l}^23 integrins disassemble from basal focal adhesions and \hat{l}^23 integrin is later localised to the apical plasma membrane of rat uterine luminal epithelial cells at the time of implantation. Reproduction, Fertility and Development, 2011, 23, 481.	0.4	42
21	The Activity of the Epithelial Sodium Channels Is Regulated by Caveolin-1 via a Nedd4-2-dependent Mechanism. Journal of Biological Chemistry, 2009, 284, 12663-12669.	3.4	48
22	Activation of a Chloride Channel by a Trophic Ligand Is Required for Development of the Mouse Preimplantation Embryo In Vitro1. Biology of Reproduction, 2009, 81, 759-767.	2.7	9
23	Direct Evidence for the Action of Phosphatidylinositol (3,4,5)-Trisphosphate-Mediated Signal Transduction in the 2-Cell Mouse Embryo1. Biology of Reproduction, 2007, 77, 813-821.	2.7	32
24	Autocrine activation of ion currents in the two-cell mouse embryo. Experimental Cell Research, 2007, 313, 2786-2794.	2.6	15
25	Ligand-Activated Signal Transduction in the 2-Cell Embryo1. Biology of Reproduction, 2003, 69, 106-116.	2.7	28
26	Circadian clockwork genes are expressed in the reproductive tract and conceptus of the early pregnant mouse. Reproductive BioMedicine Online, 2002, 4, 140-145.	2.4	86
27	tiK+ toK+: an embryonic clock?. Reproduction, Fertility and Development, 2001, 13, 69.	0.4	18
28	All three WW domains of murine Nedd4 are involved in the regulation of the Epithelial Sodium Channel. Biochemical Society Transactions, 2000, 28, A453-A453.	3.4	0
29	Egg timers: how is developmental time measured in the early vertebrate embryo?. BioEssays, 2000, 22, 57-63.	2.5	65
30	All Three WW Domains of Murine Nedd4 Are Involved in the Regulation of Epithelial Sodium Channels by Intracellular Na+. Journal of Biological Chemistry, 1999, 274, 12525-12530.	3.4	114
31	A cytoplasmic cell cycle controls the activity of a K+ channel in pre-implantation mouse embryos.	7.8	49