

Jennifer R Dubose

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6554009/publications.pdf>

Version: 2024-02-01

15
papers

271
citations

1162889

8
h-index

1058333

14
g-index

15
all docs

15
docs citations

15
times ranked

333
citing authors

#	ARTICLE	IF	CITATIONS
1	Lighting the Patient Room of the Future: Evaluating Different Lighting Conditions From the Patient Perspective. <i>Herd</i> , 2022, 15, 79-95.	0.9	4
2	Healthcare design to improve safe doffing of personal protective equipment for care of patients with COVID-19. <i>Infection Control and Hospital Epidemiology</i> , 2022, 43, 1796-1805.	1.0	3
3	Clinic Design for Safety During the Pandemic: Safety or Teamwork, Can We Only Pick One?. <i>Herd</i> , 2022, , 193758672210913.	0.9	0
4	Lighting the Patient Room of the Future: Evaluating Different Lighting Conditions for Performing Typical Nursing Tasks. <i>Herd</i> , 2021, 14, 234-253.	0.9	8
5	Designing for Effective and Safe Multidisciplinary Primary Care Teamwork: Using the Time of COVID-19 as a Case Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8758.	1.2	6
6	Spatial Influences on Team Awareness and Communication in Two Outpatient Clinics: a Multiple Methods Study. <i>Journal of General Internal Medicine</i> , 2020, 35, 1987-1996.	1.3	5
7	Common Behaviors and Faults When Doffing Personal Protective Equipment for Patients With Serious Communicable Diseases. <i>Clinical Infectious Diseases</i> , 2019, 69, S214-S220.	2.9	29
8	Design Strategies for Biocontainment Units to Reduce Risk During Doffing of High-level Personal Protective Equipment. <i>Clinical Infectious Diseases</i> , 2019, 69, S241-S247.	2.9	19
9	Variability in the Duration and Thoroughness of Hand Hygiene. <i>Clinical Infectious Diseases</i> , 2019, 69, S221-S223.	2.9	5
10	Assessing Viral Transfer During Doffing of Ebola-Level Personal Protective Equipment in a Biocontainment Unit. <i>Clinical Infectious Diseases</i> , 2018, 66, 945-949.	2.9	33
11	Human Factors Risk Analyses of a Doffing Protocol for Ebola-Level Personal Protective Equipment: Mapping Errors to Contamination. <i>Clinical Infectious Diseases</i> , 2018, 66, 950-958.	2.9	63
12	Making the invisible visible: Why does design matter for safe doffing of personal protection equipment?. <i>Infection Control and Hospital Epidemiology</i> , 2018, 39, 1375-1377.	1.0	14
13	Design strategies to improve healthcare worker safety in biocontainment units: learning from ebola preparedness. <i>Infection Control and Hospital Epidemiology</i> , 2018, 39, 961-967.	1.0	24
14	Lighting and Nurses at Medicalâ€“Surgical Units. <i>Herd</i> , 2016, 9, 17-30.	0.9	17
15	Analysis of State-Wide Green Building Policies. <i>Journal of Green Building</i> , 2007, 2, 161-177.	0.4	41