

# Zvinka Z Zlatar

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6554262/publications.pdf>

Version: 2024-02-01

43  
papers

1,300  
citations

489802

18  
h-index

406436

35  
g-index

45  
all docs

45  
docs citations

45  
times ranked

2592  
citing authors

#	ARTICLE	IF	CITATIONS
1	Subjective cognitive decline and objective cognition among diverse U.S. Hispanics/Latinos: Results from the Study of Latinos—Investigation of Neurocognitive Aging (SOL—INCA). <i>Alzheimer's and Dementia</i> , 2022, 18, 43-52.	0.4	11
2	Diagnostic accuracy and differential associations between ratings of functioning and neuropsychological performance in non-Hispanic Black and White older adults. <i>Clinical Neuropsychologist</i> , 2022, 36, 287-310.	1.5	8
3	Daily Level Association of Physical Activity and Performance on Ecological Momentary Cognitive Tests in Free-living Environments: A Mobile Health Observational Study. <i>JMIR MHealth and UHealth</i> , 2022, 10, e33747.	1.8	4
4	Concordance Between Self-Reported Medical Diagnosis of Mild Cognitive Impairment/Dementia and Neurocognitive Function Among Middle-Aged and Older Hispanic/Latino Adults: Results from the Hispanic Community Health Study/Study of Latinos (HCHS/SOL) and the Study of Latinos-Investigation of Neurocognitive Aging (SOL-INCA). <i>Journal of Alzheimer's Disease</i> , 2022, , 1-11.	1.2	0
5	Change in GPS-assessed walking locations following a cluster-randomized controlled physical activity trial in older adults, results from the MIPARC trial. <i>Health and Place</i> , 2021, 69, 102573.	1.5	8
6	Learning From Older Adults to Promote Independent Physical Activity Using Mobile Health (mHealth). <i>Frontiers in Public Health</i> , 2021, 9, 703910.	1.3	8
7	Self-reported subjective cognitive decline is associated with global cognition in a community sample of Latinos/as/x living in the United States. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2021, 43, 663-676.	0.8	7
8	Informant-Reported Cognitive Decline is Associated with Objective Cognitive Performance in Parkinson—'s Disease. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 439-449.	1.2	3
9	Anterior Cingulate Structure and Perfusion is Associated with Cerebrospinal Fluid Tau among Cognitively Normal Older Adult APOE Ԑ4 Carriers. <i>Journal of Alzheimer's Disease</i> , 2020, 73, 87-101.	1.2	5
10	The effect of time since stroke, gender, age, and lesion size on thalamus volume in chronic stroke: a pilot study. <i>Scientific Reports</i> , 2020, 10, 20488.	1.6	5
11	Subjective cognitive decline is associated with neurocognition in the SOL—INCA study. <i>Alzheimer's and Dementia</i> , 2020, 16, e044167.	0.4	0
12	Interaction of APOE, cerebral blood flow, and cortical thickness in the entorhinal cortex predicts memory decline. <i>Brain Imaging and Behavior</i> , 2020, 14, 369-382.	1.1	8
13	Promoting Adherence to Exercise Prescription Using Mobile Health Technology: Lessons Learned from Older Adults. <i>Innovation in Aging</i> , 2020, 4, 843-843.	0.0	0
14	Dose-dependent association of accelerometer-measured physical activity and sedentary time with brain perfusion in aging. <i>Experimental Gerontology</i> , 2019, 125, 110679.	1.2	28
15	B-18 Executive Functioning Best Predicts Performance-Based Financial Skills in Non-Demented Parkinson—'s Disease. <i>Archives of Clinical Neuropsychology</i> , 2019, 34, 963-963.	0.3	1
16	APOE modifies the interaction of entorhinal cerebral blood flow and cortical thickness on memory function in cognitively normal older adults. <i>NeuroImage</i> , 2019, 202, 116162.	2.1	22
17	Changes in Moderate Intensity Physical Activity Are Associated With Better Cognition in the Multilevel Intervention for Physical Activity in Retirement Communities (MIPARC) Study. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 1110-1121.	0.6	13
18	Subjective Cognitive Decline Predicts Concurrent Cognition in Hispanics, but not in Non-Hispanic Whites: A Pilot Study. <i>Archives of Clinical Neuropsychology</i> , 2019, 34, 1267-1267.	0.3	0

#	ARTICLE	IF	CITATIONS
19	Subjective Cognitive Decline, Objective Cognition, and Depression in Older Hispanics Screened for Memory Impairment. <i>Journal of Alzheimer's Disease</i> , 2018, 63, 949-956.	1.2	43
20	Effects of 90 Days of Resveratrol Supplementation on Cognitive Function in Elders: A Pilot Study. <i>Journal of Alternative and Complementary Medicine</i> , 2018, 24, 725-732.	2.1	37
21	Subjective Cognitive Decline Correlates With Depression Symptoms and Not With Concurrent Objective Cognition in a Clinic-Based Sample of Older Adults. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2018, 73, 1198-1202.	2.4	95
22	A Longitudinal Analysis of the Impact of Physical Activity on Neurocognitive Functioning Among HIV-Infected Adults. <i>AIDS and Behavior</i> , 2018, 22, 1562-1572.	1.4	34
23	Subjective Cognitive Decline Modifies the Relationship Between Cerebral Blood Flow and Memory Function in Cognitively Normal Older Adults. <i>Journal of the International Neuropsychological Society</i> , 2018, 24, 213-223.	1.2	29
24	Startle reflex modulation during threat of shock and "threat" of reward. <i>Psychophysiology</i> , 2018, 55, e12989.	1.2	17
25	Diet and Activity Assessments and Interventions Using Technology in Older Adults. <i>American Journal of Preventive Medicine</i> , 2018, 55, e105-e115.	1.6	20
26	Temporal gradient during famous face naming is associated with lower cerebral blood flow and gray matter volume in aging. <i>Neuropsychologia</i> , 2017, 107, 76-83.	0.7	5
27	Cerebral Blood Flow and Amyloid- $\beta^2$ Interact to Affect Memory Performance in Cognitively Normal Older Adults. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 181.	1.7	47
28	Higher Brain Perfusion May Not Support Memory Functions in Cognitively Normal Carriers of the ApoE $\epsilon^4$ Allele Compared to Non-Carriers. <i>Frontiers in Aging Neuroscience</i> , 2016, 8, 151.	1.7	31
29	The Utility of Cerebral Blood Flow as a Biomarker of Preclinical Alzheimer's Disease. <i>Cellular and Molecular Neurobiology</i> , 2016, 36, 167-179.	1.7	172
30	Self-reported physical activity and objective aerobic fitness: differential associations with gray matter density in healthy aging. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 5.	1.7	16
31	Life satisfaction and its correlates among older cancer survivors: critical role of psychosocial factors. <i>Psycho-Oncology</i> , 2015, 24, 241-244.	1.0	17
32	Differences in life satisfaction among older community-dwelling Hispanics and non-Hispanic Whites. <i>Aging and Mental Health</i> , 2015, 19, 978-988.	1.5	22
33	Complex Interplay Between Health and Successful Aging: Role of Perceived Stress, Resilience, and Social Support. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 622-632.	0.6	69
34	Positive Geriatric and Cultural Psychiatry. , 2015, , .		0
35	Interactive effects of vascular risk burden and advanced age on cerebral blood flow. <i>Frontiers in Aging Neuroscience</i> , 2014, 6, 159.	1.7	73
36	A Behavioral Manipulation Engages Right Frontal Cortex During Aphasia Therapy. <i>Neurorehabilitation and Neural Repair</i> , 2014, 28, 545-553.	1.4	34

#	ARTICLE	IF	CITATIONS
37	Cerebral Blood Flow Measured by Arterial Spin Labeling MRI as a Preclinical Marker of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2014, 42, S411-S419.	1.2	165
38	Cognitive Complaints Correlate With Depression Rather Than Concurrent Objective Cognitive Impairment in the Successful Aging Evaluation Baseline Sample. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2014, 27, 181-187.	1.2	97
39	Increased Hippocampal Blood Flow in Sedentary Older Adults at Genetic Risk for Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2014, 41, 809-817.	1.2	33
40	Functional Language Networks in Sedentary and Physically Active Older Adults. <i>Journal of the International Neuropsychological Society</i> , 2013, 19, 625-634.	1.2	23
41	Physical activity and neural correlates of aging: A combined TMS/fMRI study. <i>Behavioural Brain Research</i> , 2011, 222, 158-168.	1.2	71
42	Perceptual cues used by listeners to discriminate fluent from nonfluent narrative discourse. <i>Aphasiology</i> , 2011, 25, 998-1015.	1.4	16
43	Posttraumatic stress disorder caused by the misattribution of seizure-related experiential responses. <i>Epilepsy and Behavior</i> , 2010, 19, 652-655.	0.9	3