

# David O Brunner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6554368/publications.pdf>

Version: 2024-02-01

26  
papers

773  
citations

516710

16  
h-index

580821

25  
g-index

26  
all docs

26  
docs citations

26  
times ranked

968  
citing authors

#	ARTICLE	IF	CITATIONS
1	Travelling-wave nuclear magnetic resonance. <i>Nature</i> , 2009, 457, 994-998.	27.8	160
2	A field camera for MR sequence monitoring and system analysis. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 1831-1840.	3.0	91
3	Real-time probing of granular dynamics with magnetic resonance. <i>Science Advances</i> , 2017, 3, e1701879.	10.3	50
4	Single-shot spiral imaging enabled by an expanded encoding model: demonstration in diffusion MRI. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 83-91.	3.0	48
5	Real-time motion correction using gradient tones and head-mounted NMR field probes. <i>Magnetic Resonance in Medicine</i> , 2015, 74, 647-660.	3.0	41
6	Diffusion MRI with concurrent magnetic field monitoring. <i>Magnetic Resonance in Medicine</i> , 2015, 74, 925-933.	3.0	39
7	Dynamic nuclear magnetic resonance field sensing with part-per-trillion resolution. <i>Nature Communications</i> , 2016, 7, 13702.	12.8	33
8	Rapid anatomical brain imaging using spiral acquisition and an expanded signal model. <i>NeuroImage</i> , 2018, 168, 88-100.	4.2	32
9	Matched-filter acquisition for BOLD fMRI. <i>NeuroImage</i> , 2014, 100, 145-160.	4.2	31
10	Filling the dead-time gap in zero echo time MRI: Principles compared. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 2036-2045.	3.0	30
11	Utility of real-time field control in T <sub>2</sub> *-Weighted head MRI at 7T. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 430-439.	3.0	28
12	Symmetrically biased T/R switches for NMR and MRI with microsecond dead time. <i>Journal of Magnetic Resonance</i> , 2016, 263, 147-155.	2.1	28
13	On the signal-to-noise ratio benefit of spiral acquisition in diffusion MRI. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 1924-1937.	3.0	28
14	Prospective motion correction with NMR markers using only native sequence elements. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 2046-2056.	3.0	22
15	HYFI: Hybrid filling of the dead-time gap for faster zero echo time imaging. <i>NMR in Biomedicine</i> , 2021, 34, e4493.	2.8	21
16	A Fully Integrated Dual-Channel On-Coil CMOS Receiver for Array Coils in 1.5–10.5 T MRI. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2017, 11, 1245-1255.	4.0	20
17	Concurrent recording of RF pulses and gradient fields – comprehensive field monitoring for MRI. <i>NMR in Biomedicine</i> , 2016, 29, 1162-1172.	2.8	16
18	High-resolution short-T <sub>2</sub> MRI using a high-performance gradient. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 1933-1946.	3.0	13

#	ARTICLE	IF	CITATIONS
19	Elastomer coils for wearable MR detection. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 2882-2891.	3.0	10
20	Multi-Rate Acquisition for Dead Time Reduction in Magnetic Resonance Receivers: Application to Imaging With Zero Echo Time. <i>IEEE Transactions on Medical Imaging</i> , 2018, 37, 408-416.	8.9	9
21	Integrated CMOS Receiver for Wearable Coil Arrays in MRI Applications. , 2015, , .		6
22	An In-Bore Receiver for Magnetic Resonance Imaging. <i>IEEE Transactions on Medical Imaging</i> , 2020, 39, 997-1007.	8.9	6
23	A Reconfigurable Platform for Magnetic Resonance Data Acquisition and Processing. <i>IEEE Transactions on Medical Imaging</i> , 2020, 39, 1138-1148.	8.9	5
24	A transmit&#x2014;receive array for brain imaging with a high&#x2014;performance gradient insert. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 2278-2289.	3.0	3
25	Computational Analysis and Validation of Coil Arrays for Whole-Brain MR-Imaging at 7 T. <i>IEEE MTT-S International Microwave Symposium Digest IEEE MTT-S International Microwave Symposium</i> , 2007, , .	0.0	2
26	<sc>SVD</sc> analysis of Array transmission and reception and its use for bootstrapping calibration. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 1730-1740.	3.0	1