

Jacob Gonzalez-Solis

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6554843/jacob-gonzalez-solis-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161
papers

4,858
citations

40
h-index

59
g-index

169
ext. papers

5,668
ext. citations

4.1
avg, IF

5.61
L-index

#	Paper	IF	Citations
161	High individual repeatability of the migratory behaviour of a long-distance migratory seabird.. <i>Movement Ecology</i> , 2022 , 10, 5	4.6	0
160	Palaeoceanographic changes in the late Pliocene promoted rapid diversification in pelagic seabirds. <i>Journal of Biogeography</i> , 2022 , 49, 171-188	4.1	0
159	Sea surface temperature, rather than land mass or geographic distance, may drive genetic differentiation in a species complex of highly dispersive seabirds. <i>Ecology and Evolution</i> , 2021 , 11, 14960-14976 ^{2,8}	2.8	14976 ⁰
158	Global political responsibility for the conservation of albatrosses and large petrels. <i>Science Advances</i> , 2021 , 7,	14.3	9
157	Occurrence and antimicrobial resistance of zoonotic enteropathogens in gulls from southern Europe. <i>Science of the Total Environment</i> , 2021 , 763, 143018	10.2	12
156	Distribution, abundance, and on-land threats to Cabo Verde seabirds. <i>Bird Conservation International</i> , 2021 , 31, 53-76	1.7	3
155	Sexual segregation in the foraging behaviour of a slightly dimorphic seabird: Influence of the environment and fishery activity. <i>Journal of Animal Ecology</i> , 2021 , 90, 1109-1121	4.7	2
154	Integrating Sequence Capture and Restriction Site-Associated DNA Sequencing to Resolve Recent Radiations of Pelagic Seabirds. <i>Systematic Biology</i> , 2021 , 70, 976-996	8.4	4
153	Sex-specific costs of reproduction on survival in a long-lived seabird. <i>Biology Letters</i> , 2021 , 17, 202008043.6	3.6	2
152	The summer distribution, habitat associations and abundance of seabirds in the sub-polar frontal zone of the Northwest Atlantic. <i>Progress in Oceanography</i> , 2021 , 198, 102657	3.8	3
151	Spatial ecology of closely related taxa: the case of the little shearwater complex in the North Atlantic Ocean. <i>Zoological Journal of the Linnean Society</i> , 2020 ,	2.4	1
150	A framework for mapping the distribution of seabirds by integrating tracking, demography and phenology. <i>Journal of Applied Ecology</i> , 2020 , 57, 514-525	5.8	26
149	Disentangling environmental from individual factors in isotopic ecology: A 17-year longitudinal study in a long-lived seabird exploiting the Canary Current. <i>Ecological Indicators</i> , 2020 , 111, 105963	5.8	5
148	Serological and molecular surveys of influenza A viruses in Antarctic and sub-Antarctic wild birds. <i>Antarctic Science</i> , 2020 , 32, 15-20	1.7	
147	Dense sampling of bird diversity increases power of comparative genomics. <i>Nature</i> , 2020 , 587, 252-257	50.4	89
146	Niche partitioning and individual specialization among age, breeding status and sex classes in a long-lived seabird. <i>Animal Behaviour</i> , 2020 , 170, 1-14	2.8	4
145	The importance of migratory connectivity for global ocean policy. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019 , 286, 20191472	4.4	42

144	Are pelagic seabirds exposed to amnesic shellfish poisoning toxins?. <i>Harmful Algae</i> , 2019 , 84, 172-180	5.3	5
143	A Migratory Divide Among Red-Necked Phalaropes in the Western Palearctic Reveals Contrasting Migration and Wintering Movement Strategies. <i>Frontiers in Ecology and Evolution</i> , 2019 , 7,	3.7	13
142	Year-round individual specialization in the feeding ecology of a long-lived seabird. <i>Scientific Reports</i> , 2019 , 9, 11812	4.9	7
141	Spatial and Interspecies Heterogeneity in Concentrations of Perfluoroalkyl Substances (PFASs) in Seabirds of the Southern Ocean. <i>Environmental Science & Technology</i> , 2019 , 53, 9855-9865	10.3	16
140	No detectable effect of light-level geolocators on the behaviour and fitness of a long-distance migratory seabird. <i>Journal of Ornithology</i> , 2019 , 160, 1087-1095	1.5	6
139	A geocator-tagged fledgling provides first evidence on juvenile movements of Cory's Shearwater <i>Calonectris borealis</i> . <i>Bird Study</i> , 2019 , 66, 283-288	0.7	5
138	Cryptic species and independent origins of allochronic populations within a seabird species complex (<i>Hydrobates</i> spp.). <i>Molecular Phylogenetics and Evolution</i> , 2019 , 139, 106552	4.1	7
137	Does sexual segregation occur during the nonbreeding period? A comparative analysis in spatial and feeding ecology of three shearwaters. <i>Ecology and Evolution</i> , 2019 , 9, 10145-10162	2.8	6
136	Spatial ecology, phenological variability and moulting patterns of the Endangered Atlantic petrel <i>Pterodroma incerta</i> . <i>Endangered Species Research</i> , 2019 , 40, 189-206	2.5	3
135	Do humans spread zoonotic enteric bacteria in Antarctica?. <i>Science of the Total Environment</i> , 2019 , 654, 190-196	10.2	31
134	Inferring the Wintering Distribution of the Mediterranean Populations of European Storm-Petrels <i>Hydrobates pelagicus melitensis</i> from Stable Isotope Analysis and Observational Field Data. <i>Ardeola</i> , 2019 , 66, 13	1.1	5
133	Exposure of yellow-legged gulls to along the Western Mediterranean coasts: Tales from a sentinel. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2019 , 8, 221-228	2.6	9
132	Global phenological insensitivity to shifting ocean temperatures among seabirds. <i>Nature Climate Change</i> , 2018 , 8, 313-318	21.4	50
131	Projected distributions of Southern Ocean albatrosses, petrels and fisheries as a consequence of climatic change. <i>Ecography</i> , 2018 , 41, 195-208	6.5	26
130	Costs of breeding are rapidly buffered and do not affect migratory behavior in a long-lived bird species. <i>Ecology</i> , 2018 , 99, 2010-2024	4.6	17
129	More Than Meets the Eye—Cryptic Diversity and Contrasting Patterns of Host-Specificity in Feather Mites Inhabiting Seabirds. <i>Frontiers in Ecology and Evolution</i> , 2018 , 6,	3.7	6
128	Occurrence of Per- and Polyfluoroalkyl substances in <i>Calonectris</i> shearwaters breeding along the Mediterranean and Atlantic colonies. <i>Marine Pollution Bulletin</i> , 2018 , 131, 335-340	6.7	8
127	Using marine isoscapes to infer movements of oceanic migrants: The case of Bulwer's petrel, <i>Bulweria bulwerii</i> , in the Atlantic Ocean. <i>PLoS ONE</i> , 2018 , 13, e0198667	3.7	7

126	Sex- and age-biased mortality of three shearwater species in longline fisheries of the Mediterranean. <i>Marine Ecology - Progress Series</i> , 2018 , 588, 229-241	2.6	15
125	Multi-isotopic assessments of spatio-temporal diet variability: the case of two sympatric gulls in the western Mediterranean. <i>Marine Ecology - Progress Series</i> , 2018 , 606, 201-214	2.6	7
124	Foraging ecology of tropicbirds breeding in two contrasting marine environments in the tropical Atlantic. <i>Marine Ecology - Progress Series</i> , 2018 , 607, 221-236	2.6	4
123	Spatial scales of marine conservation management for breeding seabirds. <i>Marine Policy</i> , 2018 , 98, 37-46	3.5	43
122	Seabird bycatch mitigation trials in artisanal demersal longliners of the Western Mediterranean. <i>PLoS ONE</i> , 2018 , 13, e0196731	3.7	4
121	Identification of candidate pelagic marine protected areas through a seabird seasonal-, multispecific- and extinction risk-based approach. <i>Animal Conservation</i> , 2017 , 20, 409-424	3.2	15
120	Using globally threatened pelagic birds to identify priority sites for marine conservation in the South Atlantic Ocean. <i>Biological Conservation</i> , 2017 , 211, 76-84	6.2	32
119	It is the time for oceanic seabirds: Tracking year-round distribution of gadfly petrels across the Atlantic Ocean. <i>Diversity and Distributions</i> , 2017 , 23, 794-805	5	27
118	Anosmia impairs homing orientation but not foraging behaviour in free-ranging shearwaters. <i>Scientific Reports</i> , 2017 , 7, 9668	4.9	17
117	A phylogenetic test of sympatric speciation in the Hydrobatinae (Aves: Procellariiformes). <i>Molecular Phylogenetics and Evolution</i> , 2017 , 107, 39-47	4.1	7
116	Population size, breeding biology and on-land threats of Cape Verde petrel (<i>Pterodroma feae</i>) in Fogo Island, Cape Verde. <i>PLoS ONE</i> , 2017 , 12, e0174803	3.7	5
115	Seabirds and demersal longliners in the northwestern Mediterranean: factors driving their interactions and bycatch rates. <i>Marine Ecology - Progress Series</i> , 2017 , 565, 1-16	2.6	23
114	Causes and consequences of individual variability and specialization in foraging and migration strategies of seabirds. <i>Marine Ecology - Progress Series</i> , 2017 , 578, 117-150	2.6	78
113	Year-round movements of a small seabird and oceanic isotopic gradient in the tropical Atlantic. <i>Marine Ecology - Progress Series</i> , 2017 , 579, 169-183	2.6	7
112	Feather mercury concentrations in Southern Ocean seabirds: Variation by species, site and time. <i>Environmental Pollution</i> , 2016 , 216, 253-263	9.3	36
111	Ardeola, a Scientific Journal of Ornithology: Cooperative Survivorship within the Red Queen Game. <i>Ardeola</i> , 2016 , 63, 3	1.1	0
110	<i>Toxoplasma gondii</i> Infection in Seagull Chicks Is Related to the Consumption of Freshwater Food Resources. <i>PLoS ONE</i> , 2016 , 11, e0150249	3.7	14
109	Chemical labels differ between two closely related shearwater taxa. <i>Journal of Avian Biology</i> , 2016 , 47, 540-551	1.9	9

108	Relative abundance and distribution of fisheries influence risk of seabird bycatch. <i>Scientific Reports</i> , 2016 , 6, 37373	4.9	25
107	Global spatial ecology of three closely-related gadfly petrels. <i>Scientific Reports</i> , 2016 , 6, 23447	4.9	19
106	Latitudinal exposure to DDTs, HCB, PCBs, PBDEs and DP in giant petrels (<i>Macronectes</i> spp.) across the Southern Ocean. <i>Environmental Research</i> , 2016 , 148, 285-294	7.9	21
105	Common Terns on the East Atlantic Flyway: temporal-spatial distribution during the non-breeding period. <i>Journal of Ornithology</i> , 2016 , 157, 927-940	1.5	12
104	Linking morphometric and genetic divergence with host use in the tick complex, <i>Ornithodoros capensis</i> sensu lato. <i>Infection, Genetics and Evolution</i> , 2016 , 46, 12-22	4.5	18
103	Seabird diversity hotspot linked to ocean productivity in the Canary Current Large Marine Ecosystem. <i>Biology Letters</i> , 2016 , 12,	3.6	38
102	New species of the feather mite genus <i>Promegninia</i> Gaud & Atyeo (Acari: Avenzoariidae) from petrels and shearwaters (Procellariiformes: Procellariidae). <i>Systematic Parasitology</i> , 2015 , 90, 91-103	1	4
101	Leapfrog migration and habitat preferences of a small oceanic seabird, Bulwer's petrel (<i>Bulweria bulwerii</i>). <i>Journal of Biogeography</i> , 2015 , 42, 1651-1664	4.1	30
100	Niche Partitioning of Feather Mites within a Seabird Host, <i>Calonectris borealis</i> . <i>PLoS ONE</i> , 2015 , 10, e0144728	4.7	9
99	The role of sardine as prey for pelagic predators in the western Mediterranean Sea assessed using stable isotopes and fatty acids. <i>Marine Ecology - Progress Series</i> , 2015 , 531, 1-14	2.6	33
98	Sex-specific traits in Common Tern <i>Sterna hirundo</i> chicks: associations with rearing environment, parental factors and survival. <i>Journal of Ornithology</i> , 2014 , 155, 937-949	1.5	
97	Comparing multiple criteria for species identification in two recently diverged seabirds. <i>PLoS ONE</i> , 2014 , 9, e115650	3.7	8
96	Long antibody persistence and transgenerational transfer of immunity in a long-lived vertebrate. <i>American Naturalist</i> , 2014 , 184, 764-76	3.7	17
95	Circulation of a Meaban-like virus in yellow-legged gulls and seabird ticks in the western Mediterranean basin. <i>PLoS ONE</i> , 2014 , 9, e89601	3.7	28
94	Prey density in non-breeding areas affects adult survival of black-legged kittiwakes <i>Rissa tridactyla</i> . <i>Marine Ecology - Progress Series</i> , 2014 , 509, 289-302	2.6	24
93	Population connectivity buffers genetic diversity loss in a seabird. <i>Frontiers in Zoology</i> , 2013 , 10, 28	2.8	13
92	Plastic debris in Mediterranean seabirds. <i>Marine Pollution Bulletin</i> , 2013 , 77, 220-6	6.7	96
91	Sex ratio adjustments in common terns: influence of mate condition and maternal experience. <i>Journal of Avian Biology</i> , 2013 , 44, 179-188	1.9	16

90	The evolution of north-east Atlantic gadfly petrels using statistical phylogeography. <i>Molecular Ecology</i> , 2013 , 22, 495-507	5.7	17
89	Meta-population feeding grounds of Cory's shearwater in the subtropical Atlantic Ocean: implications for the definition of Marine Protected Areas based on tracking studies. <i>Diversity and Distributions</i> , 2013 , 19, 1284-1298	5	36
88	Pre-breeding ecophysiology of a long-distance migratory seabird. <i>Journal of Experimental Marine Biology and Ecology</i> , 2013 , 443, 162-168	2.1	7
87	Individual migratory patterns of two threatened seabirds revealed using stable isotope and geolocation analyses. <i>Diversity and Distributions</i> , 2013 , 19, 317-329	5	18
86	Tracking prospecting movements involved in breeding habitat selection: insights, pitfalls and perspectives. <i>Methods in Ecology and Evolution</i> , 2013 , 4, 143-150	7.7	42
85	Serological and virological surveys of the influenza A viruses in Antarctic and sub-Antarctic penguins. <i>Antarctic Science</i> , 2013 , 25, 339-344	1.7	13
84	Populations of breeding birds in Byers Peninsula, Livingston Island, South Shetland Islands. <i>Antarctic Science</i> , 2013 , 25, 303-306	1.7	7
83	Multicolony tracking reveals the winter distribution of a pelagic seabird on an ocean basin scale. <i>Diversity and Distributions</i> , 2012 , 18, 530-542	5	128
82	Trace me if you can: the use of intrinsic biogeochemical markers in marine top predators. <i>Frontiers in Ecology and the Environment</i> , 2012 , 10, 258-266	5.5	147
81	Trans-oceanic host dispersal explains high seabird tick diversity on Cape Verde islands. <i>Biology Letters</i> , 2012 , 8, 616-9	3.6	34
80	Feather corticosterone of a nestling seabird reveals consequences of sex-specific parental investment. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012 , 279, 177-84	4.4	38
79	Maternal antibody persistence: a neglected life-history trait with implications from albatross conservation to comparative immunology. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012 , 279, 2033-41	4.4	51
78	Research priorities for seabirds: improving conservation and management in the 21st century. <i>Endangered Species Research</i> , 2012 , 17, 93-121	2.5	121
77	Population genetic structure and colonisation of the western Antarctic Peninsula by the seabird tick <i>Ixodes uriae</i> . <i>Marine Ecology - Progress Series</i> , 2012 , 459, 109-120	2.6	25
76	Feeding ecology and movements of the Barolo shearwater <i>Puffinus baroli baroli</i> in the Azores, NE Atlantic. <i>Marine Ecology - Progress Series</i> , 2012 , 452, 269-285	2.6	19
75	Seabirds and the circulation of Lyme borreliosis bacteria in the North Pacific. <i>Vector-Borne and Zoonotic Diseases</i> , 2011 , 11, 1521-7	2.4	13
74	Family characteristics and caries experience in preschool children. A longitudinal study from pregnancy to 5 years of age. <i>Community Dentistry and Oral Epidemiology</i> , 2011 , 39, 311-7	2.8	42
73	Interspecies and spatial trends in polycyclic aromatic hydrocarbons (PAHs) in Atlantic and Mediterranean pelagic seabirds. <i>Environmental Pollution</i> , 2011 , 159, 2899-905	9.3	20

72	Geographic and trophic patterns of OCs in pelagic seabirds from the NE Atlantic and the Mediterranean: a multi-species/multi-locality approach. <i>Chemosphere</i> , 2011 , 85, 432-40	8.4	18
71	Individual state and survival prospects: age, sex, and telomere length in a long-lived seabird. <i>Behavioral Ecology</i> , 2011 , 22, 156-161	2.3	33
70	Carotenoid supplementation and sex-specific trade-offs between colouration and condition in common tern chicks. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2011 , 181, 539-49	2.2	9
69	Trophic versus geographic structure in stable isotope signatures of pelagic seabirds breeding in the northeast Atlantic. <i>Marine Ecology - Progress Series</i> , 2011 , 434, 1-13	2.6	36
68	Combining stable isotope analyses and geolocation to reveal kittiwake migration. <i>Marine Ecology - Progress Series</i> , 2011 , 435, 251-261	2.6	44
67	Geographical PCB and DDT patterns in shearwaters (<i>Calonectris</i> sp.) breeding across the NE Atlantic and the Mediterranean archipelagos. <i>Environmental Science & Technology</i> , 2010 , 44, 2328-34	10.3	33
66	Effects of Extra Mass on the Pelagic Behavior of a Seabird. <i>Auk</i> , 2010 , 127, 100-107	2.1	47
65	Physiological ecology of breeders and sabbaticals in a pelagic seabird. <i>Journal of Experimental Marine Biology and Ecology</i> , 2010 , 389, 13-17	2.1	21
64	Trophic structure in a seabird host-parasite food web: insights from stable isotope analyses. <i>PLoS ONE</i> , 2010 , 5, e10454	3.7	22
63	Ancient DNA of the extinct lava shearwater (<i>Puffinus olsoni</i>) from the Canary Islands reveals incipient differentiation within the <i>P. puffinus</i> complex. <i>PLoS ONE</i> , 2010 , 5, e16072	3.7	12
62	Understanding oceanic migrations with intrinsic biogeochemical markers. <i>PLoS ONE</i> , 2009 , 4, e6236	3.7	32
61	Foraging segregation between two closely related shearwaters breeding in sympatry. <i>Biology Letters</i> , 2009 , 5, 545-8	3.6	54
60	The influence of breeding colony and sex on mercury, selenium and lead levels and carbon and nitrogen stable isotope signatures in summer and winter feathers of <i>Calonectris</i> shearwaters. <i>Oecologia</i> , 2009 , 159, 345-54	2.9	41
59	Linking isotopic and migratory patterns in a pelagic seabird. <i>Oecologia</i> , 2009 , 160, 97-105	2.9	47
58	Sexual dimorphism in bill morphology and feeding ecology in Cory's shearwater (<i>Calonectris diomedea</i>). <i>Zoology</i> , 2009 , 112, 128-38	1.7	40
57	Moulting strategies of a long-distance migratory seabird, the Mediterranean Cory's Shearwater <i>Calonectris diomedea diomedea</i> . <i>Ibis</i> , 2009 , 151, 151-159	1.9	33
56	Environmental determinants of foraging strategies in Cory's shearwaters <i>Calonectris diomedea</i> . <i>Marine Ecology - Progress Series</i> , 2009 , 378, 259-267	2.6	43
55	Population structure in a highly pelagic seabird, the Cory's shearwater <i>Calonectris diomedea</i> : an examination of genetics, morphology and ecology. <i>Marine Ecology - Progress Series</i> , 2009 , 382, 197-209	2.6	40

54	Influence of sea surface winds on shearwater migration detours. <i>Marine Ecology - Progress Series</i> , 2009 , 391, 221-230	2.6	62
53	Introduction and synthesis: spatial ecology of seabirds at sea. <i>Marine Ecology - Progress Series</i> , 2009 , 391, 117-120	2.6	19
52	Ectoparasite community structure on three closely related seabird hosts: a multiscale approach combining ecological and genetic data. <i>Ecography</i> , 2008 , 31, 477-489	6.5	12
51	Diet and adult time budgets of Audouin's Gull <i>Larus audouinii</i> in response to changes in commercial fisheries. <i>Ibis</i> , 2008 , 139, 631-637	1.9	35
50	Body size variation in Audouin's Gull <i>Larus audouinii</i> ; a density-dependent effect?. <i>Ibis</i> , 2008 , 140, 431-438	1.9	19
49	Nest-site turnover in Common Terns: possible problems with re-nest studies. <i>Ibis</i> , 2008 , 141, 500-502	1.9	7
48	Ecophysiological response to an experimental increase of wing loading in a pelagic seabird. <i>Journal of Experimental Marine Biology and Ecology</i> , 2008 , 358, 14-19	2.1	26
47	Ocean surface winds drive dynamics of transoceanic aerial movements. <i>PLoS ONE</i> , 2008 , 3, e2928	3.7	93
46	Trans-equatorial migration and mixing in the wintering areas of a pelagic seabird. <i>Frontiers in Ecology and the Environment</i> , 2007 , 5, 297-301	5.5	174
45	Geographic assignment of seabirds to their origin: combining morphologic, genetic, and biogeochemical analyses 2007 , 17, 1484-98		65
44	Offshore spatial segregation in giant petrels <i>Macronectes</i> spp.: differences between species, sexes and seasons. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2007 , 17, S22-S36	2.6	60
43	Sex ratio, sex-specific chick mortality and sexual size dimorphism in birds. <i>Journal of Evolutionary Biology</i> , 2007 , 20, 1522-30	2.3	47
42	Lack of host-dependent genetic structure in ectoparasites of <i>Calonectris</i> shearwaters. <i>Molecular Ecology</i> , 2007 , 16, 5204-15	5.7	32
41	Experimental increase of flying costs in a pelagic seabird: effects on foraging strategies, nutritional state and chick condition. <i>Oecologia</i> , 2007 , 151, 150-60	2.9	67
40	Nutritional and feeding ecology in Cory's shearwater <i>Calonectris diomedea</i> during breeding. <i>Marine Ecology - Progress Series</i> , 2007 , 351, 261-271	2.6	41
39	Sympatric speciation by allochrony in a seabird. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 18589-94	11.5	125
38	ECOLOGICAL AND PHYSIOLOGICAL VARIANCE IN T-CELL MEDIATED IMMUNE RESPONSE IN CORY'S SHEARWATERS. <i>Condor</i> , 2006 , 108, 865	2.1	10
37	Response to interferon-beta therapy in relapsing-remitting multiple sclerosis: a comparison of different clinical criteria. <i>Multiple Sclerosis Journal</i> , 2006 , 12, 281-6	5	29

36	Phylogeography of the Calonectris shearwaters using molecular and morphometric data. <i>Molecular Phylogenetics and Evolution</i> , 2006 , 41, 322-32	4.1	65
35	Short-term effects of data-loggers on Cory's shearwater (<i>Calonectris diomedea</i>). <i>Marine Biology</i> , 2005 , 146, 619-624	2.5	65
34	Hatching sex ratio and sex specific chick mortality in common terns <i>Sterna hirundo</i> . <i>Journal Fur Ornithologie</i> , 2005 , 146, 235-243		45
33	PARENTAL BODY CONDITION DOES NOT CORRELATE WITH OFFSPRING SEX RATIO IN CORY'S SHEARWATERS. <i>Condor</i> , 2005 , 107, 161	2.1	8
32	Stable isotopes reveal trophic segregation by sex and age in the southern giant petrel in two different food webs. <i>Marine Ecology - Progress Series</i> , 2005 , 296, 107-113	2.6	117
31	Sexual size dimorphism in northern giant petrels: ecological correlates and scaling. <i>Oikos</i> , 2004 , 105, 247-254	4	60
30	Regulation of incubation shifts near hatching by giant petrels: a timed mechanism, embryonic signalling or food availability?. <i>Animal Behaviour</i> , 2004 , 67, 663-671	2.8	13
29	Individual changes underlie age-specific pattern of laying date and egg-size in female common terns <i>Sterna hirundo</i> . <i>Journal Fur Ornithologie</i> , 2004 , 145, 129-136		34
28	Factors affecting the organochlorine pollutant load in biota of a rice field ecosystem (Ebro Delta, NE Spain). <i>Chemosphere</i> , 2004 , 55, 567-76	8.4	22
27	Can rats prey on gull eggs? An experimental approach. <i>Biodiversity and Conservation</i> , 2003 , 12, 2477-2486	6.4	12
26	Impact of fisheries on activity, diet and predatory interactions between yellow-legged and Audouin's gulls breeding at the Chafarinas Islands. <i>Scientia Marina</i> , 2003 , 67, 83-88	1.8	19
25	Kleptoparasitism, disturbance and predation of yellow-legged gulls on Audouin's gulls in three colonies of the western Mediterranean. <i>Scientia Marina</i> , 2003 , 67, 89-94	1.8	32
24	Activity patterns of giant petrels, <i>Macronectes</i> spp., using different foraging strategies. <i>Marine Biology</i> , 2002 , 140, 197-204	2.5	28
23	Mounting frequency and number of cloacal contacts increase with age in common terns <i>Sterna hirundo</i> . <i>Journal of Avian Biology</i> , 2002 , 33, 306-310	1.9	13
22	Feather mercury levels in seabirds at South Georgia: influence of trophic position, sex and age. <i>Marine Ecology - Progress Series</i> , 2002 , 243, 261-269	2.6	86
21	Metals and selenium as bioindicators of geographic and trophic segregation in giant petrels <i>Macronectes</i> spp.. <i>Marine Ecology - Progress Series</i> , 2002 , 244, 257-264	2.6	40
20	Differences in diet between the two largest breeding colonies of Audouin's gulls: the effects of fishery activities. <i>Scientia Marina</i> , 2002 , 66, 313-320	1.8	20
19	Courtship feedings, copulations and paternity in common terns, <i>Sterna hirundo</i> . <i>Animal Behaviour</i> , 2001 , 61, 1125-1132	2.8	54

18	Population density of primates in a large fragment of the Brazilian Atlantic rainforest. <i>Biodiversity and Conservation</i> , 2001 , 10, 1267-1282	3.4	30
17	How costly is clutch formation in the Audouin's Gull <i>Larus audouinii</i> ?. <i>Journal of Avian Biology</i> , 2000 , 31, 567-575	1.9	22
16	Sexual dimorphism and sexual segregation in foraging strategies of northern giant petrels, <i>Macronectes halli</i> , during incubation. <i>Oikos</i> , 2000 , 90, 390-398	4	178
15	Variation in the diet of the viperine snake <i>Natrix natrix</i> in relation to prey availability. <i>Ecography</i> , 2000 , 23, 185-192	6.5	29
14	Parental care of replacement clutches in common terns (<i>Sterna hirundo</i>). <i>Behavioral Ecology and Sociobiology</i> , 2000 , 47, 382-392	2.5	33
13	Foraging partitioning between giant petrels <i>Macronectes</i> spp. and its relationship with breeding population changes at Bird Island, South Georgia. <i>Marine Ecology - Progress Series</i> , 2000 , 204, 279-288	2.6	81
12	Variation in the diet of the viperine snake <i>Natrix maura</i> in relation to prey availability. <i>Ecography</i> , 2000 , 23, 185-192	6.5	2
11	Divorce and asynchronous arrival in common terns, <i>Sterna hirundo</i> . <i>Animal Behaviour</i> , 1999 , 58, 1123-1129		50
10	Within and between season nest-site and mate fidelity in Common Terns (<i>Sterna hirundo</i>). <i>Journal Fur Ornithologie</i> , 1999 , 140, 491-498		26
9	Bias Associated with Diet Samples in Audouin's Gulls. <i>Condor</i> , 1997 , 99, 773-779	2.1	55
8	Influence of food availability on interactions between <i>Larus cachinnans</i> and <i>L. audouinii</i> . <i>Canadian Journal of Zoology</i> , 1997 , 75, 719-724	1.5	15
7	Trophic niche width and overlap of two sympatric gulls in the southwestern mediterranean. <i>Oecologia</i> , 1997 , 112, 75-80	2.9	51
6	Abundance estimates of primates in an Atlantic rainforest area of southeastern Brazil. <i>Mammalia</i> , 1996 , 60,	1	4
5	Seasonal Variation of Waterbird Prey in the Ebro Delta Rice Fields. <i>Waterbirds</i> , 1996 , 19, 135		27
4	Succession and secondary production of gastropods in the Ebro Delta ricefields. <i>Hydrobiologia</i> , 1996 , 337, 85-92	2.4	9
3	Migraci3n y ecolog3a espacial de las poblaciones espa3olas de pardela cenicienta		3
2	Multispecies tracking reveals a major seabird hotspot in the North Atlantic. <i>Conservation Letters</i> , 2014 , 6, 1282-1286	6.9	14
1	Double-tagging scores of seabirds reveals that light-level geolocator accuracy is limited by species idiosyncrasies and equatorial solar profiles. <i>Methods in Ecology and Evolution</i> ,	7.7	5

