Carmen Investigators Group

List of Publications by Citations

Source:

https://exaly.com/author-pdf/6555384/carmen-investigators-group-publications-by-citations.pdf **Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

8,438 86 153 55 h-index g-index citations papers 160 6.1 5.42 9,354 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 153 | The PHD finger of the chromatin-associated protein ING2 functions as a nuclear phosphoinositide receptor. <i>Cell</i> , 2003 , 114, 99-111 | 56.2 | 413 |
| 152 | Osh4p exchanges sterols for phosphatidylinositol 4-phosphate between lipid bilayers. <i>Journal of Cell Biology</i> , 2011 , 195, 965-78 | 7.3 | 290 |
| 151 | Conversion of PtdIns(4,5)P(2) into PtdIns(5)P by the S.flexneri effector IpgD reorganizes host cell morphology. <i>EMBO Journal</i> , 2002 , 21, 5069-78 | 13 | 272 |
| 150 | Antileukemic activity of rapamycin in acute myeloid leukemia. <i>Blood</i> , 2005 , 105, 2527-34 | 2.2 | 254 |
| 149 | Raft nanodomains contribute to Akt/PKB plasma membrane recruitment and activation. <i>Nature Chemical Biology</i> , 2008 , 4, 538-47 | 11.7 | 244 |
| 148 | Ibrutinib treatment affects collagen and von Willebrand factor-dependent platelet functions. <i>Blood</i> , 2014 , 124, 3991-5 | 2.2 | 218 |
| 147 | Flavonoids and the inhibition of PKC and PI 3-kinase. <i>General Pharmacology</i> , 1999 , 32, 279-86 | | 197 |
| 146 | Phosphoinositides: key players in cell signalling, in time and space. <i>Cellular Signalling</i> , 2001 , 13, 377-87 | 4.9 | 188 |
| 145 | Constitutive macropinocytosis in oncogene-transformed fibroblasts depends on sequential permanent activation of phosphoinositide 3-kinase and phospholipase C. <i>Molecular Biology of the Cell</i> , 2000 , 11, 3453-67 | 3.5 | 183 |
| 144 | PtdIns5P activates the host cell PI3-kinase/Akt pathway during Shigella flexneri infection. <i>EMBO Journal</i> , 2006 , 25, 1024-34 | 13 | 177 |
| 143 | The Listeria monocytogenes protein InlB is an agonist of mammalian phosphoinositide 3-kinase. Journal of Biological Chemistry, 1999 , 274, 17025-32 | 5.4 | 149 |
| 142 | Phosphoinositide signaling disorders in human diseases. FEBS Letters, 2003, 546, 25-31 | 3.8 | 145 |
| 141 | Phosphatidylinositol 3,4,5-trisphosphate-dependent stimulation of phospholipase C-gamma2 is an early key event in FcgammaRIIA-mediated activation of human platelets. <i>Journal of Biological Chemistry</i> , 1998 , 273, 24314-21 | 5.4 | 135 |
| 140 | Origin, originality, functions, subversions and molecular signalling of macropinocytosis. <i>International Journal of Medical Microbiology</i> , 2002 , 291, 487-94 | 3.7 | 132 |
| 139 | Expression of focal adhesion kinase in acute myeloid leukemia is associated with enhanced blast migration, increased cellularity, and poor prognosis. <i>Cancer Research</i> , 2004 , 64, 3191-7 | 10.1 | 126 |
| 138 | A critical role for Lyn in acute myeloid leukemia. <i>Blood</i> , 2008 , 111, 2269-79 | 2.2 | 123 |
| 137 | A critical role for phosphoinositide 3-kinase upstream of Gab1 and SHP2 in the activation of ras and mitogen-activated protein kinases by epidermal growth factor. <i>Journal of Biological Chemistry</i> , 2001 , 276, 8856-64 | 5.4 | 119 |

(2004-2004)

| 136 | Production of phosphatidylinositol 5-phosphate by the phosphoinositide 3-phosphatase myotubularin in mammalian cells. <i>Journal of Biological Chemistry</i> , 2004 , 279, 7304-12 | 5.4 | 115 | |
|-------------|---|------|-----|--|
| 135 | Polo-like kinase 1 is overexpressed in acute myeloid leukemia and its inhibition preferentially targets the proliferation of leukemic cells. <i>Blood</i> , 2009 , 114, 659-62 | 2.2 | 112 | |
| 134 | A novel PtdIns3P and PtdIns(3,5)P2 phosphatase with an inactivating variant in centronuclear myopathy. <i>Human Molecular Genetics</i> , 2006 , 15, 3098-106 | 5.6 | 107 | |
| 133 | The phosphatidylinositol (PI)-5-phosphate 4-kinase type II enzyme controls insulin signaling by regulating PI-3,4,5-trisphosphate degradation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 9867-72 | 11.5 | 107 | |
| 132 | Deletion of the p110beta isoform of phosphoinositide 3-kinase in platelets reveals its central role in Akt activation and thrombus formation in vitro and in vivo. <i>Blood</i> , 2010 , 115, 2008-13 | 2.2 | 105 | |
| 131 | The new tyrosine-kinase inhibitor and anticancer drug dasatinib reversibly affects platelet activation in vitro and in vivo. <i>Blood</i> , 2009 , 114, 1884-92 | 2.2 | 94 | |
| 130 | Myotubularin controls desmin intermediate filament architecture and mitochondrial dynamics in human and mouse skeletal muscle. <i>Journal of Clinical Investigation</i> , 2011 , 121, 70-85 | 15.9 | 93 | |
| 129 | The 213-amino-acid leucine-rich repeat region of the listeria monocytogenes InlB protein is sufficient for entry into mammalian cells, stimulation of PI 3-kinase and membrane ruffling. <i>Molecular Microbiology</i> , 1999 , 34, 10-23 | 4.1 | 90 | |
| 128 | SHP-1-mediated inhibitory signals promote responsiveness and anti-tumour functions of natural killer cells. <i>Nature Communications</i> , 2014 , 5, 5108 | 17.4 | 88 | |
| 127 | Phosphatidylinositol 3-phosphate, an essential lipid in Plasmodium, localizes to the food vacuole membrane and the apicoplast. <i>Eukaryotic Cell</i> , 2010 , 9, 1519-30 | | 87 | |
| 126 | The integrin alpha IIb/beta 3 in human platelet signal transduction. <i>Biochemical Pharmacology</i> , 2000 , 60, 1069-74 | 6 | 87 | |
| 125 | Shigella flexneri infection generates the lipid PI5P to alter endocytosis and prevent termination of EGFR signaling. <i>Science Signaling</i> , 2011 , 4, ra61 | 8.8 | 86 | |
| 124 | Lipid products of phosphoinositide 3-kinase interact with Rac1 GTPase and stimulate GDP dissociation. <i>Journal of Biological Chemistry</i> , 1998 , 273, 30279-86 | 5.4 | 81 | |
| 123 | Production of phosphatidylinositol 3,4,5-trisphosphate and phosphatidic acid in platelet rafts: evidence for a critical role of cholesterol-enriched domains in human platelet activation. <i>Biochemistry</i> , 2001 , 40, 15290-9 | 3.2 | 80 | |
| 122 | Differential regulation of Rho and Rac through heterotrimeric G-proteins and cyclic nucleotides. <i>Journal of Biological Chemistry</i> , 2001 , 276, 47906-13 | 5.4 | 80 | |
| 121 | Alteration of epithelial structure and function associated with PtdIns(4,5)P2 degradation by a bacterial phosphatase. <i>Journal of General Physiology</i> , 2007 , 129, 267-83 | 3.4 | 72 | |
| 12 0 | Expression of myotubularin by an adenoviral vector demonstrates its function as a phosphatidylinositol 3-phosphate [PtdIns(3)P] phosphatase in muscle cell lines: involvement of PtdIns(3)P in insulin-stimulated glucose transport. <i>Molecular Endocrinology</i> , 2003 , 17, 2448-60 | | 72 | |
| 119 | Nucleophosmin-anaplastic lymphoma kinase of anaplastic large-cell lymphoma recruits, activates, and uses pp60c-src to mediate its mitogenicity. <i>Blood</i> , 2004 , 103, 1464-71 | 2.2 | 72 | |

| 118 | The Src homology 2 domain containing inositol 5-phosphatase SHIP2 is recruited to the epidermal growth factor (EGF) receptor and dephosphorylates phosphatidylinositol 3,4,5-trisphosphate in EGF-stimulated COS-7 cells. <i>Journal of Biological Chemistry</i> , 2001 , 276, 28348-55 | 5.4 | 70 |
|-----|--|------------------|----|
| 117 | BIN1/M-Amphiphysin2 induces clustering of phosphoinositides to recruit its downstream partner dynamin. <i>Nature Communications</i> , 2014 , 5, 5647 | 17.4 | 68 |
| 116 | Genetic interaction between MTMR2 and FIG4 phospholipid phosphatases involved in Charcot-Marie-Tooth neuropathies. <i>PLoS Genetics</i> , 2011 , 7, e1002319 | 6 | 67 |
| 115 | Phosphoinositide phosphatases in a network of signalling reactions. <i>Pflugers Archiv European Journal of Physiology</i> , 2007 , 455, 31-44 | 4.6 | 67 |
| 114 | The SH2 domain containing inositol 5-phosphatase SHIP2 controls phosphatidylinositol 3,4,5-trisphosphate levels in CHO-IR cells stimulated by insulin. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 282, 839-43 | 3.4 | 67 |
| 113 | Type II phosphatidylinositol 4-kinases promote Listeria monocytogenes entry into target cells. <i>Cellular Microbiology</i> , 2007 , 9, 2381-90 | 3.9 | 66 |
| 112 | Molecular networks linked by Moesin drive remodeling of the cell cortex during mitosis. <i>Journal of Cell Biology</i> , 2011 , 195, 99-112 | 7.3 | 64 |
| 111 | SH2-containing inositol 5-phosphatases 1 and 2 in blood platelets: their interactions and roles in the control of phosphatidylinositol 3,4,5-trisphosphate levels. <i>Biochemical Journal</i> , 2003 , 376, 199-207 | 3.8 | 64 |
| 110 | Lipid rafts are critical membrane domains in blood platelet activation processes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2003 , 1610, 247-57 | 3.8 | 64 |
| 109 | Functional redundancy in the myotubularin family. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 291, 305-12 | 3.4 | 64 |
| 108 | Phosphoinositides: Important lipids in the coordination of cell dynamics. <i>Biochimie</i> , 2016 , 125, 250-8 | 4.6 | 63 |
| 107 | An epidermal growth factor receptor/Gab1 signaling pathway is required for activation of phosphoinositide 3-kinase by lysophosphatidic acid. <i>Journal of Biological Chemistry</i> , 1999 , 274, 32835-4 | 1 ^{5.4} | 63 |
| 106 | Phosphatidylinositol 3-monophosphate is involved in toxoplasma apicoplast biogenesis. <i>PLoS Pathogens</i> , 2011 , 7, e1001286 | 7.6 | 62 |
| 105 | A Shigella effector dampens inflammation by regulating epithelial release of danger signal ATP through production of the lipid mediator PtdIns5P. <i>Immunity</i> , 2013 , 39, 1121-31 | 32.3 | 61 |
| 104 | Roles of the C-terminal tyrosine residues of LAT in GPVI-induced platelet activation: insights into the mechanism of PLC gamma 2 activation. <i>Blood</i> , 2007 , 110, 2466-74 | 2.2 | 61 |
| 103 | Platelet PI3Kland GSK3 regulate thrombus stability at a high shear rate. <i>Blood</i> , 2015 , 125, 881-8 | 2.2 | 59 |
| 102 | Integrin-dependent interaction of lipid rafts with the actin cytoskeleton in activated human platelets. <i>Journal of Cell Science</i> , 2005 , 118, 759-69 | 5.3 | 58 |
| 101 | Class I PI 3-kinases signaling in platelet activation and thrombosis: PDK1/Akt/GSK3 axis and impact of PTEN and SHIP1. <i>Advances in Biological Regulation</i> , 2014 , 54, 162-74 | 6.2 | 57 |

(2012-2007)

| 100 | A FRET analysis to unravel the role of cholesterol in Rac1 and PI 3-kinase activation in the InlB/Met signalling pathway. <i>Cellular Microbiology</i> , 2007 , 9, 790-803 | 3.9 | 56 |
|-----|---|------|----|
| 99 | The human tumour suppressor PTEN regulates longevity and dauer formation in Caenorhabditis elegans. <i>Oncogene</i> , 2005 , 24, 20-7 | 9.2 | 56 |
| 98 | Regulation and roles of PI3K a major actor in platelet signaling and functions. <i>Advances in Enzyme Regulation</i> , 2011 , 51, 106-16 | | 52 |
| 97 | Characterisation of Rac activation in thrombin- and collagen-stimulated human blood platelets. <i>FEBS Letters</i> , 2001 , 507, 253-8 | 3.8 | 52 |
| 96 | Deficiency of Src homology 2 domain-containing inositol 5-phosphatase 1 affects platelet responses and thrombus growth. <i>Journal of Clinical Investigation</i> , 2007 , 117, 944-52 | 15.9 | 50 |
| 95 | Inactivation of the Class II PI3K-C2IPotentiates Insulin Signaling and Sensitivity. <i>Cell Reports</i> , 2015 , 13, 1881-94 | 10.6 | 48 |
| 94 | Phosphatidylinositol 5-phosphate regulates invasion through binding and activation of Tiam1. <i>Nature Communications</i> , 2014 , 5, 4080 | 17.4 | 48 |
| 93 | A "liaison dangereuse" between AUF1/hnRNPD and the oncogenic tyrosine kinase NPM-ALK. <i>Blood</i> , 2006 , 108, 2780-8 | 2.2 | 45 |
| 92 | Physiologic and pathologic changes of platelets in pregnancy. <i>Platelets</i> , 2010 , 21, 587-95 | 3.6 | 43 |
| 91 | Cutting edge: Dok-1 and Dok-2 adaptor molecules are regulated by phosphatidylinositol 5-phosphate production in T cells. <i>Journal of Immunology</i> , 2009 , 182, 3974-8 | 5.3 | 43 |
| 90 | Myotubularin and PtdIns3P remodel the sarcoplasmic reticulum in muscle in vivo. <i>Journal of Cell Science</i> , 2013 , 126, 1806-19 | 5.3 | 42 |
| 89 | SHIP2 overexpression strongly reduces the proliferation rate of K562 erythroleukemia cell line. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 296, 106-10 | 3.4 | 42 |
| 88 | The invasion protein InIB from Listeria monocytogenes activates PLC-gamma1 downstream from PI 3-kinase. <i>Cellular Microbiology</i> , 2000 , 2, 465-76 | 3.9 | 42 |
| 87 | Matrix metalloproteinase-9 is upregulated in nucleophosmin-anaplastic lymphoma kinase-positive anaplastic lymphomas and activated at the cell surface by the chaperone heat shock protein 90 to promote cell invasion. <i>Cancer Research</i> , 2010 , 70, 6978-87 | 10.1 | 41 |
| 86 | A New alpha5beta1 integrin-dependent survival pathway through GSK3beta activation in leukemic cells. <i>PLoS ONE</i> , 2010 , 5, e9807 | 3.7 | 41 |
| 85 | Liver microsomal glucose-6-phosphatase is competitively inhibited by the lipid products of phosphatidylinositol 3-kinase. <i>Journal of Biological Chemistry</i> , 1998 , 273, 17-9 | 5.4 | 40 |
| 84 | Essential role of class II PI3K-C2[in platelet membrane morphology. <i>Blood</i> , 2015 , 126, 1128-37 | 2.2 | 39 |
| 83 | Polymorphisms of protein tyrosine phosphatase CD148 influence FcRIIA-dependent platelet activation and the risk of heparin-induced thrombocytopenia. <i>Blood</i> , 2012 , 120, 1309-16 | 2.2 | 39 |

| 82 | Phosphatase-dead myotubularin ameliorates X-linked centronuclear myopathy phenotypes in mice. <i>PLoS Genetics</i> , 2012 , 8, e1002965 | 6 | 38 |
|----|--|------|----|
| 81 | Vps34 PI 3-kinase inactivation enhances insulin sensitivity through reprogramming of mitochondrial metabolism. <i>Nature Communications</i> , 2017 , 8, 1804 | 17.4 | 37 |
| 80 | TOM1 is a PI5P effector involved in the regulation of endosomal maturation. <i>Journal of Cell Science</i> , 2015 , 128, 815-27 | 5.3 | 37 |
| 79 | Chronic estradiol treatment reduces platelet responses and protects mice from thromboembolism through the hematopoietic estrogen receptor $\square Blood$, 2012 , 120, 1703-12 | 2.2 | 37 |
| 78 | Cell adhesion regulates CDC25A expression and proliferation in acute myeloid leukemia. <i>Cancer Research</i> , 2006 , 66, 7128-35 | 10.1 | 37 |
| 77 | Focal adhesion kinase splice variants maintain primitive acute myeloid leukemia cells through altered Wnt signaling. <i>Stem Cells</i> , 2012 , 30, 1597-610 | 5.8 | 35 |
| 76 | Phosphatidylinositol 5-phosphate: a nuclear stress lipid and a tuner of membranes and cytoskeleton dynamics. <i>BioEssays</i> , 2014 , 36, 260-72 | 4.1 | 34 |
| 75 | Phosphatidylinositol 3-kinase translocates onto liver endoplasmic reticulum and may account for the inhibition of glucose-6-phosphatase during refeeding. <i>Journal of Biological Chemistry</i> , 1999 , 274, 3597-601 | 5.4 | 34 |
| 74 | A central role of GPIb-IX in the procoagulant function of platelets that is independent of the 45-kDa GPIbalpha N-terminal extracellular domain. <i>Blood</i> , 2010 , 116, 1157-64 | 2.2 | 32 |
| 73 | Emerging roles of phosphatidylinositol monophosphates in cellular signaling and trafficking. <i>Advances in Enzyme Regulation</i> , 2005 , 45, 201-14 | | 32 |
| 72 | Phosphatidylinositol 3,4,5-trisphosphate modulation in SHIP2-deficient mouse embryonic fibroblasts. <i>FEBS Journal</i> , 2005 , 272, 2512-22 | 5.7 | 32 |
| 71 | The phosphoinositide phosphatase MTM-1 regulates apoptotic cell corpse clearance through CED-5-CED-12 in C. elegans. <i>Development (Cambridge)</i> , 2011 , 138, 2003-14 | 6.6 | 31 |
| 70 | Proteasome inhibitor-induced apoptosis in acute myeloid leukemia: a correlation with the proteasome status. <i>Leukemia Research</i> , 2010 , 34, 498-506 | 2.7 | 31 |
| 69 | Proteomic analysis of anaplastic lymphoma cell lines: identification of potential tumour markers. <i>Proteomics</i> , 2006 , 6, 3210-22 | 4.8 | 28 |
| 68 | Phosphoinositide 3-kinase and integrin signalling are involved in activation of Bruton tyrosine kinase in thrombin-stimulated platelets. <i>FEBS Letters</i> , 1999 , 443, 66-70 | 3.8 | 28 |
| 67 | The role of class I, II and III PI 3-kinases in platelet production and activation and their implication in thrombosis. <i>Advances in Biological Regulation</i> , 2016 , 61, 33-41 | 6.2 | 27 |
| 66 | A dual role for the class III PI3K, Vps34, in platelet production and thrombus growth. <i>Blood</i> , 2017 , 130, 2032-2042 | 2.2 | 27 |
| 65 | Regulation of the DH-PH tandem of guanine nucleotide exchange factor for Rho GTPases by phosphoinositides. <i>Advances in Biological Regulation</i> , 2012 , 52, 303-14 | 6.2 | 26 |

(2018-2009)

| 64 | PtdIns5P protects Akt from dephosphorylation through PP2A inhibition. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 387, 127-31 | 3.4 | 26 | |
|----|---|------|----|--|
| 63 | Alterations of the phosphoinositide 3-kinase and mitogen-activated protein kinase signaling pathways in the erythropoietin-independent Spi-1/PU.1 transgenic proerythroblasts. <i>Blood</i> , 2001 , 98, 2372-81 | 2.2 | 26 | |
| 62 | Interaction between hormone-sensitive lipase and ChREBP in fat cells controls insulin sensitivity. <i>Nature Metabolism</i> , 2019 , 1, 133-146 | 14.6 | 26 | |
| 61 | Inhibition of PIKfyve prevents myocardial apoptosis and hypertrophy through activation of SIRT3 in obese mice. <i>EMBO Molecular Medicine</i> , 2017 , 9, 770-785 | 12 | 25 | |
| 60 | The grape-derived polyphenol resveratrol differentially affects epidermal and platelet-derived growth factor signaling in human liver myofibroblasts. <i>International Journal of Biochemistry and Cell Biology</i> , 2006 , 38, 629-37 | 5.6 | 25 | |
| 59 | Trans-inhibition of activation and proliferation signals by Fc receptors in mast cells and basophils. <i>Science Signaling</i> , 2016 , 9, ra126 | 8.8 | 25 | |
| 58 | A functional link between polo-like kinase 1 and the mammalian target-of-rapamycin pathway?. <i>Cell Cycle</i> , 2010 , 9, 1690-6 | 4.7 | 24 | |
| 57 | The tyrosine phosphatase 1B regulates linker for activation of T-cell phosphorylation and platelet aggregation upon FcgammaRIIa cross-linking. <i>Journal of Biological Chemistry</i> , 2003 , 278, 40923-32 | 5.4 | 24 | |
| 56 | A collagen-related peptide regulates phospholipase CI via phosphatidylinositol 3-kinase in human platelets. <i>Biochemical Journal</i> , 1999 , 342, 171 | 3.8 | 24 | |
| 55 | cdc-like/dual-specificity tyrosine phosphorylation-regulated kinases inhibitor leucettine L41 induces mTOR-dependent autophagy: implication for Alzheimer disease. <i>Molecular Pharmacology</i> , 2014 , 85, 441-50 | 4.3 | 23 | |
| 54 | Essential thrombocythemia and pregnancy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011 , 158, 141-7 | 2.4 | 23 | |
| 53 | Rac1 inactivation by lethal toxin from Clostridium sordellii modifies focal adhesions upstream of actin depolymerization. <i>Cellular Microbiology</i> , 2010 , 12, 217-32 | 3.9 | 23 | |
| 52 | Phosphoinositide signaling pathways: promising role as builders of epithelial cell polarity. <i>International Review of Cell and Molecular Biology</i> , 2009 , 273, 313-43 | 6 | 23 | |
| 51 | A novel mass assay to quantify the bioactive lipid PtdIns3P in various biological samples. <i>Biochemical Journal</i> , 2012 , 447, 17-23 | 3.8 | 23 | |
| 50 | Phosphoinositides: lipid kinases and phosphatases. <i>Methods in Molecular Biology</i> , 2004 , 273, 201-12 | 1.4 | 23 | |
| 49 | Mechanical constraint imposed on plasma membrane through transverse phospholipid imbalance induces reversible actin polymerization via phosphoinositide 3-kinase activation. <i>Journal of Cell Science</i> , 2003 , 116, 2277-84 | 5.3 | 23 | |
| 48 | Assessment of somatic mutations in phosphatidylinositol 3-kinase gene in human lymphoma and acute leukaemia. <i>British Journal of Haematology</i> , 2005 , 131, 411-3 | 4.5 | 23 | |
| 47 | Profiling of phosphoinositide molecular species in human and mouse platelets identifies new species increasing following stimulation. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2018 , 1863, 1121-1131 | 5 | 21 | |

| 46 | Platelet activation and arterial peripheral serotonin turnover in cardiac remodeling associated to aortic stenosis. <i>American Journal of Hematology</i> , 2015 , 90, 15-9 | 7.1 | 21 |
|----|--|------|----|
| 45 | G-protein-stimulated phospholipase D activity is inhibited by lethal toxin from Clostridium sordellii in HL-60 cells. <i>Journal of Biological Chemistry</i> , 1999 , 274, 14021-31 | 5.4 | 20 |
| 44 | PtdIns5P: a little phosphoinositide with big functions?. <i>Biochemical Society Symposia</i> , 2007 , 117-28 | | 20 |
| 43 | The nucleophosmin-anaplastic lymphoma kinase oncogene interacts, activates, and uses the kinase PIKfyve to increase invasiveness. <i>Journal of Biological Chemistry</i> , 2011 , 286, 32105-14 | 5.4 | 19 |
| 42 | Platelet activation and prothrombotic properties in a mouse model of peritoneal sepsis. <i>Scientific Reports</i> , 2018 , 8, 13536 | 4.9 | 19 |
| 41 | PLIF: A rapid, accurate method to detect and quantitatively assess protein-lipid interactions. <i>Science Signaling</i> , 2016 , 9, rs2 | 8.8 | 18 |
| 40 | Evidence for a positive role of PtdIns5P in T-cell signal transduction pathways. <i>FEBS Letters</i> , 2010 , 584, 2455-60 | 3.8 | 18 |
| 39 | PI5P Triggers ICAM-1 Degradation in Shigella Infected Cells, Thus Dampening Immune Cell Recruitment. <i>Cell Reports</i> , 2016 , 14, 750-759 | 10.6 | 16 |
| 38 | Upregulation of the CDC25A phosphatase down-stream of the NPM/ALK oncogene participates to anaplastic large cell lymphoma enhanced proliferation. <i>Cell Cycle</i> , 2009 , 8, 1373-9 | 4.7 | 16 |
| 37 | Different roles of SHIP1 according to the cell context: the example of blood platelets. <i>Advances in Enzyme Regulation</i> , 2008 , 48, 240-52 | | 16 |
| 36 | Phosphoinositides and cellular pathogens. Sub-Cellular Biochemistry, 2012, 59, 363-88 | 5.5 | 16 |
| 35 | Effect of estetrol, a selective nuclear estrogen receptor modulator, in mouse models of arterial and venous thrombosis. <i>Molecular and Cellular Endocrinology</i> , 2018 , 477, 132-139 | 4.4 | 15 |
| 34 | Expression of the neuropathy-associated MTMR2 gene rescues MTM1-associated myopathy. <i>Human Molecular Genetics</i> , 2017 , 26, 3736-3748 | 5.6 | 15 |
| 33 | Catalytic dysregulation of SHP2 leading to Noonan syndromes affects platelet signaling and functions. <i>Blood</i> , 2019 , 134, 2304-2317 | 2.2 | 14 |
| 32 | NF- B Links TLR2 and PAR1 to Soluble Immunomodulator Factor Secretion in Human Platelets. <i>Frontiers in Immunology</i> , 2017 , 8, 85 | 8.4 | 14 |
| 31 | Impact of PI3K[Phosphoinositide 3-Kinase Alpha) Inhibition on Hemostasis and Thrombosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018 , 38, 2041-2053 | 9.4 | 14 |
| 30 | The importance of blood platelet lipid signaling in thrombosis and in sepsis. <i>Advances in Biological Regulation</i> , 2018 , 67, 66-73 | 6.2 | 13 |
| 29 | Targeting Kinases in Cancer Therapies: Adverse Effects on Blood Platelets. <i>Current Pharmaceutical Design</i> , 2016 , 22, 2315-22 | 3.3 | 13 |

| 28 | Inherited platelet disorders and oral health. Journal of Oral Pathology and Medicine, 2013, 42, 115-24 | 3.3 | 12 |
|----|--|------|----|
| 27 | Non-antisense cellular responses to oligonucleotides. <i>FEBS Letters</i> , 2002 , 510, 175-80 | 3.8 | 12 |
| 26 | Deciphering biased inverse agonism of cangrelor and ticagrelor at P2Y receptor. <i>Cellular and Molecular Life Sciences</i> , 2019 , 76, 561-576 | 10.3 | 12 |
| 25 | Phosphoinositides regulate the TCR/CD3 complex membrane dynamics and activation. <i>Scientific Reports</i> , 2018 , 8, 4966 | 4.9 | 11 |
| 24 | Functional Characterization and Rescue of a Deep Intronic Mutation in OCRL Gene Responsible for Lowe Syndrome. <i>Human Mutation</i> , 2017 , 38, 152-159 | 4.7 | 11 |
| 23 | Structure-function relationship of estrogen receptors in cardiovascular pathophysiological models. <i>Thrombosis Research</i> , 2012 , 130 Suppl 1, S7-11 | 8.2 | 11 |
| 22 | Phosphoinositide 3-kinase inhibition reverses platelet aggregation triggered by the combination of the neutrophil proteinases elastase and cathepsin G without impairing alpha(IIb)beta(3) integrin activation. <i>FEBS Letters</i> , 2000 , 484, 184-8 | 3.8 | 11 |
| 21 | The class I phosphoinositide 3-kinases and Econtrol antiphospholipid antibodies-induced platelet activation. <i>Thrombosis and Haemostasis</i> , 2016 , 115, 1138-46 | 7 | 10 |
| 20 | Foreword: "The PI3-kinase/Akt pathway: From signaling to diseases". <i>Advances in Biological Regulation</i> , 2015 , 59, 1-3 | 6.2 | 9 |
| 19 | Effect of chronic estradiol plus progesterone treatment on experimental arterial and venous thrombosis in mouse. <i>PLoS ONE</i> , 2017 , 12, e0177043 | 3.7 | 9 |
| 18 | Protective Hematopoietic Effect of Estrogens in a Mouse Model of Thrombosis: Respective Roles of Nuclear Versus Membrane Estrogen Receptor []Endocrinology, 2015, 156, 4293-301 | 4.8 | 7 |
| 17 | Acetylsalicylic acid differentially limits the activation and expression of cell death markers in human platelets exposed to Staphylococcus aureus strains. <i>Scientific Reports</i> , 2017 , 7, 5610 | 4.9 | 7 |
| 16 | The platelet cytoskeleton regulates the aggregation-dependent synthesis of phosphatidylinositol 3,4-bisphosphate induced by thrombin. <i>FEBS Letters</i> , 2000 , 466, 355-8 | 3.8 | 7 |
| 15 | pp60c-src associates with the SH2-containing inositol-5-phosphatase SHIP1 and is involved in its tyrosine phosphorylation downstream of IbB integrin in human platelets. <i>Biochemical Journal</i> , 2000 , 348, 107 | 3.8 | 6 |
| 14 | The lipid products of phosphoinositide 3-kinase isoforms in cancer and thrombosis. <i>Cancer and Metastasis Reviews</i> , 2018 , 37, 477-489 | 9.6 | 5 |
| 13 | Platelet Adhesion and Thrombus Formation in Whole Blood at Arterial Shear Rate at the End of Pregnancy. <i>American Journal of Reproductive Immunology</i> , 2015 , 74, 533-41 | 3.8 | 5 |
| 12 | Myotubularins and associated neuromuscular diseases. Clinical Lipidology, 2012, 7, 151-162 | | 5 |
| 11 | The antagonist properties of Bazedoxifene after acute treatment are shifted to stimulatory action after chronic exposure in the liver but not in the uterus. <i>Molecular and Cellular Endocrinology</i> , 2018 , 472, 87-96 | 4.4 | 4 |

| 10 | Dysregulation of myelin synthesis and actomyosin function underlies aberrant myelin in CMT4B1 neuropathy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118, | 11.5 | 4 |
|----|---|-------------------|---|
| 9 | Pathophysiology of inherited platelet disorders. <i>Hematologie</i> , 2014 , 20, 20-35 | Ο | 3 |
| 8 | Expression of myotubularins in blood platelets: Characterization and potential diagnostic of X-linked myotubular myopathy. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 476, 167-7 | 3 ³ ·4 | 3 |
| 7 | Phosphoinositide 3-kinases in platelets, thrombosis and therapeutics. <i>Biochemical Journal</i> , 2020 , 477, 4327-4342 | 3.8 | 2 |
| 6 | La kinase FRAP/mTOR : une nouvelle cible dans le traitement des cancers dBendants de la voie PI3-kinase/PTEN. <i>Medecine/Sciences</i> , 2002 , 18, 137-139 | | 0 |
| 5 | Nuclear imaging of thrombosis in small animal. <i>Platelets</i> , 2017 , 28, 643-648 | 3.6 | |
| 4 | Protein-Lipid Interaction by Fluorescence (PLIF) to Characterize and Screen for Inhibitors of Protein-Phosphoinositide Interactions. <i>Current Protocols in Protein Science</i> , 2017 , 89, 19.31.1-19.31.10 | 3.1 | |
| 3 | Pathophysiology of inherited platelet disorders. Sang Thrombose Vaisseaux, 2014, 26, 300-316 | 3 | |
| 2 | Nouvelles moltules cibles et modulation des fonctions plaquettaires: anticiper, dfhontrer, gfler, utiliser. <i>Hematologie</i> , 2010 , 16, 345-354 | O | |
| | | | |