

Shukri F Mohamed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6555473/publications.pdf>

Version: 2024-02-01

40
papers

1,108
citations

516710

16
h-index

434195

31
g-index

42
all docs

42
docs citations

42
times ranked

1522
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Impact of the societal response to COVID-19 on access to healthcare for non-COVID-19 health issues in slum communities of Bangladesh, Kenya, Nigeria and Pakistan: results of pre-COVID and COVID-19 lockdown stakeholder engagements. <i>BMJ Global Health</i> , 2020, 5, e003042. | 4.7 | 215 |
| 2 | Genomic and environmental risk factors for cardiometabolic diseases in Africa: methods used for Phase 1 of the AWI-Gen population cross-sectional study. <i>Global Health Action</i> , 2018, 11, 1507133. | 1.9 | 82 |
| 3 | Non-communicable disease prevention policy process in five African countries authors. <i>BMC Public Health</i> , 2018, 18, 961. | 2.9 | 71 |
| 4 | Prevalence, awareness, treatment and control of hypertension and their determinants: results from a national survey in Kenya. <i>BMC Public Health</i> , 2018, 18, 1219. | 2.9 | 66 |
| 5 | Prevalence and factors associated with pre-diabetes and diabetes mellitus in Kenya: results from a national survey. <i>BMC Public Health</i> , 2018, 18, 1215. | 2.9 | 63 |
| 6 | Unsafe abortion in Kenya: a cross-sectional study of abortion complication severity and associated factors. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 34. | 2.4 | 56 |
| 7 | Kidney damage and associated risk factors in rural and urban sub-Saharan Africa (AWI-Gen): a cross-sectional population study. <i>The Lancet Global Health</i> , 2019, 7, e1632-e1643. | 6.3 | 56 |
| 8 | The estimated incidence of induced abortion in Kenya: a cross-sectional study. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 185. | 2.4 | 53 |
| 9 | Multi-sectoral action in non-communicable disease prevention policy development in five African countries. <i>BMC Public Health</i> , 2018, 18, 953. | 2.9 | 45 |
| 10 | Analysis of Non-communicable disease prevention policies in five Sub-Saharan African countries: Study protocol. <i>Archives of Public Health</i> , 2016, 74, 25. | 2.4 | 34 |
| 11 | First Africa non-communicable disease research conference 2017: sharing evidence and identifying research priorities. <i>Journal of Global Health</i> , 2019, 8, 020301. | 2.7 | 34 |
| 12 | Hypertension prevalence, awareness, treatment, and control and predicted 10-year CVD risk: a cross-sectional study of seven communities in East and West Africa (SevenCEWA). <i>BMC Public Health</i> , 2020, 20, 1706. | 2.9 | 34 |
| 13 | Individual and household level factors associated with presence of multiple non-communicable disease risk factors in Kenyan adults. <i>BMC Public Health</i> , 2018, 18, 1220. | 2.9 | 30 |
| 14 | Facilitators and barriers in the formulation and implementation of tobacco control policies in Kenya: a qualitative study. <i>BMC Public Health</i> , 2018, 18, 960. | 2.9 | 27 |
| 15 | Analysis of OpenStreetMap Data Quality at Different Stages of a Participatory Mapping Process: Evidence from Slums in Africa and Asia. <i>ISPRS International Journal of Geo-Information</i> , 2021, 10, 265. | 2.9 | 21 |
| 16 | Sociodemographic and behavioural factors associated with body mass index among men and women in Nairobi slums: AWI-Gen Project. <i>Global Health Action</i> , 2018, 11, 1470738. | 1.9 | 19 |
| 17 | Influence of the WHO framework convention on tobacco control on tobacco legislation and policies in sub-Saharan Africa. <i>BMC Public Health</i> , 2018, 18, 954. | 2.9 | 16 |
| 18 | Prevalence and factors associated with health insurance coverage in resource-poor urban settings in Nairobi, Kenya: a cross-sectional study. <i>BMJ Open</i> , 2019, 9, e031543. | 1.9 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Magnitude and predictors of normal-weight central obesity—the AWI-Gen study findings. <i>Global Health Action</i> , 2019, 12, 1685809. | 1.9 | 16 |
| 20 | Prevalence and socio-demographic correlates of tobacco and alcohol use in four sub-Saharan African countries: a cross-sectional study of middle-aged adults. <i>BMC Public Health</i> , 2021, 21, 1126. | 2.9 | 16 |
| 21 | Ethnicity and breast cancer characteristics in Kenya. <i>Breast Cancer Research and Treatment</i> , 2018, 167, 425-437. | 2.5 | 13 |
| 22 | Poor cardiovascular health is associated with subclinical atherosclerosis in apparently healthy sub-Saharan African populations: an H3Africa AWI-Gen study. <i>BMC Medicine</i> , 2021, 19, 30. | 5.5 | 13 |
| 23 | Uncontrolled hypertension among patients with comorbidities in sub-Saharan Africa: protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2020, 9, 16. | 5.3 | 11 |
| 24 | Multimorbidity from Chronic Conditions among Adults in Urban Slums: The AWI-Gen Nairobi Site Study Findings. <i>Global Heart</i> , 2021, 16, 6. | 2.3 | 11 |
| 25 | A qualitative inquiry of access to and quality of primary healthcare in seven communities in East and West Africa (SevenCEWA): perspectives of stakeholders, healthcare providers and users. <i>BMC Family Practice</i> , 2021, 22, 45. | 2.9 | 9 |
| 26 | Estimating the burden of cardiovascular risk in community dwellers over 40 years old in South Africa, Kenya, Burkina Faso and Ghana. <i>BMJ Global Health</i> , 2021, 6, e003499. | 4.7 | 9 |
| 27 | Patterns of non-communicable disease and injury risk factors in Kenyan adult population: a cluster analysis. <i>BMC Public Health</i> , 2018, 18, 1225. | 2.9 | 8 |
| 28 | Nutrition-related non-communicable disease and sugar-sweetened beverage policies: a landscape analysis in Kenya. <i>Global Health Action</i> , 2021, 14, 1902659. | 1.9 | 8 |
| 29 | Prevalence of uncontrolled hypertension in people with comorbidities in sub-Saharan Africa: a systematic review and meta-analysis. <i>BMJ Open</i> , 2021, 11, e045880. | 1.9 | 8 |
| 30 | Carotid Atherosclerosis, Microalbuminuria, and Estimated 10-Year Atherosclerotic Cardiovascular Disease Risk in Sub-Saharan Africa. <i>JAMA Network Open</i> , 2022, 5, e227559. | 5.9 | 8 |
| 31 | Poverty and Uneven Food Security in Urban Slums. , 2016, , 97-111. | | 5 |
| 32 | Socioeconomic inequality in tobacco use in Kenya: a concentration analysis. <i>International Journal of Health Economics and Management</i> , 2021, 21, 247-269. | 1.1 | 5 |
| 33 | Reframing Non-Communicable Diseases and Injuries for Equity in the Era of Universal Health Coverage: Findings and Recommendations from the Kenya NCDI Poverty Commission. <i>Annals of Global Health</i> , 2021, 87, 3. | 2.0 | 4 |
| 34 | Perspectives on returning individual and aggregate genomic research results to study participants and communities in Kenya: a qualitative study. <i>BMC Medical Ethics</i> , 2022, 23, 27. | 2.4 | 3 |
| 35 | Complete and on-time routine childhood immunisation: determinants and association with severe morbidity in urban informal settlements, Nairobi, Kenya. <i>Annals of Human Biology</i> , 2020, 47, 132-141. | 1.0 | 2 |
| 36 | Adiposity Phenotypes and Subclinical Atherosclerosis in Adults from Sub-Saharan Africa: An H3Africa AWI-Gen Study. <i>Global Heart</i> , 2021, 16, 19. | 2.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Willingness and ability to pay for healthcare insurance: A cross-sectional study of Seven Communities in East and West Africa (SevenCEWA). PLOS Global Public Health, 2021, 1, e0000057. | 1.6 | 2 |
| 38 | One Hundred Years of Hypertension Research: Topic Modeling Study. JMIR Formative Research, 2022, 6, e31292. | 1.4 | 1 |
| 39 | Economic valuation of setting up a social health enterprise in urban poor-resource setting in Kenya. Social Science and Medicine, 2020, 266, 113294. | 3.8 | 0 |
| 40 | Trends and risk factors for non-communicable diseases mortality in Nairobi slums (2008â€“2017). Global Epidemiology, 2021, 3, 100049. | 1.5 | 0 |