

Shukri F Mohamed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6555473/publications.pdf>

Version: 2024-02-01

40
papers

1,108
citations

516710

16
h-index

434195

31
g-index

42
all docs

42
docs citations

42
times ranked

1522
citing authors

#	ARTICLE	IF	CITATIONS
1	Perspectives on returning individual and aggregate genomic research results to study participants and communities in Kenya: a qualitative study. <i>BMC Medical Ethics</i> , 2022, 23, 27.	2.4	3
2	Carotid Atherosclerosis, Microalbuminuria, and Estimated 10-Year Atherosclerotic Cardiovascular Disease Risk in Sub-Saharan Africa. <i>JAMA Network Open</i> , 2022, 5, e227559.	5.9	8
3	One Hundred Years of Hypertension Research: Topic Modeling Study. <i>JMIR Formative Research</i> , 2022, 6, e31292.	1.4	1
4	Multimorbidity from Chronic Conditions among Adults in Urban Slums: The AWI-Gen Nairobi Site Study Findings. <i>Global Heart</i> , 2021, 16, 6.	2.3	11
5	Socioeconomic inequality in tobacco use in Kenya: a concentration analysis. <i>International Journal of Health Economics and Management</i> , 2021, 21, 247-269.	1.1	5
6	Nutrition-related non-communicable disease and sugar-sweetened beverage policies: a landscape analysis in Kenya. <i>Global Health Action</i> , 2021, 14, 1902659.	1.9	8
7	Poor cardiovascular health is associated with subclinical atherosclerosis in apparently healthy sub-Saharan African populations: an H3Africa AWI-Gen study. <i>BMC Medicine</i> , 2021, 19, 30.	5.5	13
8	A qualitative inquiry of access to and quality of primary healthcare in seven communities in East and West Africa (SevenCEWA): perspectives of stakeholders, healthcare providers and users. <i>BMC Family Practice</i> , 2021, 22, 45.	2.9	9
9	Adiposity Phenotypes and Subclinical Atherosclerosis in Adults from Sub-Saharan Africa: An H3Africa AWI-Gen Study. <i>Global Heart</i> , 2021, 16, 19.	2.3	2
10	Analysis of OpenStreetMap Data Quality at Different Stages of a Participatory Mapping Process: Evidence from Slums in Africa and Asia. <i>ISPRS International Journal of Geo-Information</i> , 2021, 10, 265.	2.9	21
11	Prevalence and socio-demographic correlates of tobacco and alcohol use in four sub-Saharan African countries: a cross-sectional study of middle-aged adults. <i>BMC Public Health</i> , 2021, 21, 1126.	2.9	16
12	Trends and risk factors for non-communicable diseases mortality in Nairobi slums (2008-2017). <i>Global Epidemiology</i> , 2021, 3, 100049.	1.5	0
13	Estimating the burden of cardiovascular risk in community dwellers over 40 years old in South Africa, Kenya, Burkina Faso and Ghana. <i>BMJ Global Health</i> , 2021, 6, e003499.	4.7	9
14	Reframing Non-Communicable Diseases and Injuries for Equity in the Era of Universal Health Coverage: Findings and Recommendations from the Kenya NCDI Poverty Commission. <i>Annals of Global Health</i> , 2021, 87, 3.	2.0	4
15	Willingness and ability to pay for healthcare insurance: A cross-sectional study of Seven Communities in East and West Africa (SevenCEWA). <i>PLOS Global Public Health</i> , 2021, 1, e0000057.	1.6	2
16	Prevalence of uncontrolled hypertension in people with comorbidities in sub-Saharan Africa: a systematic review and meta-analysis. <i>BMJ Open</i> , 2021, 11, e045880.	1.9	8
17	Hypertension prevalence, awareness, treatment, and control and predicted 10-year CVD risk: a cross-sectional study of seven communities in East and West Africa (SevenCEWA). <i>BMC Public Health</i> , 2020, 20, 1706.	2.9	34
18	Economic valuation of setting up a social health enterprise in urban poor-resource setting in Kenya. <i>Social Science and Medicine</i> , 2020, 266, 113294.	3.8	0

#	ARTICLE	IF	CITATIONS
19	Impact of the societal response to COVID-19 on access to healthcare for non-COVID-19 health issues in slum communities of Bangladesh, Kenya, Nigeria and Pakistan: results of pre-COVID and COVID-19 lockdown stakeholder engagements. <i>BMJ Global Health</i> , 2020, 5, e003042.	4.7	215
20	Complete and on-time routine childhood immunisation: determinants and association with severe morbidity in urban informal settlements, Nairobi, Kenya. <i>Annals of Human Biology</i> , 2020, 47, 132-141.	1.0	2
21	Uncontrolled hypertension among patients with comorbidities in sub-Saharan Africa: protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2020, 9, 16.	5.3	11
22	Kidney damage and associated risk factors in rural and urban sub-Saharan Africa (AWI-Gen): a cross-sectional population study. <i>The Lancet Global Health</i> , 2019, 7, e1632-e1643.	6.3	56
23	First Africa non-communicable disease research conference 2017: sharing evidence and identifying research priorities. <i>Journal of Global Health</i> , 2019, 8, 020301.	2.7	34
24	Prevalence and factors associated with health insurance coverage in resource-poor urban settings in Nairobi, Kenya: a cross-sectional study. <i>BMJ Open</i> , 2019, 9, e031543.	1.9	16
25	Magnitude and predictors of normal-weight central obesity – the AWI-Gen study findings. <i>Global Health Action</i> , 2019, 12, 1685809.	1.9	16
26	Ethnicity and breast cancer characteristics in Kenya. <i>Breast Cancer Research and Treatment</i> , 2018, 167, 425-437.	2.5	13
27	Prevalence, awareness, treatment and control of hypertension and their determinants: results from a national survey in Kenya. <i>BMC Public Health</i> , 2018, 18, 1219.	2.9	66
28	Prevalence and factors associated with pre-diabetes and diabetes mellitus in Kenya: results from a national survey. <i>BMC Public Health</i> , 2018, 18, 1215.	2.9	63
29	Individual and household level factors associated with presence of multiple non-communicable disease risk factors in Kenyan adults. <i>BMC Public Health</i> , 2018, 18, 1220.	2.9	30
30	Patterns of non-communicable disease and injury risk factors in Kenyan adult population: a cluster analysis. <i>BMC Public Health</i> , 2018, 18, 1225.	2.9	8
31	Genomic and environmental risk factors for cardiometabolic diseases in Africa: methods used for Phase 1 of the AWI-Gen population cross-sectional study. <i>Global Health Action</i> , 2018, 11, 1507133.	1.9	82
32	Multi-sectoral action in non-communicable disease prevention policy development in five African countries. <i>BMC Public Health</i> , 2018, 18, 953.	2.9	45
33	Influence of the WHO framework convention on tobacco control on tobacco legislation and policies in sub-Saharan Africa. <i>BMC Public Health</i> , 2018, 18, 954.	2.9	16
34	Facilitators and barriers in the formulation and implementation of tobacco control policies in Kenya: a qualitative study. <i>BMC Public Health</i> , 2018, 18, 960.	2.9	27
35	Non-communicable disease prevention policy process in five African countries authors. <i>BMC Public Health</i> , 2018, 18, 961.	2.9	71
36	Sociodemographic and behavioural factors associated with body mass index among men and women in Nairobi slums: AWI-Gen Project. <i>Global Health Action</i> , 2018, 11, 1470738.	1.9	19

#	ARTICLE	IF	CITATIONS
37	Poverty and Uneven Food Security in Urban Slums. , 2016, , 97-111.		5
38	Analysis of Non-communicable disease prevention policies in five Sub-Saharan African countries: Study protocol. Archives of Public Health, 2016, 74, 25.	2.4	34
39	Unsafe abortion in Kenya: a cross-sectional study of abortion complication severity and associated factors. BMC Pregnancy and Childbirth, 2015, 15, 34.	2.4	56
40	The estimated incidence of induced abortion in Kenya: a cross-sectional study. BMC Pregnancy and Childbirth, 2015, 15, 185.	2.4	53