

# Zheng-Sheng Wu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6556597/publications.pdf>

Version: 2024-02-01

55  
papers

2,041  
citations

236925

25  
h-index

243625

44  
g-index

59  
all docs

59  
docs citations

59  
times ranked

3809  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic significance of MMP-9 and TIMP-1 serum and tissue expression in breast cancer. <i>International Journal of Cancer</i> , 2008, 122, 2050-2056.	5.1	221
2	miR-340 inhibition of breast cancer cell migration and invasion through targeting of oncoprotein c-Met. <i>Cancer</i> , 2011, 117, 2842-2852.	4.1	180
3	XIAP inhibits autophagy via XIAP-Mdm2-p53 signalling. <i>EMBO Journal</i> , 2013, 32, 2204-2216.	7.8	120
4	The number of polyploid giant cancer cells and epithelial-mesenchymal transition-related proteins are associated with invasion and metastasis in human breast cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2015, 34, 158.	8.6	116
5	MiR-339-5p inhibits breast cancer cell migration and invasion in vitro and may be a potential biomarker for breast cancer prognosis. <i>BMC Cancer</i> , 2010, 10, 542.	2.6	104
6	Loss of miR-133a expression associated with poor survival of breast cancer and restoration of miR-133a expression inhibited breast cancer cell growth and invasion. <i>BMC Cancer</i> , 2012, 12, 51.	2.6	87
7	Autocrine Human Growth Hormone Stimulates Oncogenicity of Endometrial Carcinoma Cells. <i>Endocrinology</i> , 2008, 149, 3909-3919.	2.8	80
8	Tumor Expression of Human Growth Hormone and Human Prolactin Predict a Worse Survival Outcome in Patients with Mammary or Endometrial Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1619-E1629.	3.6	72
9	HOXB7 Is an ER- Cofactor in the Activation of HER2 and Multiple ER Target Genes Leading to Endocrine Resistance. <i>Cancer Discovery</i> , 2015, 5, 944-959.	9.4	72
10	STAT3 activation in monocytes accelerates liver cancer progression. <i>BMC Cancer</i> , 2011, 11, 506.	2.6	64
11	CCAR1 5' UTR as a natural miRancer of miR-1254 overrides tamoxifen resistance. <i>Cell Research</i> , 2016, 26, 655-673.	12.0	62
12	Trefoil factor 3 promotes metastatic seeding and predicts poor survival outcome of patients with mammary carcinoma. <i>Breast Cancer Research</i> , 2014, 16, 429.	5.0	49
13	Artemin Stimulates Oncogenicity and Invasiveness of Human Endometrial Carcinoma Cells. <i>Endocrinology</i> , 2010, 151, 909-920.	2.8	43
14	ARTEMIN synergizes with TWIST1 to promote metastasis and poor survival outcome in patients with ER negative mammary carcinoma. <i>Breast Cancer Research</i> , 2011, 13, R112.	5.0	41
15	GSE1 predicts poor survival outcome in gastric cancer patients by SLC7A5 enhancement of tumor growth and metastasis. <i>Journal of Biological Chemistry</i> , 2018, 293, 3949-3964.	3.4	39
16	Prognostic significance of the expression of GFR-1, GFR-3 and Syndecan-3, proteins binding ARTEMIN, in mammary carcinoma. <i>BMC Cancer</i> , 2013, 13, 34.	2.6	35
17	MiR-26a performs converse roles in proliferation and metastasis of different gastric cancer cells via regulating of PTEN expression. <i>Pathology Research and Practice</i> , 2017, 213, 467-475.	2.3	35
18	Post-transcriptional regulation of ERBB2 by miR26a/b and HuR confers resistance to tamoxifen in estrogen receptor-positive breast cancer cells. <i>Journal of Biological Chemistry</i> , 2017, 292, 13551-13564.	3.4	34

#	ARTICLE	IF	CITATIONS
19	Trefoil factor 3 mediation of oncogenicity and chemoresistance in hepatocellular carcinoma is AKT-BCL-2 dependent. <i>Oncotarget</i> , 2017, 8, 39323-39344.	1.8	34
20	B-cell lymphoma 6 protein stimulates oncogenicity of human breast cancer cells. <i>BMC Cancer</i> , 2014, 14, 418.	2.6	33
21	XIAP facilitates breast and colon carcinoma growth via promotion of p62 depletion through ubiquitination-dependent proteasomal degradation. <i>Oncogene</i> , 2019, 38, 1448-1460.	5.9	32
22	Tumour-Derived Human Growth Hormone As a Therapeutic Target in Oncology. <i>Trends in Endocrinology and Metabolism</i> , 2017, 28, 587-596.	7.1	31
23	Artemin Reduces Sensitivity to Doxorubicin and Paclitaxel in Endometrial Carcinoma Cells through Specific Regulation of CD24. <i>Translational Oncology</i> , 2010, 3, 218-IN5.	3.7	30
24	Artemin, a Member of the Glial Cell Line-derived Neurotrophic Factor Family of Ligands, Is HER2-regulated and Mediates Acquired Trastuzumab Resistance by Promoting Cancer Stem Cell-like Behavior in Mammary Carcinoma Cells. <i>Journal of Biological Chemistry</i> , 2014, 289, 16057-16071.	3.4	27
25	CORO1C expression is associated with poor survival rates in gastric cancer and promotes metastasis <i>in vitro</i> . <i>FEBS Open Bio</i> , 2019, 9, 1097-1108.	2.3	27
26	Trefoil Factor-3 (TFF3) Stimulates De Novo Angiogenesis in Mammary Carcinoma both Directly and Indirectly via IL-8/CXCR2. <i>PLoS ONE</i> , 2015, 10, e0141947.	2.5	27
27	Clinical significance of autophagic protein LC3 levels and its correlation with XIAP expression in hepatocellular carcinoma. <i>Medical Oncology</i> , 2014, 31, 108.	2.5	24
28	Autocrine Prolactin Stimulates Endometrial Carcinoma Growth and Metastasis and Reduces Sensitivity to Chemotherapy. <i>Endocrinology</i> , 2017, 158, 1595-1611.	2.8	23
29	Prognostic significance of phosphorylated signal transducer and activator of transcription 3 and suppressor of cytokine signaling 3 expression in hepatocellular carcinoma. <i>Experimental and Therapeutic Medicine</i> , 2011, 2, 647-653.	1.8	21
30	Autocrine human growth hormone stimulates the tumor initiating capacity and metastasis of estrogen receptor-negative mammary carcinoma cells. <i>Cancer Letters</i> , 2015, 365, 182-189.	7.2	20
31	Prognostic significance of phosphorylated signal transducer and activator of transcription 3 and suppressor of cytokine signaling 3 expression in human cutaneous melanoma. <i>Melanoma Research</i> , 2011, 21, 483-490.	1.2	19
32	A novel small-molecule inhibitor of trefoil factor 3 (TFF3) potentiates MEK1/2 inhibition in lung adenocarcinoma. <i>Oncogenesis</i> , 2019, 8, 65.	4.9	18
33	MiR-23a modulates X-linked inhibitor of apoptosis-mediated autophagy in human luminal breast cancer cell lines. <i>Oncotarget</i> , 2017, 8, 80709-80721.	1.8	17
34	Expression of and correlation between BCL6 and ZEB family members in patients with breast cancer. <i>Experimental and Therapeutic Medicine</i> , 2017, 14, 3985-3992.	1.8	16
35	Loss of Suppressors of Cytokine Signaling 3 Promotes Aggressiveness in Hepatocellular Carcinoma. <i>Journal of Investigative Surgery</i> , 2014, 27, 197-204.	1.3	15
36	Prolactin Inhibits BCL6 Expression in Breast Cancer Cells through a MicroRNA-339-5p-Dependent Pathway. <i>Journal of Breast Cancer</i> , 2016, 19, 26.	1.9	15

#	ARTICLE	IF	CITATIONS
37	Autocrine hGH stimulates oncogenicity, epithelial-mesenchymal transition and cancer stem cell-like behavior in human colorectal carcinoma. <i>Oncotarget</i> , 2017, 8, 103900-103918.	1.8	15
38	Trefoil Factor 3 as a Novel Biomarker to Distinguish Between Adenocarcinoma and Squamous Cell Carcinoma. <i>Medicine (United States)</i> , 2015, 94, e860.	1.0	14
39	&lt;p&gt;NUDT21 Suppresses Breast Cancer Tumorigenesis Through Regulating CPSF6 Expression&lt;/p&gt;. <i>Cancer Management and Research</i> , 2020, Volume 12, 3069-3078.	1.9	13
40	<i>PCBP2</i> Posttranscriptional Modifications Induce Breast Cancer Progression via Upregulation of UFD1 and NT5E. <i>Molecular Cancer Research</i> , 2021, 19, 86-98.	3.4	13
41	Hypomethylation associated enhanced transcription of trefoil factor-3 mediates tamoxifen-stimulated oncogenicity of ER+ endometrial carcinoma cells. <i>Oncotarget</i> , 2017, 8, 77268-77291.	1.8	12
42	Deubiquitylase OTUD6B stabilizes the mutated pVHL and suppresses cell migration in clear cell renal cell carcinoma. <i>Cell Death and Disease</i> , 2022, 13, 97.	6.3	11
43	Expression of two non-mutated genetic elements is sufficient to stimulate oncogenic transformation of human mammary epithelial cells. <i>Cell Death and Disease</i> , 2018, 9, 1147.	6.3	10
44	The oncogenic impact of RNF2 on cell proliferation, invasion and migration through EMT on mammary carcinoma. <i>Pathology Research and Practice</i> , 2019, 215, 152523.	2.3	10
45	Bioinformatics analysis to screen key prognostic genes in the breast cancer tumor microenvironment. <i>Bioengineered</i> , 2020, 11, 1280-1300.	3.2	10
46	Systematic investigation of biomarker-like role of ARHGDI1 in breast cancer. <i>Cancer Biomarkers</i> , 2020, 28, 101-110.	1.7	10
47	NUDT21 Promotes Tumor Growth and Metastasis Through Modulating SGPP2 in Human Gastric Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 670353.	2.8	6
48	Solitary Necrotic Nodule of the Liver: A Report of Two Cases and Review of the Literature. <i>Case Reports in Hepatology</i> , 2011, 2011, 1-4.	0.7	5
49	XIAP 3â€²-untranslated region serves as a competitor for HMGA2 by arresting endogenous let-7a-5p in human hepatocellular carcinoma. <i>Tumor Biology</i> , 2017, 39, 101042831771957.	1.8	5
50	CMIP promotes Herceptin resistance of HER2 positive gastric cancer cells. <i>Pathology Research and Practice</i> , 2020, 216, 152776.	2.3	5
51	Pan-Cancer Prognostic Role and Targeting Potential of the Estrogen-Progesterone Axis. <i>Frontiers in Oncology</i> , 2021, 11, 636365.	2.8	4
52	ARTEMIS Promotes Oncogenicity and Resistance to 5-Fluorouracil in Colorectal Carcinoma by p44/42 MAPK Dependent Expression of CDH2. <i>Frontiers in Oncology</i> , 2021, 11, 712348.	2.8	3
53	Predicted the <i>P2RX7</i> rs3751143 polymorphism is associated with cancer risk: a meta-analysis and systematic review. <i>Bioscience Reports</i> , 2021, 41, .	2.4	2
54	Immunohistochemical assessment of autophagic protein LC3B and p62 levels in glioma patients. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 862-868.	0.5	2

#	ARTICLE	IF	CITATIONS
55	Clinical Relevance and Prognostic Value of the Neuronal Protein Neuroligin 2 in Breast Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 630257.	2.8	1