

Zheng-Sheng Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6556597/publications.pdf>

Version: 2024-02-01

55
papers

2,041
citations

236925

25
h-index

243625

44
g-index

59
all docs

59
docs citations

59
times ranked

3809
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Deubiquitylase OTUD6B stabilizes the mutated pVHL and suppresses cell migration in clear cell renal cell carcinoma. <i>Cell Death and Disease</i> , 2022, 13, 97. | 6.3 | 11 |
| 2 | <i>PCBP2</i> Posttranscriptional Modifications Induce Breast Cancer Progression via Upregulation of UFD1 and NT5E. <i>Molecular Cancer Research</i> , 2021, 19, 86-98. | 3.4 | 13 |
| 3 | Predicted the <i>P2RX7</i> rs3751143 polymorphism is associated with cancer risk: a meta-analysis and systematic review. <i>Bioscience Reports</i> , 2021, 41, . | 2.4 | 2 |
| 4 | Pan-Cancer Prognostic Role and Targeting Potential of the Estrogen-Progesterone Axis. <i>Frontiers in Oncology</i> , 2021, 11, 636365. | 2.8 | 4 |
| 5 | ARTEMIN Promotes Oncogenicity and Resistance to 5-Fluorouracil in Colorectal Carcinoma by p44/42 MAPK Dependent Expression of CDH2. <i>Frontiers in Oncology</i> , 2021, 11, 712348. | 2.8 | 3 |
| 6 | NUDT21 Promotes Tumor Growth and Metastasis Through Modulating SGPP2 in Human Gastric Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 670353. | 2.8 | 6 |
| 7 | Clinical Relevance and Prognostic Value of the Neuronal Protein Neuroligin 2 in Breast Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 630257. | 2.8 | 1 |
| 8 | CMIP promotes Herceptin resistance of HER2 positive gastric cancer cells. <i>Pathology Research and Practice</i> , 2020, 216, 152776. | 2.3 | 5 |
| 9 | Bioinformatics analysis to screen key prognostic genes in the breast cancer tumor microenvironment. <i>Bioengineered</i> , 2020, 11, 1280-1300. | 3.2 | 10 |
| 10 | <i>NUDT21</i> Suppresses Breast Cancer Tumorigenesis Through Regulating CPSF6 Expression. <i>Cancer Management and Research</i> , 2020, Volume 12, 3069-3078. | 1.9 | 13 |
| 11 | Systematic investigation of biomarker-like role of ARHGDI1 in breast cancer. <i>Cancer Biomarkers</i> , 2020, 28, 101-110. | 1.7 | 10 |
| 12 | The oncogenic impact of RNF2 on cell proliferation, invasion and migration through EMT on mammary carcinoma. <i>Pathology Research and Practice</i> , 2019, 215, 152523. | 2.3 | 10 |
| 13 | A novel small-molecule inhibitor of trefoil factor 3 (TFF3) potentiates MEK1/2 inhibition in lung adenocarcinoma. <i>Oncogenesis</i> , 2019, 8, 65. | 4.9 | 18 |
| 14 | CORO1C expression is associated with poor survival rates in gastric cancer and promotes metastasis <i>in vitro</i> . <i>FEBS Open Bio</i> , 2019, 9, 1097-1108. | 2.3 | 27 |
| 15 | XIAP facilitates breast and colon carcinoma growth via promotion of p62 depletion through ubiquitination-dependent proteasomal degradation. <i>Oncogene</i> , 2019, 38, 1448-1460. | 5.9 | 32 |
| 16 | GSE1 predicts poor survival outcome in gastric cancer patients by SLC7A5 enhancement of tumor growth and metastasis. <i>Journal of Biological Chemistry</i> , 2018, 293, 3949-3964. | 3.4 | 39 |
| 17 | Expression of two non-mutated genetic elements is sufficient to stimulate oncogenic transformation of human mammary epithelial cells. <i>Cell Death and Disease</i> , 2018, 9, 1147. | 6.3 | 10 |
| 18 | Immunohistochemical assessment of autophagic protein LC3B and p62 levels in glioma patients. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 862-868. | 0.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | MiR-26a performs converse roles in proliferation and metastasis of different gastric cancer cells via regulating of PTEN expression. <i>Pathology Research and Practice</i> , 2017, 213, 467-475. | 2.3 | 35 |
| 20 | Tumour-Derived Human Growth Hormone As a Therapeutic Target in Oncology. <i>Trends in Endocrinology and Metabolism</i> , 2017, 28, 587-596. | 7.1 | 31 |
| 21 | Post-transcriptional regulation of ERBB2 by miR26a/b and HuR confers resistance to tamoxifen in estrogen receptor-positive breast cancer cells. <i>Journal of Biological Chemistry</i> , 2017, 292, 13551-13564. | 3.4 | 34 |
| 22 | XIAP 3' UTR untranslated region serves as a competitor for HMGA2 by arresting endogenous let-7a-5p in human hepatocellular carcinoma. <i>Tumor Biology</i> , 2017, 39, 101042831771957. | 1.8 | 5 |
| 23 | Autocrine Prolactin Stimulates Endometrial Carcinoma Growth and Metastasis and Reduces Sensitivity to Chemotherapy. <i>Endocrinology</i> , 2017, 158, 1595-1611. | 2.8 | 23 |
| 24 | Expression of and correlation between BCL6 and ZEB family members in patients with breast cancer. <i>Experimental and Therapeutic Medicine</i> , 2017, 14, 3985-3992. | 1.8 | 16 |
| 25 | Trefoil factor 3 mediation of oncogenicity and chemoresistance in hepatocellular carcinoma is AKT-BCL-2 dependent. <i>Oncotarget</i> , 2017, 8, 39323-39344. | 1.8 | 34 |
| 26 | Hypomethylation associated enhanced transcription of trefoil factor-3 mediates tamoxifen-stimulated oncogenicity of ER+ endometrial carcinoma cells. <i>Oncotarget</i> , 2017, 8, 77268-77291. | 1.8 | 12 |
| 27 | miR-23a modulates X-linked inhibitor of apoptosis-mediated autophagy in human luminal breast cancer cell lines. <i>Oncotarget</i> , 2017, 8, 80709-80721. | 1.8 | 17 |
| 28 | Autocrine hGH stimulates oncogenicity, epithelial-mesenchymal transition and cancer stem cell-like behavior in human colorectal carcinoma. <i>Oncotarget</i> , 2017, 8, 103900-103918. | 1.8 | 15 |
| 29 | Prolactin Inhibits BCL6 Expression in Breast Cancer Cells through a MicroRNA-339-5p-Dependent Pathway. <i>Journal of Breast Cancer</i> , 2016, 19, 26. | 1.9 | 15 |
| 30 | CCAR1 5' UTR as a natural miRancer of miR-1254 overrides tamoxifen resistance. <i>Cell Research</i> , 2016, 26, 655-673. | 12.0 | 62 |
| 31 | The number of polyploid giant cancer cells and epithelial-mesenchymal transition-related proteins are associated with invasion and metastasis in human breast cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2015, 34, 158. | 8.6 | 116 |
| 32 | Trefoil Factor 3 as a Novel Biomarker to Distinguish Between Adenocarcinoma and Squamous Cell Carcinoma. <i>Medicine (United States)</i> , 2015, 94, e860. | 1.0 | 14 |
| 33 | Autocrine human growth hormone stimulates the tumor initiating capacity and metastasis of estrogen receptor-negative mammary carcinoma cells. <i>Cancer Letters</i> , 2015, 365, 182-189. | 7.2 | 20 |
| 34 | HOXB7 Is an ER± Cofactor in the Activation of HER2 and Multiple ER Target Genes Leading to Endocrine Resistance. <i>Cancer Discovery</i> , 2015, 5, 944-959. | 9.4 | 72 |
| 35 | Trefoil Factor-3 (TFF3) Stimulates De Novo Angiogenesis in Mammary Carcinoma both Directly and Indirectly via IL-8/CXCR2. <i>PLoS ONE</i> , 2015, 10, e0141947. | 2.5 | 27 |
| 36 | Trefoil factor 3 promotes metastatic seeding and predicts poor survival outcome of patients with mammary carcinoma. <i>Breast Cancer Research</i> , 2014, 16, 429. | 5.0 | 49 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Loss of Suppressors of Cytokine Signaling 3 Promotes Aggressiveness in Hepatocellular Carcinoma. <i>Journal of Investigative Surgery</i> , 2014, 27, 197-204. | 1.3 | 15 |
| 38 | Artemin, a Member of the Glial Cell Line-derived Neurotrophic Factor Family of Ligands, Is HER2-regulated and Mediates Acquired Trastuzumab Resistance by Promoting Cancer Stem Cell-like Behavior in Mammary Carcinoma Cells. <i>Journal of Biological Chemistry</i> , 2014, 289, 16057-16071. | 3.4 | 27 |
| 39 | Clinical significance of autophagic protein LC3 levels and its correlation with XIAP expression in hepatocellular carcinoma. <i>Medical Oncology</i> , 2014, 31, 108. | 2.5 | 24 |
| 40 | B-cell lymphoma 6 protein stimulates oncogenicity of human breast cancer cells. <i>BMC Cancer</i> , 2014, 14, 418. | 2.6 | 33 |
| 41 | Prognostic significance of the expression of GFR α 1, GFR α 3 and Syndecan-3, proteins binding ARTEMIN, in mammary carcinoma. <i>BMC Cancer</i> , 2013, 13, 34. | 2.6 | 35 |
| 42 | XIAP inhibits autophagy via XIAP-Mdm2-p53 signalling. <i>EMBO Journal</i> , 2013, 32, 2204-2216. | 7.8 | 120 |
| 43 | Loss of miR-133a expression associated with poor survival of breast cancer and restoration of miR-133a expression inhibited breast cancer cell growth and invasion. <i>BMC Cancer</i> , 2012, 12, 51. | 2.6 | 87 |
| 44 | ARTEMIN synergizes with TWIST1 to promote metastasis and poor survival outcome in patients with ER negative mammary carcinoma. <i>Breast Cancer Research</i> , 2011, 13, R112. | 5.0 | 41 |
| 45 | Solitary Necrotic Nodule of the Liver: A Report of Two Cases and Review of the Literature. <i>Case Reports in Hepatology</i> , 2011, 2011, 1-4. | 0.7 | 5 |
| 46 | Prognostic significance of phosphorylated signal transducer and activator of transcription 3 and suppressor of cytokine signaling 3 expression in hepatocellular carcinoma. <i>Experimental and Therapeutic Medicine</i> , 2011, 2, 647-653. | 1.8 | 21 |
| 47 | STAT3 activation in monocytes accelerates liver cancer progression. <i>BMC Cancer</i> , 2011, 11, 506. | 2.6 | 64 |
| 48 | miR-340 inhibition of breast cancer cell migration and invasion through targeting of oncoprotein c-Met. <i>Cancer</i> , 2011, 117, 2842-2852. | 4.1 | 180 |
| 49 | Tumor Expression of Human Growth Hormone and Human Prolactin Predict a Worse Survival Outcome in Patients with Mammary or Endometrial Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1619-E1629. | 3.6 | 72 |
| 50 | Prognostic significance of phosphorylated signal transducer and activator of transcription 3 and suppressor of cytokine signaling 3 expression in human cutaneous melanoma. <i>Melanoma Research</i> , 2011, 21, 483-490. | 1.2 | 19 |
| 51 | MiR-339-5p inhibits breast cancer cell migration and invasion in vitro and may be a potential biomarker for breast cancer prognosis. <i>BMC Cancer</i> , 2010, 10, 542. | 2.6 | 104 |
| 52 | Artemin Stimulates Oncogenicity and Invasiveness of Human Endometrial Carcinoma Cells. <i>Endocrinology</i> , 2010, 151, 909-920. | 2.8 | 43 |
| 53 | Artemin Reduces Sensitivity to Doxorubicin and Paclitaxel in Endometrial Carcinoma Cells through Specific Regulation of CD24. <i>Translational Oncology</i> , 2010, 3, 218-IN5. | 3.7 | 30 |
| 54 | Prognostic significance of MMP-9 and TIMP-1 serum and tissue expression in breast cancer. <i>International Journal of Cancer</i> , 2008, 122, 2050-2056. | 5.1 | 221 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Autocrine Human Growth Hormone Stimulates Oncogenicity of Endometrial Carcinoma Cells. Endocrinology, 2008, 149, 3909-3919. | 2.8 | 80 |