Albert T Liao

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6557170/publications.pdf

Version: 2024-02-01

840776 677142 24 478 11 22 citations h-index g-index papers 24 24 24 714 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Kynurenine 3â€monooxygenase (KMO), and signal transducer and activator of transcription 3 (STAT3) expression is involved in tumour proliferation and predicts poor survival in canine melanoma. Veterinary and Comparative Oncology, 2021, 19, 79-91.	1.8	11
2	Association between weight change during initial chemotherapy and clinical outcome in dogs with multicentric lymphoma. Veterinary and Comparative Oncology, 2021, 19, 53-60.	1.8	4
3	L-Asparaginase, Doxorubicin, Vincristine, and Prednisolone (LHOP) Chemotherapy as a First-Line Treatment for Dogs with Multicentric Lymphoma. Animals, 2021, 11, 2199.	2.3	3
4	Outcome of Canine Multicentric Lymphoma after Single or Divided Treatment with Cyclophosphamide in Multidrug Chemotherapy. Topics in Companion Animal Medicine, 2020, 41, 100461.	0.9	5
5	Imatinib enhances the anti-tumour effect of doxorubicin in canine B-cell lymphoma cell line. Veterinary Journal, 2019, 254, 105398.	1.7	12
6	Elevated plasma YKL-40 level is found in the dogs with cancer and is related to poor prognosis. Journal of Veterinary Science, 2019, 20, e53.	1.3	1
7	TRAUMA-RELATED DEATHS OF DOMESTICATED DOGS AND CATS IN TAIWAN. TáiwÄn ShòuyÄ«xué Zázhì, 2 15-26.	2018, 44,	3
8	A real-time reporting system of causes of death or reasons for euthanasia: A model for monitoring mortality in domesticated cats in Taiwan. Preventive Veterinary Medicine, 2017, 137, 59-68.	1.9	7
9	Target-Triggered, Dual Amplification Strategy for Sensitive Electrochemical Detection of a Lymphoma-associated MicroRNA. Electrochimica Acta, 2017, 236, 190-197.	5.2	18
10	A 3-year surveillance on causes of death or reasons for euthanasia of domesticated dogs in Taiwan. Preventive Veterinary Medicine, 2017, 147, 1-10.	1.9	8
11	MOLECULAR SCREENING OF FOUR CANINE HEREDITARY DISEASES IN TAIWAN. TáiwÄn ShòuyÄ«xué Zázhì, 43, 277-284.	, 2017,	O
12	Granulysin expressed in a humanized mouse model induces apoptotic cell death and suppresses tumorigenicity. Oncotarget, 2017, 8, 83495-83508.	1.8	3
13	Assessment of temporal association of relapse of canine multicentric lymphoma with components of the CHOP protocol: Is cyclophosphamide the weakest link?. Veterinary Journal, 2016, 213, 87-89.	1.7	7
14	Comparison of efficacy and toxicity of doxorubicin and mitoxantrone in combination chemotherapy for canine lymphoma. Canadian Veterinary Journal, 2016, 57, 271-6.	0.0	15
15	Downregulation of the KLF4 transcription factor inhibits the proliferation and migration of canine mammary tumor cells. Veterinary Journal, 2015, 205, 244-253.	1.7	17
16	IMMUNE CHARACTERIZATION OF PERIPHERAL BLOOD MONONUCLEAR CELLS OF THE DOGS RESTORED FROM INOCULATION OF CANINE TRANSMISSIBLE VENEREAL TUMOR CELLS. TáiwÄn ShòuyÄ«xué Zázhì, 2014, 40 181-190.),0.2	1
17	KIT gene exon 11 mutations in canine malignant melanoma. Veterinary Journal, 2013, 196, 226-230.	1.7	33
18	Overexpression of chemokine ligand 7 is associated with the progression of canine transmissible venereal tumor. BMC Veterinary Research, 2012, 8, 216.	1.9	17

ALBERT T LIAO

#	Article	IF	CITATION
19	Elevated Kr $\tilde{A}^{1}\!\!/\!4$ ppel-like factor 4 transcription factor in canine mammary carcinoma. BMC Veterinary Research, 2011, 7, 58.	1.9	5
20	Overexpression of \hat{l}_{\pm} -enolase correlates with poor survival in canine mammary carcinoma. BMC Veterinary Research, 2011, 7, 62.	1.9	16
21	Characterization of STAT3 activation and expression in canine and human osteosarcoma. BMC Cancer, 2009, 9, 81.	2.6	98
22	A 12-Year Retrospective Study of Canine Testicular Tumors. Journal of Veterinary Medical Science, 2009, 71, 919-923.	0.9	58
23	Evaluation of dysregulation of the receptor tyrosine kinases Kit, Flt3, and Met in histiocytic sarcomas of dogs. American Journal of Veterinary Research, 2006, 67, 633-641.	0.6	14
24	Inhibition of constitutively active forms of mutant kit by multitargeted indolinone tyrosine kinase inhibitors. Blood, 2002, 100, 585-593.	1.4	122