

M Luisa Bonet

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6557758/m-luisa-bonet-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84
papers

3,763
citations

35
h-index

60
g-index

85
ext. papers

4,293
ext. citations

5.2
avg, IF

5.2
L-index

#	Paper	IF	Citations
84	Nicotinamide Riboside Supplementation to Suckling Male Mice Improves Lipid and Energy Metabolism in Skeletal Muscle and Liver in Adulthood. <i>Nutrients</i> , 2022 , 14, 2259	6.7	0
83	Mechanistic aspects of carotenoid health benefits - where are we now?. <i>Nutrition Research Reviews</i> , 2021 , 34, 276-302	7	14
82	Long-term programming of skeletal muscle and liver lipid and energy metabolism by resveratrol supplementation to suckling mice. <i>Journal of Nutritional Biochemistry</i> , 2021 , 95, 108770	6.3	4
81	DNA Methylation Changes are Associated with the Programming of White Adipose Tissue Browning Features by Resveratrol and Nicotinamide Riboside Neonatal Supplementations in Mice. <i>Nutrients</i> , 2020 , 12,	6.7	12
80	Carotenoids and carotenoid conversion products in adipose tissue biology and obesity: Pre-clinical and human studies. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2020 , 1865, 158676	5.7	19
79	Mouse Models to Study Antiobesogenic Effects of Carotenoids. <i>Methods in Molecular Biology</i> , 2020 , 2083, 403-417	1.4	
78	Muscle Hormones 2020 , 585-605		
77	Regulation of Gene Expression 2020 , 17-25		
76	A Lipophilic Fucoxanthin-Rich Extract Ameliorates Effects of Diet-Induced Obesity in C57BL/6J Mice. <i>Nutrients</i> , 2019 , 11,	6.7	21
75	Neonatal Resveratrol and Nicotinamide Riboside Supplementations Sex-Dependently Affect Beige Transcriptional Programming of Preadipocytes in Mouse Adipose Tissue. <i>Frontiers in Physiology</i> , 2019 , 10, 83	4.6	9
74	Novel Markers of the Metabolic Impact of Exogenous Retinoic Acid with A Focus on Acylcarnitines and Amino Acids. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	2
73	A global perspective on carotenoids: Metabolism, biotechnology, and benefits for nutrition and health. <i>Progress in Lipid Research</i> , 2018 , 70, 62-93	14.3	363
72	Antihyperlipidemic effect of a Rhamnus alaternus leaf extract in Triton-induced hyperlipidemic rats and human HepG2 cells. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 101, 501-509	7.5	14
71	Retinoic Acid Increases Fatty Acid Oxidation and Irisin Expression in Skeletal Muscle Cells and Impacts Irisin In Vivo. <i>Cellular Physiology and Biochemistry</i> , 2018 , 46, 187-202	3.9	28
70	Programming of the Beige Phenotype in White Adipose Tissue of Adult Mice by Mild Resveratrol and Nicotinamide Riboside Supplementations in Early Postnatal Life. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, e1800463	5.9	19
69	Dietary vitamin A impacts DNA methylation patterns of adipogenesis-related genes in suckling rats. <i>Archives of Biochemistry and Biophysics</i> , 2018 , 650, 75-84	4.1	15
68	A nutritional perspective on UCP1-dependent thermogenesis. <i>Biochimie</i> , 2017 , 134, 99-117	4.6	40

67	Anti-obesity and insulin-sensitising effects of a glycosaminoglycan mix. <i>Journal of Functional Foods</i> , 2016 , 26, 350-362	5.1	4
66	Retinoblastoma Protein Knockdown Favors Oxidative Metabolism and Glucose and Fatty Acid Disposal in Muscle Cells. <i>Journal of Cellular Physiology</i> , 2016 , 231, 708-18	7	9
65	Whole Blood RNA as a Source of Transcript-Based Nutrition- and Metabolic Health-Related Biomarkers. <i>PLoS ONE</i> , 2016 , 11, e0155361	3.7	11
64	Cell-Autonomous Brown-Like Adipogenesis of Preadipocytes From Retinoblastoma Haploinsufficient Mice. <i>Journal of Cellular Physiology</i> , 2016 , 231, 1941-52	7	9
63	Carotenoids in Adipose Tissue Biology and Obesity. <i>Sub-Cellular Biochemistry</i> , 2016 , 79, 377-414	5.5	36
62	Carotenoids and their conversion products in the control of adipocyte function, adiposity and obesity. <i>Archives of Biochemistry and Biophysics</i> , 2015 , 572, 112-125	4.1	122
61	White adipose tissue reference network: a knowledge resource for exploring health-relevant relations. <i>Genes and Nutrition</i> , 2015 , 10, 439	4.3	8
60	Identification of Mest/Peg1 gene expression as a predictive biomarker of adipose tissue expansion sensitive to dietary anti-obesity interventions. <i>Genes and Nutrition</i> , 2015 , 10, 27	4.3	26
59	Improved metabolic regulation is associated with retinoblastoma protein gene haploinsufficiency in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015 , 308, E172-83	6	17
58	Synergistic Effects of a Mixture of Glycosaminoglycans to Inhibit Adipogenesis and Enhance Chondrocyte Features in Multipotent Cells. <i>Cellular Physiology and Biochemistry</i> , 2015 , 37, 1792-806	3.9	10
57	All-trans retinoic acid induces oxidative phosphorylation and mitochondria biogenesis in adipocytes. <i>Journal of Lipid Research</i> , 2015 , 56, 1100-9	6.3	54
56	Blood cells transcriptomics as source of potential biomarkers of articular health improvement: effects of oral intake of a rooster combs extract rich in hyaluronic acid. <i>Genes and Nutrition</i> , 2014 , 9, 417-43	4.3	15
55	β-Carotene during the suckling period is absorbed intact and induces retinoic acid dependent responses similar to preformed vitamin A in intestine and liver, but not adipose tissue of young rats. <i>Molecular Nutrition and Food Research</i> , 2014 , 58, 2157-65	5.9	14
54	Decreased RB1 mRNA, protein, and activity reflect obesity-induced altered adipogenic capacity in human adipose tissue. <i>Diabetes</i> , 2013 , 62, 1923-31	0.9	28
53	Vitamin A supplementation in early life affects later response to an obesogenic diet in rats. <i>International Journal of Obesity</i> , 2013 , 37, 1169-76	5.5	25
52	Pharmacological and nutritional agents promoting browning of white adipose tissue. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013 , 1831, 969-85	5	189
51	Nutritional potential of metabolic remodelling of white adipose tissue. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2013 , 16, 650-6	3.8	17
50	Lipid metabolism in mammalian tissues and its control by retinoic acid. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2012 , 1821, 177-89	5	131

49	Induction of carnitine palmitoyl transferase 1 and fatty acid oxidation by retinoic acid in HepG2 cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2012 , 44, 2019-27	5.6	41
48	Genetics and Nutrigenomics of Obesity 2011 , 253-290		3
47	Resveratrol enhances fatty acid oxidation capacity and reduces resistin and Retinol-Binding Protein 4 expression in white adipocytes. <i>Journal of Nutritional Biochemistry</i> , 2011 , 22, 828-34	6.3	74
46	Gene expression response of mouse lung, liver and white adipose tissue to β -carotene supplementation, knockout of Bcmo1 and sex. <i>Molecular Nutrition and Food Research</i> , 2011 , 55, 1466-74	5.9	13
45	Distinct effects of oleic acid and its trans-isomer elaidic acid on the expression of myokines and adipokines in cell models. <i>British Journal of Nutrition</i> , 2011 , 105, 1226-34	3.6	35
44	Molecular players at the intersection of obesity and osteoarthritis. <i>Current Drug Targets</i> , 2011 , 12, 2103-38	3.8	15
43	Beta-carotene reduces body adiposity of mice via BCMO1. <i>PLoS ONE</i> , 2011 , 6, e20644	3.7	111
42	Induction of uncoupling protein-1 in mouse embryonic fibroblast-derived adipocytes by retinoic acid. <i>Obesity</i> , 2010 , 18, 655-62	8	49
41	UCP1 induction during recruitment of brown adipocytes in white adipose tissue is dependent on cyclooxygenase activity. <i>PLoS ONE</i> , 2010 , 5, e11391	3.7	155
40	Downregulation of Fzd6 and Cthrc1 and upregulation of olfactory receptors and protocadherins by dietary beta-carotene in lungs of Bcmo1 ^{-/-} mice. <i>Carcinogenesis</i> , 2010 , 31, 1329-37	4.6	13
39	Retinoic acid treatment enhances lipid oxidation and inhibits lipid biosynthesis capacities in the liver of mice. <i>Cellular Physiology and Biochemistry</i> , 2010 , 25, 657-66	3.9	74
38	Beta,beta-carotene decreases peroxisome proliferator receptor gamma activity and reduces lipid storage capacity of adipocytes in a beta,beta-carotene oxygenase 1-dependent manner. <i>Journal of Biological Chemistry</i> , 2010 , 285, 27891-9	5.4	103
37	Knockout of the Bcmo1 gene results in an inflammatory response in female lung, which is suppressed by dietary beta-carotene. <i>Cellular and Molecular Life Sciences</i> , 2010 , 67, 2039-56	10.3	24
36	Haploinsufficiency of the retinoblastoma protein gene reduces diet-induced obesity, insulin resistance, and hepatosteatosis in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009 , 297, E184-93	6	36
35	beta-Carotene conversion products and their effects on adipose tissue. <i>Genes and Nutrition</i> , 2009 , 4, 179-87	4.3	54
34	On the role and fate of sugars in human nutrition and health. Introduction. <i>Obesity Reviews</i> , 2009 , 10 Suppl 1, 1-8	10.6	14
33	Summary and general conclusions/outcomes on the role and fate of sugars in human nutrition and health. <i>Obesity Reviews</i> , 2009 , 10 Suppl 1, 55-8	10.6	17
32	Retinoic acid treatment increases lipid oxidation capacity in skeletal muscle of mice. <i>Obesity</i> , 2008 , 16, 585-91	8	57

31	All-trans retinoic acid decreases murine adipose retinol binding protein 4 production. <i>Cellular Physiology and Biochemistry</i> , 2008 , 22, 363-72	3.9	46
30	Retinol-binding protein 4 and nicotinamide phosphoribosyltransferase/visfatin in rat obesity models. <i>Hormone and Metabolic Research</i> , 2008 , 40, 467-72	3.1	32
29	Controlling lipogenesis and thermogenesis and the use of ergogenic aids for weight control 2007 , 58-103		5
28	All-trans retinoic acid increases oxidative metabolism in mature adipocytes. <i>Cellular Physiology and Biochemistry</i> , 2007 , 20, 1061-72	3.9	63
27	Remodeling of white adipose tissue after retinoic acid administration in mice. <i>Endocrinology</i> , 2006 , 147, 5325-32	4.8	185
26	Bioethics in human nutrigenomics research: European Nutrigenomics Organisation workshop report. <i>British Journal of Nutrition</i> , 2006 , 95, 1024-7	3.6	17
25	Effects of retinoic acid administration and dietary vitamin A supplementation on leptin expression in mice: lack of correlation with changes of adipose tissue mass and food intake. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2005 , 1740, 258-65	6.9	50
24	Modulation of resistin expression by retinoic acid and vitamin A status. <i>Diabetes</i> , 2004 , 53, 882-9	0.9	106
23	Food safety and functional foods in the European Union: obesity as a paradigmatic example for novel food development. <i>Nutrition Reviews</i> , 2004 , 62, S169-81	6.4	15
22	Retinoic acid administration and vitamin A status modulate retinoid X receptor alpha and retinoic acid receptor alpha levels in mouse brown adipose tissue. <i>Molecular and Cellular Biochemistry</i> , 2004 , 266, 25-30	4.2	17
21	Positive correlation of skeletal muscle UCP3 mRNA levels with overweight in male, but not in female, rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2003 , 285, R880-8	3.2	22
20	Vitamin A and the regulation of fat reserves. <i>Cellular and Molecular Life Sciences</i> , 2003 , 60, 1311-21	10.3	142
19	Up-regulation of muscle uncoupling protein 3 gene expression in mice following high fat diet, dietary vitamin A supplementation and acute retinoic acid-treatment. <i>International Journal of Obesity</i> , 2003 , 27, 60-9	5.5	54
18	Changes of adiposity in response to vitamin A status correlate with changes of PPAR gamma 2 expression. <i>Obesity</i> , 2001 , 9, 500-9		109
17	In vivo effects of CGP-12177 on the expression of leptin and uncoupling protein genes in mouse brown and white adipose tissues. <i>International Journal of Obesity</i> , 2000 , 24, 423-8	5.5	13
16	Obesity: molecular bases of a multifactorial problem. <i>European Journal of Nutrition</i> , 2000 , 39, 127-44	5.2	68
15	Opposite effects of feeding a vitamin A-deficient diet and retinoic acid treatment on brown adipose tissue uncoupling protein 1 (UCP1), UCP2 and leptin expression. <i>Journal of Endocrinology</i> , 2000 , 166, 511-7	4.7	91
14	Stimulation of uncoupling protein 1 expression in brown adipocytes by naturally occurring carotenoids. <i>International Journal of Obesity</i> , 1999 , 23, 650-5	5.5	46

13	Brown adipose tissue response to cafeteria diet-feeding involves induction of the UCP2 gene and is impaired in female rats as compared to males. <i>Pflugers Archiv European Journal of Physiology</i> , 1999 , 438, 628-634	4.6	55
12	Involvement of the retinoblastoma protein in brown and white adipocyte cell differentiation: functional and physical association with the adipogenic transcription factor C/EBPalpha. <i>European Journal of Cell Biology</i> , 1998 , 77, 117-23	6.1	41
11	Stimulation of uncoupling protein synthesis in white adipose tissue of mice treated with the beta 3-adrenergic agonist CGP-12177. <i>Cellular and Molecular Life Sciences</i> , 1998 , 54, 191-5	10.3	18
10	The uncoupling protein, thermogenin. <i>International Journal of Biochemistry and Cell Biology</i> , 1998 , 30, 7-11	5.6	103
9	Retinoic acid modulates retinoid X receptor alpha and retinoic acid receptor alpha levels of cultured brown adipocytes. <i>FEBS Letters</i> , 1997 , 406, 196-200	3.8	25
8	Diminished response to food deprivation of the rat brown adipose tissue mitochondrial uncoupling system with age. <i>IUBMB Life</i> , 1997 , 42, 1151-61	4.7	
7	In vitro and in vivo induction of brown adipocyte uncoupling protein (thermogenin) by retinoic acid. <i>Biochemical Journal</i> , 1996 , 317 (Pt 3), 827-33	3.8	109
6	Selective loss of the uncoupling protein from light versus heavy mitochondria of brown adipocytes after a decrease in noradrenergic stimulation in vivo and in vitro. <i>Biochemical Journal</i> , 1995 , 311 (Pt 1), 327-31	3.8	10
5	Estimated acid dissociation constants of the Schiff base, Asp-85, and Arg-82 during the bacteriorhodopsin photocycle. <i>Biophysical Journal</i> , 1993 , 65, 124-30	2.9	91
4	Effects of genetic replacements of charged and H-bonding residues in the retinal pocket on Ca ²⁺ binding to deionized bacteriorhodopsin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993 , 90, 1445-9	11.5	36
3	Evidence that the alkaline P-nitrophenylphosphate phosphatase from Halobacterium halobium is a manganese-containing enzyme. <i>International Journal of Biochemistry & Cell Biology</i> , 1993 , 25, 7-12		3
2	The catalytic site is located on subunit I of the ATPase from Halobacterium saccharovorum. A direct photoaffinity labeling study. <i>FEBS Journal</i> , 1992 , 207, 369-76		3
1	Purification and some properties of an atypical alkaline p-nitrophenylphosphate phosphatase activity from Halobacterium halobium. <i>International Journal of Biochemistry & Cell Biology</i> , 1991 , 23, 1445-1451 ¹³		