

Minsun Jung

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6559391/minsun-jung-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

23
papers

98
citations

5
h-index

8
g-index

33
ext. papers

182
ext. citations

4.3
avg, IF

2.78
L-index

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 23 | New Onset of Class III Lupus Nephritis with Multi-Organ Involvement after COVID -19 Vaccination.. <i>Kidney International</i> , 2022 , | 9.9 | 1 |
| 22 | Proteomic-Based Machine Learning Analysis Reveals PYGB as a Novel Immunohistochemical Biomarker to Distinguish Inverted Urothelial Papilloma From Low-Grade Papillary Urothelial Carcinoma With Inverted Growth.. <i>Frontiers in Oncology</i> , 2022 , 12, 841398 | 5.3 | 0 |
| 21 | Morphometric Analysis of Lysosomes in the Renal Tubule in Monoclonal Gammopathy Using Transmission Electron Microscopy: "Mottled Appearance" and Beyond.. <i>Microscopy and Microanalysis</i> , 2022 , 1-9 | 0.5 | |
| 20 | Comprehensive Gene Expression Analyses of Immunohistochemically Defined Subgroups of Muscle-Invasive Urinary Bladder Urothelial Carcinoma. <i>International Journal of Molecular Sciences</i> , 2021 , 22, | 6.3 | 2 |
| 19 | The substantial loss of H3K27me3 can stratify risk in grade 2, but not in grade 3 meningioma. <i>Human Pathology</i> , 2021 , 115, 96-103 | 3.7 | 2 |
| 18 | CK14 Expression Identifies a Basal/Squamous-Like Type of Papillary Non-Muscle-Invasive Upper Tract Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2020 , 10, 623 | 5.3 | 3 |
| 17 | Proteomic Discovery of Biomarkers to Predict Prognosis of High-Grade Serous Ovarian Carcinoma. <i>Cancers</i> , 2020 , 12, | 6.6 | 9 |
| 16 | Gene regulatory network analysis with drug sensitivity reveals synergistic effects of combinatory chemotherapy in gastric cancer. <i>Scientific Reports</i> , 2020 , 10, 3932 | 4.9 | 4 |
| 15 | Clinicopathological characteristics of light chain proximal tubulopathy in Korean patients and the diagnostic usefulness of immunohistochemical staining for immunoglobulin light chain. <i>BMC Nephrology</i> , 2020 , 21, 146 | 2.7 | 4 |
| 14 | Moesin () as a Novel Proteome-Based Diagnostic Marker for Early Detection of Invasive Bladder Urothelial Carcinoma in Liquid-Based Cytology. <i>Cancers</i> , 2020 , 12, | 6.6 | 5 |
| 13 | The Prognostic Significance of Protein Expression of CASZ1 in Clear Cell Renal Cell Carcinoma. <i>Disease Markers</i> , 2019 , 2019, 1342161 | 3.2 | 3 |
| 12 | Prognostic significance of immunohistochemical staining for myoferlin in clear cell renal cell carcinoma and its association with epidermal growth factor receptor expression. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 812.e9-812.e16 | 2.8 | 3 |
| 11 | Transcriptional Analysis of Immunohistochemically Defined Subgroups of Non-Muscle-Invasive Papillary High-Grade Upper Tract Urothelial Carcinoma. <i>International Journal of Molecular Sciences</i> , 2019 , 20, | 6.3 | 8 |
| 10 | Parathyroid adenoma with prominent lymphocytic infiltrate having histological features highly suggestive of IgG4-related disease: a case report and literature review. <i>Endocrine Journal</i> , 2019 , 66, 379-385 | 3.9 | 1 |
| 9 | Prognostic Implication of pAMPK Immunohistochemical Staining by Subcellular Location and Its Association with SMAD Protein Expression in Clear Cell Renal Cell Carcinoma. <i>Cancers</i> , 2019 , 11, | 6.6 | 4 |
| 8 | Clinicopathological and Preclinical Findings of NUT Carcinoma: A Multicenter Study. <i>Oncologist</i> , 2019 , 24, e740-e748 | 5.7 | 21 |
| 7 | Immunohistochemistry of cytokeratin (CK) 5/6, CD44 and CK20 as prognostic biomarkers of non-muscle-invasive papillary upper tract urothelial carcinoma. <i>Histopathology</i> , 2019 , 74, 483-493 | 7.3 | 12 |

| | | | |
|---|---|-----|---|
| 6 | The prognostic significance of nuclear expression of PHF2 and C/EBP β in clear cell renal cell carcinoma with consideration of adipogenic metabolic evolution. <i>Oncotarget</i> , 2018 , 9, 142-151 | 3-3 | 5 |
| 5 | Genetically confirmed thanatophoric dysplasia with fibroblast growth factor receptor 3 mutation. <i>Experimental and Molecular Pathology</i> , 2017 , 102, 290-295 | 4-4 | 2 |
| 4 | A case of an abdominal wall cystic urachal carcinoma in an unusual location. <i>Case Reports in Clinical Pathology</i> , 2017 , 4, 16 | 0-1 | |
| 3 | Gastrointestinal stromal tumor of unusual phenotype after imatinib treatment: A case report and diagnostic utility of ETV1 mRNA in situ hybridization. <i>Medicine (United States)</i> , 2017 , 96, e9031 | 1-8 | 2 |
| 2 | Gastric inverted hyperplastic polyp composed only of pyloric glands: a rare case report and review of the literature. <i>International Journal of Surgical Pathology</i> , 2015 , 23, 313-6 | 1-2 | 4 |
| 1 | Investigation of the origin of stromal and endothelial cells at the desmoplastic interface in xenograft tumor in mice. <i>Pathology Research and Practice</i> , 2015 , 211, 925-30 | 3-4 | |