

# Ezio Bonifacio

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6560833/publications.pdf>

Version: 2024-02-01

378  
papers

24,949  
citations

5268

83  
h-index

10445

139  
g-index

394  
all docs

394  
docs citations

394  
times ranked

16506  
citing authors

#	ARTICLE	IF	CITATIONS
1	Seroconversion to Multiple Islet Autoantibodies and Risk of Progression to Diabetes in Children. JAMA - Journal of the American Medical Association, 2013, 309, 2473.	7.4	914
2	Type 1 diabetes mellitus. Nature Reviews Disease Primers, 2017, 3, 17016.	30.5	790
3	Autoantibody appearance and risk for development of childhood diabetes in offspring of parents with type 1 diabetes: the 2-year analysis of the German BABYDIAB Study.. Diabetes, 1999, 48, 460-468.	0.6	588
4	Bone marrow mesenchymal stem cells express a restricted set of functionally active chemokine receptors capable of promoting migration to pancreatic islets. Blood, 2005, 106, 419-427.	1.4	544
5	Differentiation of Diabetes by Pathophysiology, Natural History, and Prognosis. Diabetes, 2017, 66, 241-255.	0.6	454
6	Early Infant Feeding and Risk of Developing Type 1 Diabetesâ€Associated Autoantibodies. JAMA - Journal of the American Medical Association, 2003, 290, 1721.	7.4	432
7	Prediction of IDDM in the General Population: Strategies Based on Combinations of Autoantibody Markers. Diabetes, 1997, 46, 1701-1710.	0.6	394
8	Quantification of islet-cell antibodies and prediction of insulin-dependent diabetes. Lancet, The, 1990, 335, 147-149.	13.7	382
9	Widespread seasonal gene expression reveals annual differences in human immunity and physiology. Nature Communications, 2015, 6, 7000.	12.8	367
10	Combined Analysis of Autoantibodies Improves Prediction of IDDM in Islet Cell Antibody-Positive Relatives. Diabetes, 1994, 43, 1304-1310.	0.6	360
11	Diabetes Antibody Standardization Program: First Assay Proficiency Evaluation. Diabetes, 2003, 52, 1128-1136.	0.6	336
12	The 6-year incidence of diabetes-associated autoantibodies in genetically at-risk children: the TEDDY study. Diabetologia, 2015, 58, 980-987.	6.3	313
13	Risk of Pediatric Celiac Disease According to HLA Haplotype and Country. New England Journal of Medicine, 2014, 371, 42-49.	27.0	270
14	Transplantation of human islets without immunosuppression. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 19054-19058.	7.1	261
15	A Type I Interferon Transcriptional Signature Precedes Autoimmunity in Children Genetically at Risk for Type 1 Diabetes. Diabetes, 2014, 63, 2538-2550.	0.6	261
16	Harmonization of Glutamic Acid Decarboxylase and Islet Antigen-2 Autoantibody Assays for National Institute of Diabetes and Digestive and Kidney Diseases Consortia. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 3360-3367.	3.6	244
17	Stratification of Type 1 Diabetes Risk on the Basis of Islet Autoantibody Characteristics. Diabetes, 2004, 53, 384-392.	0.6	243
18	Diabetes Antibody Standardization Program: evaluation of assays for autoantibodies to glutamic acid decarboxylase and islet antigen-2. Diabetologia, 2008, 51, 846-852.	6.3	239

#	ARTICLE	IF	CITATIONS
19	Natural History of Type 1 Diabetes. <i>Diabetes</i> , 2005, 54, S25-S31.	0.6	223
20	A Novel Micro-assay for Insulin Autoantibodies. <i>Journal of Autoimmunity</i> , 1997, 10, 473-478.	6.5	215
21	Age-related islet autoantibody incidence in offspring of patients with type 1 diabetes. <i>Diabetologia</i> , 2012, 55, 1937-1943.	6.3	209
22	Predictors of Postpartum Diabetes in Women With Gestational Diabetes Mellitus. <i>Diabetes</i> , 2006, 55, 792-797.	0.6	208
23	Expansion of Th17 Cells and Functional Defects in T Regulatory Cells Are Key Features of the Pancreatic Lymph Nodes in Patients With Type 1 Diabetes. <i>Diabetes</i> , 2011, 60, 2903-2913.	0.6	199
24	Primary Dietary Intervention Study to Reduce the Risk of Islet Autoimmunity in Children at Increased Risk for Type 1 Diabetes. <i>Diabetes Care</i> , 2011, 34, 1301-1305.	8.6	192
25	Novel organ-specific circulating cardiac autoantibodies in dilated cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 1990, 15, 1527-1534.	2.8	188
26	Pancreatic $\beta$ -Cell Function and Immune Responses to Insulin After Administration of Intranasal Insulin to Humans At Risk for Type 1 Diabetes. <i>Diabetes Care</i> , 2004, 27, 2348-2355.	8.6	178
27	Effects of High-Dose Oral Insulin on Immune Responses in Children at High Risk for Type 1 Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 1541.	7.4	174
28	Mature high-affinity immune responses to (pro)insulin anticipate the autoimmune cascade that leads to type 1 diabetes. <i>Journal of Clinical Investigation</i> , 2004, 114, 589-597.	8.2	173
29	Islet-reactive CD8 <sup>+</sup> T cell frequencies in the pancreas, but not in blood, distinguish type 1 diabetic patients from healthy donors. <i>Science Immunology</i> , 2018, 3, .	11.9	171
30	Islet isolation for allotransplantation: variables associated with successful islet yield and graft function. <i>Diabetologia</i> , 2005, 48, 906-912.	6.3	170
31	Autoantibodies to zinc transporter 8 and SLC30A8 genotype stratify type 1 diabetes risk. <i>Diabetologia</i> , 2009, 52, 1881-1888.	6.3	166
32	Islet autoantibody markers in IDDM: risk assessment strategies yielding high sensitivity. <i>Diabetologia</i> , 1995, 38, 816-822.	6.3	163
33	The TrialNet Natural History Study of the Development of Type 1 Diabetes: objectives, design, and initial results. <i>Pediatric Diabetes</i> , 2009, 10, 97-104.	2.9	160
34	Islet transplantation in patients with autoimmune diabetes induces homeostatic cytokines that expand autoreactive memory T cells. <i>Journal of Clinical Investigation</i> , 2008, 118, 1806-14.	8.2	159
35	IA-2 antibodies - a sensitive marker of IDDM with clinical onset in childhood and adolescence. <i>Diabetologia</i> , 1998, 41, 424-429.	6.3	154
36	Compromised Gut Microbiota Networks in Children With Anti-Islet Cell Autoimmunity. <i>Diabetes</i> , 2014, 63, 2006-2014.	0.6	154

#	ARTICLE	IF	CITATIONS
37	Prediction of IDDM in the general population: strategies based on combinations of autoantibody markers. <i>Diabetes</i> , 1997, 46, 1701-1710.	0.6	152
38	Induction of Tolerance in Type 1 Diabetes via Both CD4+CD25+ T Regulatory Cells and T Regulatory Type 1 Cells. <i>Diabetes</i> , 2006, 55, 1571-1580.	0.6	151
39	Diabetes Antibody Standardization Program: evaluation of assays for insulin autoantibodies. <i>Diabetologia</i> , 2010, 53, 2611-2620.	6.3	149
40	Adoptive transfer of allogeneic regulatory T cells into patients with chronic graft-versus-host disease. <i>Cytotherapy</i> , 2015, 17, 473-486.	0.7	149
41	Autoantibody-negative insulin-dependent diabetes mellitus after SARS-CoV-2 infection: a case report. <i>Nature Metabolism</i> , 2020, 2, 1021-1024.	11.9	149
42	Disease Sensitivity and Specificity of 52 Assays for Glutamic Acid Decarboxylase Antibodies: The Second International GADAB Workshop. <i>Diabetes</i> , 1995, 44, 636-640.	0.6	139
43	Yield of a Public Health Screening of Children for Islet Autoantibodies in Bavaria, Germany. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 339.	7.4	139
44	Identification of protein tyrosine phosphatase-like IA2 (islet cell antigen 512) as the insulin-dependent diabetes-related 37/40K autoantigen and a target of islet-cell antibodies. <i>Journal of Immunology</i> , 1995, 155, 5419-26.	0.8	137
45	Zinc Transporter 8 Antibodies Complement GAD and IA-2 Antibodies in the Identification and Characterization of Adult-Onset Autoimmune Diabetes. <i>Diabetes Care</i> , 2010, 33, 104-108.	8.6	136
46	Predicting Type 1 Diabetes Using Biomarkers. <i>Diabetes Care</i> , 2015, 38, 989-996.	8.6	136
47	Predictors of Progression From the Appearance of Islet Autoantibodies to Early Childhood Diabetes: The Environmental Determinants of Diabetes in the Young (TEDDY). <i>Diabetes Care</i> , 2015, 38, 808-813.	8.6	135
48	Distinct cytoplasmic islet cell antibodies with different risks for Type 1 (insulin-dependent) diabetes mellitus. <i>Diabetologia</i> , 1992, 35, 385-388.	6.3	133
49	Transmission of Maternal Islet Antibodies and Risk of Autoimmune Diabetes in Offspring of Mothers With Type 1 Diabetes. <i>Diabetes</i> , 2004, 53, 1-4.	0.6	132
50	Brief Communication: Early Appearance of Islet Autoantibodies Predicts Childhood Type 1 Diabetes in Offspring of Diabetic Parents. <i>Annals of Internal Medicine</i> , 2004, 140, 882.	3.9	132
51	No Effect of the 1 $\alpha$ ,25-Dihydroxyvitamin D3 on $\beta$ -Cell Residual Function and Insulin Requirement in Adults With New-Onset Type 1 Diabetes. <i>Diabetes Care</i> , 2010, 33, 1443-1448.	8.6	131
52	Systems biology of the IMIDIA biobank from organ donors and pancreatectomised patients defines a novel transcriptomic signature of islets from individuals with type 2 diabetes. <i>Diabetologia</i> , 2018, 61, 641-657.	6.3	131
53	Similar low frequency of anti-MOG IgG and IgM in MS patients and healthy subjects. <i>Neurology</i> , 2004, 62, 2092-2094.	1.1	129
54	CXCR1/2 inhibition enhances pancreatic islet survival after transplantation. <i>Journal of Clinical Investigation</i> , 2012, 122, 3647-3651.	8.2	129

#	ARTICLE	IF	CITATIONS
55	Rapamycin Monotherapy in Patients With Type 1 Diabetes Modifies CD4+CD25+FOXP3+ Regulatory T-Cells. <i>Diabetes</i> , 2008, 57, 2341-2347.	0.6	128
56	Serum exchange and use of dilutions have improved precision of measurement of islet cell antibodies. <i>Journal of Immunological Methods</i> , 1988, 106, 83-88.	1.4	122
57	Antibodies to Islet 37k Antigen, But Not to Glutamate Decarboxylase, Discriminate Rapid Progression to IDDM in Endocrine Autoimmunity. <i>Diabetes</i> , 1994, 43, 1254-1259.	0.6	122
58	Autoantibody Response to Islet Transplantation in Type 1 Diabetes. <i>Diabetes</i> , 2001, 50, 2464-2471.	0.6	120
59	Mature high-affinity immune responses to (pro)insulin anticipate the autoimmune cascade that leads to type 1 diabetes. <i>Journal of Clinical Investigation</i> , 2004, 114, 589-597.	8.2	120
60	Evidence for In Vivo Primed and Expanded Autoreactive T Cells as a Specific Feature of Patients with Type 1 Diabetes. <i>Journal of Immunology</i> , 2007, 179, 5785-5792.	0.8	116
61	A Report on the International Transglutaminase Autoantibody Workshop for Celiac Disease. <i>American Journal of Gastroenterology</i> , 2009, 104, 154-163.	0.4	116
62	Can We Really Predict IDDM?. <i>Diabetes</i> , 1993, 42, 213-220.	0.6	113
63	Feature ranking of type 1 diabetes susceptibility genes improves prediction of type 1 diabetes. <i>Diabetologia</i> , 2014, 57, 2521-2529.	6.3	112
64	Combined analysis of autoantibodies improves prediction of IDDM in islet cell antibody-positive relatives. <i>Diabetes</i> , 1994, 43, 1304-1310.	0.6	109
65	International Workshop on Lessons From Animal Models for Human Type 1 Diabetes: Identification of Insulin but Not Glutamic Acid Decarboxylase or IA-2 as Specific Autoantigens of Humoral Autoimmunity in Nonobese Diabetic Mice. <i>Diabetes</i> , 2001, 50, 2451-2458.	0.6	108
66	Comparison of Tissue Transglutaminase-Specific Antibody Assays with Established Antibody Measurements for Coeliac Disease. <i>Journal of Autoimmunity</i> , 1999, 12, 51-56.	6.5	106
67	Ghrelin-producing epsilon cells in the developing and adult human pancreas. <i>Diabetologia</i> , 2009, 52, 486-493.	6.3	105
68	Alloantibody and Autoantibody Monitoring Predicts Islet Transplantation Outcome in Human Type 1 Diabetes. <i>Diabetes</i> , 2013, 62, 1656-1664.	0.6	105
69	IDDM2/insulin VNTR modifies risk conferred by IDDM1/HLA for development of Type 1 diabetes and associated autoimmunity. <i>Diabetologia</i> , 2003, 46, 712-720.	6.3	104
70	A genomic toolkit to investigate kinesin and myosin motor function in cells. <i>Nature Cell Biology</i> , 2013, 15, 325-334.	10.3	104
71	Effects of Gluten Intake on Risk of Celiac Disease: A Case-Control Study on a Swedish Birth Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 403-409.e3.	4.4	102
72	Genetic scores to stratify risk of developing multiple islet autoantibodies and type 1 diabetes: A prospective study in children. <i>PLoS Medicine</i> , 2018, 15, e1002548.	8.4	101

#	ARTICLE	IF	CITATIONS
73	Maturation of the humoral autoimmune response to epitopes of GAD in preclinical childhood type 1 diabetes. <i>Diabetes</i> , 2000, 49, 202-208.	0.6	96
74	Age- and Islet Autoimmunity-Associated Differences in Amino Acid and Lipid Metabolites in Children at Risk for Type 1 Diabetes. <i>Diabetes</i> , 2011, 60, 2740-2747.	0.6	96
75	Autoantibodies to glutamic acid decarboxylase in palatal myoclonus and epilepsy. <i>Annals of Neurology</i> , 1994, 36, 665-667.	5.3	93
76	Six Months of Gluten-Free Diet Do Not Influence Autoantibody Titers, but Improve Insulin Secretion in Subjects at High Risk for Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 162-165.	3.6	91
77	High Level of Concordance Between Assays for Glutamic Acid Decarboxylase Antibodies: The First International Glutamic Acid Decarboxylase Antibody Workshop. <i>Diabetes</i> , 1994, 43, 1005-1009.	0.6	90
78	Up-Regulation of CD1d Expression Restores the Immunoregulatory Function of NKT Cells and Prevents Autoimmune Diabetes in Nonobese Diabetic Mice. <i>Journal of Immunology</i> , 2004, 172, 5908-5916.	0.8	90
79	Capillary blood islet autoantibody screening for identifying pre-type 1 diabetes in the general population: design and initial results of the Fr1da study. <i>BMJ Open</i> , 2016, 6, e011144.	1.9	89
80	Modulation of humoral islet autoimmunity by pancreas allotransplantation influences allograft outcome in patients with type 1 diabetes. <i>Diabetes</i> , 2000, 49, 218-224.	0.6	88
81	Favorable outcome of experimental islet xenotransplantation without immunosuppression in a nonhuman primate model of diabetes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 11745-11750.	7.1	85
82	A Public Health Antibody Screening Indicates a 6-Fold Higher SARS-CoV-2 Exposure Rate than Reported Cases in Children. <i>Med</i> , 2021, 2, 149-163.e4.	4.4	85
83	Association of IA-2 autoantibodies with HLA DR4 phenotypes in IDDM. <i>Diabetologia</i> , 1996, 39, 1223-1226.	6.3	84
84	Antibodies to tissue transglutaminase C in Type I diabetes. <i>Diabetologia</i> , 1999, 42, 1195-1198.	6.3	84
85	IA-2 antibody prevalence and risk assessment of early insulin requirement in subjects presenting with type 2 diabetes (UKPDS 71). <i>Diabetologia</i> , 2005, 48, 703-708.	6.3	83
86	A combined risk score enhances prediction of type 1 diabetes among susceptible children. <i>Nature Medicine</i> , 2020, 26, 1247-1255.	30.7	83
87	Inappropriate major histocompatibility complex expression on cardiac tissue in dilated cardiomyopathy. Relevance for autoimmunity?. <i>Journal of Autoimmunity</i> , 1990, 3, 187-200.	6.5	82
88	GAD Autoantibody Affinity and Epitope Specificity Identify Distinct Immunization Profiles in Children at Risk for Type 1 Diabetes. <i>Diabetes</i> , 2007, 56, 1527-1533.	0.6	81
89	Cesarean Section and Interferon-Induced Helicase Gene Polymorphisms Combine to Increase Childhood Type 1 Diabetes Risk. <i>Diabetes</i> , 2011, 60, 3300-3306.	0.6	81
90	Mesenchymal stromal cells improve transplanted islet survival and islet function in a syngeneic mouse model. <i>Diabetologia</i> , 2014, 57, 522-531.	6.3	80

#	ARTICLE	IF	CITATIONS
91	Can Islet Cell Antibodies Predict IDDM in the General Population?. <i>Diabetes Care</i> , 1993, 16, 45-50.	8.6	79
92	IL-7 Abrogates Suppressive Activity of Human CD4+CD25+FOXP3+ Regulatory T Cells and Allows Expansion of Alloreactive and Autoreactive T Cells. <i>Journal of Immunology</i> , 2012, 189, 5649-5658.	0.8	79
93	Persistence of Pancreatic Insulin mRNA Expression and Proinsulin Protein in Type 1 Diabetes Pancreata. <i>Cell Metabolism</i> , 2017, 26, 568-575.e3.	16.2	77
94	Early autoantibody responses in prediabetes are IgG1 dominated and suggest antigen-specific regulation. <i>Journal of Immunology</i> , 1999, 163, 525-32.	0.8	77
95	Multi-omics profiling of living human pancreatic islet donors reveals heterogeneous beta cell trajectories towards type 2 diabetes. <i>Nature Metabolism</i> , 2021, 3, 1017-1031.	11.9	76
96	Predicting Islet Cell Autoimmunity and Type 1 Diabetes: An 8-Year TEDDY Study Progress Report. <i>Diabetes Care</i> , 2019, 42, 1051-1060.	8.6	75
97	IDDM1 and Multiple Family History of Type 1 Diabetes Combine to Identify Neonates at High Risk for Type 1 Diabetes. <i>Diabetes Care</i> , 2004, 27, 2695-2700.	8.6	74
98	Children followed in the TEDDY study are diagnosed with type 1 diabetes at an early stage of disease. <i>Pediatric Diabetes</i> , 2014, 15, 118-126.	2.9	73
99	Bone marrow as an alternative site for islet transplantation. <i>Blood</i> , 2009, 114, 4566-4574.	1.4	72
100	Plasma 25-Hydroxyvitamin D Concentration and Risk of Islet Autoimmunity. <i>Diabetes</i> , 2018, 67, 146-154.	0.6	72
101	Rapamycin and interleukin-10 treatment induces T regulatory type 1 cells that mediate antigen-specific transplantation tolerance. <i>Diabetes</i> , 2006, 55, 40-9.	0.6	72
102	Immunology and diabetes workshop: Report on the third international (Stage 3) workshop on the standardisation of cytoplasmic islet cell antibodies. <i>Diabetologia</i> , 1988, 31, 451-452.	6.3	71
103	Development of celiac disease-associated antibodies in offspring of parents with Type I diabetes. <i>Diabetologia</i> , 2000, 43, 1005-1011.	6.3	71
104	Modulating the natural history of type 1 diabetes in children at high genetic risk by mucosal insulin immunization. <i>Current Diabetes Reports</i> , 2008, 8, 87-93.	4.2	71
105	Islet autoantibody phenotypes and incidence in children at increased risk for type 1 diabetes. <i>Diabetologia</i> , 2015, 58, 2317-2323.	6.3	71
106	Assessment of precision, concordance, specificity, and sensitivity of islet cell antibody measurement in 41 assays. <i>Diabetologia</i> , 1990, 33, 731-736.	6.3	70
107	Comparison of a novel micro-assay for insulin autoantibodies with the conventional radiobinding assay. <i>Diabetologia</i> , 1998, 41, 681-683.	6.3	70
108	Mesenchymal Cells Appearing in Pancreatic Tissue Culture Are Bone Marrow-Derived Stem Cells With the Capacity to Improve Transplanted Islet Function. <i>Stem Cells</i> , 2010, 28, 140-151.	3.2	70



#	ARTICLE	IF	CITATIONS
109	Role of CCL2/MCP-1 in Islet Transplantation. <i>Cell Transplantation</i> , 2010, 19, 1031-1046.	2.5	69
110	Parameters associated with residual insulin secretion during the first year of disease in children and adolescents with Type 1 diabetes mellitus. , 1998, 15, 844-850.		68
111	Proposed Guidelines on Screening for Risk of Type 1 Diabetes. <i>Diabetes Care</i> , 2001, 24, 398-398.	8.6	68
112	A divergent population of autoantigen-responsive CD4 <sup>+</sup> T cells in infants prior to Î² cell autoimmunity. <i>Science Translational Medicine</i> , 2017, 9, .	12.4	67
113	Tissue transglutaminase and combined screening for coeliac disease and type 1 diabetes-associated autoantibodies. <i>Lancet, The</i> , 1998, 352, 1192-1193.	13.7	65
114	Accelerated progression from islet autoimmunity to diabetes is causing the escalating incidence of type 1 diabetes in young children. <i>Journal of Autoimmunity</i> , 2011, 37, 3-7.	6.5	65
115	An Interferon-Induced Helicase ( <i>IFIH1</i> ) Gene Polymorphism Associates With Different Rates of Progression From Autoimmunity to Type 1 Diabetes. <i>Diabetes</i> , 2011, 60, 685-690.	0.6	63
116	A strategy for combining minor genetic susceptibility genes to improve prediction of disease in type 1 diabetes. <i>Genes and Immunity</i> , 2012, 13, 549-555.	4.1	63
117	Neonatal Bacille Calmette-Guerin Vaccination and Type 1 Diabetes. <i>Diabetes Care</i> , 2005, 28, 1204-1206.	8.6	62
118	Oral insulin therapy for primary prevention of type 1 diabetes in infants with high genetic risk: the GPPAD-POInT (global platform for the prevention of autoimmune diabetes primary oral insulin trial) study protocol. <i>BMJ Open</i> , 2019, 9, e028578.	1.9	62
119	Tissue Factor and CCL2/Monocyte Chemoattractant Protein-1 Released by Human Islets Affect Islet Engraftment in Type 1 Diabetic Recipients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 5724-5728.	3.6	60
120	Elimination of Dietary Gluten Does Not Reduce Titers of Type 1 Diabetes-Associated Autoantibodies in High-Risk Subjects. <i>Diabetes Care</i> , 2002, 25, 1111-1116.	8.6	57
121	Delayed exposure to wheat and barley proteins reduces diabetes incidence in non-obese diabetic mice. <i>Clinical Immunology</i> , 2004, 111, 108-118.	3.2	57
122	Early development and spreading of autoantibodies to epitopes of IA-2 and their association with progression to type 1 diabetes. <i>Journal of Immunology</i> , 1998, 161, 6963-9.	0.8	57
123	Breastfeeding habits in families with Type 1 diabetes. <i>Diabetic Medicine</i> , 2007, 24, 671-676.	2.3	56
124	Reversion of Î²-Cell Autoimmunity Changes Risk of Type 1 Diabetes: TEDDY Study. <i>Diabetes Care</i> , 2016, 39, 1535-1542.	8.6	56
125	Autoantibodies in insulin-dependent diabetes recognize distinct cytoplasmic domains of the protein tyrosine phosphatase-like IA-2 autoantigen. <i>Journal of Immunology</i> , 1996, 157, 2707-11.	0.8	56
126	Immunomagnetic isolation of CD4 <sup>+</sup> CD25 <sup>+</sup> FoxP3 <sup>+</sup> natural T regulatory lymphocytes for clinical applications. <i>Clinical and Experimental Immunology</i> , 2009, 156, 246-253.	2.6	55



#	ARTICLE	IF	CITATIONS
127	The Use of Biomaterials in Islet Transplantation. <i>Current Diabetes Reports</i> , 2011, 11, 434-444.	4.2	55
128	GAD autoantibodies and epitope reactivities persist after diagnosis in latent autoimmune diabetes in adults but do not predict disease progression: UKPDS 77. <i>Diabetologia</i> , 2007, 50, 2052-2060.	6.3	54
129	Primary prevention of beta-cell autoimmunity and type 1 diabetes – The Global Platform for the Prevention of Autoimmune Diabetes (GPPAD) perspectives. <i>Molecular Metabolism</i> , 2016, 5, 255-262.	6.5	54
130	High Diversity in the TCR Repertoire of GAD65 Autoantigen-Specific Human CD4+ T Cells. <i>Journal of Immunology</i> , 2015, 194, 2531-2538.	0.8	51
131	Immunological biomarkers for the development and progression of type 1 diabetes. <i>Diabetologia</i> , 2018, 61, 2252-2258.	6.3	51
132	BABYDIET, a feasibility study to prevent the appearance of islet autoantibodies in relatives of patients with Type 1 diabetes by delaying exposure to gluten. <i>Diabetologia</i> , 2004, 47, 1130-1.	6.3	50
133	Association of immune mediators at diagnosis of Type 1 diabetes with later clinical remission. <i>Diabetic Medicine</i> , 2007, 24, 512-520.	2.3	50
134	Combined testing of antibody titer and affinity improves insulin autoantibody measurement: Diabetes Antibody Standardization Program. <i>Clinical Immunology</i> , 2007, 122, 85-90.	3.2	50
135	Concentration and Activity of the Soluble Form of the Interleukin-7 Receptor $\alpha$ in Type 1 Diabetes Identifies an Interplay Between Hyperglycemia and Immune Function. <i>Diabetes</i> , 2013, 62, 2500-2508.	0.6	50
136	Timing of Gluten Introduction and Islet Autoimmunity in Young Children: Updated Results From the BABYDIET Study. <i>Diabetes Care</i> , 2014, 37, e194-e195.	8.6	50
137	Successful transplantation of human islets in recipients bearing a kidney graft. <i>Diabetologia</i> , 2002, 45, 77-84.	6.3	49
138	Progression to Type I Diabetes in Autoimmune Endocrine Patients With Islet Cell Antibodies. <i>Diabetes</i> , 1991, 40, 977-984.	0.6	48
139	Islet cell and thyroid antibody prevalence in patients with hepatitis C virus infection: Effect of treatment with interferon. <i>Translational Research</i> , 2001, 137, 38-42.	2.3	48
140	Predicting type 1 diabetes. <i>Current Diabetes Reports</i> , 2005, 5, 98-103.	4.2	48
141	Early Infant Diet and Islet Autoimmunity in the TEDDY Study. <i>Diabetes Care</i> , 2018, 41, 522-530.	8.6	48
142	IA-2 (islet cell antigen 512) is the primary target of humoral autoimmunity against type 1 diabetes-associated tyrosine phosphatase autoantigens. <i>Journal of Immunology</i> , 1998, 161, 2648-54.	0.8	48
143	Autoantibodies to IA-2 $\beta$ improve diabetes risk assessment in high-risk relatives. <i>Diabetologia</i> , 2008, 51, 488-492.	6.3	47
144	An update on preventive and regenerative therapies in diabetes mellitus. , 2009, 121, 317-331.		47

#	ARTICLE	IF	CITATIONS
145	Advances in the Prediction and Natural History of Type 1 Diabetes. <i>Endocrinology and Metabolism Clinics of North America</i> , 2010, 39, 513-525.	3.2	47
146	Evaluation of Islet Cell Antigen (ICA) 512/IA-2 Autoantibody Radioassays Using Overlapping ICA512/IA-2 Constructs. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 375-380.	3.6	46
147	Capillary whole blood measurement of islet autoantibodies. <i>Diabetes Care</i> , 1999, 22, 275-279.	8.6	45
148	Prevalence, Characteristics and Diabetes Risk Associated with Transient Maternally Acquired Islet Antibodies and Persistent Islet Antibodies in Offspring of Parents with Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 4826-4833.	3.6	44
149	In insulin-autoantibody-positive children from the general population, antibody affinity identifies those at high and low risk. <i>Diabetologia</i> , 2005, 48, 1830-1832.	6.3	44
150	Use of dietary supplements in pregnant women in relation to sociodemographic factors – a report from The Environmental Determinants of Diabetes in the Young (TEDDY) study. <i>Public Health Nutrition</i> , 2013, 16, 1390-1402.	2.2	44
151	Biomarker discovery study design for type 1 diabetes in The Environmental Determinants of Diabetes in the Young (TEDDY) study. <i>Diabetes/Metabolism Research and Reviews</i> , 2014, 30, 424-434.	4.0	44
152	The second international workshop on the standardisation of insulin autoantibody (IAA) measurement. <i>Diabetologia</i> , 1988, 31, 449-450.	6.3	43
153	Low prevalence of islet autoimmunity in adult diabetes and low predictive value of islet autoantibodies in the general adult population of northern Italy. <i>Diabetologia</i> , 1999, 42, 840-844.	6.3	43
154	Disease sensitivity and specificity of 52 assays for glutamic acid decarboxylase antibodies. The Second International GADAB Workshop. <i>Diabetes</i> , 1995, 44, 636-640.	0.6	43
155	Lack of Immunohistological Changes in the Islets of Nondiabetic, Autoimmune, Polyendocrine Patients With $\alpha$ -Selective GAD-Specific Islet Cell Antibodies. <i>Diabetes</i> , 1994, 43, 851-856.	0.6	42
156	Type 1 diabetes risk assessment: improvement by follow-up measurements in young islet autoantibody-positive relatives. <i>Diabetologia</i> , 2006, 49, 2969-2976.	6.3	42
157	Development of autoimmunity to transglutaminase C in children of patients with type 1 diabetes: relationship to islet autoantibodies and infant feeding. <i>Diabetologia</i> , 2007, 50, 390-394.	6.3	42
158	Autoantibodies to N-terminally truncated GAD improve clinical phenotyping of individuals with adult-onset diabetes: Action LADA 12. <i>Diabetologia</i> , 2018, 61, 1644-1649.	6.3	42
159	Can we really predict IDDM?. <i>Diabetes</i> , 1993, 42, 213-220.	0.6	42
160	Low Prevalence of Islet Autoantibodies in Patients With Gestational Diabetes Mellitus. <i>Diabetes Care</i> , 1997, 20, 81-83.	8.6	41
161	Exposure to exogenous insulin promotes IgG1 and the T-helper 2-associated IgG4 responses to insulin but not to other islet autoantigens. <i>Diabetes</i> , 2000, 49, 918-925.	0.6	41
162	Macroporous biohybrid cryogels for co-housing pancreatic islets with mesenchymal stromal cells. <i>Acta Biomaterialia</i> , 2016, 44, 178-187.	8.3	41

#	ARTICLE	IF	CITATIONS
163	Stepwise reprogramming of liver cells to a pancreas progenitor state by the transcriptional regulator Tgif2. <i>Nature Communications</i> , 2017, 8, 14127.	12.8	41
164	Hierarchical Order of Distinct Autoantibody Spreading and Progression to Type 1 Diabetes in the TEDDY Study. <i>Diabetes Care</i> , 2020, 43, 2066-2073.	8.6	41
165	High-resolution snp scan of chromosome 6p21 in pooled samples from patients with complex diseases. <i>Genomics</i> , 2003, 81, 510-518.	2.9	39
166	Differences in recruitment and early retention among ethnic minority participants in a large pediatric cohort: The TEDDY Study. <i>Contemporary Clinical Trials</i> , 2012, 33, 633-640.	1.8	39
167	Genetic association of zinc transporter 8 (ZnT8) autoantibodies in type 1 diabetes cases. <i>Diabetologia</i> , 2012, 55, 1978-1984.	6.3	39
168	GAD Autoantibody Affinity in Adult Patients With Latent Autoimmune Diabetes, the Study Participants of a GAD65 Vaccination Trial. <i>Diabetes Care</i> , 2014, 37, 1675-1680.	8.6	39
169	Immunoglobulin G Insulin Autoantibodies in BABYDIAB Offspring Appear Postnatally: Sensitive Early Detection Using a Protein A/G-Based Radiobinding Assay. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 1239-1243.	3.6	38
170	A novel approach for the analysis of longitudinal profiles reveals delayed progression to type 1 diabetes in a subgroup of multiple-islet-autoantibody-positive children. <i>Diabetologia</i> , 2016, 59, 2172-2180.	6.3	38
171	Validation of a rapid type 1 diabetes autoantibody screening assay for community-based screening of organ donors to identify subjects at increased risk for the disease. <i>Clinical and Experimental Immunology</i> , 2016, 185, 33-41.	2.6	38
172	Immunoglobulin G Insulin Autoantibodies in BABYDIAB Offspring Appear Postnatally: Sensitive Early Detection Using a Protein A/G-Based Radiobinding Assay. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 1239-1243.	3.6	38
173	Immunology and Diabetes Workshops: Report of the Second International Workshop on the Standardisation of Cytoplasmic Islet Cell Antibodies. <i>Diabetologia</i> , 1987, 30, 273-273.	6.3	37
174	CD8+ T cells specific for the islet autoantigen IGRP are restricted in their T cell receptor chain usage. <i>Scientific Reports</i> , 2017, 7, 44661.	3.3	37
175	SLC30A8 (ZnT8) Polymorphism is Associated with Young Age at Type 1 Diabetes Onset. <i>Review of Diabetic Studies</i> , 2008, 5, 25-27.	1.3	37
176	Two-Step Islet Autoantibody Screening for Risk Assessment of Type 1 Diabetes in Relatives. <i>Diabetes Care</i> , 1998, 21, 1445-1450.	8.6	36
177	Maternal type 1 diabetes reduces the risk of islet autoantibodies: relationships with birthweight and maternal HbA1c. <i>Diabetologia</i> , 2008, 51, 1245-1252.	6.3	36
178	Transplant Estimated Function. <i>Diabetes Care</i> , 2008, 31, 301-305.	8.6	36
179	Antibodies to islet 37k antigen, but not to glutamate decarboxylase, discriminate rapid progression to IDDM in endocrine autoimmunity. <i>Diabetes</i> , 1994, 43, 1254-1259.	0.6	36
180	Incomplete immune response to coxsackie B viruses associates with early autoimmunity against insulin. <i>Scientific Reports</i> , 2016, 6, 32899.	3.3	35

#	ARTICLE	IF	CITATIONS
181	Birth and coming of age of islet autoantibodies. <i>Clinical and Experimental Immunology</i> , 2019, 198, 294-305.	2.6	35
182	Automated Clinical Grade Expansion of Regulatory T Cells in a Fully Closed System. <i>Frontiers in Immunology</i> , 2019, 10, 38.	4.8	35
183	Sera from Patients with IDDM and Healthy Individuals have Antibodies to ICA69 on Western Blots but do not Immunoprecipitate Liquid Phase Antigen. <i>Journal of Autoimmunity</i> , 1994, 7, 665-674.	6.5	34
184	Risk of Type 1 Diabetes Development in Children With Incidental Hyperglycemia: A multicenter Italian study. <i>Diabetes Care</i> , 2001, 24, 1210-1216.	8.6	34
185	Beta cell function during rapamycin monotherapy in long-term type 1 diabetes. <i>Diabetologia</i> , 2011, 54, 433-439.	6.3	34
186	Next-generation sequencing for viruses in children with rapid-onset type 1 diabetes. <i>Diabetologia</i> , 2013, 56, 1705-1711.	6.3	34
187	Activation of Islet Autoreactive Na <sup>+</sup> ve T Cells in Infants Is Influenced by Homeostatic Mechanisms and Antigen-Presenting Capacity. <i>Diabetes</i> , 2013, 62, 2059-2066.	0.6	34
188	Intrahepatic Islet Transplant in the Mouse: Functional and Morphological Characterization. <i>Cell Transplantation</i> , 2008, 17, 1361-1370.	2.5	33
189	Differentiation, expansion, and homeostasis of autoreactive T cells in type 1 diabetes mellitus. <i>Current Diabetes Reports</i> , 2009, 9, 113-118.	4.2	33
190	Tetraspanin 7 autoantibodies in type 1 diabetes. <i>Diabetologia</i> , 2016, 59, 1973-1976.	6.3	33
191	The third international workshop on the standardisation of insulin autoantibody measurement. <i>Diabetologia</i> , 1990, 33, 60-61.	6.3	32
192	A public health antibody screening indicates a marked increase of SARS-CoV-2 exposure rate in children during the second wave. <i>Med</i> , 2021, 2, 571-572.	4.4	32
193	First international workshop on the standardisation of insulin autoantibodies. <i>Diabetologia</i> , 1987, 30, 676-677.	6.3	32
194	Evaluation of Islet Cell Antigen (ICA) 512/IA-2 Autoantibody Radioassays Using Overlapping ICA512/IA-2 Constructs. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 375-380.	3.6	32
195	Association of interferon- $\gamma$ and interleukin 10 genotypes and serum levels with partial clinical remission in type 1 diabetes. <i>Clinical and Experimental Immunology</i> , 2006, 145, 480-484.	2.6	31
196	Identification of infants with increased type 1 diabetes genetic risk for enrollment into Primary Prevention Trials – GPPAD 2020 study design and first results. <i>Pediatric Diabetes</i> , 2019, 20, 720-727.	2.9	31
197	Oral insulin immunotherapy in children at risk for type 1 diabetes in a randomised controlled trial. <i>Diabetologia</i> , 2021, 64, 1079-1092.	6.3	31
198	Co-Graft of Allogeneic Immune Regulatory Neural Stem Cells (NPC) and Pancreatic Islets Mediates Tolerance, while Inducing NPC-Derived Tumors in Mice. <i>PLoS ONE</i> , 2010, 5, e10357.	2.5	30

#	ARTICLE	IF	CITATIONS
199	Prospective evaluation of risk factors for the development of islet autoimmunity and type 1 diabetes during puberty - TEENDIAB: study design. <i>Pediatric Diabetes</i> , 2012, 13, 419-424.	2.9	30
200	Longitudinal Metabolome-Wide Signals Prior to the Appearance of a First Islet Autoantibody in Children Participating in the TEDDY Study. <i>Diabetes</i> , 2020, 69, 465-476.	0.6	30
201	Systematic Variation and Differences in Insulin-Autoantibody Measurements. <i>Diabetes</i> , 1989, 38, 172-181.	0.6	29
202	Human Monoclonal Antibodies Isolated from Type I Diabetes Patients Define Multiple Epitopes in the Protein Tyrosine Phosphatase-Like IA-2 Antigen. <i>Journal of Immunology</i> , 2000, 165, 4676-4684.	0.8	29
203	Relevance of Hyperglycemia on the Timing of Functional Loss of Allogeneic Islet Transplants: Implication for Mouse Model. <i>Transplantation</i> , 2007, 83, 167-173.	1.0	29
204	Progression from single to multiple islet autoantibodies often occurs soon after seroconversion: implications for early screening. <i>Diabetologia</i> , 2015, 58, 411-413.	6.3	29
205	Slow metabolic deterioration towards diabetes in islet cell antibody positive patients with autoimmune polyendocrine disease. <i>Diabetologia</i> , 1994, 37, 365-371.	6.3	28
206	Two Distinctly HLA-Associated Contiguous Linear Epitopes Uniquely Expressed Within the Islet Antigen 2 Molecule Are Major Autoantibody Epitopes of the Diabetes-Specific Tyrosine Phosphatase-Like Protein Autoantigens. <i>Journal of Immunology</i> , 2002, 168, 4202-4208.	0.8	28
207	Heparin-induced Extracorporeal LDL Precipitation (H.E.L.P) in Diabetic Foot Syndrome – Preventive and Regenerative Potential?. <i>Hormone and Metabolic Research</i> , 2008, 40, 487-490.	1.5	28
208	Rebranding asymptomatic type 1 diabetes: the case for autoimmune beta cell disorder as a pathological and diagnostic entity. <i>Diabetologia</i> , 2017, 60, 35-38.	6.3	28
209	Time-Resolved Autoantibody Profiling Facilitates Stratification of Preclinical Type 1 Diabetes in Children. <i>Diabetes</i> , 2019, 68, 119-130.	0.6	28
210	Distinct Growth Phases in Early Life Associated With the Risk of Type 1 Diabetes: The TEDDY Study. <i>Diabetes Care</i> , 2020, 43, 556-562.	8.6	28
211	High level of concordance between assays for glutamic acid decarboxylase antibodies. The First International Glutamic Acid Decarboxylase Antibody Workshop. <i>Diabetes</i> , 1994, 43, 1005-1009.	0.6	28
212	Novel Considerations on the Antibody/Autoantigen System in Type I (insulin-dependent) Diabetes Mellitus. <i>Annals of Medicine</i> , 1991, 23, 453-461.	3.8	27
213	3 Screen ELISA for High-Throughput Detection of Beta Cell Autoantibodies in Capillary Blood. <i>Diabetes Technology and Therapeutics</i> , 2016, 18, 687-693.	4.4	27
214	Allele-specific methylation of type 1 diabetes susceptibility genes. <i>Journal of Autoimmunity</i> , 2018, 89, 63-74.	6.5	27
215	Idiopathic dilated cardiomyopathy: lack of association between circulating organ-specific cardiac antibodies and HLA-DR antigens. <i>Tissue Antigens</i> , 1992, 39, 236-240.	1.0	26
216	Islet autoantibodies and their use in predicting insulin-dependent diabetes. <i>Acta Diabetologica</i> , 1997, 34, 185-193.	2.5	26

#	ARTICLE	IF	CITATIONS
217	Fetal growth is increased by maternal type 1 diabetes and HLA DR4-related gene interactions. <i>Diabetologia</i> , 2007, 50, 850-858.	6.3	26
218	Abundant cytomegalovirus (CMV) reactive clonotypes in the CD8+ T cell receptor alpha repertoire following allogeneic transplantation. <i>Clinical and Experimental Immunology</i> , 2016, 184, 389-402.	2.6	26
219	Organ-specific cardiac antibodies: serological markers for systemic hypertension in autoimmune polyendocrinopathy. <i>Lancet, The</i> , 1991, 337, 1111-1115.	13.7	25
220	Humoral and cellular immune parameters before and during immunosuppressive therapy of a patient with stiff-man syndrome and insulin dependent diabetes mellitus. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1998, 65, 204-208.	1.9	25
221	3 Screen islet cell autoantibody ELISA: A sensitive and specific ELISA for the combined measurement of autoantibodies to GAD65, to IA-2 and to ZnT8. <i>Clinica Chimica Acta</i> , 2016, 462, 60-64.	1.1	25
222	Gene Expression-Based Identification of Antigen-Responsive CD8+ T Cells on a Single-Cell Level. <i>Frontiers in Immunology</i> , 2019, 10, 2568.	4.8	25
223	Disengaging the IL-2 Receptor with Daclizumab Enhances IL-7-Mediated Proliferation of CD4+and CD8+T Cells. <i>American Journal of Transplantation</i> , 2009, 9, 2727-2735.	4.7	24
224	Measuring T cell receptor and T cell gene expression diversity in antigen-responsive human CD4+ T cells. <i>Journal of Immunological Methods</i> , 2013, 400-401, 13-22.	1.4	24
225	Joint modeling of longitudinal autoantibody patterns and progression to type 1 diabetes: results from the TEDDY study. <i>Acta Diabetologica</i> , 2017, 54, 1009-1017.	2.5	24
226	T cell receptor repertoires after adoptive transfer of expanded allogeneic regulatory T cells. <i>Clinical and Experimental Immunology</i> , 2017, 187, 316-324.	2.6	24
227	Humoral autoimmune responses to glutamic acid decarboxylase have similar target epitopes and subclass that show titer-dependent disease association. <i>Clinical Immunology</i> , 2005, 117, 31-35.	3.2	23
228	Rapamycin Induces a Caspase-Independent Cell Death in Human Monocytes. <i>American Journal of Transplantation</i> , 2006, 6, 1331-1341.	4.7	23
229	Exposure to Environmental Factors in Drinking Water: Risk of Islet Autoimmunity and Type 1 Diabetes â€œ The BABYDIAB Study. <i>Hormone and Metabolic Research</i> , 2008, 40, 566-571.	1.5	23
230	Is islet autoimmunity related to insulin sensitivity or body weight in children of parents with type 1 diabetes?. <i>Diabetologia</i> , 2009, 52, 2072-2078.	6.3	23
231	An Age-Related Exponential Decline in the Risk of Multiple Islet Autoantibody Seroconversion During Childhood. <i>Diabetes Care</i> , 2021, 44, 2260-2268.	8.6	23
232	German new onset diabetes in the young incident cohort study: DiMelli study design and first-year results. <i>Review of Diabetic Studies</i> , 2010, 7, 202-8.	1.3	23
233	Western blot profiles, lymph node ultrastructure and viral expression in HIV-infected patients: a correlative study. <i>Clinical and Experimental Immunology</i> , 1987, 68, 465-78.	2.6	23
234	Comparison of Insulin Autoantibodies in Diabetes-Related and Healthy Populations by Precise Displacement ELISA. <i>Diabetes</i> , 1989, 38, 1275-1281.	0.6	22

#	ARTICLE	IF	CITATIONS
235	High Levels of Donor CCL2/MCP-1 Predict Graft-Related Complications and Poor Graft Survival After Kidney-Pancreas Transplantation. <i>American Journal of Transplantation</i> , 2008, 8, 1303-1311.	4.7	22
236	Gestational respiratory infections interacting with offspring HLA and CTLA-4 modifies incident $\hat{I}^2$ -cell autoantibodies. <i>Journal of Autoimmunity</i> , 2018, 86, 93-103.	6.5	22
237	Genetic Contribution to the Divergence in Type 1 Diabetes Risk Between Children From the General Population and Children From Affected Families. <i>Diabetes</i> , 2019, 68, 847-857.	0.6	22
238	Progression from islet autoimmunity to clinical type 1 diabetes is influenced by genetic factors: results from the prospective TEDDY study. <i>Journal of Medical Genetics</i> , 2019, 56, 602-605.	3.2	22
239	Transcriptional networks in at-risk individuals identify signatures of type 1 diabetes progression. <i>Science Translational Medicine</i> , 2021, 13, .	12.4	22
240	A classification and regression tree analysis identifies subgroups of childhood type 1 diabetes. <i>EBioMedicine</i> , 2022, 82, 104118.	6.1	21
241	Influence of Early Nutritional Components on the Development of Murine Autoimmune Diabetes. <i>Annals of Nutrition and Metabolism</i> , 2009, 54, 208-217.	1.9	20
242	Impaired insulin turnover in islets from type 2 diabetic patients. <i>Islets</i> , 2010, 2, 30-36.	1.8	20
243	A strategy to find gene combinations that identify children who progress rapidly to type 1 diabetes after islet autoantibody seroconversion. <i>Acta Diabetologica</i> , 2014, 51, 403-411.	2.5	20
244	Interleukin-7 and Type 1 Diabetes. <i>Current Diabetes Reports</i> , 2014, 14, 518.	4.2	20
245	Type 1 Diabetes Prevention: A Goal Dependent on Accepting a Diagnosis of an Asymptomatic Disease. <i>Diabetes</i> , 2016, 65, 3233-3239.	0.6	20
246	Expression of the Protein Tyrosine Phosphatase-like Protein IA-2 During Pancreatic Islet Development. <i>Journal of Histochemistry and Cytochemistry</i> , 2001, 49, 767-775.	2.5	19
247	Characterization of antibody responses to endogenous and exogenous antigen in the nonobese diabetic mouse. <i>Clinical Immunology</i> , 2003, 106, 155-162.	3.2	19
248	Systematic variation and differences in insulin-autoantibody measurements. <i>Diabetes</i> , 1989, 38, 172-181.	0.6	19
249	Combined analysis of IDDM-related autoantibodies in healthy schoolchildren. <i>Lancet, The</i> , 1994, 344, 756.	13.7	18
250	Autoimmune responses to the $\hat{I}^2$ cell autoantigen, insulin, and the INS VNTR-IDDM2 locus. <i>Clinical and Experimental Immunology</i> , 1998, 114, 370-376.	2.6	18
251	Endocrine autoimmunity in families with type 1 diabetes: frequent appearance of thyroid autoimmunity during late childhood and adolescence. <i>Diabetologia</i> , 2009, 52, 185-192.	6.3	18
252	GM-CSF producing autoreactive CD4+ T cells in type 1 diabetes. <i>Clinical Immunology</i> , 2018, 188, 23-30.	3.2	18



#	ARTICLE	IF	CITATIONS
253	A peripheral blood transcriptomic signature predicts autoantibody development in infants at risk of type 1 diabetes. <i>JCI Insight</i> , 2018, 3, .	5.0	18
254	Antinuclear antibody. <i>Journal of Immunological Methods</i> , 1986, 91, 249-255.	1.4	17
255	Maternal immunity to insulin does not affect diabetes risk in progeny of non obese diabetic mice. <i>Clinical and Experimental Immunology</i> , 2004, 136, 56-59.	2.6	17
256	Monoclonal antibody 76F distinguishes IA-2 from IA-2 $\beta$ and overlaps an autoantibody epitope. <i>Journal of Autoimmunity</i> , 2006, 26, 215-222.	6.5	17
257	Vagaries of the ELISpot assay: Specific detection of antigen responsive cells requires purified CD8+ T cells and MHC class I expressing antigen presenting cell lines. <i>Clinical Immunology</i> , 2015, 157, 216-225.	3.2	17
258	Circulating unmethylated CHTOP and INS DNA fragments provide evidence of possible islet cell death in youth with obesity and diabetes. <i>Clinical Epigenetics</i> , 2020, 12, 116.	4.1	17
259	Progression to type I diabetes in autoimmune endocrine patients with islet cell antibodies. <i>Diabetes</i> , 1991, 40, 977-984.	0.6	17
260	Reduced IL-4 associated antibody responses to vaccine in early pre-diabetes. <i>Diabetologia</i> , 2002, 45, 677-685.	6.3	16
261	Fine mapping of diabetes-associated IA-2 specific autoantibodies. <i>Journal of Autoimmunity</i> , 2003, 21, 377-382.	6.5	16
262	IA-2 autoantibody affinity in children at risk for type 1 diabetes. <i>Clinical Immunology</i> , 2012, 145, 224-229.	3.2	16
263	T-cell receptor $\beta$ repertoire of CD8+ T cells following allogeneic stem cell transplantation using next-generation sequencing. <i>Haematologica</i> , 2019, 104, 622-631.	3.5	16
264	Prevalence, Characteristics and Diabetes Risk Associated with Transient Maternally Acquired Islet Antibodies and Persistent Islet Antibodies in Offspring of Parents with Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 4826-4833.	3.6	16
265	Pathogenesis of Type I (insulin-dependent) diabetes: Possible mechanisms of autoimmune damage. <i>British Medical Bulletin</i> , 1989, 45, 37-57.	6.9	15
266	Beta cell chromogranin B is partially segregated in distinct granules and can be released separately from insulin in response to stimulation. <i>Diabetologia</i> , 2008, 51, 997-1007.	6.3	15
267	Screening for Type 1 Diabetes Risk in Newborns: The Freder1k Pilot Study in Saxony*. <i>Hormone and Metabolic Research</i> , 2018, 50, 44-49.	1.5	15
268	Blood draws up to 3% of blood volume in clinical trials are safe in children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019, 108, 940-944.	1.5	15
269	Supplementation with <i>Bifidobacterium longum</i> subspecies <i>infantis</i> EVC001 for mitigation of type 1 diabetes autoimmunity: the GPPAD-SINT1A randomised controlled trial protocol. <i>BMJ Open</i> , 2021, 11, e052449.	1.9	15
270	Islet Cell Antigens in the Prediction and Prevention of Insulin-dependent Diabetes Mellitus. <i>Annals of Medicine</i> , 1997, 29, 405-412.	3.8	14

#	ARTICLE	IF	CITATIONS
271	Rapamycin does not adversely affect intrahepatic islet engraftment in mice and improves early islet engraftment in humans. <i>Islets</i> , 2009, 1, 42-49.	1.8	14
272	Neurotrophin Receptor p75NTR Regulates Immune Function of Plasmacytoid Dendritic Cells. <i>Frontiers in Immunology</i> , 2017, 8, 981.	4.8	14
273	Associations of breastfeeding with childhood autoimmunity, allergies, and overweight: The Environmental Determinants of Diabetes in the Young (TEDDY) study. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 134-142.	4.7	14
274	Lack of immunohistological changes in the islets of nondiabetic, autoimmune, polyendocrine patients with beta-selective GAD-specific islet cell antibodies. <i>Diabetes</i> , 1994, 43, 851-856.	0.6	14
275	HLA DQA1-DQB1-TAP2 haplotypes in IDDM families: no evidence for an additional contribution to disease risk by the TAP2 locus. <i>Diabetologia</i> , 1995, 38, 968-974.	6.3	13
276	Cellular and Humoral Immunity against Cow's Milk Proteins in Type 1 Diabetes. <i>Journal of Autoimmunity</i> , 1999, 13, 365-373.	6.5	12
277	Predicting Type 1 Diabetes Using Autoantibodies: The Latest Results from the Diabetes Autoantibody Standardization Program. <i>Diabetes Technology and Therapeutics</i> , 2002, 4, 397-400.	4.4	12
278	Creating a "Transcampus" in Diabetes Research Between King's College London and the Technische Universität Dresden: Update on Islet Biology and Transplantation. <i>Hormone and Metabolic Research</i> , 2015, 47, 1-3.	1.5	12
279	Compromised immune response in infants at risk for type 1 diabetes born by Caesarean Section. <i>Clinical Immunology</i> , 2015, 160, 282-285.	3.2	12
280	Relationships between major epitopes of the IA-2 autoantigen in Type 1 diabetes: Implications for determinant spreading. <i>Clinical Immunology</i> , 2015, 160, 226-236.	3.2	12
281	Efficacy of vildagliptin for prevention of postpartum diabetes in women with a recent history of insulin-requiring gestational diabetes: A phase II, randomized, double-blind, placebo-controlled study. <i>Molecular Metabolism</i> , 2018, 9, 168-175.	6.5	12
282	Age, HLA, and Sex Define a Marked Risk of Organ-Specific Autoimmunity in First-Degree Relatives of Patients With Type 1 Diabetes. <i>Diabetes Care</i> , 2019, 42, 1684-1691.	8.6	12
283	Immune responses to glutamic acid decarboxylase and insulin in patients with gestational diabetes. <i>Clinical and Experimental Immunology</i> , 2004, 135, 318-321.	2.6	11
284	<i>HHEX-IDE</i> Polymorphism Is Associated with Low Birth Weight in Offspring with a Family History of Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 4113-4115.	3.6	11
285	BMI at Age 8 Years Is Influenced by the Type 2 Diabetes Susceptibility Genes <i>HHEX-IDE</i> and <i>CDKAL1</i> . <i>Diabetes</i> , 2010, 59, 2063-2067.	0.6	11
286	Pretransplantation GAD-Autoantibody Status to Guide Prophylactic Antibody Induction Therapy in Simultaneous Pancreas and Kidney Transplantation. <i>Transplantation</i> , 2013, 96, 745-752.	1.0	11
287	Association of Dendritic Cell Signatures With Autoimmune Inflammation Revealed by Single-Cell Profiling. <i>Arthritis and Rheumatology</i> , 2019, 71, 817-828.	5.6	11
288	T cell responses to type 1 diabetes related peptides sharing homologous regions. <i>Journal of Molecular Medicine</i> , 2001, 79, 213-220.	3.9	10

#	ARTICLE	IF	CITATIONS
289	A simplified method to assess affinity of insulin autoantibodies. <i>Clinical Immunology</i> , 2010, 137, 415-421.	3.2	10
290	Landmark models to define the age-adjusted risk of developing stage 1 type 1 diabetes across childhood and adolescence. <i>BMC Medicine</i> , 2019, 17, 125.	5.5	10
291	Early T-cell defects in pre-type 1 diabetes. <i>Acta Diabetologica</i> , 1992, 28, 189-192.	2.5	9
292	Proinsulin-Specific Autoantibodies Are Relatively Infrequent in Young Offspring With Pre-Type 1 Diabetes. <i>Diabetes Care</i> , 2001, 24, 1843-1844.	8.6	9
293	Mucosal Insulin Vaccination for Type 1 Diabetes Prevention. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2008, 116, S26-S29.	1.2	9
294	Thymus Growth and Fetal Immune Responses in Diabetic Pregnancies. <i>Hormone and Metabolic Research</i> , 2017, 49, 892-898.	1.5	9
295	Use of a standard curve improves precision and concordance of antinuclear antibody measurement. <i>Journal of Clinical &amp; Laboratory Immunology</i> , 1987, 22, 197-200.	0.1	9
296	SEAPAL quality control analysis of rheumatoid factor measurement in 29 diagnostic laboratories.. <i>Annals of the Rheumatic Diseases</i> , 1987, 46, 417-420.	0.9	8
297	Myoclonic encephalopathy and diabetes mellitus in a boy. <i>Developmental Medicine and Child Neurology</i> , 1999, 41, 489-490.	2.1	8
298	Identification of insulin autoantibodies of IgA isotype that preferentially target non-human insulin. <i>Clinical Immunology</i> , 2007, 124, 77-82.	3.2	8
299	Immunotherapy in Type 1 Diabetes: A Shorter but More Winding Road?. <i>Diabetes</i> , 2012, 61, 2214-2215.	0.6	8
300	Generation of high-avidity, WT1-reactive CD8+ cytotoxic T cell clones with anti-leukemic activity by streptamer technology. <i>Leukemia and Lymphoma</i> , 2017, 58, 1246-1249.	1.3	8
301	Novel minor HLA DR associated antigens in type 1 diabetes. <i>Clinical Immunology</i> , 2018, 194, 87-91.	3.2	8
302	Cytoplasmic ends of tetraspanin 7 harbour epitopes recognised by autoantibodies in type 1 diabetes. <i>Diabetologia</i> , 2019, 62, 805-810.	6.3	8
303	Screening for asymptomatic $\beta$ -cell autoimmunity in young children. <i>The Lancet Child and Adolescent Health</i> , 2019, 3, 288-290.	5.6	8
304	Maternal Type 1 Diabetes Reduces Autoantigen-Responsive CD4+ T Cells in Offspring. <i>Diabetes</i> , 2020, 69, 661-669.	0.6	8
305	No evidence of diabetes-specific CD38 (ADP ribosyl cyclase/cyclic ADP-ribose hydrolase) autoantibodies by liquid-phase immunoprecipitation. <i>Diabetic Medicine</i> , 2005, 22, 1770-1773.	2.3	7
306	Insulin autoantibodies with high affinity to the bovine milk protein alpha casein. <i>Clinical and Experimental Immunology</i> , 2011, 164, 42-49.	2.6	7

#	ARTICLE	IF	CITATIONS
307	The Relative Merits of Cord Blood as a Cell Source for Autologous T Regulatory Cell Therapy in Type 1 Diabetes. <i>Hormone and Metabolic Research</i> , 2015, 47, 48-55.	1.5	7
308	Mass spectrometry-based identification of a naturally presented receptor tyrosine kinase-like orphan receptor 1-derived epitope recognized by CD8 <sup>+</sup> cytotoxic T cells. <i>Haematologica</i> , 2017, 102, e460-e464.	3.5	7
309	CD4 <sup>+</sup> T cell activation, function, and metabolism are inhibited by low concentrations of DMSO. <i>Journal of Immunological Methods</i> , 2018, 463, 54-60.	1.4	7
310	Inducible IL-7 Hyperexpression Influences Lymphocyte Homeostasis and Function and Increases Allograft Rejection. <i>Frontiers in Immunology</i> , 2019, 10, 742.	4.8	7
311	Tonic Signaling and Its Effects on Lymphopoiesis of CAR-Armed Hematopoietic Stem and Progenitor Cells. <i>Journal of Immunology</i> , 2019, 202, 1735-1746.	0.8	7
312	Why is the presence of autoantibodies against GAD associated with a relatively slow progression to clinical diabetes?. <i>Diabetologia</i> , 2020, 63, 1665-1666.	6.3	7
313	Transient Depletion of Foxp3 <sup>+</sup> Regulatory T Cells Selectively Promotes Aggressive $\beta^2$ Cell Autoimmunity in Genetically Susceptible DREG Mice. <i>Frontiers in Immunology</i> , 2021, 12, 720133.	4.8	7
314	Comparison of insulin autoantibodies in diabetes-related and healthy populations by precise displacement ELISA. <i>Diabetes</i> , 1989, 38, 1275-1281.	0.6	7
315	Heterogeneity of DKA Incidence and Age-Specific Clinical Characteristics in Children Diagnosed With Type 1 Diabetes in the TEDDY Study. <i>Diabetes Care</i> , 2022, 45, 624-633.	8.6	7
316	Autoantibodies in insulin-dependent diabetes mellitus. <i>Journal of Endocrinological Investigation</i> , 1994, 17, 521-531.	3.3	6
317	Gluten: is it also a determinant of islet autoimmunity?. , 1998, 14, 258-259.		6
318	C-reactive protein concentration is not related to islet autoimmunity status in offspring of parents with type 1 diabetes. <i>Clinical Immunology</i> , 2005, 115, 173-177.	3.2	6
319	Radiobinding assay for detecting autoantibodies to single epitopes. <i>Journal of Immunological Methods</i> , 2008, 336, 127-134.	1.4	6
320	Telomere length is not a main factor for the development of islet autoimmunity and type 1 diabetes in the TEDDY study. <i>Scientific Reports</i> , 2022, 12, 4516.	3.3	6
321	Antibodies to glutamic acid decarboxylase as predictors of insulin-dependent diabetes mellitus. <i>Lancet</i> , The, 1994, 344, 266-267.	13.7	5
322	Lack of Association of DMB Polymorphism with Insulin-Dependent Diabetes. <i>Journal of Autoimmunity</i> , 1997, 10, 395-400.	6.5	5
323	ICA12(SOX13) autoantibodies are unlikely to be a useful marker for pre-clinical Type I diabetes. <i>Diabetologia</i> , 2001, 44, 267-267.	6.3	5
324	Translating Mucosal Antigen based Prevention of Autoimmune Diabetes to Human. <i>Novartis Foundation Symposium</i> , 2008, 292, 187-201.	1.1	5

#	ARTICLE	IF	CITATIONS
325	Comparison of the purification of biologically active IL-7 cytokine expressed in <i>Escherichia coli</i> and <i>Pichia pastoris</i> . <i>Protein Expression and Purification</i> , 2015, 110, 65-71.	1.3	5
326	Longitudinal Frequencies of Blood Leukocyte Subpopulations Differ between NOD and NOR Mice but Do Not Predict Diabetes in NOD Mice. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-7.	2.3	5
327	Shortening the paths to type 1 diabetes mellitus prevention. <i>Nature Reviews Endocrinology</i> , 2021, 17, 73-74.	9.6	5
328	Parameters associated with residual insulin secretion during the first year of disease in children and adolescents with Type 1 diabetes mellitus. <i>Diabetic Medicine</i> , 1998, 15, 844-850.	2.3	5
329	How benign autoimmunity becomes detrimental in type 1 diabetes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	5
330	Sources of dietary gluten in the first 2 years of life and associations with celiac disease autoimmunity and celiac disease in Swedish genetically predisposed children: The Environmental Determinants of Diabetes in the Young (TEDDY) study. <i>American Journal of Clinical Nutrition</i> , 2022, 116, 394-403.	4.7	5
331	Low interleukin-2 receptor levels in serum of patients with insulin-dependent diabetes. <i>The Clinical Investigator</i> , 1994, 72, 494-8.	0.6	4
332	No inverse relationship between total IgE levels and islet autoimmunity in children of parents with type 1 diabetes. <i>Diabetes Care</i> , 2000, 23, 1205-1206.	8.6	4
333	Chronic myeloproliferative disorders: the bone marrow stromal component is not involved in the malignant clone. <i>Leukemia</i> , 2007, 21, 377-378.	7.2	4
334	Azide and Tween-20 reduce binding to autoantibody epitopes of islet antigen-2; implications for assay performance and reproducibility. <i>Journal of Immunological Methods</i> , 2009, 351, 75-79.	1.4	4
335	Neonatal and infant beta cell hormone concentrations in relation to type 1 diabetes risk. <i>Pediatric Diabetes</i> , 2014, 15, 528-533.	2.9	4
336	Soluble interleukin-2 receptor alpha in preclinical type 1 diabetes. <i>Acta Diabetologica</i> , 2014, 51, 517-518.	2.5	4
337	Isolation of human monoclonal autoantibodies derived from pancreatic lymph node and peripheral blood B cells of islet autoantibody-positive patients. <i>Diabetologia</i> , 2016, 59, 294-298.	6.3	4
338	Searching peripheral blood mononuclear cells of children with viral respiratory tract infections preceding islet autoimmunity for viruses by high-throughput sequencing. <i>Acta Diabetologica</i> , 2018, 55, 881-884.	2.5	4
339	Common patterns of gene regulation associated with Cesarean section and the development of islet autoimmunity – indications of immune cell activation. <i>Scientific Reports</i> , 2019, 9, 6250.	3.3	4
340	100 Years of insulin: Lifesaver, immune target, and potential remedy for prevention. <i>Med</i> , 2021, 2, 1120-1137.	4.4	4
341	Gluten-Free Diet in Subjects at Risk for Type 1 Diabetes: A Tool for Delaying Progression to Clinical Disease?. , 2005, 569, 157-158.		4
342	Beta-Cell Autoimmunity. <i>Methods in Molecular Biology</i> , 2012, 933, 265-274.	0.9	4

#	ARTICLE	IF	CITATIONS
343	Myoclonic encephalopathy and diabetes mellitus in a boy. <i>Developmental Medicine and Child Neurology</i> , 1999, 41, 489-90.	2.1	4
344	Distinguishing activated T regulatory cell and T <sup>h</sup> 17 conventional cells by single-cell technologies. <i>Immunology</i> , 2022, 166, 121-137.	4.4	4
345	HLA-DQ screening for risk assessment of insulin dependent diabetes in northern Italy. <i>Acta Diabetologica</i> , 1995, 32, 137-142.	2.5	3
346	HLA-A associations with IDDM ? a case of numbers?. <i>Diabetologia</i> , 1995, 38, 751-752.	6.3	3
347	Is islet autoimmunity really detectable at birth?. <i>Diabetologia</i> , 1999, 42, 1442-1443.	6.3	3
348	IGRP and insulin vaccination induce CD8+ T cell-mediated autoimmune diabetes in the RIP-CD80GP mouse. <i>Clinical and Experimental Immunology</i> , 2014, 176, 199-206.	2.6	3
349	Myoclonic encephalopathy and diabetes mellitus in a boy. <i>Developmental Medicine and Child Neurology</i> , 1999, 41, 489-490.	2.1	3
350	Dynamic changes in immune gene co-expression networks predict development of type 1 diabetes. <i>Scientific Reports</i> , 2021, 11, 22651.	3.3	3
351	Reproducibility of 10x Genomics single cell RNA sequencing method in the immune cell environment. <i>Journal of Immunological Methods</i> , 2022, 502, 113227.	1.4	3
352	Slow metabolic deterioration towards diabetes in islet cell antibody positive patients with autoimmune polyendocrine disease. <i>Diabetologia</i> , 1994, 37, 365-371.	6.3	3
353	Comparison and Standardization of Measurement of Anti-Acetylcholine Receptor Antibody between Laboratories. <i>Autoimmunity</i> , 1988, 1, 59-66.	2.6	2
354	T-cell reactivity to 38 kD insulin-secretory granule protein in patients with recent onset type 1 diabetes. <i>Journal of Endocrinological Investigation</i> , 1994, 17, 559-563.	3.3	2
355	Anti-CCL3 autoantibodies are not markers of type 1 diabetes when measured by a commercial ELISA method. <i>Diabetologia</i> , 2011, 54, 699-700.	6.3	2
356	Gian Franco Bottazzo, 1946-2017. <i>Diabetologia</i> , 2018, 61, 3-5.	6.3	2
357	The transCampus Metabolic Training Programme Explores the Link of SARS-CoV-2 Virus to Metabolic Disease. <i>Hormone and Metabolic Research</i> , 2021, 53, 204-206.	1.5	2
358	Functional and metabolic fitness of human CD4 <sup>+</sup> T lymphocytes during metabolic stress. <i>Life Science Alliance</i> , 2021, 4, e202101013.	2.8	2
359	Silent coeliac disease is not a cause of autonomic neuropathy in patients with Type 1 diabetes. <i>Diabetic Medicine</i> , 2001, 18, 686-687.	2.3	2
360	Autoantibodies against ATP4A are a feature of the abundant autoimmunity that develops in first-degree relatives of patients with type 1 diabetes. <i>Pediatric Diabetes</i> , 2022, 23, 714-720.	2.9	2

#	ARTICLE	IF	CITATIONS
361	A Novel Type I Interferon Primed Dendritic Cell Subpopulation in TREX1 Mutant Chilblain Lupus Patients. <i>Frontiers in Immunology</i> , 0, 13, .	4.8	2
362	Type 1 Diabetes Mellitus, Celiac Disease and their Association - Lessons from Antibodies. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2001, 14, 607-10.	0.9	1
363	Targeting innate immunity in type 1 diabetes: strike one. <i>Lancet, The</i> , 2013, 381, 1880-1881.	13.7	1
364	Assessment of the T cell receptor repertoire in long-term platelet donors by next generation sequencing. <i>British Journal of Haematology</i> , 2018, 181, 389-391.	2.5	1
365	Soluble IL-7 receptor alpha concentration in cord blood is linked to sex and maternal diabetes, but not with subsequent development of type 1 diabetes. <i>European Journal of Immunology</i> , 2020, 50, 903-905.	2.9	1
366	Standardization of Acetylcholine Receptor Antibody Measurement. <i>Annals of the New York Academy of Sciences</i> , 1988, 540, 528-529.	3.8	0
367	Fine mapping of diabetes-associated IA-2 specific autoantibodies. <i>Journal of Autoimmunity</i> , 2003, 21, 377-377.	6.5	0
368	117: Naive and memory T regulatory cells respond to mesenchymal cells regulation. <i>Biology of Blood and Marrow Transplantation</i> , 2007, 13, 45.	2.0	0
369	The Pancreatic Lymph-nodes of Type 1 Diabetic Patients Contain Epigenetically-imprinted Natural Regulatory T Cells which Lack Suppressive Function. <i>Clinical Immunology</i> , 2010, 135, S21.	3.2	0
370	Proliferation and Lack of Suppressor Capacity of CD4+CD25+FoxP3+ T Regulatory Cells Under the Influence of Interleukin-7. <i>Clinical Immunology</i> , 2010, 135, S123.	3.2	0
371	The effect of gestation and fetal mismatching on the development of autoimmune diabetes in non-obese diabetic mice. <i>Clinical and Experimental Immunology</i> , 2012, 168, 274-278.	2.6	0
372	Single Molecule Detection of Insulin Autoantibodies in Type 1 Diabetes. <i>Biophysical Journal</i> , 2014, 106, 416a.	0.5	0
373	Regulatory T cell kinetics following adoptive transfer of expanded allogeneic regulatory T cells into patients with chronic graft-versus host disease. <i>Cytotherapy</i> , 2017, 19, S11.	0.7	0
374	Autoantibodies. , 2005, , 193-200.		0
375	Developing and Validating High Sensitivity/Specificity Autoantibody Assays. , 2011, , 41-52.		0
376	ROR1 Specific T Cell Clones from Healthy Individuals Show Common T Cell Receptor Motifs. <i>Blood</i> , 2016, 128, 3364-3364.	1.4	0
377	HLA DQA1-DQB1-TAP2 haplotypes in IDDM families: no evidence for an additional contribution to disease risk by the TAP2 locus. <i>Diabetologia</i> , 1995, 38, 968-974.	6.3	0
378	The willingness to participate in pediatric type 1 diabetes studies. <i>Deutsches A&amp;#x0308;rztblatt International</i> , 0, , .	0.9	0