Jane Elith

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6561597/jane-elith-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90 35,284 59 92 g-index

92 42,247 5.6 7.41 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
90	Can dynamic occupancy models improve predictions of species' range dynamics? A test using Swiss birds. <i>Global Change Biology</i> , 2021 , 27, 4269-4282	11.4	3
89	How decisions about fitting species distribution models affect conservation outcomes. <i>Conservation Biology</i> , 2021 , 35, 1309-1320	6	7
88	Enhancing repository fungal data for biogeographic analyses. Fungal Ecology, 2021, 53, 101097	4.1	O
87	A standard protocol for reporting species distribution models. <i>Ecography</i> , 2020 , 43, 1261-1277	6.5	141
86	Using Species Distribution Models For Fungi. Fungal Biology Reviews, 2020 , 34, 74-88	6.8	17
85	Testing whether ensemble modelling is advantageous for maximising predictive performance of species distribution models. <i>Ecography</i> , 2020 , 43, 549-558	6.5	65
84	Presence-only and Presence-absence Data for Comparing Species Distribution Modeling Methods. <i>Biodiversity Informatics</i> , 2020 , 15, 69-80	2.9	13
83	A review of evidence about use and performance of species distribution modelling ensembles like BIOMOD. <i>Diversity and Distributions</i> , 2019 , 25, 839-852	5	116
82	The influence of data source and species distribution modelling method on spatial conservation priorities. <i>Diversity and Distributions</i> , 2019 , 25, 1060-1073	5	10
81	A comprehensive evaluation of predictive performance of 33 species distribution models at species and community levels. <i>Ecological Monographs</i> , 2019 , 89, e01370	9	135
80	Forecasting species range dynamics with process-explicit models: matching methods to applications. <i>Ecology Letters</i> , 2019 , 22, 1940-1956	10	72
79	Open access solutions for biodiversity journals: Do not replace one problem with another. <i>Diversity and Distributions</i> , 2019 , 25, 5-8	5	10
78	blockCV: An r package for generating spatially or environmentally separated folds for k-fold cross-validation of species distribution models. <i>Methods in Ecology and Evolution</i> , 2019 , 10, 225-232	7.7	125
77	A comparison of resampling methods for remote sensing classification and accuracy assessment. <i>Remote Sensing of Environment</i> , 2018 , 208, 145-153	13.2	96
76	Model averaging in ecology: a review of Bayesian, information-theoretic, and tactical approaches for predictive inference. <i>Ecological Monographs</i> , 2018 , 88, 485-504	9	105
75	Outstanding Challenges in the Transferability of Ecological Models. <i>Trends in Ecology and Evolution</i> , 2018 , 33, 790-802	10.9	213
74	Building essential biodiversity variables (EBVs) of species distribution and abundance at a global scale. <i>Biological Reviews</i> , 2018 , 93, 600-625	13.5	145

(2013-2018)

73	Not all data are equal: Influence of data type and amount in spatial conservation prioritisation. <i>Methods in Ecology and Evolution</i> , 2018 , 9, 2249-2261	7.7	25
7²	Cross-validation strategies for data with temporal, spatial, hierarchical, or phylogenetic structure. <i>Ecography</i> , 2017 , 40, 913-929	6.5	566
71	Evaluating 318 continental-scale species distribution models over a 60-year prediction horizon: what factors influence the reliability of predictions?. <i>Global Ecology and Biogeography</i> , 2017 , 26, 371-38	34 ^{6.1}	57
70	Green Infrastructure Design Based on Spatial Conservation Prioritization and Modeling of Biodiversity Features and Ecosystem Services. <i>Environmental Management</i> , 2016 , 57, 251-6	3.1	76
69	Green Infrastructure Design Based on Spatial Conservation Prioritization and Modeling of Biodiversity Features and Ecosystem Services 2016 , 57, 251		1
68	Testing a model of biological soil crust succession. <i>Journal of Vegetation Science</i> , 2016 , 27, 176-186	3.1	11
67	Point process models for presence-only analysis. <i>Methods in Ecology and Evolution</i> , 2015 , 6, 366-379	7.7	211
66	Is my species distribution model fit for purpose? Matching data and models to applications. <i>Global Ecology and Biogeography</i> , 2015 , 24, 276-292	6.1	460
65	Interactive effects of climate change and fire on metapopulation viability of a forest-dependent frog in south-eastern Australia. <i>Biological Conservation</i> , 2015 , 190, 142-153	6.2	6
64	Bias correction in species distribution models: pooling survey and collection data for multiple species. <i>Methods in Ecology and Evolution</i> , 2015 , 6, 424-438	7.7	225
63	Detecting extinction risk from climate change by IUCN Red List criteria. <i>Conservation Biology</i> , 2014 , 28, 810-9	6	54
62	What do we gain from simplicity versus complexity in species distribution models?. <i>Ecography</i> , 2014 , 37, 1267-1281	6.5	301
61	Maxent is not a presence∃bsence method: a comment on Thibaud et⊡al <i>Methods in Ecology and Evolution</i> , 2014 , 5, 1192-1197	7.7	71
60	Biocrust morphogroups provide an effective and rapid assessment tool for drylands. <i>Journal of Applied Ecology</i> , 2014 , 51, 1740-1749	5.8	13
59	Predicting distribution changes of a mire ecosystem under future climates. <i>Diversity and Distributions</i> , 2014 , 20, 440-454	5	22
58	Species Distribution Modeling 2013 , 692-705		38
57	Taxonomic uncertainty and decision making for biosecurity: spatial models for myrtle/guava rust. <i>Australasian Plant Pathology</i> , 2013 , 42, 43-51	1.4	34
56	Collinearity: a review of methods to deal with it and a simulation study evaluating their performance. <i>Ecography</i> , 2013 , 36, 27-46	6.5	4125

55	On estimating probability of presence from use-availability or presence-background data. <i>Ecology</i> , 2013 , 94, 1409-19	4.6	97
54	Improving decisions for invasive species management: reformulation and extensions of the Panettallawes eradication graph. <i>Diversity and Distributions</i> , 2013 , 19, 603-607	5	11
53	Predicting species distributions for conservation decisions. <i>Ecology Letters</i> , 2013 , 16, 1424-35	10	985
52	Satellite surface reflectance improves habitat distribution mapping: a case study on heath and shrub formations in the Cantabrian Mountains (NW Spain). <i>Diversity and Distributions</i> , 2012 , 18, 588-602	5	35
51	Predicting to new environments: tools for visualizing model behaviour and impacts on mapped distributions. <i>Diversity and Distributions</i> , 2012 , 18, 628-634	5	80
50	Plant extinction risk under climate change: are forecast range shifts alone a good indicator of species vulnerability to global warming?. <i>Global Change Biology</i> , 2012 , 18, 1357-1371	11.4	155
49	Spatial data for modelling and management of freshwater ecosystems. <i>International Journal of Geographical Information Science</i> , 2012 , 26, 2123-2140	4.1	14
48	Understanding niche shifts: using current and historical data to model the invasive redlegged earth mite, Halotydeus destructor. <i>Diversity and Distributions</i> , 2012 , 18, 191-203	5	43
47	Pushing the limits in marine species distribution modelling: lessons from the land present challenges and opportunities. <i>Global Ecology and Biogeography</i> , 2011 , 20, 789-802	6.1	273
46	Determinants of reproductive success in dominant pairs of clownfish: a boosted regression tree analysis. <i>Journal of Animal Ecology</i> , 2011 , 80, 528-38	4.7	137
45	Use of generalised dissimilarity modelling to improve the biological discrimination of river and stream classifications. <i>Freshwater Biology</i> , 2011 , 56, 21-38	3.1	78
44	A statistical explanation of MaxEnt for ecologists. <i>Diversity and Distributions</i> , 2011 , 17, 43-57	5	3194
43	Surprisingly fast recovery of biological soil crusts following livestock removal in southern Australia. Journal of Vegetation Science, 2011 , 22, 905-916	3.1	43
42	Alien invaders and reptile traders: what drives the live animal trade in South Africa?. <i>Animal Conservation</i> , 2010 , 13, 24-32	3.2	36
41	Assessing the impacts of climate change and land transformation on Banksia in the South West Australian Floristic Region. <i>Diversity and Distributions</i> , 2010 , 16, 187-201	5	81
40	The art of modelling range-shifting species. <i>Methods in Ecology and Evolution</i> , 2010 , 1, 330-342	7.7	1435
39	POC plots: calibrating species distribution models with presence-only data. <i>Ecology</i> , 2010 , 91, 2476-84	4.6	96
38	Presence-only data and the em algorithm. <i>Biometrics</i> , 2009 , 65, 554-63	1.8	161

(2006-2009)

37	Do they? How do they? WHY do they differ? On finding reasons for differing performances of species distribution models. <i>Ecography</i> , 2009 , 32, 66-77	6.5	703
36	Projecting climate change impacts on species distributions in megadiverse South African Cape and Southwest Australian Floristic Regions: Opportunities and challenges. <i>Austral Ecology</i> , 2009 , 35, 374-39	1 ^{1.5}	72
35	Species Distribution Models: Ecological Explanation and Prediction Across Space and Time. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2009 , 40, 677-697	13.5	3525
34	Sample selection bias and presence-only distribution models: implications for background and pseudo-absence data 2009 , 19, 181-97		1542
33	Robust planning for restoring diadromous fish species in New Zealand's lowland rivers and streams. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2009 , 43, 659-671	1.3	8
32	Effects of sample size on the performance of species distribution models. <i>Diversity and Distributions</i> , 2008 , 14, 763-773	5	1344
31	A method for spatial freshwater conservation prioritization. Freshwater Biology, 2008, 53, 577-592	3.1	155
30	A working guide to boosted regression trees. <i>Journal of Animal Ecology</i> , 2008 , 77, 802-13	4.7	3429
29	Dispersal, disturbance and the contrasting biogeographies of New Zealand diadromous and non-diadromous fish species. <i>Journal of Biogeography</i> , 2008 , 35, 1481-1497	4.1	113
28	Novel methods for the design and evaluation of marine protected areas in offshore waters. <i>Conservation Letters</i> , 2008 , 1, 91-102	6.9	133
27	Biological soil crust distribution is related to patterns of fragmentation and landuse in a dryland agricultural landscape of southern Australia. <i>Landscape Ecology</i> , 2008 , 23, 1093-1105	4.3	39
26	WHAT MATTERS FOR PREDICTING THE OCCURRENCES OF TREES: TECHNIQUES, DATA, OR SPECIES' CHARACTERISTICS?. <i>Ecological Monographs</i> , 2007 , 77, 615-630	9	252
25	The influence of spatial errors in species occurrence data used in distribution models. <i>Journal of Applied Ecology</i> , 2007 , 45, 239-247	5.8	307
24	Predicting species distributions from museum and herbarium records using multiresponse models fitted with multivariate adaptive regression splines. <i>Diversity and Distributions</i> , 2007 , 13, 265-275	5	211
23	Using generalized dissimilarity modelling to analyse and predict patterns of beta diversity in regional biodiversity assessment. <i>Diversity and Distributions</i> , 2007 , 13, 252-264	5	581
22	Sensitivity of predictive species distribution models to change in grain size. <i>Diversity and Distributions</i> , 2007 , 13, 332-340	5	373
21	Comparative performance of generalized additive models and multivariate adaptive regression splines for statistical modelling of species distributions. <i>Ecological Modelling</i> , 2006 , 199, 188-196	3	294
20	Comparing species abundance models. <i>Ecological Modelling</i> , 2006 , 199, 153-163	3	243

19	Planning for robust reserve networks using uncertainty analysis. Ecological Modelling, 2006, 199, 115-1	24	80
18	Novel methods improve prediction of speciesIdistributions from occurrence data. <i>Ecography</i> , 2006 , 29, 129-151	6.5	5184
17	Uncertainty analysis for regional-scale reserve selection. <i>Conservation Biology</i> , 2006 , 20, 1688-97	6	73
16	Error and uncertainty in habitat models. <i>Journal of Applied Ecology</i> , 2006 , 43, 413-423	5.8	398
15	Variation in demersal fish species richness in the oceans surrounding New Zealand: an analysis using boosted regression trees. <i>Marine Ecology - Progress Series</i> , 2006 , 321, 267-281	2.6	379
14	MANAGING LANDSCAPES FOR CONSERVATION UNDER UNCERTAINTY. <i>Ecology</i> , 2005 , 86, 2007-2017	4.6	126
13	Sensitivity of conservation planning to different approaches to using predicted species distribution data. <i>Biological Conservation</i> , 2005 , 122, 99-112	6.2	217
12	Fauna habitat modelling and mapping: A review and case study in the Lower Hunter Central Coast region of NSW. <i>Austral Ecology</i> , 2005 , 30, 719-738	1.5	209
11	Using multivariate adaptive regression splines to predict the distributions of New Zealand's freshwater diadromous fish. <i>Freshwater Biology</i> , 2005 , 50, 2034-2052	3.1	229
10	The evaluation strip: A new and robust method for plotting predicted responses from species distribution models. <i>Ecological Modelling</i> , 2005 , 186, 280-289	3	134
9	Eliciting and integrating expert knowledge for wildlife habitat modelling. <i>Ecological Modelling</i> , 2003 , 165, 251-264	3	83
8	Mapping epistemic uncertainties and vague concepts in predictions of species distribution. <i>Ecological Modelling</i> , 2002 , 157, 313-329	3	183
7	Quantitative Methods for Modeling Species Habitat: Comparative Performance and an Application to Australian Plants 2000 , 39-58		92
6	Predicting Distributions of Invasive Species93-129		17
5	Tools for Conserving Managing Individual Plant Species in Dynamic Landscapes330-342		1
4	Predictive performance of presence-only species distribution models: a benchmark study with reproducible code. <i>Ecological Monographs</i> ,e01486	9	17
3	Modelling species presence-only data with random forests. <i>Ecography</i> ,	6.5	9
2	blockCV: an R package for generating spatially or environmentally separated folds for k-fold cross-validation of species distribution models		6

1 Response to Kriticos et al.. *NeoBiota*,23, 95-99

4.2