

# Jiri Hulcr

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6561807/publications.pdf>

Version: 2024-02-01

132  
papers

5,096  
citations

87843

38  
h-index

114418

63  
g-index

141  
all docs

141  
docs citations

141  
times ranked

4022  
citing authors

#	ARTICLE	IF	CITATIONS
1	Preinvasion Assessment of Exotic Bark Beetle-Vectored Fungi to Detect Tree-Killing Pathogens. <i>Phytopathology</i> , 2022, 112, 261-270.	1.1	12
2	Ambrosia beetles. <i>Current Biology</i> , 2022, 32, R61-R62.	1.8	5
3	Identification of Coffee Berry Borer from Similar Bark Beetles in Southeast Asia and Oceania. <i>Edis</i> , 2022, 2022, .	0.0	0
4	Geosmithia Species Associated With Bark Beetles From China, With the Description of Nine New Species. <i>Frontiers in Microbiology</i> , 2022, 13, 820402.	1.5	2
5	Collecting and preserving bark and ambrosia beetles (Coleoptera: Curculionidae: Scolytinae & Tj ETQq1 1 0.784314 rgBT /Overlock 1.1 3	1.1	3
6	Field Response of Black Turpentine Beetle to Pine Resin Oxidation and Pheromone Displacement. <i>Journal of Chemical Ecology</i> , 2022, , .	0.9	0
7	Four New Species of Harringtonia: Unravelling the Laurel Wilt Fungal Genus. <i>Journal of Fungi (Basel)</i> , Tj ETQq1 1 0.784314 rgBT /Overlock 1.5 5	1.5	5
8	<i>Esteya floridanum</i> sp. nov.: An Ophiostomatalean Nematophagous Fungus and Its Potential to Control the Pine Wood Nematode. <i>Phytopathology</i> , 2021, 111, 304-311.	1.1	8
9	Origin of non-native <i>Xylosandrus germanus</i> , an invasive pest ambrosia beetle in Europe and North America. <i>Journal of Pest Science</i> , 2021, 94, 553-562.	1.9	19
10	The infestation and habitat of the ambrosia beetle <i>Euwallacea interjectus</i> (Coleoptera: Curculionidae: Tj ETQq0 0 0 rgBT /Overlock 10 Tj 104-109.	0.7	12
11	The Punky Wood Ambrosia Beetle and Fungus in Florida that Cause Wood Rot: <i>Ambrosiodmus minor</i> and <i>Flavodon subulatus</i> . <i>Edis</i> , 2021, 2021, 4.	0.0	0
12	Two new invasive <i>Ips</i> bark beetles (Coleoptera: Curculionidae) in mainland China and their potential distribution in Asia. <i>Pest Management Science</i> , 2021, 77, 4000-4008.	1.7	12
13	Recent advances toward the sustainable management of invasive <i>Xylosandrus</i> ambrosia beetles. <i>Journal of Pest Science</i> , 2021, 94, 615-637.	1.9	45
14	Species-rich bark and ambrosia beetle fauna (Coleoptera, Curculionidae, Scolytinae) of the Ecuadorian Amazonian Forest Canopy. <i>ZooKeys</i> , 2021, 1044, 797-813.	0.5	5
15	Native or Invasive? The Red-Haired Pine Bark Beetle <i>Hylurgus ligniperda</i> (Fabricius) (Curculionidae: Tj ETQq1 1 0.784314 rgBT /Overlock 0.9 5	0.9	5
16	Biology and associated fungi of an emerging bark beetle pest, the sweetgum inscriber <i>Acanthotomicus suncei</i> (Coleoptera: Curculionidae). <i>Journal of Applied Entomology</i> , 2021, 145, 508-517.	0.8	7
17	Invasion of an inconspicuous ambrosia beetle and fungus may affect wood decay in Southeastern North America. <i>Biological Invasions</i> , 2021, 23, 1339-1347.	1.2	8
18	Diversity and Evolution of <i>Entomocorticium</i> (Russulales, Peniophoraceae), a Genus of Bark Beetle Mutualists Derived from Free-Living, Wood Rotting Peniophora. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 1043.	1.5	1

#	ARTICLE	IF	CITATIONS
19	A bioeconomic model for estimating potential economic damages from a hypothetical Asian beetle introduced via future trade with Cuba. <i>Journal of Bioeconomics</i> , 2020, 22, 33-58.	1.5	4
20	Influence of Temperature and Precipitation Anomaly on the Seasonal Emergence of Invasive Bark Beetles in Subtropical South America. <i>Neotropical Entomology</i> , 2020, 49, 347-352.	0.5	7
21	Peering into the Cuba phytosanitary black box: An institutional and policy analysis. <i>PLoS ONE</i> , 2020, 15, e0239808.	1.1	3
22	The Risk of Bark and Ambrosia Beetles Associated with Imported Non-Coniferous Wood and Potential Horizontal Phytosanitary Measures. <i>Forests</i> , 2020, 11, 342.	0.9	17
23	Ability of Remote Sensing Systems to Detect Bark Beetle Spots in the Southeastern US. <i>Forests</i> , 2020, 11, 1167.	0.9	20
24	Sexual reproduction and saprotrophic dominance by the ambrosial fungus <i>Flavodon subulatus</i> (=) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.7	11
25	Bark beetle mycobiome: collaboratively defined research priorities on a widespread insect-fungus symbiosis. <i>Symbiosis</i> , 2020, 81, 101-113.	1.2	20
26	The Ambrosia Beetle <i>Sueus niisimai</i> (Scolytinae: Hyorrhynchini) is Associated with the Canker Disease Fungus <i>Diatrypella japonica</i> (Xylariales). <i>Plant Disease</i> , 2020, 104, 3143-3150.	0.7	5
27	Towards Sustainable Forest Management in Central America: Review of Southern Pine Beetle ( <i>Dendroctonus frontalis</i> Zimmermann) Outbreaks, Their Causes, and Solutions. <i>Forests</i> , 2020, 11, 173.	0.9	9
28	Fungal symbionts of bark and ambrosia beetles can suppress decomposition of pine sapwood by competing with wood-decay fungi. <i>Fungal Ecology</i> , 2020, 45, 100926.	0.7	15
29	The Essential Role of Taxonomic Expertise in the Creation of DNA Databases for the Identification and Delimitation of Southeast Asian Ambrosia Beetle Species (Curculionidae: Scolytinae: Xyleborini). <i>Frontiers in Ecology and Evolution</i> , 2020, 8, .	1.1	41
30	Lipids and small metabolites provisioned by ambrosia fungi to symbiotic beetles are phylogeny-dependent, not convergent. <i>ISME Journal</i> , 2020, 14, 1089-1099.	4.4	10
31	Revision of the Bark Beetle Genera Within the Former Cryphalini (Curculionidae: Scolytinae). <i>Insect Systematics and Diversity</i> , 2020, 4, .	0.7	22
32	New Records of Bark and Ambrosia Beetles (Coleoptera: Scolytinae) from Cuba with Description of a New Species. <i>Florida Entomologist</i> , 2020, 102, 717.	0.2	7
33	East Asian <i>Cryphalus</i> Erichson (Curculionidae, Scolytinae): new species, new synonymy and redescriptions of species. <i>ZooKeys</i> , 2020, 995, 15-66.	0.5	3
34	Multiple evolutionary origins lead to diversity in the metabolic profiles of ambrosia fungi. <i>Fungal Ecology</i> , 2019, 38, 80-88.	0.7	18
35	<i>Cryphalus eriobotryae</i> sp. nov. (Coleoptera: Curculionidae: Scolytinae), a New Insect Pest of Loquat <i>Eriobotrya japonica</i> in China. <i>Insects</i> , 2019, 10, 180.	1.0	9
36	Adaptive traits of bark and ambrosia beetle-associated fungi. <i>Fungal Ecology</i> , 2019, 41, 165-176.	0.7	21

#	ARTICLE	IF	CITATIONS
37	Relationships among wood-boring beetles, fungi, and the decomposition of forest biomass. <i>Molecular Ecology</i> , 2019, 28, 4971-4986.	2.0	44
38	Reassessment of the Species in the <i>Euwallacea fornicatus</i> (Coleoptera: Curculionidae: Scolytinae) Complex after the Rediscovery of the "Lost" Type Specimen. <i>Insects</i> , 2019, 10, 261.	1.0	70
39	A selective fungal transport organ (mycangium) maintains coarse phylogenetic congruence between fungus-farming ambrosia beetles and their symbionts. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20182127.	1.2	50
40	<i>Geosmithia</i> species in southeastern USA and their affinity to beetle vectors and tree hosts. <i>Fungal Ecology</i> , 2019, 39, 168-183.	0.7	14
41	Genetic Variability Among <i>Xyleborus glabratus</i> Populations Native to Southeast Asia (Coleoptera: Curculionidae). <i>Economic Entomology</i> , 2019, 112, 1274-1284.	0.8	17
42	From Pavement to Population Genomics: Characterizing a Long-Established Non-native Ant in North America Through Citizen Science and ddRADseq. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, .	1.1	18
43	Plasticity of mycangia in <i>Xylosandrus</i> ambrosia beetles. <i>Insect Science</i> , 2019, 26, 732-742.	1.5	27
44	Detecting Symbioses in Complex Communities: the Fungal Symbionts of Bark and Ambrosia Beetles Within Asian Pines. <i>Microbial Ecology</i> , 2018, 76, 839-850.	1.4	29
45	First Record of <i>Euplatypus parallelus</i> (Coleoptera: Curculionidae) in China. <i>Florida Entomologist</i> , 2018, 101, 141-143.	0.2	24
46	When does invasive species removal lead to ecological recovery? Implications for management success. <i>Biological Invasions</i> , 2018, 20, 267-283.	1.2	113
47	Species Delineation Within the <i>Euwallacea fornicatus</i> (Coleoptera: Curculionidae) Complex Revealed by Morphometric and Phylogenetic Analyses. <i>Insect Systematics and Diversity</i> , 2018, 2, .	0.7	46
48	Structure of the Ambrosia Beetle (Coleoptera: Curculionidae) Mycangia Revealed Through Micro-Computed Tomography. <i>Journal of Insect Science</i> , 2018, 18, .	0.6	16
49	Phylogenomics clarifies repeated evolutionary origins of inbreeding and fungus farming in bark beetles (Curculionidae, Scolytinae). <i>Molecular Phylogenetics and Evolution</i> , 2018, 127, 229-238.	1.2	49
50	Specific and promiscuous ophiostomatalean fungi associated with Platypodinae ambrosia beetles in the southeastern United States. <i>Fungal Ecology</i> , 2018, 35, 42-50.	0.7	23
51	Managed Fire Frequency Significantly Influences the Litter Arthropod Community in Longleaf Pine Flatwoods. <i>Environmental Entomology</i> , 2018, 47, 575-585.	0.7	12
52	A novel molecular toolkit for rapid detection of the pathogen and primary vector of thousand cankers disease. <i>PLoS ONE</i> , 2018, 13, e0185087.	1.1	24
53	North American Xyleborini north of Mexico: a review and key to genera and species (Coleoptera, Curculionidae). <i>Journal of Insect Science</i> , 2018, 18, 1-10.	0.5	78
54	Ambrosia beetle <i>Premnobius cavipennis</i> (Scolytinae: Ipini) carries highly divergent ascomycotan ambrosia fungus, <i>Afroraffaelea ambrosiae</i> gen. nov. et sp. nov. (Ophiostomatales). <i>Fungal Ecology</i> , 2017, 25, 41-49.	0.7	25

#	ARTICLE	IF	CITATIONS
55	Biological factors contributing to bark and ambrosia beetle species diversification. <i>Evolution; International Journal of Organic Evolution</i> , 2017, 71, 1258-1272.	1.1	44
56	Tracing the origin of a cryptic invader: phylogeography of the <i>Euwallacea fornicatus</i> (Coleoptera: Curculionidae: Scolytinae) species complex. <i>Agricultural and Forest Entomology</i> , 2017, 19, 366-375.	0.7	93
57	Ambrosiella in Taiwan including one new species. <i>Mycoscience</i> , 2017, 58, 242-252.	0.3	10
58	<i>Acanthotomicus</i> sp. (Coleoptera: Curculionidae: Scolytinae), a New Destructive Insect Pest of North American Sweetgum <i>Liquidambar styraciflua</i> in China. <i>Journal of Economic Entomology</i> , 2017, 110, 1592-1595.	0.8	13
59	<i>Geosmithia</i> associated with bark beetles and woodborers in the western USA: taxonomic diversity and vector specificity. <i>Mycologia</i> , 2017, 109, 185-199.	0.8	29
60	PCR Multiplexes Discriminate <i>Fusarium</i> Symbionts of Invasive <i>Euwallacea</i> Ambrosia Beetles that Inflict Damage on Numerous Tree Species Throughout the United States. <i>Plant Disease</i> , 2017, 101, 233-240.	0.7	16
61	Wood decay fungus <i>Flavodon ambrosius</i> (Basidiomycota: Polyporales) is widely farmed by two genera of ambrosia beetles. <i>Fungal Biology</i> , 2017, 121, 984-989.	1.1	31
62	Cryptic genetic variation in an inbreeding and cosmopolitan pest, <i>Xylosandrus crassiusculus</i> , revealed using ddRAD seq. <i>Ecology and Evolution</i> , 2017, 7, 10974-10986.	0.8	35
63	Expected Timber-Based Economic Impacts of a Wood-Boring Beetle ( <i>Acanthotomicus</i> Sp.) That Kills American Sweetgum. <i>Journal of Economic Entomology</i> , 2017, 110, 1942-1945.	0.8	11
64	Studies of Ambrosia Beetles (Coleoptera: Curculionidae) in Their Native Ranges Help Predict Invasion Impact. <i>Florida Entomologist</i> , 2017, 100, 257-261.	0.2	35
65	The Ambrosia Symbiosis: From Evolutionary Ecology to Practical Management. <i>Annual Review of Entomology</i> , 2017, 62, 285-303.	5.7	231
66	Two new <i>Geosmithia</i> species in <i>G. pallida</i> species complex from bark beetles in eastern USA. <i>Mycologia</i> , 2017, 109, 1-14.	0.8	9
67	Recovery Plan for Laurel Wilt of Avocado, Caused by <i>Raffaelea lauricola</i> . <i>Plant Health Progress</i> , 2017, 18, 51-77.	0.8	31
68	Resolution of a Global Mango and Fig Pest Identity Crisis. <i>Insect Systematics and Diversity</i> , 2017, 1, .	0.7	9
69	Performance of DNA metabarcoding, standard barcoding, and morphological approach in the identification of host-parasitoid interactions. <i>PLoS ONE</i> , 2017, 12, e0187803.	1.1	33
70	Scolytinae in hazelnut orchards of Turkey: clarification of species and identification key (Coleoptera, Tj ETQq0 0 0 ggBT /Overlock 10 Tf	0.5	18
71	Jumping Gall Wasp, California Jumping Gall Wasp, Jumping Oak Gall, Flea Seeds <i>Neuroterus saltatorius</i> Edwards (Insecta: Hymenoptera: Cynipidae). <i>Edis</i> , 2017, 2017, 5.	0.0	3
72	<i>Sirex</i> Woodwasp <i>Sirex noctilio</i> Fabricius (Hymenoptera: Siricidae). <i>Edis</i> , 2017, 2017, 4.	0.0	1

#	ARTICLE	IF	CITATIONS
73	New <i>Raffaelea</i> species (Ophiostomatales) from the USA and Taiwan associated with ambrosia beetles and plant hosts. <i>IMA Fungus</i> , 2016, 7, 265-273.	1.7	30
74	<i>Flavodon ambrosius</i> sp. nov., a basidiomycetous mycosymbiont of <i>Ambrosiodmus</i> ambrosia beetles. <i>Mycotaxon</i> , 2016, 131, 277-285.	0.1	20
75	Fungal Associates of the <i>Xylosandrus compactus</i> (Coleoptera: Curculionidae, Scolytinae) Are Spatially Segregated on the Insect Body. <i>Environmental Entomology</i> , 2016, 45, 883-890.	0.7	47
76	Two remarkable new species of <i>Hypothenemus</i> Westwood (Curculionidae: Scolytinae) from Southeastern USA. <i>Zootaxa</i> , 2016, 4200, 417.	0.2	4
77	Distribution, Host Records, and Symbiotic Fungi of <i>Euwallacea fornicatus</i> (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.2	13
78	Pre-invasion economic assessment of invasive species prevention: A putative ambrosia beetle in Southeastern loblolly pine forests. <i>Journal of Environmental Management</i> , 2016, 183, 875-881.	3.8	15
79	Mutualism with aggressive wood-degrading <i>Flavodon ambrosius</i> (Polyporales) facilitates niche expansion and communal social structure in <i>Ambrosiophilus</i> ambrosia beetles. <i>Fungal Ecology</i> , 2016, 23, 86-96.	0.7	52
80	The Role of Symbiotic Microbes in Insect Invasions. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2016, 47, 487-505.	3.8	82
81	Invasive Asian <i>Fusarium</i> – <i>Euwallacea</i> ambrosia beetle mutualists pose a serious threat to forests, urban landscapes and the avocado industry. <i>Phytoparasitica</i> , 2016, 44, 435-442.	0.6	52
82	Species Diversity, Phenology, and Temporal Flight Patterns of <i>Hypothenemus</i> Pygmy Borers (Coleoptera: Curculionidae: Scolytinae) in South Florida. <i>Environmental Entomology</i> , 2016, 45, 627-632.	0.7	7
83	Identification, pathogenicity and abundance of <i>Paracremonium pembeum</i> sp. nov. and <i>Graphium euwallaceae</i> sp. nov. – two newly discovered mycangial associates of the polyphagous shot hole borer ( <i>Euwallacea</i> sp.) in California. <i>Mycologia</i> , 2016, 108, 313-329.	0.8	90
84	School of Ants goes to college: integrating citizen science into the general education classroom increases engagement with science. <i>Journal of Science Communication</i> , 2016, 15, A03.	0.4	39
85	<i>Wallacellus</i> is <i>Euwallacea</i> : molecular phylogenetics settles generic relationships (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.2	16
86	Recovery Plan for Laurel Wilt on Redbay and Other Forest Species Caused by <i>Raffaelea lauricola</i> and Disseminated by <i>Xyleborus glabratus</i> . <i>Plant Health Progress</i> , 2015, 16, 173-210.	0.8	65
87	Alternative preservatives of insect DNA for citizen science and other low-cost applications. <i>Invertebrate Systematics</i> , 2015, 29, 468.	0.5	10
88	Discordant phylogenies suggest repeated host shifts in the <i>Fusarium</i> – <i>Euwallacea</i> ambrosia beetle mutualism. <i>Fungal Genetics and Biology</i> , 2015, 82, 277-290.	0.9	121
89	<i>Scolytus</i> and other Economically Important Bark and Ambrosia Beetles. , 2015, , 495-531.		29
90	Morphology, Taxonomy, and Phylogenetics of Bark Beetles. , 2015, , 41-84.		85

#	ARTICLE	IF	CITATIONS
91	Simple and Efficient Trap for Bark and Ambrosia Beetles (Coleoptera: Curculionidae) to Facilitate Invasive Species Monitoring and Citizen Involvement. <i>Journal of Economic Entomology</i> , 2015, 108, 1115-1123.	0.8	31
92	Fungal symbionts in three exotic ambrosia beetles, <i>Xylosandrus amputatus</i> , <i>Xyleborinus andrewesi</i> , and <i>Dryoxylon onoharaense</i> (Coleoptera: Curculionidae: Scolytinae: Xyleborini) in Florida. <i>Symbiosis</i> , 2015, 66, 141-148.	1.2	21
93	The ambrosia symbiosis is specific in some species and promiscuous in others: evidence from community pyrosequencing. <i>ISME Journal</i> , 2015, 9, 126-138.	4.4	113
94	New Fungus-Insect Symbiosis: Culturing, Molecular, and Histological Methods Determine Saprophytic Polyporales Mutualists of Ambrosia Beetles. <i>PLoS ONE</i> , 2015, 10, e0137689.	1.1	49
95	New species of <i>Geosmithia</i> and <i>Graphium</i> associated with ambrosia beetles in Costa Rica.. <i>Czech Mycology</i> , 2015, 67, 29-35.	0.2	17
96	Volatiles from the symbiotic fungus <i>Raffaelea lauricola</i> are synergistic with Manuka lures for increased capture of the Redbay ambrosia beetle <i>Xyleborus glabratus</i> . <i>Agricultural and Forest Entomology</i> , 2014, 16, 87-94.	0.7	47
97	Breeding for value in a changing world: past achievements and future prospects. <i>New Forests</i> , 2014, 45, 301-309.	0.7	13
98	Eucalyptol is an Attractant of the Redbay Ambrosia Beetle, <i>Xyleborus Glabratus</i> . <i>Journal of Chemical Ecology</i> , 2014, 40, 355-362.	0.9	24
99	Effect of Chipping on Emergence of the Redbay Ambrosia Beetle (Coleoptera: Curculionidae: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Entomology, 2013, 106, 2093-2100.	0.8	15
100	An inordinate fondness for <i>Fusarium</i> : Phylogenetic diversity of fusaria cultivated by ambrosia beetles in the genus <i>Euwallacea</i> on avocado and other plant hosts. <i>Fungal Genetics and Biology</i> , 2013, 56, 147-157.	0.9	146
101	Destructive Tree Diseases Associated with Ambrosia and Bark Beetles: Black Swan Events in Tree Pathology?. <i>Plant Disease</i> , 2013, 97, 856-872.	0.7	182
102	The Redbay Ambrosia Beetle (Coleoptera: Curculionidae) Prefers Lauraceae in Its Native Range: Records from the Chinese National Insect Collection. <i>Florida Entomologist</i> , 2013, 96, 1595-1596.	0.2	22
103	Simulating the effects of the southern pine beetle on regional dynamics 60 years into the future. <i>Ecological Modelling</i> , 2012, 244, 93-103.	1.2	10
104	Mycangia of Ambrosia Beetles Host Communities of Bacteria. <i>Microbial Ecology</i> , 2012, 64, 784-793.	1.4	60
105	Who likes it hot? A global analysis of the climatic, ecological, and evolutionary determinants of warming tolerance in ants. <i>Global Change Biology</i> , 2012, 18, 448-456.	4.2	179
106	A Jungle in There: Bacteria in Belly Buttons are Highly Diverse, but Predictable. <i>PLoS ONE</i> , 2012, 7, e47712.	1.1	69
107	The sudden emergence of pathogenicity in insect-fungus symbioses threatens naive forest ecosystems. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011, 278, 2866-2873.	1.2	207
108	Phylogeny of haplo-diploid, fungus-growing ambrosia beetles (Curculionidae: Scolytinae: Xyleborini) inferred from molecular and morphological data. <i>Zoologica Scripta</i> , 2011, 40, 174-186.	0.7	63

#	ARTICLE	IF	CITATIONS
109	The Scent of a Partner: Ambrosia Beetles Are Attracted to Volatiles from Their Fungal Symbionts. <i>Journal of Chemical Ecology</i> , 2011, 37, 1374-1377.	0.9	96
110	Presence and Diversity of <i>Streptomyces</i> in <i>Dendroctonus</i> and Sympatric Bark Beetle Galleries Across North America. <i>Microbial Ecology</i> , 2011, 61, 759-768.	1.4	63
111	REPEATED EVOLUTION OF CROP THEFT IN FUNGUS-FARMING AMBROSIA BEETLES. <i>Evolution; International Journal of Organic Evolution</i> , 2010, 64, 3205-3212.	1.1	75
112	Guild-specific patterns of species richness and host specialization in plant-herbivore food webs from a tropical forest. <i>Journal of Animal Ecology</i> , 2010, 79, 1193-1203.	1.3	261
113	New genera of Palaeotropical Xyleborini (Coleoptera: Curculionidae: Scolytinae) based on congruence between morphological and molecular characters. <i>Zootaxa</i> , 2010, 2717, 1.	0.2	21
114	Taxonomic changes in palaeotropical Xyleborini (Coleoptera, Curculionidae, Scolytinae). <i>ZooKeys</i> , 2010, 56, 105-119.	0.5	8
115	Mycobiota associated with the ambrosia beetle <i>Scolytodes unipunctatus</i> (Coleoptera: Curculionidae,) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 222 T</i>	2.5	35
116	The Carabidae (Ground Beetles) of Britain and Ireland - Edited by Martin L. Luff and British Longchaeidae. <i>Diptera, Cyclorrhapha, Acalyptratae</i> - Edited by Iain MacGowan and Graham Rotheray. <i>Systematic Entomology</i> , 2009, 34, 402-405.	1.7	0
117	Some repentance would not hurt taxonomy either: a junior taxonomist's response to Quentin Wheeler. <i>Systematic Entomology</i> , 2009, 34, 199-201.	1.7	0
118	Three new genera of oriental Xyleborina (Coleoptera: Curculionidae: Scolytinae). <i>Zootaxa</i> , 2009, 2204, 19-36.	0.2	19
119	<i>Geosmithia</i> Fungi are Highly Diverse and Consistent Bark Beetle Associates: Evidence from their Community Structure in Temperate Europe. <i>Microbial Ecology</i> , 2008, 55, 65-80.	1.4	65
120	A Comparison of Bark and Ambrosia Beetle Communities in Two Forest Types in Northern Thailand (Coleoptera: Curculionidae: Scolytinae and Platypodinae). <i>Environmental Entomology</i> , 2008, 37, 1461-1470.	0.7	31
121	Low beta diversity of ambrosia beetles (Coleoptera: Curculionidae: Scolytinae and Platypodinae) in lowland rainforests of Papua New Guinea. <i>Oikos</i> , 2008, 117, 214-222.	1.2	28
122	A Review of the Ambrosia Beetle Genus <i>Cryptoxyleborus</i> Schedl (Coleoptera: Curculionidae:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 T</i>	0.1	9
123	Low beta diversity of herbivorous insects in tropical forests. <i>Nature</i> , 2007, 448, 692-695.	13.7	227
124	DNA barcoding confirms polyphagy in a generalist moth, <i>Homona mermerodes</i> (Lepidoptera:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142 T</i>	1.7	39
125	Cladistic review of generic taxonomic characters in Xyleborina (Coleoptera: Curculionidae:) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 222 T</i>	1.7	78
126	Host specificity of ambrosia and bark beetles (Col., Curculionidae: Scolytinae and Platypodinae) in a New Guinea rainforest. <i>Ecological Entomology</i> , 2007, 32, 762-772.	1.1	100



#	ARTICLE	IF	CITATIONS
127	The updated check list of Dolichopodidae (Diptera) of the Czech Republic and Slovakia: Background information, data and considerations. <i>Biologia (Poland)</i> , 2007, 62, 470-476.	0.8	0
128	The role of semiochemicals in tritrophic interactions between the spruce bark beetle <i>Ips typographus</i> , its predators and infested spruce. <i>Journal of Applied Entomology</i> , 2006, 130, 275-283.	0.8	36
129	Exploitation of kairomones and synomones by <i>Medetera</i> spp. (Diptera: Dolichopodidae), predators of spruce bark beetles. <i>European Journal of Entomology</i> , 2005, 102, 655-662.	1.2	25
130	No tree an island: the plant-caterpillar food web of a secondary rain forest in New Guinea. <i>Ecology Letters</i> , 2004, 7, 1090-1100.	3.0	64
131	High-diversity microbiomes in the guts of bryophagous beetles (Coleoptera: Byrrhidae). <i>European Journal of Entomology</i> , 0, 116, 432-441.	1.2	4
132	A first inference of the phylogeography of the worldwide invader <i>Xylosandrus compactus</i> . <i>Journal of Pest Science</i> , 0, , 1.	1.9	10