

Marc Derive

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6562343/publications.pdf>

Version: 2024-02-01

19
papers

858
citations

516710

16
h-index

839539

18
g-index

19
all docs

19
docs citations

19
times ranked

957
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | TREM-1 and its potential ligands in non-infectious diseases: from biology to clinical perspectives. , 2017, 177, 81-95. | | 183 |
| 2 | Soluble Trem-like Transcript-1 Regulates Leukocyte Activation and Controls Microbial Sepsis. Journal of Immunology, 2012, 188, 5585-5592. | 0.8 | 113 |
| 3 | TREM-1 Mediates Inflammatory Injury and Cardiac Remodeling Following Myocardial Infarction. Circulation Research, 2015, 116, 1772-1782. | 4.5 | 102 |
| 4 | Oxidative stress-induced endothelial dysfunction and decreased vascular nitric oxide in COVID-19 patients. EBioMedicine, 2022, 77, 103893. | 6.1 | 48 |
| 5 | Effects of a TREM-Like Transcript 1â€œDerived Peptide During Hypodynamic Septic Shock in Pigs. Shock, 2013, 39, 176-182. | 2.1 | 47 |
| 6 | Attenuation of Responses to Endotoxin by the Triggering Receptor Expressed on Myeloid Cells-1 Inhibitor LR12 in Nonhuman Primate. Anesthesiology, 2014, 120, 935-942. | 2.5 | 40 |
| 7 | Nangibotide in patients with septic shock: a Phase 2a randomized controlled clinical trial. Intensive Care Medicine, 2020, 46, 1425-1437. | 8.2 | 38 |
| 8 | TREM-1 orchestrates angiotensin IIâ€œinduced monocyte trafficking and promotes experimental abdominal aortic aneurysm. Journal of Clinical Investigation, 2021, 131, . | 8.2 | 36 |
| 9 | Targeted endothelial gene deletion of triggering receptor expressed on myeloid cells-1 protects mice during septic shock. Cardiovascular Research, 2018, 114, 907-918. | 3.8 | 34 |
| 10 | Triggering receptor expressed on myeloid cells -1 as a new therapeutic target during inflammatory diseases. Self/nonself, 2010, 1, 225-230. | 2.0 | 33 |
| 11 | EFFECTS OF THE TREM 1 PATHWAY MODULATION DURING HEMORRHAGIC SHOCK IN RATS. Shock, 2009, 32, 633-637. | 2.1 | 31 |
| 12 | TREM-1 SNP rs2234246 regulates TREM-1 protein and mRNA levels and is associated with plasma levels of L-selectin. PLoS ONE, 2017, 12, e0182226. | 2.5 | 31 |
| 13 | Effect of TREM-1 blockade and single nucleotide variants in experimental renal injury and kidney transplantation. Scientific Reports, 2016, 6, 38275. | 3.3 | 29 |
| 14 | A firstâ€œinâ€œman safety and pharmacokinetics study of nangibotide, a new modulator of innate immune response through TREMâ€œ1 receptor inhibition. British Journal of Clinical Pharmacology, 2018, 84, 2270-2279. | 2.4 | 27 |
| 15 | Triggering Receptor Expressed on Myeloid cells-1: a new player in platelet aggregation. Thrombosis and Haemostasis, 2017, 117, 1772-1781. | 3.4 | 22 |
| 16 | Pharmacological inhibition of the triggering receptor expressed on myeloid cellsâ€œ1 limits reperfusion injury in a porcine model of myocardial infarction. ESC Heart Failure, 2015, 2, 90-99. | 3.1 | 18 |
| 17 | Increased sTREM-1 plasma concentrations are associated with poor clinical outcomes in patients with COVID-19. Bioscience Reports, 2021, 41, . | 2.4 | 18 |
| 18 | Inhibition of triggering receptor expressed on myeloid cellsâ€œ1 impairs thrombin generation. Journal of Thrombosis and Haemostasis, 2020, 18, 454-462. | 3.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Plasma and genetic determinants of soluble TREM-1 and major adverse cardiovascular events in a prospective cohort of acute myocardial infarction patients. Results from the FAST-MI 2010 study. International Journal of Cardiology, 2021, 344, 213-219. | 1.7 | 3 |