

Megumi Hara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6562704/publications.pdf>

Version: 2024-02-01

154
papers

3,421
citations

147566

31
h-index

197535

49
g-index

165
all docs

165
docs citations

165
times ranked

5258
citing authors

#	ARTICLE	IF	CITATIONS
1	Cigarette smoking and subsequent risk of lung cancer by histologic type in middle-aged Japanese men and women: The JPHC study. <i>International Journal of Cancer</i> , 2002, 99, 245-251.	2.3	141
2	Risk factors for complications of endoscopic submucosal dissection in gastric tumors: analysis of 478 lesions. <i>Journal of Gastroenterology</i> , 2010, 45, 30-36.	2.3	139
3	Brain Microbleeds and Global Cognitive Function in Adults Without Neurological Disorder. <i>Stroke</i> , 2008, 39, 3323-3328.	1.0	124
4	Clinical Symptoms in Endoscopic Reflux Esophagitis: Evaluation in 8031 Adult Subjects. <i>Digestive Diseases and Sciences</i> , 2003, 48, 2237-2241.	1.1	109
5	Topography and associations of perivascular spaces in healthy adults. <i>Neurology</i> , 2014, 83, 2116-2123.	1.5	95
6	Profile of Participants and Genotype Distributions of 108 Polymorphisms in a Cross-Sectional Study of Associations of Genotypes With Lifestyle and Clinical Factors: A Project in the Japan Multi-Institutional Collaborative Cohort (J-MICC) Study. <i>Journal of Epidemiology</i> , 2011, 21, 223-235.	1.1	92
7	Cruciferous Vegetables, Mushrooms, and Gastrointestinal Cancer Risks in a Multicenter, Hospital-Based Case-Control Study in Japan. <i>Nutrition and Cancer</i> , 2003, 46, 138-147.	0.9	89
8	Genome-wide association study revealed novel loci which aggravate asymptomatic hyperuricaemia into gout. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1430-1437.	0.5	73
9	Influence of alcohol consumption and gene polymorphisms of ADH2 and ALDH2 on hepatocellular carcinoma in a Japanese population. <i>International Journal of Cancer</i> , 2006, 118, 1501-1507.	2.3	70
10	Inverse association between coffee drinking and the risk of hepatocellular carcinoma: a case-control study in Japan. <i>Cancer Science</i> , 2007, 98, 214-218.	1.7	68
11	Genetic Predisposition to Ischemic Stroke. <i>Stroke</i> , 2017, 48, 253-258.	1.0	64
12	Distributional Impact of Brain Microbleeds on Global Cognitive Function in Adults Without Neurological Disorder. <i>Stroke</i> , 2012, 43, 1800-1805.	1.0	63
13	hOGGI Ser326Cys polymorphism, interaction with environmental exposures, and gastric cancer risk in Japanese populations. <i>Cancer Science</i> , 2004, 95, 977-983.	1.7	62
14	A polymorphism in the promoter of the CD14 gene (CD14/-159) is associated with the development of coronary artery lesions in patients with Kawasaki disease. <i>Journal of Pediatrics</i> , 2003, 143, 357-362.	0.9	61
15	NSAIDs are a significant risk factor for colonic diverticular hemorrhage in elder patients: Evaluation by a case-control study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 1047-1052.	1.4	55
16	Association Between Dietary Pattern and Serum C-Reactive Protein in Japanese Men and Women. <i>Journal of Epidemiology</i> , 2011, 21, 122-131.	1.1	51
17	Bivalent Human Papillomavirus Vaccine Effectiveness in a Japanese Population: High Vaccine-Type-Specific Effectiveness and Evidence of Cross-Protection. <i>Journal of Infectious Diseases</i> , 2019, 219, 382-390.	1.9	50
18	Immune response to influenza vaccine in healthy adults and the elderly: association with nutritional status. <i>Vaccine</i> , 2005, 23, 1457-1463.	1.7	48

#	ARTICLE	IF	CITATIONS
19	Five biopsy specimens from the proximal part of the tumor reliably determine HER2 protein expression status in gastric cancer. <i>Gastric Cancer</i> , 2016, 19, 553-560.	2.7	48
20	Comparison of cause-specific mortality between respondents and nonrespondents in a population-based prospective study. <i>Journal of Clinical Epidemiology</i> , 2002, 55, 150-156.	2.4	41
21	Low-dose aspirin is a prominent cause of bleeding ulcers in patients who underwent emergency endoscopy. <i>Journal of Gastroenterology</i> , 2009, 44, 912-918.	2.3	41
22	The adenoma miss rate of blue-laser imaging vs. white-light imaging during colonoscopy: a randomized tandem trial. <i>Endoscopy</i> , 2017, 49, 186-190.	1.0	41
23	Study Profile of the Japan Multi-institutional Collaborative Cohort (J-MICC) Study. <i>Journal of Epidemiology</i> , 2021, 31, 660-668.	1.1	41
24	Marked cerebral atrophy is correlated with kidney dysfunction in nondisabled adults. <i>Hypertension Research</i> , 2010, 33, 1232-1237.	1.5	38
25	Optimal cutoff values of waist circumference and the discriminatory performance of other anthropometric indices to detect the clustering of cardiovascular risk factors for metabolic syndrome in Japanese men and women. <i>Environmental Health and Preventive Medicine</i> , 2011, 16, 52-60.	1.4	37
26	Interaction between cytochrome P450 1A2 genetic polymorphism and cigarette smoking on the risk of hepatocellular carcinoma in a Japanese population. <i>Carcinogenesis</i> , 2009, 30, 1729-1734.	1.3	36
27	Genomewide Association Study of Leisure-Time Exercise Behavior in Japanese Adults. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 2433-2441.	0.2	36
28	Factors Influencing Participation Rate in a Baseline Survey of a Genetic Cohort in Japan. <i>Journal of Epidemiology</i> , 2010, 20, 40-45.	1.1	35
29	Effects of home-based bench step exercise on inflammatory cytokines and lipid profiles in elderly Japanese females: A randomized controlled trial. <i>Archives of Gerontology and Geriatrics</i> , 2015, 61, 443-451.	1.4	35
30	Immunogenicity of Quadrivalent Influenza Vaccine for Patients with Inflammatory Bowel Disease Undergoing Immunosuppressive Therapy. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 1082-1091.	0.9	35
31	Smoking and Risk of Premature Death among Middle-aged Japanese: Ten-year Follow-up of the Japan Public Health Center-based Prospective Study on Cancer and Cardiovascular Diseases (JPHC Study) Cohort I. <i>Japanese Journal of Cancer Research</i> , 2002, 93, 6-14.	1.7	33
32	Differential misclassification between self-reported status and official HPV vaccination records in Japan: Implications for evaluating vaccine safety and effectiveness. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2018, 6, 6-10.	4.5	33
33	A <i>Helicobacter pylori</i> screening and treatment program to eliminate gastric cancer among junior high school students in Saga Prefecture: a preliminary report. <i>Journal of Gastroenterology</i> , 2019, 54, 699-707.	2.3	33
34	Pro-/anti-inflammatory cytokine gene polymorphisms and chronic kidney disease: a cross-sectional study. <i>BMC Nephrology</i> , 2012, 13, 2.	0.8	32
35	A genome-wide association study in the Japanese population identifies the 12q24 locus for habitual coffee consumption: The J-MICC Study. <i>Scientific Reports</i> , 2018, 8, 1493.	1.6	32
36	Hepatitis C virus infection enhances insulin resistance induced by visceral fat accumulation. <i>Liver International</i> , 2009, 29, 213-220.	1.9	31

#	ARTICLE	IF	CITATIONS
37	Influence of Physical Activity Intensity and Aerobic Fitness on the Anthropometric Index and Serum Uric Acid Concentration in People with Obesity. <i>Internal Medicine</i> , 2011, 50, 2121-2128.	0.3	31
38	Objectively measured physical activity and inflammatory cytokine levels in middle-aged Japanese people. <i>Preventive Medicine</i> , 2014, 64, 81-87.	1.6	31
39	Validity and Reliability of Kano Test for Social Nicotine Dependence. <i>Annals of Epidemiology</i> , 2009, 19, 815-822.	0.9	30
40	Perforation and Postoperative Bleeding Associated with Endoscopic Submucosal Dissection in Colorectal Tumors: An Analysis of 398 Lesions Treated in Saga, Japan. <i>Internal Medicine</i> , 2018, 57, 2115-2122.	0.3	28
41	A pro-diabetogenic mtDNA polymorphism in the mitochondrial-derived peptide, MOTS-c. <i>Aging</i> , 2021, 13, 1692-1717.	1.4	28
42	Pertussis outbreak in university students and evaluation of acellular pertussis vaccine effectiveness in Japan. <i>BMC Infectious Diseases</i> , 2015, 15, 45.	1.3	25
43	Effectiveness of monovalent and pentavalent rotavirus vaccines in Japanese children. <i>Vaccine</i> , 2018, 36, 5187-5193.	1.7	25
44	Smoking and Drinking Did Not Increase the Failure of Therapeutic <i>Helicobacter pylori</i> Eradication by Vonoprazan, Clarithromycin, and Amoxicillin. <i>Digestion</i> , 2019, 99, 172-178.	1.2	25
45	Effectiveness of influenza vaccination in preventing influenza-like illness among community-dwelling elderly: Population-based cohort study in Japan. <i>Vaccine</i> , 2006, 24, 5546-5551.	1.7	24
46	Enzyme-linked immunosorbent assay of nicotine metabolites. <i>Environmental Health and Preventive Medicine</i> , 2010, 15, 211-216.	1.4	24
47	Effect of the PPAR γ 2 Pro12Ala Polymorphism and Clinical Risk Factors for Diabetes Mellitus on HbA1c in the Japanese General Population. <i>Journal of Epidemiology</i> , 2012, 22, 523-531.	1.1	24
48	Gender-Specific Associations of Perceived Stress and Coping Strategies with C-Reactive Protein in Middle-Aged and Older Men and Women. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 821-832.	0.8	24
49	Factors Associated With Non-participation in a Face-to-Face Second Survey Conducted 5 Years After the Baseline Survey. <i>Journal of Epidemiology</i> , 2015, 25, 117-125.	1.1	24
50	Associations of Nutrient Patterns with the Prevalence of Metabolic Syndrome: Results from the Baseline Data of the Japan Multi-Institutional Collaborative Cohort Study. <i>Nutrients</i> , 2019, 11, 990.	1.7	24
51	Case-control study on cigarette smoking and the risk of hepatocellular carcinoma among Japanese. <i>Cancer Science</i> , 2008, 99, 93-97.	1.7	23
52	Interaction between interleukin-1 β -31T/C gene polymorphism and drinking and smoking habits on the risk of hepatocellular carcinoma among Japanese. <i>Cancer Letters</i> , 2008, 271, 98-104.	3.2	23
53	Association of Dietary Acid Load with the Prevalence of Metabolic Syndrome among Participants in Baseline Survey of the Japan Multi-Institutional Collaborative Cohort Study. <i>Nutrients</i> , 2020, 12, 1605.	1.7	23
54	Dysphagia Associated with Gastroesophageal Reflux Disease Is Improved by Proton Pump Inhibitor. <i>Digestive Diseases and Sciences</i> , 2005, 50, 1921-1926.	1.1	22

#	ARTICLE	IF	CITATIONS
55	Longitudinal study of parental smoking habits and development of asthma in early childhood. <i>Preventive Medicine</i> , 2012, 54, 94-96.	1.6	22
56	Lower Rebleeding Rate after Endoscopic Band Ligation than Endoscopic Clipping of the Same Colonic Diverticular Hemorrhagic Lesion: A Historical Multicenter Trial in Saga, Japan. <i>Internal Medicine</i> , 2019, 58, 633-638.	0.3	22
57	Japan's Ongoing Crisis on HPV Vaccination. <i>Vaccines</i> , 2020, 8, 362.	2.1	22
58	Basal Ganglia Cerebral Microbleeds and Global Cognitive Function: The Kashima Scan Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 431-439.	0.7	21
59	Perceived Stress, Depressive Symptoms, and Oxidative DNA Damage. <i>Psychosomatic Medicine</i> , 2018, 80, 28-33.	1.3	21
60	hOGG1 Ser326Cys Polymorphism and Risk of Hepatocellular Carcinoma among Japanese. <i>Journal of Epidemiology</i> , 2006, 16, 233-239.	1.1	19
61	Reflux Esophagitis and <i>Helicobacter pylori</i> Infection in Patients with Scleroderma. <i>Internal Medicine</i> , 2008, 47, 1555-1559.	0.3	19
62	Perceived Stress and Coping Strategies in Relation to Body Mass Index: Cross-Sectional Study of 12,045 Japanese Men and Women. <i>PLoS ONE</i> , 2015, 10, e0118105.	1.1	19
63	Human papillomavirus vaccine to prevent cervical intraepithelial neoplasia in Japan: A nationwide case-control study. <i>Cancer Science</i> , 2021, 112, 839-846.	1.7	19
64	Dietary Patterns and Serum Gamma-Glutamyl Transferase in Japanese Men and Women. <i>Journal of Epidemiology</i> , 2015, 25, 378-386.	1.1	18
65	Upper Gastrointestinal Symptoms Are More Frequent in Female than Male Young Healthy Japanese Volunteers as Evaluated by Questionnaire. <i>Journal of Neurogastroenterology and Motility</i> , 2016, 22, 248-253.	0.8	18
66	Estimating rotavirus vaccine effectiveness in Japan using a screening method. <i>Human Vaccines and Immunotherapeutics</i> , 2016, 12, 1244-1249.	1.4	18
67	Genome-Wide Association Study of Renal Function Traits: Results from the Japan Multi-Institutional Collaborative Cohort Study. <i>American Journal of Nephrology</i> , 2018, 47, 304-316.	1.4	18
68	Effectiveness of acellular pertussis vaccine in a routine immunization program: A multicenter, case-control study in Japan. <i>Vaccine</i> , 2015, 33, 1027-1032.	1.7	17
69	Intensity-specific effect of physical activity on urinary levels of 8-hydroxydeoxyguanosine in middle-aged Japanese. <i>Cancer Science</i> , 2016, 107, 1653-1659.	1.7	17
70	Risk Factors for <i>Helicobacter pylori</i> Infection and Endoscopic Reflux Esophagitis in Healthy Young Japanese Volunteers. <i>Internal Medicine</i> , 2017, 56, 2979-2983.	0.3	17
71	Genome-wide association meta-analysis and Mendelian randomization analysis confirm the influence of ALDH2 on sleep duration in the Japanese population. <i>Sleep</i> , 2019, 42, .	0.6	16
72	Differences in COVID-19 Vaccine Acceptance, Hesitancy, and Confidence between Healthcare Workers and the General Population in Japan. <i>Vaccines</i> , 2021, 9, 1389.	2.1	16

#	ARTICLE	IF	CITATIONS
73	Low-dose Aspirin and Comorbidities are Significantly Related to Bleeding Peptic Ulcers in Elderly Patients Compared with Nonelderly Patients in Japan. <i>Internal Medicine</i> , 2014, 53, 367-373.	0.3	15
74	Modification of the Associations of Alcohol Intake With Serum Low-Density Lipoprotein Cholesterol and Triglycerides by <i>ALDH2</i> and <i>ADH1B</i> ; Polymorphisms in Japanese Men. <i>Journal of Epidemiology</i> , 2018, 28, 185-193.	1.1	15
75	Simultaneous measurement of urinary total nicotine and cotinine as biomarkers of active and passive smoking among Japanese individuals. <i>Environmental Health and Preventive Medicine</i> , 2013, 18, 244-250.	1.4	14
76	Association of exposure level to passive smoking with hypertension among lifetime nonsmokers in Japan: a cross-sectional study. <i>Medicine (United States)</i> , 2018, 97, e13241.	0.4	14
77	Association between plasma levels of homocysteine, folate, and vitamin B12, and dietary folate intake and hypertension in a cross-sectional study. <i>Scientific Reports</i> , 2020, 10, 18499.	1.6	14
78	Acceptance of Booster COVID-19 Vaccine and Its Association with Components of Vaccination Readiness in the General Population: A Cross-Sectional Survey for Starting Booster Dose in Japan. <i>Vaccines</i> , 2022, 10, 1102.	2.1	14
79	Higher Frequency of Reflux Symptoms and Acid-Related Dyspepsia in Women than Men Regardless of Endoscopic Esophagitis: Analysis of 3,505 Japanese Subjects Undergoing Medical Health Checkups. <i>Digestion</i> , 2016, 93, 266-271.	1.2	13
80	Coping strategy and social support modify the association between perceived stress and C-reactive protein: a longitudinal study of healthy men and women. <i>Stress</i> , 2018, 21, 237-246.	0.8	13
81	Influenza vaccine effectiveness among elderly persons living in the community during the 2003-2004 season. <i>Vaccine</i> , 2008, 26, 6477-6480.	1.7	12
82	Development of suitable method for large-scale urinary glucocorticoid analysis by liquid chromatography-mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017, 1057, 62-69.	1.2	12
83	Intensity-Specific and Modified Effects of Physical Activity on Serum Adiponectin in a Middle-Aged Population. <i>Journal of the Endocrine Society</i> , 2019, 3, 13-26.	0.1	12
84	Risk factors for HPV infection and high-grade cervical disease in sexually active Japanese women. <i>Scientific Reports</i> , 2021, 11, 2898.	1.6	12
85	Suspension of proactive recommendations for HPV vaccination has led to a significant increase in HPV infection rates in young Japanese women: real-world data. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 16, 100300.	1.3	12
86	The Association Between Cancer Risk and Age at Onset of Smoking in Japanese. <i>Journal of Epidemiology</i> , 2010, 20, 128-135.	1.1	11
87	Association between the <i>PPARGC1A</i> Polymorphism and Aerobic Capacity in Japanese Middle-aged Men. <i>Internal Medicine</i> , 2015, 54, 359-366.	0.3	11
88	Outcomes of Patients Undergoing Endoscopic Hemostasis for the Upper Gastrointestinal Bleeding Were Not Influenced by the Timing of Hospital Emergency Visits: A Situation Prevailing in Japan. <i>Digestion</i> , 2018, 97, 260-266.	1.2	11
89	Synergistic effect of hypertension and smoking on the total small vessel disease score in healthy individuals: the Kashima scan study. <i>Hypertension Research</i> , 2019, 42, 1738-1744.	1.5	11
90	The interaction between ABCA1 polymorphism and physical activity on the HDL-cholesterol levels in a Japanese population. <i>Journal of Lipid Research</i> , 2020, 61, 86-94.	2.0	11

#	ARTICLE	IF	CITATIONS
91	Evaluation of seasonal influenza vaccination effectiveness based on antibody efficacy among the institutionalized elderly in Japan. <i>Vaccine</i> , 2010, 28, 5664-5668.	1.7	10
92	Joint effect of hypertension and lifestyle-related risk factors on the risk of brain microbleeds in healthy individuals. <i>Hypertension Research</i> , 2013, 36, 789-794.	1.5	10
93	<i>Helicobacter pylori</i> infection status had no influence on upper gastrointestinal symptoms: a cross-sectional analysis of 3,005 Japanese subjects without upper gastrointestinal lesions undergoing medical health checkups. <i>Esophagus</i> , 2017, 14, 249-253.	1.0	10
94	Habitual Light-intensity Physical Activity and ASC Methylation in a Middle-aged Population. <i>International Journal of Sports Medicine</i> , 2019, 40, 670-677.	0.8	10
95	Diminished immunogenicity to pandemic H1N1 2009 influenza vaccine in subjects with severe motor and intellectual disability. <i>Vaccine</i> , 2011, 29, 8323-8329.	1.7	9
96	Immunogenicity and Safety after Booster Vaccination of Diphtheria, Tetanus, and Acellular Pertussis in Young Adults: an Open Randomized Controlled Trial in Japan. <i>Vaccine Journal</i> , 2013, 20, 1799-1804.	3.2	9
97	Impact of <i>PSCA</i> Polymorphisms on the Risk of Duodenal Ulcer. <i>Journal of Epidemiology</i> , 2021, 31, 12-20.	1.1	9
98	Effect of Underlying Cardiometabolic Diseases on the Association Between Sedentary Time and All-cause Mortality in a Large Japanese Population: A Cohort Analysis Based on the J-MICC Study. <i>Journal of the American Heart Association</i> , 2021, 10, e018293.	1.6	9
99	Association between habitual coffee consumption and skeletal muscle mass in middle-aged and older Japanese people. <i>Geriatrics and Gerontology International</i> , 2021, 21, 950-958.	0.7	9
100	Endoscopic Injection Sclerotherapy for Esophageal Varices in Cirrhotic Patients With Hepatocellular Carcinoma. <i>Journal of Clinical Gastroenterology</i> , 2003, 36, 68-71.	1.1	8
101	Risk Factors for Delayed Hemorrhage after Colonic Endoscopic Mucosal Resection in Patients Not on Antithrombotic Therapy: Retrospective Analysis of 3,844 Polyps of 1,660 Patients. <i>Digestion</i> , 2019, 100, 86-92.	1.2	8
102	Case-Control Study of Rotavirus Vaccine Effectiveness Compared to Test-Negative Controls or Hospital Controls. <i>Journal of Epidemiology</i> , 2019, 29, 282-287.	1.1	8
103	Epidemiologic Profile of Type-Specific Human Papillomavirus Infection after Initiation of HPV Vaccination. <i>Vaccines</i> , 2020, 8, 425.	2.1	8
104	Perceived stress, depressive symptoms, and cortisol-to-cortisone ratio in spot urine in 6878 older adults. <i>Psychoneuroendocrinology</i> , 2021, 125, 105125.	1.3	8
105	A Proposal for Practical Diagnosis of Renal Hypouricemia: Evidenced from Genetic Studies of Nonfunctional Variants of URAT1/SLC22A12 among 30,685 Japanese Individuals. <i>Biomedicines</i> , 2021, 9, 1012.	1.4	8
106	A Nationwide Epidemiological Survey of Adolescent Patients With Diverse Symptoms Similar to Those Following Human Papillomavirus Vaccination: Background Prevalence and Incidence for Considering Vaccine Safety in Japan. <i>Journal of Epidemiology</i> , 2022, 32, 34-43.	1.1	8
107	Real-World Effectiveness of the mRNA COVID-19 Vaccines in Japan: A Case-Control Study. <i>Vaccines</i> , 2022, 10, 779.	2.1	8
108	Risk factors for low response to proton-pump inhibitor treatment in reflux esophagitis and non-erosive reflux disease evaluated by the frequency scale for the symptoms of gastroesophageal reflux disease. <i>Esophagus</i> , 2015, 12, 225-232.	1.0	7

#	ARTICLE	IF	CITATIONS
109	Influence of Single-Nucleotide Polymorphisms in PPAR- α , PPAR- β , and PRKAA2 on the Changes in Anthropometric Indices and Blood Measurements through Exercise-Centered Lifestyle Intervention in Japanese Middle-Aged Men. <i>International Journal of Molecular Sciences</i> , 2018, 19, 703.	1.8	7
110	Moderate-to-vigorous Physical Activity and Sedentary Behavior Are Independently Associated With Renal Function: A Cross-sectional Study. <i>Journal of Epidemiology</i> , 2023, 33, 285-293.	1.1	7
111	Stroke Scale Items Associated with Neurologic Deterioration within 24 Hours after Recombinant Tissue Plasminogen Activator Therapy. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013, 22, 1117-1124.	0.7	6
112	Effectiveness of four doses of pertussis vaccine during infancy diminished in elementary school age: A test-negative case-control study in Japan. <i>Vaccine</i> , 2021, 39, 11-17.	1.7	6
113	A genome-wide association study on confection consumption in a Japanese population: the Japan Multi-Institutional Collaborative Cohort Study. <i>British Journal of Nutrition</i> , 2021, 126, 1843-1851.	1.2	6
114	Associations of Genome-Wide Polygenic Risk Score and Risk Factors With Hypertension in a Japanese Population. <i>Circulation Genomic and Precision Medicine</i> , 2022, 15, .	1.6	6
115	Brief Questioning by Nursing Staffs before Endoscopic Examination May Not Always Pick Up Clinical Symptoms of Endoscopic Reflux Esophagitis. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2010, 46, 229-233.	0.6	5
116	Infectious disease during hospitalization is the major causative factor for prolonged hospitalization: multivariate analysis of diagnosis procedure combination (DPC) data of 20,876 cases in Japan. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2016, 59, 49-52.	0.6	5
117	Associations Between hOGG1 Ser326Cys Polymorphism and Increased Body Mass Index and Fasting Glucose Level in the Japanese General Population. <i>Journal of Epidemiology</i> , 2014, 24, 379-384.	1.1	4
118	Effects of self-reported calorie restriction on correlations between SIRT1 polymorphisms and body mass index and long-term weight change. <i>Gene</i> , 2016, 594, 16-22.	1.0	4
119	Immunogenicity and Efficacy of A/H1N1pdm Vaccine Among Subjects With Severe Motor and Intellectual Disability in the 2010/11 Influenza Season. <i>Journal of Epidemiology</i> , 2016, 26, 300-306.	1.1	4
120	Public subsidies and the recommendation of child vaccines among primary care physicians: a nationwide cross-sectional study in Japan. <i>BMJ Open</i> , 2018, 8, e020923.	0.8	4
121	Determinants of self-paid rotavirus vaccination status in Kanazawa, Japan, including socioeconomic factors, parents' perception, and children's characteristics. <i>BMC Infectious Diseases</i> , 2020, 20, 712.	1.3	4
122	Internet Survey of Awareness and Behavior Related to HPV Vaccination in Japan. <i>Vaccines</i> , 2021, 9, 87.	2.1	4
123	Long-term effectiveness of HPV vaccination against HPV infection in young Japanese women: Real-world data. <i>Cancer Science</i> , 2022, 113, 1435-1440.	1.7	4
124	Long-Term Effects of Human Papillomavirus Vaccination in Clinical Trials and Real-World Data: A Systematic Review. <i>Vaccines</i> , 2022, 10, 256.	2.1	4
125	Association of Vaccine Confidence and Hesitancy in Three Phases of COVID-19 Vaccine Approval and Introduction in Japan. <i>Vaccines</i> , 2022, 10, 423.	2.1	4
126	Comparison of CLEIA and ELISA for SARS-CoV-2 Virus Antibodies after First and Second Dose Vaccinations with the BNT162b2 mRNA Vaccine. <i>Vaccines</i> , 2022, 10, 487.	2.1	4

#	ARTICLE	IF	CITATIONS
127	Lifestyle-related risk factors for total and cancer mortality in men and women. <i>Environmental Health and Preventive Medicine</i> , 2000, 5, 90-96.	1.4	3
128	Higher frequency of upper gastrointestinal symptoms in healthy young Japanese females compared to males and older generations. <i>Esophagus</i> , 2018, 15, 83-87.	1.0	3
129	Incidence of aspiration pneumonia during hospitalization in Japanese hospitalized cases did not increase whereas concern factors were exacerbated in a time-dependent manner: analysis of Diagnosis Procedure Combination (DPC) data. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2018, 63, 66-69.	0.6	3
130	The interaction between mitochondrial haplogroups (M7a/D) and physical activity on adiponectin in a Japanese population. <i>Mitochondrion</i> , 2020, 53, 234-242.	1.6	3
131	A genome-wide association study on meat consumption in a Japanese population: the Japan Multi-Institutional Collaborative Cohort study. <i>Journal of Nutritional Science</i> , 2021, 10, e61.	0.7	3
132	Effectiveness of <sc>HPV</sc> vaccine against cervical precancer in Japan: multivariate analyses adjusted for sexual activity. <i>Cancer Science</i> , 0, , .	1.7	3
133	Variant Allele of ALDH2, rs671, Associates with Attenuated Post-Vaccination Response in Anti-SARS-CoV-2 Spike Protein IgG: A Prospective Study in the Japanese General Population. <i>Vaccines</i> , 2022, 10, 1035.	2.1	3
134	Increase in Endoscopic and Laparoscopic Surgery Regarding the Therapeutic Approach of Gastric Cancer Detected by Cancer Screening in Saga Prefecture, Japan. <i>Internal Medicine</i> , 2016, 55, 1247-1253.	0.3	2
135	Influence of cigarette smoking and inflammatory gene polymorphisms on glycated hemoglobin in the Japanese general population. <i>Preventive Medicine Reports</i> , 2016, 3, 288-295.	0.8	2
136	Basic principle of population-based cohort study to evaluate influenza vaccine effectiveness among elderly Japanese. <i>Vaccine</i> , 2017, 35, 4791-4795.	1.7	2
137	Amino Acid Replacement (K14Q) of Mitochondria-Derived MOTS-c Affects Type 2 Diabetes in Men with Lower Physical Activity. <i>Juntendo Medical Journal</i> , 2018, 64, 121-121.	0.1	2
138	Parentsâ€™ views on mumps, mumps vaccine, and the factors associated with vaccination in Japan. <i>Vaccine</i> , 2021, 39, 7677-7683.	1.7	2
139	The association of reproductive history with hypertension and obesity according to menopausal status: the J-MICC Study. <i>Hypertension Research</i> , 2022, 45, 708-714.	1.5	2
140	Role of rotavirus vaccination on an emerging G8P[8] rotavirus strain causing an outbreak in central Japan. <i>Vaccine</i> , 2018, 36, 5109.	1.7	1
141	Association of perceived stress and coping strategies with the renal function in middle-aged and older Japanese men and women. <i>Scientific Reports</i> , 2022, 12, 291.	1.6	1
142	Effect of the interaction between physical activity and estimated macronutrient intake on HbA1c: population-based cross-sectional and longitudinal studies. <i>BMJ Open Diabetes Research and Care</i> , 2022, 10, e002479.	1.2	1
143	Control selection and confounding factors: A lesson from a Japanese case-control study to examine acellular pertussis vaccine effectiveness. <i>Vaccine</i> , 2017, 35, 4801-4805.	1.7	0
144	Influence of a home-based exercise program on the urine pH in elderly female subjects: a secondary analysis of a randomized controlled trial. <i>European Review of Aging and Physical Activity</i> , 2017, 14, 7.	1.3	0

#	ARTICLE	IF	CITATIONS
145	A Cost-benefit Analysis of Percutaneous Coronary Intervention and Coronary Artery Bypass Grafting using Reimbursement Data of Japan: A Single-center Pilot Study. <i>Vascular Failure</i> , 2018, 2, 25-31.	0.2	0
146	Influenza and Influenza Vaccination in Japanese Elderly. <i>Current Topics in Environmental Health and Preventive Medicine</i> , 2019, , 171-183.	0.1	0
147	Combined effect of weight gain within normal weight range and parental hypertension on the prevalence of hypertension; from the J-MICC Study. <i>Journal of Human Hypertension</i> , 2020, 34, 125-131.	1.0	0
148	Population-Based Impact of Smoking, Drinking, and Genetic Factors on HDL-Cholesterol Levels in J-MICC Study Participants. <i>Journal of Epidemiology</i> , 2021, , .	1.1	0
149	83Replacing sedentary time with moderate-to-vigorous physical activity is associated with decreased serum SPARC in men. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
150	305Interaction between physical activity and nutritional intake on HbA1c in Japanese general population. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
151	Sedentary time, physical activity, and serum SPARC in a middle-aged population. <i>European Journal of Sport Science</i> , 2022, 22, 1786-1794.	1.4	0
152	Inverse association between coffee drinking and the risk of hepatocellular carcinoma: a case-control study in Japan. <i>Cancer Science</i> , 2006, .	1.7	0
153	Abstract 2858: Topographical Distribution of Brain Microbleeds and Global Cognitive Function in Adults without Neurological Disorders. <i>Stroke</i> , 2012, 43, .	1.0	0
154	Reply to the comments on "Association between habitual coffee consumption and skeletal muscle mass in middle-aged and older Japanese people". <i>Geriatrics and Gerontology International</i> , 2022, 22, 89-91.	0.7	0