

Megumi Hara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6562704/publications.pdf>

Version: 2024-02-01

154
papers

3,421
citations

147566

31
h-index

197535

49
g-index

165
all docs

165
docs citations

165
times ranked

5258
citing authors

#	ARTICLE	IF	CITATIONS
1	Moderate-to-vigorous Physical Activity and Sedentary Behavior Are Independently Associated With Renal Function: A Cross-sectional Study. <i>Journal of Epidemiology</i> , 2023, 33, 285-293.	1.1	7
2	Sedentary time, physical activity, and serum SPARC in a middle-aged population. <i>European Journal of Sport Science</i> , 2022, 22, 1786-1794.	1.4	0
3	Reply to the comments on "Association between habitual coffee consumption and skeletal muscle mass in middle-aged and older Japanese people". <i>Geriatrics and Gerontology International</i> , 2022, 22, 89-91.	0.7	0
4	Association of perceived stress and coping strategies with the renal function in middle-aged and older Japanese men and women. <i>Scientific Reports</i> , 2022, 12, 291.	1.6	1
5	The association of reproductive history with hypertension and obesity according to menopausal status: the J-MICC Study. <i>Hypertension Research</i> , 2022, 45, 708-714.	1.5	2
6	A Nationwide Epidemiological Survey of Adolescent Patients With Diverse Symptoms Similar to Those Following Human Papillomavirus Vaccination: Background Prevalence and Incidence for Considering Vaccine Safety in Japan. <i>Journal of Epidemiology</i> , 2022, 32, 34-43.	1.1	8
7	Effect of the interaction between physical activity and estimated macronutrient intake on HbA1c: population-based cross-sectional and longitudinal studies. <i>BMJ Open Diabetes Research and Care</i> , 2022, 10, e002479.	1.2	1
8	Long-term effectiveness of HPV vaccination against HPV infection in young Japanese women: Real-world data. <i>Cancer Science</i> , 2022, 113, 1435-1440.	1.7	4
9	Long-Term Effects of Human Papillomavirus Vaccination in Clinical Trials and Real-World Data: A Systematic Review. <i>Vaccines</i> , 2022, 10, 256.	2.1	4
10	Association of Vaccine Confidence and Hesitancy in Three Phases of COVID-19 Vaccine Approval and Introduction in Japan. <i>Vaccines</i> , 2022, 10, 423.	2.1	4
11	Comparison of CLEIA and ELISA for SARS-CoV-2 Virus Antibodies after First and Second Dose Vaccinations with the BNT162b2 mRNA Vaccine. <i>Vaccines</i> , 2022, 10, 487.	2.1	4
12	Real-World Effectiveness of the mRNA COVID-19 Vaccines in Japan: A Case-Control Study. <i>Vaccines</i> , 2022, 10, 779.	2.1	8
13	Associations of Genome-Wide Polygenic Risk Score and Risk Factors With Hypertension in a Japanese Population. <i>Circulation Genomic and Precision Medicine</i> , 2022, 15, .	1.6	6
14	Variant Allele of ALDH2, rs671, Associates with Attenuated Post-Vaccination Response in Anti-SARS-CoV-2 Spike Protein IgG: A Prospective Study in the Japanese General Population. <i>Vaccines</i> , 2022, 10, 1035.	2.1	3
15	Acceptance of Booster COVID-19 Vaccine and Its Association with Components of Vaccination Readiness in the General Population: A Cross-Sectional Survey for Starting Booster Dose in Japan. <i>Vaccines</i> , 2022, 10, 1102.	2.1	14
16	Human papillomavirus vaccine to prevent cervical intraepithelial neoplasia in Japan: A nationwide case-control study. <i>Cancer Science</i> , 2021, 112, 839-846.	1.7	19
17	Effectiveness of four doses of pertussis vaccine during infancy diminished in elementary school age: A test-negative case-control study in Japan. <i>Vaccine</i> , 2021, 39, 11-17.	1.7	6
18	Impact of PSCA Polymorphisms on the Risk of Duodenal Ulcer. <i>Journal of Epidemiology</i> , 2021, 31, 12-20.	1.1	9

#	ARTICLE	IF	CITATIONS
19	Population-Based Impact of Smoking, Drinking, and Genetic Factors on HDL-Cholesterol Levels in J-MICC Study Participants. <i>Journal of Epidemiology</i> , 2021, , .	1.1	0
20	Internet Survey of Awareness and Behavior Related to HPV Vaccination in Japan. <i>Vaccines</i> , 2021, 9, 87.	2.1	4
21	A pro-diabetogenic mtDNA polymorphism in the mitochondrial-derived peptide, MOTS-c. <i>Aging</i> , 2021, 13, 1692-1717.	1.4	28
22	Risk factors for HPV infection and high-grade cervical disease in sexually active Japanese women. <i>Scientific Reports</i> , 2021, 11, 2898.	1.6	12
23	A genome-wide association study on confection consumption in a Japanese population: the Japan Multi-Institutional Collaborative Cohort Study. <i>British Journal of Nutrition</i> , 2021, 126, 1843-1851.	1.2	6
24	Perceived stress, depressive symptoms, and cortisol-to-cortisone ratio in spot urine in 6878 older adults. <i>Psychoneuroendocrinology</i> , 2021, 125, 105125.	1.3	8
25	Effect of Underlying Cardiometabolic Diseases on the Association Between Sedentary Time and All-cause Mortality in a Large Japanese Population: A Cohort Analysis Based on the J-MICC Study. <i>Journal of the American Heart Association</i> , 2021, 10, e018293.	1.6	9
26	A Proposal for Practical Diagnosis of Renal Hypouricemia: Evidenced from Genetic Studies of Nonfunctional Variants of URAT1/SLC22A12 among 30,685 Japanese Individuals. <i>Biomedicine</i> , 2021, 9, 1012.	1.4	8
27	Association between habitual coffee consumption and skeletal muscle mass in middle-aged and older Japanese people. <i>Geriatrics and Gerontology International</i> , 2021, 21, 950-958.	0.7	9
28	Replacing sedentary time with moderate-to-vigorous physical activity is associated with decreased serum SPARC in men. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
29	Interaction between physical activity and nutritional intake on HbA1c in Japanese general population. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
30	Study Profile of the Japan Multi-institutional Collaborative Cohort (J-MICC) Study. <i>Journal of Epidemiology</i> , 2021, 31, 660-668.	1.1	41
31	A genome-wide association study on meat consumption in a Japanese population: the Japan Multi-Institutional Collaborative Cohort study. <i>Journal of Nutritional Science</i> , 2021, 10, e61.	0.7	3
32	Suspension of proactive recommendations for HPV vaccination has led to a significant increase in HPV infection rates in young Japanese women: real-world data. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 16, 100300.	1.3	12
33	Differences in COVID-19 Vaccine Acceptance, Hesitancy, and Confidence between Healthcare Workers and the General Population in Japan. <i>Vaccines</i> , 2021, 9, 1389.	2.1	16
34	Parents' views on mumps, mumps vaccine, and the factors associated with vaccination in Japan. <i>Vaccine</i> , 2021, 39, 7677-7683.	1.7	2
35	Combined effect of weight gain within normal weight range and parental hypertension on the prevalence of hypertension; from the J-MICC Study. <i>Journal of Human Hypertension</i> , 2020, 34, 125-131.	1.0	0
36	The interaction between ABCA1 polymorphism and physical activity on the HDL-cholesterol levels in a Japanese population. <i>Journal of Lipid Research</i> , 2020, 61, 86-94.	2.0	11

#	ARTICLE	IF	CITATIONS
37	Determinants of self-paid rotavirus vaccination status in Kanazawa, Japan, including socioeconomic factors, parents' perception, and children's characteristics. <i>BMC Infectious Diseases</i> , 2020, 20, 712.	1.3	4
38	Japan's Ongoing Crisis on HPV Vaccination. <i>Vaccines</i> , 2020, 8, 362.	2.1	22
39	Epidemiologic Profile of Type-Specific Human Papillomavirus Infection after Initiation of HPV Vaccination. <i>Vaccines</i> , 2020, 8, 425.	2.1	8
40	Association between plasma levels of homocysteine, folate, and vitamin B12, and dietary folate intake and hypertension in a cross-sectional study. <i>Scientific Reports</i> , 2020, 10, 18499.	1.6	14
41	Association of Dietary Acid Load with the Prevalence of Metabolic Syndrome among Participants in Baseline Survey of the Japan Multi-Institutional Collaborative Cohort Study. <i>Nutrients</i> , 2020, 12, 1605.	1.7	23
42	The interaction between mitochondrial haplogroups (M7a/D) and physical activity on adiponectin in a Japanese population. <i>Mitochondrion</i> , 2020, 53, 234-242.	1.6	3
43	Genome-wide association study revealed novel loci which aggravate asymptomatic hyperuricaemia into gout. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1430-1437.	0.5	73
44	Habitual Light-intensity Physical Activity and ASC Methylation in a Middle-aged Population. <i>International Journal of Sports Medicine</i> , 2019, 40, 670-677.	0.8	10
45	Synergistic effect of hypertension and smoking on the total small vessel disease score in healthy individuals: the Kashima scan study. <i>Hypertension Research</i> , 2019, 42, 1738-1744.	1.5	11
46	Associations of Nutrient Patterns with the Prevalence of Metabolic Syndrome: Results from the Baseline Data of the Japan Multi-Institutional Collaborative Cohort Study. <i>Nutrients</i> , 2019, 11, 990.	1.7	24
47	Genome-wide association meta-analysis and Mendelian randomization analysis confirm the influence of ALDH2 on sleep duration in the Japanese population. <i>Sleep</i> , 2019, 42, .	0.6	16
48	A <i>Helicobacter pylori</i> screening and treatment program to eliminate gastric cancer among junior high school students in Saga Prefecture: a preliminary report. <i>Journal of Gastroenterology</i> , 2019, 54, 699-707.	2.3	33
49	Smoking and Drinking Did Not Increase the Failure of Therapeutic <i>Helicobacter pylori</i> Eradication by Vonoprazan, Clarithromycin, and Amoxicillin. <i>Digestion</i> , 2019, 99, 172-178.	1.2	25
50	Intensity-Specific and Modified Effects of Physical Activity on Serum Adiponectin in a Middle-Aged Population. <i>Journal of the Endocrine Society</i> , 2019, 3, 13-26.	0.1	12
51	Influenza and Influenza Vaccination in Japanese Elderly. <i>Current Topics in Environmental Health and Preventive Medicine</i> , 2019, , 171-183.	0.1	0
52	Lower Rebleeding Rate after Endoscopic Band Ligation than Endoscopic Clipping of the Same Colonic Diverticular Hemorrhagic Lesion: A Historical Multicenter Trial in Saga, Japan. <i>Internal Medicine</i> , 2019, 58, 633-638.	0.3	22
53	Risk Factors for Delayed Hemorrhage after Colonic Endoscopic Mucosal Resection in Patients Not on Antithrombotic Therapy: Retrospective Analysis of 3,844 Polyps of 1,660 Patients. <i>Digestion</i> , 2019, 100, 86-92.	1.2	8
54	Case-Control Study of Rotavirus Vaccine Effectiveness Compared to Test-Negative Controls or Hospital Controls. <i>Journal of Epidemiology</i> , 2019, 29, 282-287.	1.1	8

#	ARTICLE	IF	CITATIONS
55	Bivalent Human Papillomavirus Vaccine Effectiveness in a Japanese Population: High Vaccine-Type-Specific Effectiveness and Evidence of Cross-Protection. <i>Journal of Infectious Diseases</i> , 2019, 219, 382-390.	1.9	50
56	Outcomes of Patients Undergoing Endoscopic Hemostasis for the Upper Gastrointestinal Bleeding Were Not Influenced by the Timing of Hospital Emergency Visits: A Situation Prevailing in Japan. <i>Digestion</i> , 2018, 97, 260-266.	1.2	11
57	A genome-wide association study in the Japanese population identifies the 12q24 locus for habitual coffee consumption: The J-MICC Study. <i>Scientific Reports</i> , 2018, 8, 1493.	1.6	32
58	Coping strategy and social support modify the association between perceived stress and C-reactive protein: a longitudinal study of healthy men and women. <i>Stress</i> , 2018, 21, 237-246.	0.8	13
59	Higher frequency of upper gastrointestinal symptoms in healthy young Japanese females compared to males and older generations. <i>Esophagus</i> , 2018, 15, 83-87.	1.0	3
60	Immunogenicity of Quadrivalent Influenza Vaccine for Patients with Inflammatory Bowel Disease Undergoing Immunosuppressive Therapy. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 1082-1091.	0.9	35
61	Perceived Stress, Depressive Symptoms, and Oxidative DNA Damage. <i>Psychosomatic Medicine</i> , 2018, 80, 28-33.	1.3	21
62	Association of exposure level to passive smoking with hypertension among lifetime nonsmokers in Japan: a cross-sectional study. <i>Medicine (United States)</i> , 2018, 97, e13241.	0.4	14
63	Amino Acid Replacement (K14Q) of Mitochondria-Derived MOTS-c Affects Type 2 Diabetes in Men with Lower Physical Activity. <i>Juntendo Medical Journal</i> , 2018, 64, 121-121.	0.1	2
64	Genome-Wide Association Study of Renal Function Traits: Results from the Japan Multi-Institutional Collaborative Cohort Study. <i>American Journal of Nephrology</i> , 2018, 47, 304-316.	1.4	18
65	Differential misclassification between self-reported status and official HPV vaccination records in Japan: Implications for evaluating vaccine safety and effectiveness. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2018, 6, 6-10.	4.5	33
66	Perforation and Postoperative Bleeding Associated with Endoscopic Submucosal Dissection in Colorectal Tumors: An Analysis of 398 Lesions Treated in Saga, Japan. <i>Internal Medicine</i> , 2018, 57, 2115-2122.	0.3	28
67	Effectiveness of monovalent and pentavalent rotavirus vaccines in Japanese children. <i>Vaccine</i> , 2018, 36, 5187-5193.	1.7	25
68	Modification of the Associations of Alcohol Intake With Serum Low-Density Lipoprotein Cholesterol and Triglycerides by <i>ALDH2</i> and <i>ADH1B</i> Polymorphisms in Japanese Men. <i>Journal of Epidemiology</i> , 2018, 28, 185-193.	1.1	15
69	Influence of Single-Nucleotide Polymorphisms in <i>PPAR-1</i> , <i>PPAR-3</i> , and <i>PRKAA2</i> on the Changes in Anthropometric Indices and Blood Measurements through Exercise-Centered Lifestyle Intervention in Japanese Middle-Aged Men. <i>International Journal of Molecular Sciences</i> , 2018, 19, 703.	1.8	7
70	Public subsidies and the recommendation of child vaccines among primary care physicians: a nationwide cross-sectional study in Japan. <i>BMJ Open</i> , 2018, 8, e020923.	0.8	4
71	Incidence of aspiration pneumonia during hospitalization in Japanese hospitalized cases did not increase whereas concern factors were exacerbated in a time-dependent manner: analysis of Diagnosis Procedure Combination (DPC) data. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2018, 63, 66-69.	0.6	3
72	Role of rotavirus vaccination on an emerging G8P[8] rotavirus strain causing an outbreak in central Japan. <i>Vaccine</i> , 2018, 36, 5109.	1.7	1

#	ARTICLE	IF	CITATIONS
73	A Cost-benefit Analysis of Percutaneous Coronary Intervention and Coronary Artery Bypass Grafting using Reimbursement Data of Japan: A Single-center Pilot Study. <i>Vascular Failure</i> , 2018, 2, 25-31.	0.2	0
74	Genomewide Association Study of Leisure-Time Exercise Behavior in Japanese Adults. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 2433-2441.	0.2	36
75	Development of suitable method for large-scale urinary glucocorticoid analysis by liquid chromatography-mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017, 1057, 62-69.	1.2	12
76	Genetic Predisposition to Ischemic Stroke. <i>Stroke</i> , 2017, 48, 253-258.	1.0	64
77	Basic principle of population-based cohort study to evaluate influenza vaccine effectiveness among elderly Japanese. <i>Vaccine</i> , 2017, 35, 4791-4795.	1.7	2
78	Control selection and confounding factors: A lesson from a Japanese case-control study to examine acellular pertussis vaccine effectiveness. <i>Vaccine</i> , 2017, 35, 4801-4805.	1.7	0
79	Influence of a home-based exercise program on the urine pH in elderly female subjects: a secondary analysis of a randomized controlled trial. <i>European Review of Aging and Physical Activity</i> , 2017, 14, 7.	1.3	0
80	<i>Helicobacter pylori</i> infection status had no influence on upper gastrointestinal symptoms: a cross-sectional analysis of 3,005 Japanese subjects without upper gastrointestinal lesions undergoing medical health checkups. <i>Esophagus</i> , 2017, 14, 249-253.	1.0	10
81	The adenoma miss rate of blue-laser imaging vs. white-light imaging during colonoscopy: a randomized tandem trial. <i>Endoscopy</i> , 2017, 49, 186-190.	1.0	41
82	Risk Factors for <i>Helicobacter pylori</i> Infection and Endoscopic Reflux Esophagitis in Healthy Young Japanese Volunteers. <i>Internal Medicine</i> , 2017, 56, 2979-2983.	0.3	17
83	Upper Gastrointestinal Symptoms Are More Frequent in Female than Male Young Healthy Japanese Volunteers as Evaluated by Questionnaire. <i>Journal of Neurogastroenterology and Motility</i> , 2016, 22, 248-253.	0.8	18
84	Increase in Endoscopic and Laparoscopic Surgery Regarding the Therapeutic Approach of Gastric Cancer Detected by Cancer Screening in Saga Prefecture, Japan. <i>Internal Medicine</i> , 2016, 55, 1247-1253.	0.3	2
85	Intensity-specific effect of physical activity on urinary levels of 8-hydroxydeoxyguanosine in middle-aged Japanese. <i>Cancer Science</i> , 2016, 107, 1653-1659.	1.7	17
86	Higher Frequency of Reflux Symptoms and Acid-Related Dyspepsia in Women than Men Regardless of Endoscopic Esophagitis: Analysis of 3,505 Japanese Subjects Undergoing Medical Health Checkups. <i>Digestion</i> , 2016, 93, 266-271.	1.2	13
87	Influence of cigarette smoking and inflammatory gene polymorphisms on glycated hemoglobin in the Japanese general population. <i>Preventive Medicine Reports</i> , 2016, 3, 288-295.	0.8	2
88	Effects of self-reported calorie restriction on correlations between SIRT1 polymorphisms and body mass index and long-term weight change. <i>Gene</i> , 2016, 594, 16-22.	1.0	4
89	Immunogenicity and Efficacy of A/H1N1pdm Vaccine Among Subjects With Severe Motor and Intellectual Disability in the 2010/11 Influenza Season. <i>Journal of Epidemiology</i> , 2016, 26, 300-306.	1.1	4
90	Five biopsy specimens from the proximal part of the tumor reliably determine HER2 protein expression status in gastric cancer. <i>Gastric Cancer</i> , 2016, 19, 553-560.	2.7	48

#	ARTICLE	IF	CITATIONS
91	Estimating rotavirus vaccine effectiveness in Japan using a screening method. <i>Human Vaccines and Immunotherapeutics</i> , 2016, 12, 1244-1249.	1.4	18
92	Infectious disease during hospitalization is the major causative factor for prolonged hospitalization: multivariate analysis of diagnosis procedure combination (DPC) data of 20,876 cases in Japan. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2016, 59, 49-52.	0.6	5
93	Factors Associated With Non-participation in a Face-to-Face Second Survey Conducted 5 Years After the Baseline Survey. <i>Journal of Epidemiology</i> , 2015, 25, 117-125.	1.1	24
94	Dietary Patterns and Serum Gamma-Glutamyl Transferase in Japanese Men and Women. <i>Journal of Epidemiology</i> , 2015, 25, 378-386.	1.1	18
95	Association between the <i>PPARGC1A</i> Polymorphism and Aerobic Capacity in Japanese Middle-aged Men. <i>Internal Medicine</i> , 2015, 54, 359-366.	0.3	11
96	Perceived Stress and Coping Strategies in Relation to Body Mass Index: Cross-Sectional Study of 12,045 Japanese Men and Women. <i>PLoS ONE</i> , 2015, 10, e0118105.	1.1	19
97	Effectiveness of acellular pertussis vaccine in a routine immunization program: A multicenter, case-control study in Japan. <i>Vaccine</i> , 2015, 33, 1027-1032.	1.7	17
98	Risk factors for low response to proton-pump inhibitor treatment in reflux esophagitis and non-erosive reflux disease evaluated by the frequency scale for the symptoms of gastroesophageal reflux disease. <i>Esophagus</i> , 2015, 12, 225-232.	1.0	7
99	Pertussis outbreak in university students and evaluation of acellular pertussis vaccine effectiveness in Japan. <i>BMC Infectious Diseases</i> , 2015, 15, 45.	1.3	25
100	Effects of home-based bench step exercise on inflammatory cytokines and lipid profiles in elderly Japanese females: A randomized controlled trial. <i>Archives of Gerontology and Geriatrics</i> , 2015, 61, 443-451.	1.4	35
101	Basal Ganglia Cerebral Microbleeds and Global Cognitive Function: The Kashima Scan Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 431-439.	0.7	21
102	Topography and associations of perivascular spaces in healthy adults. <i>Neurology</i> , 2014, 83, 2116-2123.	1.5	95
103	Gender-Specific Associations of Perceived Stress and Coping Strategies with C-Reactive Protein in Middle-Aged and Older Men and Women. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 821-832.	0.8	24
104	Objectively measured physical activity and inflammatory cytokine levels in middle-aged Japanese people. <i>Preventive Medicine</i> , 2014, 64, 81-87.	1.6	31
105	Low-dose Aspirin and Comorbidities are Significantly Related to Bleeding Peptic Ulcers in Elderly Patients Compared with Nonelderly Patients in Japan. <i>Internal Medicine</i> , 2014, 53, 367-373.	0.3	15
106	Associations Between hOGG1 Ser326Cys Polymorphism and Increased Body Mass Index and Fasting Glucose Level in the Japanese General Population. <i>Journal of Epidemiology</i> , 2014, 24, 379-384.	1.1	4
107	Simultaneous measurement of urinary total nicotine and cotinine as biomarkers of active and passive smoking among Japanese individuals. <i>Environmental Health and Preventive Medicine</i> , 2013, 18, 244-250.	1.4	14
108	Stroke Scale Items Associated with Neurologic Deterioration within 24 Hours after Recombinant Tissue Plasminogen Activator Therapy. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013, 22, 1117-1124.	0.7	6

#	ARTICLE	IF	CITATIONS
109	Immunogenicity and Safety after Booster Vaccination of Diphtheria, Tetanus, and Acellular Pertussis in Young Adults: an Open Randomized Controlled Trial in Japan. <i>Vaccine Journal</i> , 2013, 20, 1799-1804.	3.2	9
110	Joint effect of hypertension and lifestyle-related risk factors on the risk of brain microbleeds in healthy individuals. <i>Hypertension Research</i> , 2013, 36, 789-794.	1.5	10
111	Effect of the PPARG2 Pro12Ala Polymorphism and Clinical Risk Factors for Diabetes Mellitus on HbA1c in the Japanese General Population. <i>Journal of Epidemiology</i> , 2012, 22, 523-531.	1.1	24
112	Distributional Impact of Brain Microbleeds on Global Cognitive Function in Adults Without Neurological Disorder. <i>Stroke</i> , 2012, 43, 1800-1805.	1.0	63
113	Longitudinal study of parental smoking habits and development of asthma in early childhood. <i>Preventive Medicine</i> , 2012, 54, 94-96.	1.6	22
114	Pro-/anti-inflammatory cytokine gene polymorphisms and chronic kidney disease: a cross-sectional study. <i>BMC Nephrology</i> , 2012, 13, 2.	0.8	32
115	Abstract 2858: Topographical Distribution of Brain Microbleeds and Global Cognitive Function in Adults without Neurological Disorders. <i>Stroke</i> , 2012, 43, .	1.0	0
116	Diminished immunogenicity to pandemic H1N1 2009 influenza vaccine in subjects with severe motor and intellectual disability. <i>Vaccine</i> , 2011, 29, 8323-8329.	1.7	9
117	Association Between Dietary Pattern and Serum C-Reactive Protein in Japanese Men and Women. <i>Journal of Epidemiology</i> , 2011, 21, 122-131.	1.1	51
118	Influence of Physical Activity Intensity and Aerobic Fitness on the Anthropometric Index and Serum Uric Acid Concentration in People with Obesity. <i>Internal Medicine</i> , 2011, 50, 2121-2128.	0.3	31
119	Profile of Participants and Genotype Distributions of 108 Polymorphisms in a Cross-Sectional Study of Associations of Genotypes With Lifestyle and Clinical Factors: A Project in the Japan Multi-Institutional Collaborative Cohort (J-MICC) Study. <i>Journal of Epidemiology</i> , 2011, 21, 223-235.	1.1	92
120	NSAIDs are a significant risk factor for colonic diverticular hemorrhage in elder patients: Evaluation by a case-control study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 1047-1052.	1.4	55
121	Optimal cutoff values of waist circumference and the discriminatory performance of other anthropometric indices to detect the clustering of cardiovascular risk factors for metabolic syndrome in Japanese men and women. <i>Environmental Health and Preventive Medicine</i> , 2011, 16, 52-60.	1.4	37
122	The Association Between Cancer Risk and Age at Onset of Smoking in Japanese. <i>Journal of Epidemiology</i> , 2010, 20, 128-135.	1.1	11
123	Factors Influencing Participation Rate in a Baseline Survey of a Genetic Cohort in Japan. <i>Journal of Epidemiology</i> , 2010, 20, 40-45.	1.1	35
124	Risk factors for complications of endoscopic submucosal dissection in gastric tumors: analysis of 478 lesions. <i>Journal of Gastroenterology</i> , 2010, 45, 30-36.	2.3	139
125	Enzyme-linked immunosorbent assay of nicotine metabolites. <i>Environmental Health and Preventive Medicine</i> , 2010, 15, 211-216.	1.4	24
126	Marked cerebral atrophy is correlated with kidney dysfunction in nondisabled adults. <i>Hypertension Research</i> , 2010, 33, 1232-1237.	1.5	38

#	ARTICLE	IF	CITATIONS
127	Evaluation of seasonal influenza vaccination effectiveness based on antibody efficacy among the institutionalized elderly in Japan. <i>Vaccine</i> , 2010, 28, 5664-5668.	1.7	10
128	Brief Questioning by Nursing Staffs before Endoscopic Examination May Not Always Pick Up Clinical Symptoms of Endoscopic Reflux Esophagitis. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2010, 46, 229-233.	0.6	5
129	Interaction between cytochrome P450 1A2 genetic polymorphism and cigarette smoking on the risk of hepatocellular carcinoma in a Japanese population. <i>Carcinogenesis</i> , 2009, 30, 1729-1734.	1.3	36
130	Low-dose aspirin is a prominent cause of bleeding ulcers in patients who underwent emergency endoscopy. <i>Journal of Gastroenterology</i> , 2009, 44, 912-918.	2.3	41
131	Hepatitis C virus infection enhances insulin resistance induced by visceral fat accumulation. <i>Liver International</i> , 2009, 29, 213-220.	1.9	31
132	Validity and Reliability of Kano Test for Social Nicotine Dependence. <i>Annals of Epidemiology</i> , 2009, 19, 815-822.	0.9	30
133	Case-control study on cigarette smoking and the risk of hepatocellular carcinoma among Japanese. <i>Cancer Science</i> , 2008, 99, 93-97.	1.7	23
134	Influenza vaccine effectiveness among elderly persons living in the community during the 2003-2004 season. <i>Vaccine</i> , 2008, 26, 6477-6480.	1.7	12
135	Interaction between interleukin-1 β gene polymorphism and drinking and smoking habits on the risk of hepatocellular carcinoma among Japanese. <i>Cancer Letters</i> , 2008, 271, 98-104.	3.2	23
136	Brain Microbleeds and Global Cognitive Function in Adults Without Neurological Disorder. <i>Stroke</i> , 2008, 39, 3323-3328.	1.0	124
137	Reflux Esophagitis and Helicobacter pylori Infection in Patients with Scleroderma. <i>Internal Medicine</i> , 2008, 47, 1555-1559.	0.3	19
138	Inverse association between coffee drinking and the risk of hepatocellular carcinoma: a case-control study in Japan. <i>Cancer Science</i> , 2007, 98, 214-218.	1.7	68
139	Effectiveness of influenza vaccination in preventing influenza-like illness among community-dwelling elderly: Population-based cohort study in Japan. <i>Vaccine</i> , 2006, 24, 5546-5551.	1.7	24
140	hOGG1 Ser326Cys Polymorphism and Risk of Hepatocellular Carcinoma among Japanese. <i>Journal of Epidemiology</i> , 2006, 16, 233-239.	1.1	19
141	Influence of alcohol consumption and gene polymorphisms of ADH2 and ALDH2 on hepatocellular carcinoma in a Japanese population. <i>International Journal of Cancer</i> , 2006, 118, 1501-1507.	2.3	70
142	Inverse association between coffee drinking and the risk of hepatocellular carcinoma: a case-control study in Japan. <i>Cancer Science</i> , 2006, .	1.7	0
143	Dysphagia Associated with Gastroesophageal Reflux Disease Is Improved by Proton Pump Inhibitor. <i>Digestive Diseases and Sciences</i> , 2005, 50, 1921-1926.	1.1	22
144	Immune response to influenza vaccine in healthy adults and the elderly: association with nutritional status. <i>Vaccine</i> , 2005, 23, 1457-1463.	1.7	48

#	ARTICLE	IF	CITATIONS
145	hOGGI Ser326Cys polymorphism, interaction with environmental exposures, and gastric cancer risk in Japanese populations. <i>Cancer Science</i> , 2004, 95, 977-983.	1.7	62
146	Clinical Symptoms in Endoscopic Reflux Esophagitis: Evaluation in 8031 Adult Subjects. <i>Digestive Diseases and Sciences</i> , 2003, 48, 2237-2241.	1.1	109
147	A polymorphism in the promoter of the CD14 gene (CD14/-159) is associated with the development of coronary artery lesions in patients with Kawasaki disease. <i>Journal of Pediatrics</i> , 2003, 143, 357-362.	0.9	61
148	Cruciferous Vegetables, Mushrooms, and Gastrointestinal Cancer Risks in a Multicenter, Hospital-Based Case-Control Study in Japan. <i>Nutrition and Cancer</i> , 2003, 46, 138-147.	0.9	89
149	Endoscopic Injection Sclerotherapy for Esophageal Varices in Cirrhotic Patients With Hepatocellular Carcinoma. <i>Journal of Clinical Gastroenterology</i> , 2003, 36, 68-71.	1.1	8
150	Comparison of cause-specific mortality between respondents and nonrespondents in a population-based prospective study. <i>Journal of Clinical Epidemiology</i> , 2002, 55, 150-156.	2.4	41
151	Cigarette smoking and subsequent risk of lung cancer by histologic type in middle-aged Japanese men and women: The JPHC study. <i>International Journal of Cancer</i> , 2002, 99, 245-251.	2.3	141
152	Smoking and Risk of Premature Death among Middle-aged Japanese: Ten-year Follow-up of the Japan Public Health Center-based Prospective Study on Cancer and Cardiovascular Diseases (JPHC Study) Cohort I. <i>Japanese Journal of Cancer Research</i> , 2002, 93, 6-14.	1.7	33
153	Lifestyle-related risk factors for total and cancer mortality in men and women. <i>Environmental Health and Preventive Medicine</i> , 2000, 5, 90-96.	1.4	3
154	Effectiveness of <scp>HPV</scp> vaccine against cervical precancer in Japan: multivariate analyses adjusted for sexual activity. <i>Cancer Science</i> , 0, , .	1.7	3