Catharina Gustavsson, Pt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6563217/publications.pdf

Version: 2024-02-01

25 papers

424 citations

840776 11 h-index 19 g-index

27 all docs

27 docs citations

times ranked

27

509 citing authors

#	Article	IF	Citations
1	Transmission of COVID-19 among healthcare workers-an epidemiological study during the first phase of the pandemic in Sweden. Epidemiology and Infection, 2022, 150, 1-36.	2.1	5
2	Pain selfâ€management intervention supports successful attainment of selfâ€selected rehabilitation goalsâ€"secondary analysis of a randomized controlled trial. Health Expectations, 2022, 25, 1157-1167.	2.6	2
3	Tailoring and Evaluating an Intervention to Support Self-management After Stroke: Protocol for a Multi-case, Mixed Methods Comparison Study. JMIR Research Protocols, 2022, 11, e37672.	1.0	O
4	Disability digital divide: the use of the internet, smartphones, computers and tablets among people with disabilities in Sweden. Universal Access in the Information Society, 2021, 20, 105-120.	3.0	66
5	Predictors of Disability Attributed to Symptoms of Increased Interrecti Distance in Women after Childbirth: An Observational Study. Physical Therapy, 2021, 101, .	2.4	2
6	The Meaning of Sedentary Behavior as Experienced by People in the Transition From Working Life to Retirement: An Empirical Phenomenological Study. Physical Therapy, 2021, 101, .	2.4	6
7	Physical activity, post-traumatic stress disorder, and exposure to torture among asylum seekers in Sweden: a cross-sectional study. BMC Psychiatry, 2021, 21, 452.	2.6	5
8	From chaos to control – experiences of healthcare workers during the early phase of the COVID-19 pandemic: a focus group study. BMC Health Services Research, 2021, 21, 1219.	2.2	30
9	Women's experiences of living with increased inter-recti distance after childbirth: an interview study. BMC Women's Health, 2020, 20, 260.	2.0	11
10	Physiotherapists' and midwives' views of increased inter recti abdominis distance and its management in women after childbirth. BMC Women's Health, 2020, 20, 37.	2.0	10
11	Motivation for return to work and actual return to work among people on long-term sick leave due to pain syndrome or mental health conditions. Disability and Rehabilitation, 2019, 41, 3061-3070.	1.8	11
12	Trauma-afflicted refugees' experiences of participating in physical activity and exercise treatment: a qualitative study based on focus group discussions. Högre Utbildning, 2019, 10, 1699327.	3.0	19
13	Self-efficacy in Activities of daily living and symptom management in people with dizziness: a focus group study. Disability and Rehabilitation, 2019, 41, 705-713.	1.8	8
14	Activity and life-role targeting rehabilitation for persistent pain: feasibility of an intervention in primary healthcare. European Journal of Physiotherapy, 2018, 20, 141-151.	1.3	4
15	What is required to facilitate implementation of Swedish physical activity on prescription? – interview study with primary healthcare staff and management. BMC Health Services Research, 2018, 18, 196.	2.2	23
16	General practitioners' use of sickness certification guidelines in Sweden at introduction and four years later: a survey study. International Journal for Quality in Health Care, 2018, 30, 429-436.	1.8	6
17	Multidisciplinary Intervention and Acceptance and Commitment Therapy for Return-to-Work and Increased Employability among Patients with Mental Illness and/or Chronic Pain: A Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2018, 15, 2424.	2.6	20
18	A 9-year follow-up of a self-management group intervention for persistent neck pain in primary health care: a randomized controlled trial. Journal of Pain Research, 2017, Volume 10, 53-64.	2.0	10

#	Article	IF	CITATIONS
19	Obstetricians/Gynecologists' Problems in Sickness Certification Consultations: Two Nationwide Surveys. Obstetrics and Gynecology International, 2016, 2016, 1-11.	1.3	5
20	Problems with sickness certification tasks: experiences from physicians in different clinical settings. A cross-sectional nationwide study in Sweden. BMC Health Services Research, 2015, 15, 321.	2.2	20
21	Problems experienced by gynecologists/obstetricians in sickness certification consultations. Acta Obstetricia Et Gynecologica Scandinavica, 2013, 92, 1007-1016.	2.8	6
22	Predictive factors for disability outcome at twenty weeks and two years following a pain self-management group intervention in patients with persistent neck pain in primary health care. Journal of Rehabilitation Medicine, 2013, 45, 170-176.	1.1	15
23	Self-Management of Persistent Neck Pain. Spine, 2011, 36, 2105-2115.	2.0	37
24	Selfâ€management of persistent neck pain: A randomized controlled trial of a multiâ€component group intervention in primary health care. European Journal of Pain, 2010, 14, 630.e1-630.e11.	2.8	41
25	APPLIED RELAXATION IN THE TREATMENT OF LONG-LASTING NECK PAIN: A RANDOMIZED CONTROLLED PILOT STUDY. Journal of Rehabilitation Medicine, 2006, 38, 100-107.	1.1	62