

# Jianlin Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6563943/publications.pdf>

Version: 2024-02-01

140  
papers

8,927  
citations

50566

48  
h-index

51423

90  
g-index

148  
all docs

148  
docs citations

148  
times ranked

9183  
citing authors

#	ARTICLE	IF	CITATIONS
1	From Materials to Cell: State-of-the-Art and Prospective Technologies for Lithium-Ion Battery Electrode Processing. <i>Chemical Reviews</i> , 2022, 122, 903-956.	23.0	343
2	Deconvoluting sources of failure in lithium metal batteries containing NMC and PEO-based electrolytes. <i>Electrochimica Acta</i> , 2022, 404, 139579.	2.6	11
3	Deconvoluting the benefits of porosity distribution in layered electrodes on the electrochemical performance of Li-ion batteries. <i>Energy Storage Materials</i> , 2022, 47, 462-471.	9.5	32
4	Reduced Graphene Oxide Aerogels with Functionalization-Mediated Disordered Stacking for Sodium-Ion Batteries. <i>Batteries</i> , 2022, 8, 12.	2.1	5
5	A Bilayer Electrolyte Design to Enable High-Areal-Capacity Composite Cathodes in Polymer Electrolytes Based Solid-State Lithium Metal Batteries. <i>ACS Applied Energy Materials</i> , 2022, 5, 1409-1413.	2.5	12
6	Designing electrode architectures to facilitate electrolyte infiltration for lithium-ion batteries. <i>Energy Storage Materials</i> , 2022, 49, 268-277.	9.5	29
7	Review of Electrospun Inorganic Solid-State Electrolyte Fibers for Battery Applications. <i>Journal of the Electrochemical Society</i> , 2022, 169, 050527.	1.3	7
8	Bilayer hybrid graphite anodes via freeze tape casting for extreme fast charging applications. <i>Carbon</i> , 2022, 196, 525-531.	5.4	17
9	Bio-inspired nanotechnology for easy-to-recycle lithium-ion batteries. , 2022, , 141-158.		0
10	Aqueous Ni-rich-cathode dispersions processed with phosphoric acid for lithium-ion batteries with ultra-thick electrodes. <i>Journal of Colloid and Interface Science</i> , 2021, 581, 635-643.	5.0	34
11	Effect of Solvent on Fluorescence Emission from Polyethylene Glycol-Coated Graphene Quantum Dots under Blue Light Illumination. <i>Nanomaterials</i> , 2021, 11, 1383.	1.9	12
12	Effects of Plasticizer Content and Ceramic Addition on Electrochemical Properties of Cross-Linked Polymer Electrolyte. <i>Journal of the Electrochemical Society</i> , 2021, 168, 050549.	1.3	9
13	Insight on electrolyte infiltration of lithium ion battery electrodes by means of a new three-dimensional-resolved lattice Boltzmann model. <i>Energy Storage Materials</i> , 2021, 38, 80-92.	9.5	61
14	Enabling aqueous processing for LiNi <sub>0.80</sub> Co <sub>0.15</sub> Al <sub>0.05</sub> O <sub>2</sub> (NCA)-based lithium-ion battery cathodes using polyacrylic acid. <i>Electrochimica Acta</i> , 2021, 380, 138203.	2.6	33
15	Polypeptide-based batteries toward sustainable and cyclic manufacturing. <i>CheM</i> , 2021, 7, 1705-1707.	5.8	4
16	Innovative and Economically Beneficial Use of Corn and Corn Products in Electrochemical Energy Storage Applications. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 10678-10703.	3.2	9
17	Multifunctional approaches for safe structural batteries. <i>Journal of Energy Storage</i> , 2021, 40, 102747.	3.9	33
18	Al <sub>2</sub> O <sub>3</sub> /TiO <sub>2</sub> coated separators: Roll-to-roll processing and implications for improved battery safety and performance. <i>Journal of Power Sources</i> , 2021, 507, 230259.	4.0	30

#	ARTICLE	IF	CITATIONS
19	Machine learning 3D-resolved prediction of electrolyte infiltration in battery porous electrodes. <i>Journal of Power Sources</i> , 2021, 511, 230384.	4.0	21
20	Recent progress and future prospects of atomic layer deposition to prepare/modify solid-state electrolytes and interfaces between electrodes for next-generation lithium batteries. <i>Nanoscale Advances</i> , 2021, 3, 2728-2740.	2.2	21
21	Atomic-scale constituting stable interface for improved $\text{LiNi}_{0.6}\text{Mn}_{0.2}\text{Co}_{0.2}\text{O}_{2}$ cathodes of lithium-ion batteries. <i>Nanotechnology</i> , 2021, 32, 115401.	1.3	12
22	Impact of secondary particle size and two-layer architectures on the high-rate performance of thick electrodes in lithium-ion battery pouch cells. <i>Journal of Power Sources</i> , 2021, 515, 230429.	4.0	41
23	Editorial for focus on nanophase materials for next-generation lithium-ion batteries and beyond. <i>Nanotechnology</i> , 2021, , .	1.3	1
24	Operando Analysis of Gas Evolution in $\text{TiNb}_2\text{O}_7$ (TNO)-Based Anodes for Advanced High-Energy Lithium-Ion Batteries under Fast Charging. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 55145-55155.	4.0	15
25	Design and processing for high performance Li ion battery electrodes with double-layer structure. <i>Journal of Energy Storage</i> , 2021, 44, 103582.	3.9	21
26	Chemical stability and long-term cell performance of low-cobalt, Ni-Rich cathodes prepared by aqueous processing for high-energy Li-Ion batteries. <i>Energy Storage Materials</i> , 2020, 24, 188-197.	9.5	155
27	Bio-inspired interfaces for easy-to-recycle lithium-ion batteries. <i>Extreme Mechanics Letters</i> , 2020, 34, 100594.	2.0	10
28	Amino-functionalization on graphene oxide sheets using an atomic layer amidation technique. <i>Journal of Materials Chemistry C</i> , 2020, 8, 700-705.	2.7	5
29	Effect of overcharge on $\text{Li}(\text{Ni}_{0.5}\text{Mn}_{0.3}\text{Co}_{0.2})\text{O}_2/\text{Graphite}$ cellsâ€“effect of binder. <i>Journal of Power Sources</i> , 2020, 448, 227414.	4.0	6
30	Roll-To-Roll Atomic Layer Deposition of Titania Nanocoating on Thermally Stabilizing Lithium Nickel Cobalt Manganese Oxide Cathodes for Lithium Ion Batteries. <i>ACS Applied Energy Materials</i> , 2020, 3, 10619-10631.	2.5	13
31	Correlating the influence of porosity, tortuosity, and mass loading on the energy density of $\text{LiNi}_{0.6}\text{Mn}_{0.2}\text{Co}_{0.2}\text{O}_2$ cathodes under extreme fast charging (XFC) conditions. <i>Journal of Power Sources</i> , 2020, 474, 228601.	4.0	47
32	Sustainable Direct Recycling of Lithium-Ion Batteries via Solvent Recovery of Electrode Materials. <i>ChemSusChem</i> , 2020, 13, 5664-5670.	3.6	80
33	On electrolyte wetting through lithium-ion battery separators. <i>Extreme Mechanics Letters</i> , 2020, 40, 100960.	2.0	38
34	Perspectives on the relationship between materials chemistry and roll-to-roll electrode manufacturing for high-energy lithium-ion batteries. <i>Energy Storage Materials</i> , 2020, 29, 254-265.	9.5	54
35	Water-Based Electrode Manufacturing and Direct Recycling of Lithium-Ion Battery Electrodesâ€“A Green and Sustainable Manufacturing System. <i>IScience</i> , 2020, 23, 101081.	1.9	74
36	Observation of Ion Electrosorption in Metal-Organic Framework Micropores with In Operando Small-Angle Neutron Scattering (Angew. Chem. 24/2020). <i>Angewandte Chemie</i> , 2020, 132, 9868-9868.	1.6	0

#	ARTICLE	IF	CITATIONS
37	Eutectic Synthesis of the P2-Type Na <sub>x</sub> Fe <sub>1/2</sub> Mn <sub>1/2</sub> O <sub>2</sub> Cathode with Improved Cell Design for Sodium-Ion Batteries. ACS Applied Materials & Interfaces, 2020, 12, 23951-23958.	4.0	21
38	Carbon Coated Porous Titanium Niobium Oxides as Anode Materials of Lithium-Ion Batteries for Extreme Fast Charge Applications. ACS Applied Energy Materials, 2020, 3, 5657-5665.	2.5	53
39	Atomic-scale tuned interface of nickel-rich cathode for enhanced electrochemical performance in lithium-ion batteries. Journal of Materials Science and Technology, 2020, 54, 77-86.	5.6	29
40	Lithium and transition metal dissolution due to aqueous processing in lithium-ion battery cathode active materials. Journal of Power Sources, 2020, 466, 228315.	4.0	61
41	Direct Recycling of Spent NCM Cathodes through Ionothermal Lithiation. Advanced Energy Materials, 2020, 10, 2001204.	10.2	129
42	Observation of Ion Electrosorption in Metal-Organic Framework Micropores with In Operando Small-Angle Neutron Scattering. Angewandte Chemie - International Edition, 2020, 59, 9773-9779.	7.2	15
43	Observation of Ion Electrosorption in Metal-Organic Framework Micropores with In Operando Small-Angle Neutron Scattering. Angewandte Chemie, 2020, 132, 9860-9866.	1.6	4
44	Operando Acoustic Monitoring of SEI Formation and Long-Term Cycling in NMC/SiGr Composite Pouch Cells. Journal of the Electrochemical Society, 2020, 167, 020517.	1.3	36
45	Improved lithium storage capacity and high rate capability of nitrogen-doped graphite-like electrode materials prepared from thermal pyrolysis of graphene quantum dots. Electrochimica Acta, 2020, 354, 136642.	2.6	19
46	Tin asymmetric membranes for high capacity sodium ion battery anodes. Materials Today Communications, 2020, 24, 100998.	0.9	1
47	Towards Understanding of Cracking during Drying of Thick Aqueous-Processed LiNi <sub>0.8</sub> Mn <sub>0.1</sub> Co <sub>0.1</sub> O <sub>2</sub> Cathodes. ACS Sustainable Chemistry and Engineering, 2020, 8, 3162-3169.	3.2	59
48	Effect of binder on the overcharge response in LiFePO <sub>4</sub> -containing cells. Journal of Power Sources, 2020, 450, 227595.	4.0	4
49	Supercapacitive Properties of Micropore- and Mesopore-Rich Activated Carbon in Ionic-Liquid Electrolytes with Various Constituent Ions. ChemSusChem, 2019, 12, 449-456.	3.6	20
50	Tailoring fluorescence emissions, quantum yields, and white light emitting from nitrogen-doped graphene and carbon nitride quantum dots. Nanoscale, 2019, 11, 16553-16561.	2.8	57
51	Electrode manufacturing for lithium-ion batteries—Analysis of current and next generation processing. Journal of Energy Storage, 2019, 25, 100862.	3.9	188
52	Elucidation of Separator Effect on Energy Density of Li-Ion Batteries. Journal of the Electrochemical Society, 2019, 166, A3377-A3383.	1.3	51
53	Beneficial rheological properties of lithium-ion battery cathode slurries from elevated mixing and coating temperatures. Journal of Energy Storage, 2019, 26, 100994.	3.9	53
54	Synthesis of MgCo <sub>2</sub> O <sub>4</sub> -coated Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> composite anodes using co-precipitation method for lithium-ion batteries. Journal of Solid State Electrochemistry, 2019, 23, 3197-3207.	1.2	7

#	ARTICLE	IF	CITATIONS
55	High-speed electron beam curing of thick electrode for high energy density Li-ion batteries. <i>Green Energy and Environment</i> , 2019, 4, 375-381.	4.7	17
56	Effect of overcharge on lithium-ion cells: Silicon/graphite anodes. <i>Journal of Power Sources</i> , 2019, 432, 73-81.	4.0	7
57	Effect of formation protocol: Cells containing Si-Graphite composite electrodes. <i>Journal of Power Sources</i> , 2019, 435, 126548.	4.0	12
58	Preparation of MgCo <sub>2</sub> O <sub>4</sub> /graphite composites as cathode materials for magnesium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2019, 23, 1399-1407.	1.2	18
59	Linear control of the oxidation level on graphene oxide sheets using the cyclic atomic layer reduction technique. <i>Nanoscale</i> , 2019, 11, 7833-7838.	2.8	11
60	Microwave growth and tunable photoluminescence of nitrogen-doped graphene and carbon nitride quantum dots. <i>Journal of Materials Chemistry C</i> , 2019, 7, 5468-5476.	2.7	75
61	Analysis of electrolyte imbibition through lithium-ion battery electrodes. <i>Journal of Power Sources</i> , 2019, 424, 193-203.	4.0	61
62	Effects of Ultraviolet Light Treatment in Ambient Air on Lithium-Ion Battery Graphite and PVDF Binder. <i>Journal of the Electrochemical Society</i> , 2019, 166, A1121-A1126.	1.3	9
63	Effect of calendaring and temperature on electrolyte wetting in lithium-ion battery electrodes. <i>Journal of Energy Storage</i> , 2019, 26, 101034.	3.9	52
64	Formation Challenges of Lithium-Ion Battery Manufacturing. <i>Joule</i> , 2019, 3, 2884-2888.	11.7	86
65	Effect of overcharge on Li(Ni <sub>0.5</sub> Mn <sub>0.3</sub> Co <sub>0.2</sub> )O <sub>2</sub> cathodes: NMP-soluble binder. II Chemical changes in the anode. <i>Journal of Power Sources</i> , 2018, 385, 156-164.	4.0	18
66	What makes lithium substituted polyacrylic acid a better binder than polyacrylic acid for silicon-graphite composite anodes?. <i>Journal of Power Sources</i> , 2018, 384, 136-144.	4.0	69
67	Si Oxidation and H <sub>2</sub> Gassing During Aqueous Slurry Preparation for Li-Ion Battery Anodes. <i>Journal of Physical Chemistry C</i> , 2018, 122, 9746-9754.	1.5	23
68	Effect of overcharge on Li(Ni <sub>0.5</sub> Mn <sub>0.3</sub> Co <sub>0.2</sub> )O <sub>2</sub> /graphite lithium ion cells with poly(vinylidene fluoride) binder. <i>Journal of Power Sources</i> , 2018, 384, 136-144.	4.0	29
69	Effect of Binder Architecture on the Performance of Silicon/Graphite Composite Anodes for Lithium Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 3470-3478.	4.0	77
70	Enabling high rate charge and discharge capability, low internal resistance, and excellent cycleability for Li-ion batteries utilizing graphene additives. <i>Electrochimica Acta</i> , 2018, 273, 200-207.	2.6	31
71	Effect of overcharge on Li(Ni <sub>0.5</sub> Mn <sub>0.3</sub> Co <sub>0.2</sub> )O <sub>2</sub> /Graphite lithium ion cells with poly(vinylidene fluoride) binder. <i>Journal of Power Sources</i> , 2018, 384, 136-144.	4.0	26
72	Three-dimensional conductive network formed by carbon nanotubes in aqueous processed NMC electrode. <i>Electrochimica Acta</i> , 2018, 270, 54-61.	2.6	39

#	ARTICLE	IF	CITATIONS
73	Temperature and strain rate dependent behavior of polymer separator for Li-ion batteries. <i>Extreme Mechanics Letters</i> , 2018, 20, 73-80.	2.0	39
74	Technical and economic analysis of solvent-based lithium-ion electrode drying with water and NMP. <i>Drying Technology</i> , 2018, 36, 234-244.	1.7	158
75	In-line monitoring of Li-ion battery electrode porosity and areal loading using active thermal scanning - modeling and initial experiment. <i>Journal of Power Sources</i> , 2018, 375, 138-148.	4.0	6
76	Limiting Internal Short-Circuit Damage by Electrode Partition for Impact-Tolerant Li-Ion Batteries. <i>Joule</i> , 2018, 2, 155-167.	11.7	45
77	Strain distribution and failure mode of polymer separators for Li-ion batteries under biaxial loading. <i>Journal of Power Sources</i> , 2018, 378, 139-145.	4.0	39
78	Disintegration of Meatball Electrodes for LiNi <sub>x</sub> Mn <sub>y</sub> Co <sub>z</sub> O <sub>2</sub> Cathode Materials. <i>Experimental Mechanics</i> , 2018, 58, 549-559.	1.1	86
79	Identifying the limiting electrode in lithium ion batteries for extreme fast charging. <i>Electrochemistry Communications</i> , 2018, 97, 37-41.	2.3	126
80	Sustainable Waste Tire Derived Carbon Material as a Potential Anode for Lithium-Ion Batteries. <i>Sustainability</i> , 2018, 10, 2840.	1.6	26
81	Balancing formation time and electrochemical performance of high energy lithium-ion batteries. <i>Journal of Power Sources</i> , 2018, 402, 107-115.	4.0	56
82	Chemical Evolution in Silicon-Graphite Composite Anodes Investigated by Vibrational Spectroscopy. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 18641-18649.	4.0	50
83	Tuning oxidation level, electrical conductance and band gap structure on graphene sheets by a cyclic atomic layer reduction technique. <i>Carbon</i> , 2018, 137, 234-241.	5.4	10
84	Micron-size Silicon Monoxide Asymmetric Membranes for Highly Stable Lithium Ion Battery Anode. <i>ChemistrySelect</i> , 2018, 3, 8662-8668.	0.7	6
85	Atomic layer oxidation on graphene sheets for tuning their oxidation levels, electrical conductivities, and band gaps. <i>Nanoscale</i> , 2018, 10, 15521-15528.	2.8	14
86	Characterization of Surface Free Energy of Composite Electrodes for Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2018, 165, A2493-A2501.	1.3	52
87	Fast formation cycling for lithium ion batteries. <i>Journal of Power Sources</i> , 2017, 342, 846-852.	4.0	119
88	Spherical indentation of a freestanding circular membrane revisited: Analytical solutions and experiments. <i>Journal of the Mechanics and Physics of Solids</i> , 2017, 100, 85-102.	2.3	20
89	Reinvigorating Reverse-Osmosis Membrane Technology to Stabilize the V <sub>2</sub> O <sub>5</sub> Lithium-Ion Battery Cathode. <i>ChemElectroChem</i> , 2017, 4, 1181-1189.	1.7	8
90	Correlation of Electrolyte Volume and Electrochemical Performance in Lithium-Ion Pouch Cells with Graphite Anodes and NMC532 Cathodes. <i>Journal of the Electrochemical Society</i> , 2017, 164, A1195-A1202.	1.3	64

#	ARTICLE	IF	CITATIONS
91	Design and Demonstration of Three-Electrode Pouch Cells for Lithium-Ion Batteries. Journal of the Electrochemical Society, 2017, 164, A1755-A1764.	1.3	57
92	Electrolyte Volume Effects on Electrochemical Performance and Solid Electrolyte Interphase in Si-Graphite/NMC Lithium-Ion Pouch Cells. ACS Applied Materials & Interfaces, 2017, 9, 18799-18808.	4.0	65
93	Toward Low-Cost, High-Energy Density, and High-Power Density Lithium-Ion Batteries. Jom, 2017, 69, 1484-1496.	0.9	186
94	Understanding limiting factors in thick electrode performance as applied to high energy density Li-ion batteries. Journal of Applied Electrochemistry, 2017, 47, 405-415.	1.5	217
95	Si alloy/graphite coating design as anode for Li-ion batteries with high volumetric energy density. Electrochimica Acta, 2017, 254, 123-129.	2.6	12
96	Advances in electrode materials for Li-based rechargeable batteries. RSC Advances, 2017, 7, 33789-33811.	1.7	30
97	Processing-Structure-Property Relationships for Lignin-Based Carbonaceous Materials Used in Energy-Storage Applications. Energy Technology, 2017, 5, 1311-1321.	1.8	27
98	Exploratory spatial distribution of dynamic wireless charging demand for EVs. , 2016, , .		1
99	The state of understanding of the lithium-ion-battery graphite solid electrolyte interphase (SEI) and its relationship to formation cycling. Carbon, 2016, 105, 52-76.	5.4	1,335
100	Electron Beam Curing of Composite Positive Electrode for Li-Ion Battery. Journal of the Electrochemical Society, 2016, 163, A2776-A2780.	1.3	21
101	Probing Multiscale Transport and Inhomogeneity in a Lithium-Ion Pouch Cell Using In Situ Neutron Methods. ACS Energy Letters, 2016, 1, 981-986.	8.8	43
102	Long-Term Lithium-Ion Battery Performance Improvement via Ultraviolet Light Treatment of the Graphite Anode. Journal of the Electrochemical Society, 2016, 163, A2866-A2875.	1.3	31
103	Grid indentation analysis of mechanical properties of composite electrodes in Li-ion batteries. Extreme Mechanics Letters, 2016, 9, 495-502.	2.0	83
104	Evaluation Residual Moisture in Lithium-Ion Battery Electrodes and Its Effect on Electrode Performance. MRS Advances, 2016, 1, 1029-1035.	0.5	78
105	Effect of electrode manufacturing defects on electrochemical performance of lithium-ion batteries: Cognizance of the battery failure sources. Journal of Power Sources, 2016, 312, 70-79.	4.0	132
106	Synthesis of Nanoparticles via Solvothermal and Hydrothermal Methods. , 2016, , 295-328.		33
107	Understanding the structure and structural degradation mechanisms in high-voltage, lithium-manganese-rich lithium-ion battery cathode oxides: A review of materials diagnostics. MRS Energy & Sustainability, 2015, 2, 1.	1.3	42
108	Preparation of porous Si and TiO <sub>2</sub> nanofibres using a sulphur-templating method for lithium storage. Physica Status Solidi (A) Applications and Materials Science, 2015, 212, 877-881.	0.8	20

#	ARTICLE	IF	CITATIONS
109	Unconventional irreversible structural changes in a high-voltage Li <sup>+</sup> Mn-rich oxide for lithium-ion battery cathodes. <i>Journal of Power Sources</i> , 2015, 283, 423-428.	4.0	17
110	Heat transfer enhancement in a lithium-ion cell through improved material-level thermal transport. <i>Journal of Power Sources</i> , 2015, 300, 123-131.	4.0	63
111	Self-assembled asymmetric membrane containing micron-size germanium for high capacity lithium ion batteries. <i>RSC Advances</i> , 2015, 5, 92878-92884.	1.7	15
112	Prospects for reducing the processing cost of lithium ion batteries. <i>Journal of Power Sources</i> , 2015, 275, 234-242.	4.0	588
113	Cathode materials review. <i>AIP Conference Proceedings</i> , 2014, , .	0.3	60
114	Non-destructive evaluation of slot-die-coated lithium secondary battery electrodes by in-line laser caliper and IR thermography methods. <i>Analytical Methods</i> , 2014, 6, 674-683.	1.3	41
115	Unraveling the Voltage-Fade Mechanism in High-Energy-Density Lithium-Ion Batteries: Origin of the Tetrahedral Cations for Spinel Conversion. <i>Chemistry of Materials</i> , 2014, 26, 6272-6280.	3.2	236
116	Electrospun SnO <sub>2</sub> and TiO <sub>2</sub> Composite Nanofibers for Lithium Ion Batteries. <i>Electrochimica Acta</i> , 2014, 117, 68-75.	2.6	51
117	Neutron Diffraction and Magnetic Susceptibility Studies on a High-Voltage Li <sub>1.2</sub> Mn <sub>0.55</sub> Ni <sub>0.15</sub> Co <sub>0.10</sub> O <sub>2</sub> Lithium Ion Battery Cathode: Insight into the Crystal Structure. <i>Chemistry of Materials</i> , 2013, 25, 4064-4070.	3.2	89
118	Correlating cation ordering and voltage fade in a lithium <sup>+</sup> manganese-rich lithium-ion battery cathode oxide: a joint magnetic susceptibility and TEM study. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 19496.	1.3	108
119	Structural transformation of a lithium-rich Li <sub>1.2</sub> Co <sub>0.1</sub> Mn <sub>0.55</sub> Ni <sub>0.15</sub> O <sub>2</sub> cathode during high voltage cycling resolved by in situ X-ray diffraction. <i>Journal of Power Sources</i> , 2013, 229, 239-248.	4.0	472
120	Lithium Ion Cell Performance Enhancement Using Aqueous LiFePO <sub>4</sub> Cathode Dispersions and Polyethyleneimine Dispersant. <i>Journal of the Electrochemical Society</i> , 2013, 160, A201-A206.	1.3	88
121	Structural transformation in a Li <sub>1.2</sub> Co <sub>0.1</sub> Mn <sub>0.55</sub> Ni <sub>0.15</sub> O <sub>2</sub> lithium-ion battery cathode during high-voltage hold. <i>RSC Advances</i> , 2013, 3, 7479.	1.7	44
122	Investigating phase transformation in the Li <sub>1.2</sub> Co <sub>0.1</sub> Mn <sub>0.55</sub> Ni <sub>0.15</sub> O <sub>2</sub> lithium-ion battery cathode during high-voltage hold (4.5 V) via magnetic, X-ray diffraction and electron microscopy studies. <i>Journal of Materials Chemistry A</i> , 2013, 1, 6249.	5.2	125
123	Optimization of multicomponent aqueous suspensions of lithium iron phosphate (LiFePO <sub>4</sub> ) nanoparticles and carbon black for lithium-ion battery cathodes. <i>Journal of Colloid and Interface Science</i> , 2013, 405, 118-124.	5.0	69
124	Superior Performance of LiFePO <sub>4</sub> Aqueous Dispersions via Corona Treatment and Surface Energy Optimization. <i>Journal of the Electrochemical Society</i> , 2012, 159, A1152-A1157.	1.3	65
125	SrCe <sub>0.7</sub> Zr <sub>0.2</sub> Eu <sub>0.1</sub> O <sub>3</sub> -based hydrogen transport water gas shift reactor. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 16006-16012.	3.8	18
126	Carbon dioxide reforming of methane in a SrCe <sub>0.7</sub> Zr <sub>0.2</sub> Eu <sub>0.1</sub> O <sub>3</sub> proton conducting membrane reactor. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 19125-19132.	3.8	18



#	ARTICLE	IF	CITATIONS
127	Optimization of $\text{LiFePO}_4$ Nanoparticle Suspensions with Polyethyleneimine for Aqueous Processing. <i>Langmuir</i> , 2012, 28, 3783-3790.	1.6	89
128	Advanced Materials Processing for Lithium Ion Battery Applications. ECS Meeting Abstracts, 2012, , .	0.0	0
129	Hydrogen permeation through thin supported $\text{SrCe}_{0.7}\text{Zr}_{0.2}\text{Eu}_{0.1}\text{O}_{3-\delta}$ membranes; dependence of flux on defect equilibria and operating conditions. <i>Journal of Membrane Science</i> , 2011, 381, 126-131.	4.1	48
130	Materials processing for lithium-ion batteries. <i>Journal of Power Sources</i> , 2011, 196, 2452-2460.	4.0	343
131	Stability of $\text{SrCe}_{1-x}\text{Zr}_x\text{O}_{3-\delta}$ under Water Gas Shift Reaction Conditions. <i>Journal of the Electrochemical Society</i> , 2010, 157, B383.	1.3	14
132	Hydrogen permeation through thin supported $\text{SrZr}_{0.2}\text{Ce}_{0.8-x}\text{Eu}_x\text{O}_{3-\delta}$ membranes. <i>Journal of Membrane Science</i> , 2009, 345, 1-4.	4.1	35
133	Stability of $\text{SrCe}_{0.9}\text{Eu}_{0.1}\text{O}_{3-\delta}$ and $\text{SrZr}_{0.2}\text{Ce}_{0.7}\text{Eu}_{0.1}\text{O}_{3-\delta}$ under $\text{H}_2$ atmospheres. <i>Ionics</i> , 2009, 15, 525-530.	1.2	8
134	Fabrication of Thin-Film $\text{SrCe}_{0.9}\text{Eu}_{0.1}\text{O}_{3-\delta}$ Hydrogen Separation Membranes on $\text{Ni-SrCeO}_3$ Porous Tubular Supports. <i>Journal of the American Ceramic Society</i> , 2009, 92, 1849-1852.	1.9	21
135	Catalytically active gold nanoparticles confined in periodic mesoporous organosilica (PMOs) by a modified external passivation route. <i>Microporous and Mesoporous Materials</i> , 2009, 117, 98-103.	2.2	17
136	High temperature $\text{SrCe}_{0.9}\text{Eu}_{0.1}\text{O}_{3-\delta}$ proton conducting membrane reactor for $\text{H}_2$ production using the water-gas shift reaction. <i>Applied Catalysis B: Environmental</i> , 2009, 92, 234-239.	10.8	46
137	Permeation Through $\text{SrCe}_{0.9}\text{Eu}_{0.1}\text{O}_{3-\delta}/\text{Ni-SrCeO}_3$ Tubular Hydrogen Separation Membranes. <i>Journal of the Electrochemical Society</i> , 2009, 156, B791.	1.3	16
138	Stability of Zr-Doped $\text{SrCeO}_3$ -d Under Wet $\text{CO}/\text{CO}_2$ Atmospheres. <i>ECS Transactions</i> , 2008, 11, 81-87.	0.3	3
139	Preparation and gas permeation of supported $\gamma\text{-Al}_2\text{O}_3$ membranes used as substrate layer for microporous membranes. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2005, 20, 27-30.	0.4	1
140	Correlation of Oxygen Anion Redox Activity to In-Plane Honeycomb Cation Ordering in $\text{Na}_x\text{Ni}_y\text{Mn}_{1-x-y}\text{O}_2$ Cathodes. <i>Advanced Energy and Sustainability Research</i> , 0, , 2200027.	2.8	3