

# David J Bond

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6565318/publications.pdf>

Version: 2024-02-01

80  
papers

6,106  
citations

136940

32  
h-index

82542

72  
g-index

82  
all docs

82  
docs citations

82  
times ranked

6078  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Canadian Network for Mood and Anxiety Treatments (<scp>CANMAT</scp>) and International Society for Bipolar Disorders (<scp>ISBD</scp>) 2018 guidelines for the management of patients with bipolar disorder. <i>Bipolar Disorders</i> , 2018, 20, 97-170.                | 1.9 | 1,079     |
| 2  | Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) collaborative update of CANMAT guidelines for the management of patients with bipolar disorder: update 2013. <i>Bipolar Disorders</i> , 2013, 15, 1-44. | 1.9 | 740       |
| 3  | The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. <i>American Journal of Psychiatry</i> , 2013, 170, 1249-1262.   | 7.2 | 579       |
| 4  | Oxidative stress markers in bipolar disorder: A meta-analysis. <i>Journal of Affective Disorders</i> , 2008, 111, 135-144.   | 4.1 | 442       |
| 5  | Brain-derived neurotrophic factor and inflammatory markers in patients with early- vs. late-stage bipolar disorder. <i>International Journal of Neuropsychopharmacology</i> , 2009, 12, 447.   | 2.1 | 343       |
| 6  | A systematic review and meta-analysis of randomized, double-blind, placebo-controlled trials of ketamine in the rapid treatment of major depressive episodes. <i>Psychological Medicine</i> , 2015, 45, 693-704.   | 4.5 | 311       |
| 7  | Brain glutamate levels measured by magnetic resonance spectroscopy in patients with bipolar disorder: a meta-analysis. <i>Bipolar Disorders</i> , 2012, 14, 478-487.   | 1.9 | 184       |
| 8  | 3-Nitrotyrosine and glutathione antioxidant system in patients in the early and late stages of bipolar disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2009, 34, 263-71.   | 2.4 | 140       |
| 9  | A longitudinal study of hippocampal volume in first episode psychosis and chronic schizophrenia. <i>Schizophrenia Research</i> , 2001, 52, 37-46.  | 2.0 | 135       |
| 10 | Neurocognitive Functioning in Patients With Bipolar I Disorder Recently Recovered From a First Manic Episode. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1234-1242.   | 2.2 | 134       |
| 11 | Antidepressant-Associated Mood Elevations in Bipolar II Disorder Compared With Bipolar I Disorder and Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1589-1601.  | 2.2 | 113       |
| 12 | Divalproex sodium versus placebo in the treatment of acute bipolar depression: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2010, 124, 228-234.  | 4.1 | 106       |
| 13 | A systematic review and meta-analysis of randomized controlled trials of adjunctive ketamine in electroconvulsive therapy: Efficacy and tolerability. <i>Journal of Psychiatric Research</i> , 2015, 62, 23-30.  | 3.1 | 93        |
| 14 | Course and Outcome after the First Manic Episode in Patients with Bipolar Disorder: Prospective 12-Month Data from the Systematic Treatment Optimization Program for Early Mania Project. <i>Canadian Journal of Psychiatry</i> , 2009, 54, 105-112.                     | 1.9 | 85        |
| 15 | The Canadian Network for Mood and Anxiety Treatments (CANMAT) task force recommendations for the management of patients with mood disorders and comorbid attention-deficit/hyperactivity disorder. <i>Annals of Clinical Psychiatry</i> , 2012, 24, 23-37.               | 0.6 | 74        |
| 16 | Relationship between cognitive functioning and 6-month clinical and functional outcome in patients with first manic episode bipolar I disorder. <i>Psychological Medicine</i> , 2011, 41, 971-982.   | 4.5 | 73        |
| 17 | Call to action regarding the vascular-bipolar link: A report from the Vascular Task Force of the International Society for Bipolar Disorders. <i>Bipolar Disorders</i> , 2020, 22, 440-460.  | 1.9 | 66        |
| 18 | Neuroprogression and episode recurrence in bipolar I disorder: A study of gray matter volume changes in first episode mania and association with clinical outcome. <i>Bipolar Disorders</i> , 2016, 18, 511-519.   | 1.9 | 64        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | The Association of Elevated Body Mass Index with Reduced Brain Volumes in First-Episode Mania. <i>Biological Psychiatry</i> , 2011, 70, 381-387.   | 1.3  | 62        |
| 20 | Prevalence and correlates of DSM-5 eating disorders in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2016, 191, 216-221.   | 4.1  | 62        |
| 21 | Mania secondary to focal brain lesions: implications for understanding the functional neuroanatomy of bipolar disorder. <i>Bipolar Disorders</i> , 2016, 18, 205-220.  | 1.9  | 61        |
| 22 | Functional outcomes in first-episode patients with bipolar disorder: a prospective study from the Systematic Treatment Optimization Program for Early Mania project. <i>Comprehensive Psychiatry</i> , 2009, 50, 1-8.  | 3.1  | 55        |
| 23 | Which Depressive Symptoms and Medication Side Effects Are Perceived by Patients as Interfering Most with Occupational Functioning?. <i>Depression Research and Treatment</i> , 2012, 2012, 1-6.  | 1.3  | 50        |
| 24 | Adjunctive ketamine in electroconvulsive therapy: Updated systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2017, 210, 403-407.  | 2.8  | 50        |
| 25 | 12-month longitudinal cognitive functioning in patients recently diagnosed with bipolar disorder. <i>Bipolar Disorders</i> , 2014, 16, 159-171.  | 1.9  | 49        |
| 26 | Body Mass Index-Related Regional Gray and White Matter Volume Reductions in First-Episode Mania Patients. <i>Biological Psychiatry</i> , 2014, 76, 138-145.  | 1.3  | 48        |
| 27 | Efficacy of second generation antipsychotics in treating acute mixed episodes in bipolar disorder: A meta-analysis of placebo-controlled trials. <i>Journal of Affective Disorders</i> , 2013, 150, 408-414.   | 4.1  | 46        |
| 28 | Cognitive Change in the Year After a First Manic Episode. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e587-e593.   | 2.2  | 45        |
| 29 | Association of schizophrenia polygenic risk score with manic and depressive psychosis in bipolar disorder. <i>Translational Psychiatry</i> , 2018, 8, 188.   | 4.8  | 44        |
| 30 | Optimal duration of risperidone or olanzapine adjunctive therapy to mood stabilizer following remission of a manic episode: A CANMAT randomized double-blind trial. <i>Molecular Psychiatry</i> , 2016, 21, 1050-1056.   | 7.9  | 42        |
| 31 | Association of peripheral inflammation with body mass index and depressive relapse in bipolar disorder. <i>Psychoneuroendocrinology</i> , 2016, 65, 76-83.   | 2.7  | 37        |
| 32 | Systematic review of neurocognition and occupational functioning in major depressive disorder. <i>Neuropsychiatry</i> , 2013, 3, 97-105.   | 0.4  | 36        |
| 33 | Association of Cytomegalovirus and <i>Toxoplasma gondii</i> Antibody Titers With Bipolar Disorder. <i>JAMA Psychiatry</i> , 2019, 76, 1285.  | 11.0 | 36        |
| 34 | Depot risperidone in the outpatient management of bipolar disorder: a 2-year study of 10 patients. <i>International Clinical Psychopharmacology</i> , 2008, 23, 88-94.   | 1.7  | 32        |
| 35 | Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) recommendations for the management of patients with bipolar disorder with mixed presentations. <i>Bipolar Disorders</i> , 2021, 23, 767-788.    | 1.9  | 32        |
| 36 | The association of weight gain with mood symptoms and functional outcomes following a first manic episode: prospective 12-month data from the Systematic Treatment Optimization Program for Early Mania (STOP-EM). <i>Bipolar Disorders</i> , 2010, 12, 616-626. | 1.9  | 31        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | The impact of childhood trauma on cognitive functioning in patients recently recovered from a first manic episode: Data from the Systematic Treatment Optimization Program for Early Mania (STOP-EM).. Journal of Affective Disorders, 2013, 148, 424-430.     | 4.1 | 31        |
| 38 | Inflammatory cytokines and cognitive functioning in early-stage bipolar I disorder. Journal of Affective Disorders, 2019, 245, 679-685.  | 4.1 | 31        |
| 39 | Weight gain, obesity, and metabolic indices following a first manic episode: Prospective 12-month data from the Systematic Treatment Optimization Program for Early Mania (STOP-EM). Journal of Affective Disorders, 2010, 124, 108-117.                       | 4.1 | 29        |
| 40 | Clinical features of bipolar spectrum with binge eating behaviour. Journal of Affective Disorders, 2016, 201, 95-98.   | 4.1 | 29        |
| 41 | Oxcarbazepine in the Treatment of Bipolar Disorder: A Review. Canadian Journal of Psychiatry, 2006, 51, 540-545.   | 1.9 | 28        |
| 42 | Consensus on nomenclature for clinical staging models in bipolar disorder: A narrative review from the International Society for Bipolar Disorders (ISBD) Staging Task Force. Bipolar Disorders, 2021, 23, 659-678.  | 1.9 | 27        |
| 43 | The relationship between clinical outcomes and quality of life in first episode mania: a longitudinal analysis. Bipolar Disorders, 2013, 15, 188-198.  | 1.9 | 25        |
| 44 | Weight gain as a predictor of frontal and temporal lobe volume loss in bipolar disorder: A prospective MRI study. Bipolar Disorders, 2019, 21, 50-60.  | 1.9 | 23        |
| 45 | Comparison of neuropsychological effects of adjunctive risperidone or quetiapine in euthymic patients with bipolar I disorder. International Clinical Psychopharmacology, 2012, 27, 91-99.   | 1.7 | 22        |
| 46 | Relationship between frontostriatal morphology and executive function deficits in bipolar I disorder following a first manic episode: data from the Systematic Treatment Optimization Program for Early Mania (STOP-EM). Bipolar Disorders, 2013, 15, 657-668. | 1.9 | 22        |
| 47 | Lower cognitive functioning as a predictor of weight gain in bipolar disorder: a 12-month study. Acta Psychiatrica Scandinavica, 2017, 135, 239-249.   | 4.5 | 20        |
| 48 | Trajectories of body mass index change in first episode of mania: 3-year data from the Systematic Treatment Optimization Program for Early Mania (STOP-EM). Journal of Affective Disorders, 2017, 208, 291-297.  | 4.1 | 20        |
| 49 | Genetic variant in SLC1A2 is associated with elevated anterior cingulate cortex glutamate and lifetime history of rapid cycling. Translational Psychiatry, 2019, 9, 149.   | 4.8 | 19        |
| 50 | Neurocognitive Functioning in Overweight and Obese Patients with Bipolar Disorder: Data from the Systematic Treatment Optimization Program for Early Mania (STOP-EM). Canadian Journal of Psychiatry, 2014, 59, 639-648.                                       | 1.9 | 18        |
| 51 | Revising Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition, criteria for the bipolar disorders: Phase I of the AREDOC project. Australian and New Zealand Journal of Psychiatry, 2018, 52, 1173-1182.                                       | 2.3 | 18        |
| 52 | A Longitudinal Study of the Relationships Between Mood Symptoms, Body Mass Index, and Serum Adipokines in Bipolar Disorder. Journal of Clinical Psychiatry, 2017, 78, 441-448.   | 2.2 | 18        |
| 53 | Childhood maltreatment and corpus callosum volume in recently diagnosed patients with bipolar I disorder: Data from the Systematic Treatment Optimization Program for Early Mania (STOP-EM). Journal of Psychiatric Research, 2014, 48, 65-72.                 | 3.1 | 17        |
| 54 | Relationship between body mass index and hippocampal glutamate/glutamine in bipolar disorder. British Journal of Psychiatry, 2016, 208, 146-152.   | 2.8 | 16        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | The evolution of CANMAT Bipolar Disorder Guidelines: past, present, and future. <i>Bipolar Disorders</i> , 2013, 15, 58-60.   | 1.9 | 14        |
| 56 | Diagnosis and body mass index effects on hippocampal volumes and neurochemistry in bipolar disorder. <i>Translational Psychiatry</i> , 2017, 7, e1071-e1071.  | 4.8 | 13        |
| 57 | Causal pathways to social and occupational functioning in the first episode of schizophrenia: uncovering unmet treatment needs. <i>Psychological Medicine</i> , 2023, 53, 2041-2049.  | 4.5 | 11        |
| 58 | Long-term efficacy of risperidone long-acting injectable in bipolar disorder with psychotic features. <i>International Clinical Psychopharmacology</i> , 2011, 26, 146-150.   | 1.7 | 10        |
| 59 | A Positron Emission Tomography Study of Norepinephrine Transporter Occupancy and Its Correlation with Symptom Response in Depressed Patients Treated with Quetiapine XR. <i>International Journal of Neuropsychopharmacology</i> , 2018, 21, 108-113.         | 2.1 | 10        |
| 60 | Hippocampal neurochemical markers in bipolar disorder patients following the first-manic episode: A prospective 12-month proton magnetic resonance spectroscopy study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 65-74.             | 2.3 | 9         |
| 61 | Expert consensus recommendations on the use of randomized clinical trials for drug approval in psychiatry- comparing trial designs. <i>European Neuropsychopharmacology</i> , 2022, 60, 91-99.  | 0.7 | 9         |
| 62 | <sup>13</sup> C Magnetic Resonance Spectroscopy and Glutamate Metabolism in Mood Disorders: Current Challenges, Potential Opportunities. <i>American Journal of Psychiatry</i> , 2014, 171, 1240-1242.  | 7.2 | 7         |
| 63 | Serum epidermal growth factor, clinical illness course, and limbic brain volumes in early-stage bipolar disorder. <i>Journal of Affective Disorders</i> , 2020, 270, 30-35.   | 4.1 | 5         |
| 64 | The Safety and Efficacy of Microbial Ecosystem Therapeutic-2 in People With Major Depression: Protocol for a Phase 2, Double-Blind, Placebo-Controlled Study. <i>JMIR Research Protocols</i> , 2021, 10, e31439.  | 1.0 | 5         |
| 65 | Quantification of diet quality utilizing the rapid eating assessment for participants-shortened version in bipolar disorder: Implications for prospective depression and cardiometabolic studies. <i>Journal of Affective Disorders</i> , 2022, 310, 150-155. | 4.1 | 5         |
| 66 | Exploring hepsin functional genetic variation association with disease specific protein expression in bipolar disorder: Applications of a proteomic informed genomic approach. <i>Journal of Psychiatric Research</i> , 2017, 95, 208-212.                    | 3.1 | 4         |
| 67 | Assessment of Proteomic Measures Across Serious Psychiatric Illness. <i>Clinical Schizophrenia and Related Psychoses</i> , 2017, 11, 103-112.   | 1.4 | 3         |
| 68 | Clinical and Genetic Correlates of Bipolar Disorder With Childhood-Onset Attention Deficit Disorder. <i>Frontiers in Psychiatry</i> , 2022, 13, 884217.   | 2.6 | 3         |
| 69 | Forum "Melancholia. <i>Current Opinion in Psychiatry</i> , 2007, 20, 202-203.   | 6.3 | 1         |
| 70 | Bipolar II disorder in context: a review of epidemiology, disability and economic burden. , 0, , 46-55.   |     | 1         |
| 71 | Response to commentaries on the Canadian Network for Mood and Anxiety Treatments/International Society for Bipolar Disorders 2013 updated Bipolar Disorder Guidelines. <i>Bipolar Disorders</i> , 2013, 15, 338-339.  | 1.9 | 1         |
| 72 | Weight gain as a risk factor for progressive neurochemical abnormalities in first episode mania patients: a longitudinal magnetic resonance spectroscopy study. <i>Psychological Medicine</i> , 2021, , 1-9.  | 4.5 | 1         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Comparison of Demographic and Clinical Features of Bipolar Disorder in Persons of African and European Ancestry. <i>Journal of Racial and Ethnic Health Disparities</i> , 2023, 10, 367-372. | 3.2 | 1         |
| 74 | Forum "Melancholia. <i>Current Opinion in Psychiatry</i> , 2007, 20, 203-205.  | 6.3 | 0         |
| 75 | Marcadores de estrés oxidativo en el trastorno bipolar: un metaanálisis. <i>Psiquiatria Biologica</i> , 2009, 16, 60-69.   | 0.1 | 0         |
| 76 | Current status of mood stabilisers in the management of Bipolar II disorder. , 0, , 114-125.   |     | 0         |
| 77 | Comprehensive Pharmacologic Management of Bipolar Depression. <i>Current Treatment Options in Psychiatry</i> , 2014, 1, 263-277.   | 1.9 | 0         |
| 78 | Mood Stabilisers in the Treatment of Bipolar II Disorder. , 2019, , 129-142.   |     | 0         |
| 79 | Investigating the complex relationship between bipolarity and obesity: "Not because it is easy, but because it is hard" <i>Bipolar Disorders</i> , 2019, 21, 106-107.                        | 1.9 | 0         |
| 80 | A Multidisciplinary First-Episode Psychosis Program. <i>Psychiatric Annals</i> , 2015, 45, 561-568.  | 0.1 | 0         |