

Alfredo Mb De Paula

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6565874/alfredo-mb-de-paula-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119
papers

1,697
citations

23
h-index

34
g-index

130
ext. papers

2,077
ext. citations

3.1
avg, IF

4.25
L-index

#	Paper	IF	Citations
119	Neutrophil extracellular traps (NETs) modulate inflammatory profile in obese humans and mice: adipose tissue role on NETs levels.. <i>Molecular Biology Reports</i> , 2022 , 49, 3225	2.8	0
118	Natural and artificial knitted fabrics functionalized with <i>Cordia curassavica</i> accelerate excisional wound healing in mice. <i>Revista Brasileira De Farmacognosia</i> , 2022 , 32, 86	2	
117	Photodynamic therapy mediated by nanoparticles Aluminum Chloro Phthalocyanine in oral squamous carcinoma cells.. <i>Lasers in Medical Science</i> , 2022 , 1	3.1	
116	Development and Evaluation of a Low-cost Dairy Food Supplement with (Buriti) to Combat Malnutrition: Translational Study in Mice and Institutionalized Elderly Woman.. <i>Current Aging Science</i> , 2022 , 15, 37-48	2.2	0
115	<i>Caryocar brasiliense</i> Camb. fruit peel butanolic fraction induces antiproliferative effects against murine melanoma cell line. <i>Phytomedicine Plus</i> , 2022 , 100273		
114	Brazilian Cerrado plant (arnica) <i>Lychnophora ericoides</i> Mart. (Asteraceae) toxicity characterization in mice. <i>Phytomedicine Plus</i> , 2021 , 100154		
113	Liver Damage Produced by Malnutrition is Improved by Dietary Supplementation in Mice: Assessment of a Supplement Based on Buriti (A Cerrado Fruit) and Dairy By-products. <i>Recent Patents on Food, Nutrition & Agriculture</i> , 2021 , 12, 29-35	1.9	1
112	Prion protein is associated with a worse prognosis of head and neck squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2021 , 50, 985-994	3.3	0
111	The Link between Exercise and Homocysteine in the Alzheimer's Disease: A Bioinformatic Network Model. <i>CNS and Neurological Disorders - Drug Targets</i> , 2021 , 20, 814-821	2.6	
110	Enalapril improves obesity associated liver injury ameliorating systemic metabolic markers by modulating Angiotensin Converting Enzymes ACE/ACE2 expression in high-fat feed mice. <i>Prostaglandins and Other Lipid Mediators</i> , 2021 , 152, 106501	3.7	3
109	The combination of traditional and auricular acupuncture to prevent xerostomia and anxiety in irradiated patients with HNSCC: a preventive, parallel, single-blind, 2-arm controlled study. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2021 , 131, 675-683	2	1
108	Acute oral treatment with resveratrol and <i>Lactococcus Lactis</i> Subsp. <i>Lactis</i> decrease body weight and improve liver proinflammatory markers in C57BL/6 mice. <i>Molecular Biology Reports</i> , 2021 , 48, 1725-1734	2.8	1
107	<i>Lactococcus lactis</i> and Resveratrol Decrease Body Weight and Increase Benefic Gastrointestinal Microbiota in Mice. <i>Protein and Peptide Letters</i> , 2021 , 28, 761-768	1.9	0
106	Hepatotoxic Effect of <i>Lafoensia pacari</i> A. St. Hil. (Lythraceae) on a Diet-Induced Obese Mice Model. <i>Protein and Peptide Letters</i> , 2021 , 28, 781-787	1.9	1
105	<i>Acosmium dasycarpum</i> (Vog.) Yakovlev root bark reduces obesity induced by hypercaloric diet in mice. <i>Phytochemistry Letters</i> , 2021 , 44, 23-30	1.9	2
104	Hydroalcoholic Extract of <i>Solanum lycocarpum</i> A. St. Hil. (Solanaceae) Leaves Improves Alloxan-Induced Diabetes Complications in Mice. <i>Protein and Peptide Letters</i> , 2021 , 28, 769-780	1.9	2
103	Oral treatment with <i>Davilla Elliptica</i> A. St.-Hil. leaves improves liver steatosis and lipid metabolism on a diet-induced obese mice model. <i>Phytomedicine Plus</i> , 2021 , 1, 100130		0

102	Dementia among older adults living in long-term care facilities: an epidemiological study.. <i>Dementia E Neuropsychologia</i> , 2021 , 15, 464-469	2.1	
101	Genetic deletion of the angiotensin-(1-7) receptor Mas leads to alterations in gut villi length modulating TLR4/PI3K/AKT and produces microbiome dysbiosis. <i>Neuropeptides</i> , 2020 , 82, 102056	3.3	9
100	Local tissue electrical parameters predict oral mucositis in HNSCC patients: A diagnostic accuracy double-blind, randomized controlled trial. <i>Scientific Reports</i> , 2020 , 10, 9530	4.9	2
99	Might anxiety disorders promote head and neck cancer development?. <i>IBRO Reports</i> , 2020 , 9, 9-13	2	1
98	Contextual and individual determinants of tooth loss in adults: a multilevel study. <i>BMC Oral Health</i> , 2020 , 20, 73	3.7	7
97	Oral gallic acid improve liver steatosis and metabolism modulating hepatic lipogenic markers in obese mice. <i>Experimental Gerontology</i> , 2020 , 134, 110881	4.5	17
96	Salário de médicos contratados da Estratégia Saúde da Família e contexto municipal: estudo ecológico. <i>Saúde Em Debate</i> , 2020 , 44, 624-639	0.2	0
95	Sexually transmitted infection and HIV/AIDS counseling practice in primary health care in the city of Montes Claros, Minas Gerais, Brazil, 2015-2016. <i>Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2020 , 29, e2018478	1.2	
94	Immune/Neural approach to characterize salivary gland neoplasms (SGN). <i>Applied Soft Computing Journal</i> , 2020 , 88, 105877	7.5	1
93	Comparative study of dietary fat: lard and sugar as a better obesity and metabolic syndrome mice model. <i>Archives of Physiology and Biochemistry</i> , 2020 , 1-11	2.2	4
92	Radiation Therapy Reduced Blood Levels of LDH, HIF-1 α and miR-210 in OSCC. <i>Pathology and Oncology Research</i> , 2020 , 26, 433-442	2.6	4
91	2D Virtual Reality-Based Exercise Improves Spatial Navigation in Institutionalized Non-robust Older Persons: A Preliminary Data Report of a Single-Blind, Randomized, and Controlled Study. <i>Frontiers in Neurology</i> , 2020 , 11, 609988	4.1	0
90	Is HIF1- α deregulated in malignant salivary neoplasms?. <i>Gene</i> , 2019 , 701, 41-45	3.8	3
89	Effect of resveratrol on expression of genes involved thermogenesis in mice and humans. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 112, 108634	7.5	28
88	Liraglutide alters hepatic metabolism in high-fat fed obese mice: A bioinformatic prediction and functional analysis. <i>Meta Gene</i> , 2019 , 20, 100553	0.7	1
87	Comparison of cognitive functions among frail and prefrail older adults: a clinical perspective. <i>International Psychogeriatrics</i> , 2019 , 31, 297-301	3.4	3
86	High levels of ANXA2 are characteristic of malignant salivary gland tumors. <i>Journal of Oral Pathology and Medicine</i> , 2019 , 48, 929-934	3.3	7
85	Oral gallic acid improves metabolic profile by modulating SIRT1 expression in obese mice brown adipose tissue: A molecular and bioinformatic approach. <i>Life Sciences</i> , 2019 , 237, 116914	6.8	17

84	Conditioned fear stress increases bone resorption in apical periodontitis lesions in Wistar male rats. <i>Archives of Oral Biology</i> , 2019 , 97, 35-41	2.8	6
83	Leptin impairs the therapeutic effect of ionizing radiation in oral squamous cell carcinoma cells. <i>Journal of Oral Pathology and Medicine</i> , 2019 , 48, 17-23	3.3	8
82	Gallic acid modulates phenotypic behavior and gene expression in oral squamous cell carcinoma cells by interfering with leptin pathway. <i>Pathology Research and Practice</i> , 2018 , 214, 30-37	3.4	5
81	Body mass index and the visceral adipose tissue expression of IL-6 and TNF-alpha are associated with the morphological severity of non-alcoholic fatty liver disease in individuals with class III obesity. <i>Obesity Research and Clinical Practice</i> , 2018 , 12, 1-8	5.4	30
80	The usefulness of short-term high-fat/high salt diet as a model of metabolic syndrome in mice. <i>Life Sciences</i> , 2018 , 209, 341-348	6.8	5
79	Treatment of mucositis with combined 660- and 808-nm-wavelength low-level laser therapy reduced mucositis grade, pain, and use of analgesics: a parallel, single-blind, two-arm controlled study. <i>Lasers in Medical Science</i> , 2018 , 33, 1813-1819	3.1	12
78	Neurodegeneration Alters Metabolic Profile and Sirt 1 Signaling in High-Fat-Induced Obese Mice. <i>Molecular Neurobiology</i> , 2017 , 54, 3465-3475	6.2	10
77	Effects of Dietary Macronutrient Composition on FNDC5 and Irisin in Mice Skeletal Muscle. <i>Metabolic Syndrome and Related Disorders</i> , 2017 , 15, 161-169	2.6	10
76	Molecular finds of pressure ulcer: A bioinformatics approach in pressure ulcer. <i>Journal of Tissue Viability</i> , 2017 , 26, 119-124	3.2	6
75	An adaptation of particle swarm clustering applied in basal cell carcinoma, squamous cell carcinoma of the skin and actinic keratosis. <i>Meta Gene</i> , 2017 , 12, 72-77	0.7	6
74	Genetic variation in the promoter region of the TNF rs1800629 gene is not associated with adiposity index, but AA genotype is more likely to have low cellular membrane integrity. <i>Meta Gene</i> , 2017 , 13, 85-91	0.7	0
73	Leptin acts on neoplastic behavior and expression levels of genes related to hypoxia, angiogenesis, and invasiveness in oral squamous cell carcinoma. <i>Tumor Biology</i> , 2017 , 39, 1010428317699130	2.9	12
72	Interleukin-1(rs1143634) polymorphism and adiposity traits in Quilombolas. <i>Meta Gene</i> , 2017 , 13, 78-84	0.7	1
71	Hypoxia reduces the E-cadherin expression and increases OSCC cell migration regardless of the E-cadherin methylation profile. <i>Pathology Research and Practice</i> , 2017 , 213, 496-501	3.4	13
70	Obesity and malnutrition similarly alter the renin-angiotensin system and inflammation in mice and human adipose. <i>Journal of Nutritional Biochemistry</i> , 2017 , 48, 74-82	6.3	54
69	Effects of Resveratrol and ACE Inhibitor Enalapril on Glucose and Lipid Profiles in Mice. <i>Protein and Peptide Letters</i> , 2017 , 24, 854-860	1.9	7
68	Effects of Sleeve Gastrectomy on the Metabolic Profile and on the Expression of Renin-Angiotensin System in Adipose Tissue of Obese Rats. <i>Protein and Peptide Letters</i> , 2017 , 24, 861-868	1.9	2
67	Angiotensin-Converting Enzymes (ACE and ACE2) as Potential Targets for Malignant Epithelial Neoplasia: Review and Bioinformatics Analyses Focused in Oral Squamous Cell Carcinoma. <i>Protein and Peptide Letters</i> , 2017 , 24, 784-792	1.9	9

66	Nutritional Status Associated to Skipping Breakfast in Brazilian Health Service Patients. <i>Annals of Nutrition and Metabolism</i> , 2016 , 69, 31-40	4.5	7
65	Metformin Reduces Lipogenesis Markers in Obese Mice Fed a Low-Carbohydrate and High-Fat Diet. <i>Lipids</i> , 2016 , 51, 1375-1384	1.6	8
64	Increasing demonstration of angiogenic markers in skin neoplastic lesions. <i>Pathology Research and Practice</i> , 2016 , 212, 101-5	3.4	2
63	Bioinformatics Analysis Reveals Genes Involved in the Pathogenesis of Ameloblastoma and Keratocystic Odontogenic Tumor. <i>International Journal of Molecular and Cellular Medicine</i> , 2016 , 5, 199-213	1.3	4
62	Factors in adult health-related quality of life: a population-based study. <i>Ciencia E Saude Coletiva</i> , 2016 , 21, 463-74	2.2	8
61	Metformin increases PDH and suppresses HIF-1 α under hypoxic conditions and induces cell death in oral squamous cell carcinoma. <i>Oncotarget</i> , 2016 , 7, 55057-55068	3.3	58
60	Evaluation of the antineoplastic activity of gallic acid in oral squamous cell carcinoma under hypoxic conditions. <i>Anti-Cancer Drugs</i> , 2016 , 27, 407-16	2.4	25
59	Effects of omentectomy in addition to sleeve gastrectomy on the metabolic and inflammatory profiles of obese rats. <i>Surgery for Obesity and Related Diseases</i> , 2016 , 12, 1292-1299	3	2
58	Distinct metabolic effects of resveratrol on lipogenesis markers in mice adipose tissue treated with high-polyunsaturated fat and high-protein diets. <i>Life Sciences</i> , 2016 , 153, 66-73	6.8	14
57	Lip cancer and pre-cancerous lesions harbor TP53 mutations, exhibit allelic loss at 9p, 9q, and 17p, but no BRAFV600E mutations. <i>Tumor Biology</i> , 2015 , 36, 9059-66	2.9	3
56	Fuzzy clustering demonstrates that codon 72 SNP rs1042522 of TP53 gene associated with HNSCC but not with prognoses. <i>Tumor Biology</i> , 2015 , 36, 9259-65	2.9	7
55	Protein expression of MMP-2 and MT1-MMP in actinic keratosis, squamous cell carcinoma of the skin, and basal cell carcinoma. <i>International Journal of Surgical Pathology</i> , 2015 , 23, 20-5	1.2	14
54	Antitumor activity and systemic effects of PVM/MA-shelled selol nanocapsules in lung adenocarcinoma-bearing mice. <i>Nanotechnology</i> , 2015 , 26, 505101	3.4	7
53	Sex, age and smoking, but not genetic variation in LEPR (rs1137101), are associated with depressive symptoms. <i>Psychiatric Genetics</i> , 2015 , 25, 137-8	2.9	4
52	Prevalence of oral cancer self-examination among elderly people treated under Brazil's Unified Health System: household health survey. <i>Ciencia E Saude Coletiva</i> , 2015 , 20, 1085-98	2.2	2
51	Aconselhamento em doenças sexualmente transmissíveis na atenção primária: percepção e prática profissional. <i>ACTA Paulista De Enfermagem</i> , 2015 , 28, 531-538	0.7	2
50	Bioinformatics, interaction network analysis, and neural networks to characterize gene expression of radicular cyst and periapical granuloma. <i>Journal of Endodontics</i> , 2015 , 41, 877-83	4.7	25
49	Resveratrol increases brown adipose tissue thermogenesis markers by increasing SIRT1 and energy expenditure and decreasing fat accumulation in adipose tissue of mice fed a standard diet. <i>European Journal of Nutrition</i> , 2014 , 53, 1503-10	5.2	117

48	Proteomic white adipose tissue analysis of obese mice fed with a high-fat diet and treated with oral angiotensin-(1-7). <i>Peptides</i> , 2014 , 60, 56-62	3.8	19
47	High expression of S100A4 and endoglin is associated with metastatic disease in head and neck squamous cell carcinoma. <i>Clinical and Experimental Metastasis</i> , 2014 , 31, 639-49	4.7	5
46	STAG2 expression in oral cancer and potentially malignant lesions. <i>Tumor Biology</i> , 2014 , 35, 3641-5	2.9	5
45	p16 (CDKN2A) SNP rs11515 was not associated with head and neck carcinoma. <i>Tumor Biology</i> , 2014 , 35, 6113-8	2.9	3
44	Cross talk between angiotensin-(1-7)/Mas axis and sirtuins in adipose tissue and metabolism of high-fat feed mice. <i>Peptides</i> , 2014 , 55, 158-65	3.8	60
43	Leptin receptor polymorphism Gln223Arg (rs1137101) in oral squamous cell carcinoma and potentially malignant oral lesions. <i>SpringerPlus</i> , 2014 , 3, 683		7
42	Increased VEGFR2 and MMP9 protein levels are associated with epithelial dysplasia grading. <i>Pathology Research and Practice</i> , 2014 , 210, 959-64	3.4	13
41	Analysis of the normative conditions of oral health, depression and serotonin-transporter-linked promoter region polymorphisms in an elderly population. <i>Geriatrics and Gerontology International</i> , 2013 , 13, 98-106	2.9	14
40	High HIF-1 α expression genotypes in oral lichen planus. <i>Clinical Oral Investigations</i> , 2013 , 17, 2011-5	4.2	13
39	Diet composition modulates expression of sirtuins and renin-angiotensin system components in adipose tissue. <i>Obesity</i> , 2013 , 21, 1830-5	8	8
38	Th1 and Th2-like protein balance in human inflammatory radicular cysts and periapical granulomas. <i>Journal of Endodontics</i> , 2013 , 39, 453-5	4.7	16
37	Immunohistochemical analysis of TIMP-3 and MMP-9 in actinic keratosis, squamous cell carcinoma of the skin, and basal cell carcinoma. <i>Pathology Research and Practice</i> , 2013 , 209, 705-9	3.4	17
36	Prognostic value of microvessel density and p53 expression on the locoregional metastasis and survival of the patients with head and neck squamous cell carcinoma. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2013 , 21, 444-51	1.9	13
35	Oral formulation of angiotensin-(1-7) improves lipid metabolism and prevents high-fat diet-induced hepatic steatosis and inflammation in mice. <i>Hypertension</i> , 2013 , 62, 324-30	8.5	71
34	Histopathological and immunohistochemical aspects of American cutaneous leishmaniasis before and after different treatments. <i>Anais Brasileiros De Dermatologia</i> , 2013 , 88, 32-40	1.6	9
33	Low expression of MSH2 DNA repair protein is associated with poor prognosis in head and neck squamous cell carcinoma. <i>Journal of Applied Oral Science</i> , 2013 , 21, 416-21	3.3	12
32	A high HIF-1 α expression genotype is associated with poor prognosis of upper aerodigestive tract carcinoma patients. <i>Oral Oncology</i> , 2012 , 48, 130-5	4.4	31
31	Detection and quantification of mast cell, vascular endothelial growth factor, and microvessel density in human inflammatory periapical cysts and granulomas. <i>International Endodontic Journal</i> , 2012 , 45, 859-64	5.4	22

30	Analysis of ECOG performance status in head and neck squamous cell carcinoma patients: association with sociodemographical and clinical factors, and overall survival. <i>Supportive Care in Cancer</i> , 2012 , 20, 2679-85	3.9	24
29	Impact of the epithelial dysplasia grading and Ki67 proliferation index in the adjacent non-malignant mucosa on recurrence and survival in head and neck squamous cell carcinoma. <i>Pathology Research and Practice</i> , 2012 , 208, 651-6	3.4	9
28	Increased circulating angiotensin-(1-7) protects white adipose tissue against development of a proinflammatory state stimulated by a high-fat diet. <i>Regulatory Peptides</i> , 2012 , 178, 64-70		62
27	miR-15a/16-1 influences BCL2 expression in keratocystic odontogenic tumors. <i>Cellular Oncology (Dordrecht)</i> , 2012 , 35, 285-91	7.2	32
26	Plexin-B1 and semaphorin 4D cooperate to promote perineural invasion in a RhoA/ROK-dependent manner. <i>American Journal of Pathology</i> , 2012 , 180, 1232-1242	5.8	38
25	DNMT3B (C46359T) polymorphisms and immunoexpression of DNMT3b and DNMT1 proteins in oral lichen planus. <i>Pathobiology</i> , 2012 , 79, 18-23	3.6	20
24	Immunohistochemical profile of HIF-1 α /VEGF-A, VEGFR2 and MMP9 proteins in tegumentary leishmaniasis. <i>Anais Brasileiros De Dermatologia</i> , 2012 , 87, 709-13	1.6	9
23	Increased miRNA-146a and miRNA-155 expressions in oral lichen planus. <i>Archives of Dermatological Research</i> , 2012 , 304, 371-5	3.3	34
22	DNA repair gene excision repair cross complementing-group 1 (ERCC1) in head and neck squamous cell carcinoma: analysis of methylation and polymorphism (G19007A), protein expression and association with epidemiological and clinicopathological factors. <i>Histopathology</i> , 2012 , 60, 489-96	7.3	11
21	Analysis of socio-demographic and systemic health factors and the normative conditions of oral health care in a population of the Brazilian elderly. <i>Gerodontology</i> , 2012 , 29, e206-14	2.8	22
20	Loss of heterozygosity (LOH) in tumour suppressor genes in benign and malignant mixed odontogenic tumours. <i>Journal of Oral Pathology and Medicine</i> , 2012 , 41, 389-93	3.3	21
19	HPV-16/18 detection does not affect the prognosis of head and neck squamous cell carcinoma in younger and older patients. <i>Oncology Letters</i> , 2012 , 3, 945-949	2.6	14
18	Analysis of p16(CDKN2A) methylation and HPV-16 infection in oral mucosal dysplasia. <i>Pathobiology</i> , 2012 , 79, 94-100	3.6	20
17	Infiltrating CD57+ inflammatory cells in head and neck squamous cell carcinoma: clinicopathological analysis and prognostic significance. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2012 , 20, 285-90	1.9	11
16	Lip squamous cell carcinoma in a Brazilian population: epidemiological study and clinicopathological associations. <i>Medicina Oral, Patologia Oral Y Cirugia Bucal</i> , 2011 , 16, e757-62	2.6	25
15	Immunohistochemical analysis of p53, APE1, hMSH2 and ERCC1 proteins in actinic cheilitis and lip squamous cell carcinoma. <i>Histopathology</i> , 2011 , 58, 352-60	7.3	27
14	Association of -308 TNF- α promoter polymorphism with clinical aggressiveness in patients with head and neck squamous cell carcinoma. <i>Oral Oncology</i> , 2011 , 47, 888-94	4.4	25
13	No association between periodontal disease and GHQ-12 in a Brazilian Police population. <i>Medicina Oral, Patologia Oral Y Cirugia Bucal</i> , 2011 , e857-e863	2.6	7

12	Association of mast cell, eosinophil leucocyte and microvessel densities in actinic cheilitis and lip squamous cell carcinoma. <i>Histopathology</i> , 2010 , 57, 796-805	7.3	13
11	Analysis of 724 cases of primary head and neck squamous cell carcinoma (HNSCC) with a focus on young patients and p53 immunolocalization. <i>Oral Oncology</i> , 2009 , 45, 777-82	4.4	41
10	The effects of low-level light emitting diode on the repair process of Achilles tendon therapy in rats. <i>Lasers in Medical Science</i> , 2009 , 24, 659-65	3.1	42
9	Ameloblastic fibro-odontoma: a conservative surgical approach. <i>Medicina Oral, Patologia Oral Y Cirugia Bucal</i> , 2009 , 14, e654-7	2.6	8
8	White sponge nevus: report of a three-generation family. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2007 , 103, 43-7		23
7	Asymptomatic expansile lesion of the posterior mandible. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2007 , 103, 4-7		9
6	Peripheral odontogenic fibroma (WHO type) of the newborn: a case report. <i>International Journal of Paediatric Dentistry</i> , 2006 , 16, 376-9	3.1	11
5	Peripheral ameloblastoma: a case report. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2005 , 99, E31-3		18
4	Dermoid cyst of the floor of the mouth. <i>Scientific World Journal, The</i> , 2003 , 3, 156-62	2.2	17
3	Immunolocalization of the p53 protein in a case of ameloblastic fibrosarcoma. <i>Journal of Oral and Maxillofacial Surgery</i> , 2003 , 61, 256-8	1.8	15
2	Cysticercosis of the oral cavity: report of seven cases. <i>Oral Diseases</i> , 2000 , 6, 253-5	3.5	26
1	Cell proliferation markers in the odontogenic keratocyst: effect of inflammation. <i>Journal of Oral Pathology and Medicine</i> , 2000 , 29, 477-82	3.3	75