List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6566711/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Case Study of the Tensile Fracture Investigation of Additive Manufactured Austenitic Stainless Steels Treated at Cryogenic Conditions. Materials, 2020, 13, 3328. | 2.9 | 28 |
| 2 | Investigations on Different Processing Conditions on Soft Magnetic Composite Material Behavior at Low Frequency. IEEE Transactions on Industry Applications, 2012, 48, 1335-1343. | 4.9 | 24 |
| 3 | Coated Metal Powders for Laser Powder Bed Fusion (L-PBF) Processing: A Review. Metals, 2021, 11, 1831. | 2.3 | 24 |
| 4 | Overview of HSS Steel Grades Development and Study of Reheating Condition Effects on Austenite Grain Size Changes. Materials, 2021, 14, 1988. | 2.9 | 23 |
| 5 | Industrial processing, microstructures and mechanical properties of Fe–(2–4)Mn (–0.85Mo)–(0.3–0.7)C sintered steels. Powder Metallurgy, 2004, 47, 180-189. | 1.7 | 22 |
| 6 | LASER POWDER BED FUSION OF ALUMINUM ALLOYS. Acta Metallurgica Slovaca, 2017, 23, 276-282. | 0.7 | 22 |
| 7 | Recent Advances in Multi-Functional Coatings for Soft Magnetic Composites. Materials, 2021, 14, 6844. | 2.9 | 22 |
| 8 | Derivation, testing and application of a practical compaction equation for cold die-compacted metal powders. Powder Technology, 2017, 322, 447-460. | 4.2 | 21 |
| 9 | Influence of ECAP-Back Pressure on the Porosity Distribution. Acta Physica Polonica A, 2010, 117, 864-868. | 0.5 | 18 |
| 10 | Effect of High-temperature Sintering and Severe Plastic Deformation on the Porosity Distribution. High Temperature Materials and Processes, 2009, 28, 337-342. | 1.4 | 17 |
| 11 | Different Formation Routes of Pore Structure in Aluminum Powder Metallurgy Alloy. Materials, 2019, 12, 3724. | 2.9 | 15 |
| 12 | Influence of cryorolling on properties of L-PBF 316l stainless steel tested at 298K and 77K. Acta Metallurgica Slovaca, 2019, 25, 283-290. | 0.7 | 15 |
| 13 | Application of Workability Test to Spd Processing. Archives of Metallurgy and Materials, 2013, 58, 407-412. | 0.6 | 14 |
| 14 | The Effects of Chemical Composition on Soft Magnetic Materials Behaviour. Acta Physica Polonica A, 2010, 118, 802-803. | 0.5 | 14 |
| 15 | Effect of Various Processing Conditions on the Tensile Properties and Structural Developments of EN AW 2014 Aluminium Alloy. High Temperature Materials and Processes, 2008, 27, 203-207. | 1.4 | 13 |
| 16 | EVALUATION OF HIGHT PURITY ALUMINIUM AFTER ASYMMETRIC ROLLING AT AMBIENT AND CRYOGENIC TEMPERATURES. Acta Metallurgica Slovaca, 2017, 23, 99-104. | 0.7 | 13 |
| 17 | Wear Mechanism of Chromium Pre-Alloyed Sintered Steel. High Temperature Materials and Processes, 2009, 28, 175-180. | 1.4 | 11 |
| 18 | The Porosity Evaluation during ECAP in Aluminium PM Alloy. Acta Physica Polonica A, 2012, 122, 553-556. | 0.5 | 11 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | ALUMINIUM ALLOY ADDITION EFFECTS ON THE BEHAVIOUR OF SOFT MAGNETIC MATERIALS AT LOW FREQUENCIES. Acta Metallurgica Slovaca, 2014, 20, 271-278. | 0.7 | 11 |
| 20 | MECHANICAL PROPERTIES AND POROSITY OF Ti-6Al-4V ALLOY PREPARED BY AM TECHNOLOGY. MM Science Journal, 2017, 2017, 1752-1755. | 0.4 | 9 |
| 21 | Stainless Steels Sintered Form the Mixture of Prealloyed Stainless Steel and Alloying Element Powders. Materials Science Forum, 2011, 672, 165-170. | 0.3 | 8 |
| 22 | Influence of Processing Conditions on Properties of AISI 316LN Steel Grade. Journal of Materials Engineering and Performance, 2020, 29, 1509-1514. | 2.5 | 8 |
| 23 | Effect of the Temperature on the Magnetic and Energetic Properties of Soft Magnetic Composite Materials. Energies, 2021, 14, 4400. | 3.1 | 8 |
| 24 | Correlation between Microstructure/Fracture Surfaces and Material Properties. Acta Physica Polonica A, 2012, 122, 548-552. | 0.5 | 8 |
| 25 | Microstructure evolution in Fe–Mn–C during step sintering. Powder Metallurgy, 2010, 53, 244-250. | 1.7 | 7 |
| 26 | Innovative Densification Process of a Fe-Cr-C Powder Metallurgy Steel. Metals, 2021, 11, 665. | 2.3 | 7 |
| 27 | VARIOUS POSSIBILITIES OF THE HOT EXTRUSION IN ALUMINUM CHIPS PROCESSING. Acta Metallurgica Slovaca, 2014, 20, 302-308. | 0.7 | 7 |
| 28 | Identification of the Critical Pore Sizes in Sintered and Ecaped Aluminium 6XXX Alloy. Archives of Metallurgy and Materials, 2013, 58, 371-375. | 0.6 | 6 |
| 29 | Innovative Soft Magnetic Composite Materials: Evaluation of magnetic and mechanical properties. Open Engineering, 2018, 8, 368-372. | 1.6 | 6 |
| 30 | The mechanical properties of OFHC copper and CuCrZr alloys after asymmetric rolling at ambient and cryogenic temperatures. Open Engineering, 2018, 8, 426-431. | 1.6 | 6 |
| 31 | Junction Characterization in a Functionally Graded Aluminum Part. Materials, 2019, 12, 3475. | 2.9 | 6 |
| 32 | MECHANICAL PROPERTIES OF POWDER CoCrW-ALLOY PREPARED BY AM TECHNOLOGY. MM Science Journal, 2016, 2016, 1586-1589. | 0.4 | 6 |
| 33 | New lines of investigation on the effects of processing conditions on soft magnetic composite materials behaviour for electromagnetic applications. , 2010, , . | | 5 |
| 34 | The Production of Cracks Evolution in Continuously Cast Steel Slab. High Temperature Materials and Processes, 2011, 30, . | 1.4 | 5 |
| 35 | Effect of Different Vacuum Heat Treatments on the Microstructure of a Low Alloyed Sintered Steel. Materials Science Forum, 0, 672, 293-296. | 0.3 | 5 |
| 36 | Improvement of Mechanical Properties of Fe-Cr-Mo-[Cu-Ni]-C Sintered Sintered Steels by Sinter Hardening. Materials Science Forum, 2011, 672, 31-38. | 0.3 | 5 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Influence of Annealing Conditions on Structural Development of Cryo Rolled FeSi Steel. Acta Physica Polonica A, 2014, 126, 184-185. | 0.5 | 5 |
| 38 | New Approach In The Properties Evaluation Of Ultrafine-Grained OFHC Copper. Archives of Metallurgy and Materials, 2015, 60, 605-614. | 0.6 | 5 |
| 39 | Dry sliding wear behaviour of low alloyed sintered steels in relation to microstructure and fracture behaviour. Powder Metallurgy, 2016, 59, 121-127. | 1.7 | 5 |
| 40 | EFFECT OF GRANULOMETRY AND OXYGEN CONTENT ON SMC MAGNETIC PROPERTIES. Acta Metallurgica Slovaca, 2017, 23, 356-362. | 0.7 | 5 |
| 41 | Wear Resistance of Fe (Cr-Mo)- [0-2%Cu]- 0.65% C Sintered Steels: Improvement of the Characteristics Using High Temperature and Fast Cooling. High Temperature Materials and Processes, 2008, 27, . | 1.4 | 4 |
| 42 | HOT COMPRESSION TEST OF 9 Cr-1 Mo STEEL – NUMERICAL SIMULATION. Acta Metallurgica Slovaca, 2016, 22, 102. | 0.7 | 4 |
| 43 | Wear Characteristics of Vacuum Sintered Steels. Materials Science Forum, 2011, 672, 17-22. | 0.3 | 3 |
| 44 | Response of the Cr-alloyed PM Steels on Vacuum Sintering and Heat Treatment. High Temperature Materials and Processes, 2013, 32, 467-473. | 1.4 | 3 |
| 45 | The Influence of Thermo-Plastic Processes on Materials Recovery. Materials Science Forum, 0, 782, 379-383. | 0.3 | 3 |
| 46 | A COMPACTING PROCESS OF THE EN AW 6060 ALLOY. Acta Polytechnica, 2015, 55, 301. | 0.6 | 3 |
| 47 | The Effect of Cryo-Rolling and Annealing on Magnetic Properties in Non-Oriented Electrical Steel. Acta Physica Polonica A, 2017, 131, 1105-1107. | 0.5 | 3 |
| 48 | Investigation of Fracture Surfaces of Soft Magnetic Materials. Acta Physica Polonica A, 2010, 118, 800-801. | 0.5 | 3 |
| 49 | ANALYSIS OF METALLIC MATERIALS FOR ITER WITH THE EMPHASIS ON COPPER ALLOYS. Acta Metallurgica Slovaca, 2014, 20, 397-404. | 0.7 | 3 |
| 50 | Effect of ECAP on the Dimensional and Morphological Characteristics of High Performance Aluminium PM Alloy. Materials Science Forum, 2010, 667-669, 535-540. | 0.3 | 2 |
| 51 | Wear Characteristics of Sintered Cermets. High Temperature Materials and Processes, 2012, 31, . | 1.4 | 2 |
| 52 | Analysis of the Fracture Surfaces of New Development Insulated Iron Powder Compounds. Acta Physica Polonica A, 2014, 126, 154-155. | 0.5 | 2 |
| 53 | Microstructure, Fracture and Mechanical Properties of ECAPed Aluminum P/M Alloy with Respect to the Porosity. Materials Science Forum, 0, 783-786, 108-113. | 0.3 | 2 |
| 54 | Interparticle Neck Connections in Innovative Insulated Iron Powder Compounds. Acta Physica Polonica A, 2015, 128, 647-651. | 0.5 | 2 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | EVALUATION OF FORMABILITY OF THIN SHEETS BASED ON Al-Mg-Si FOR AUTOMOTIVE INDUSTRY. Acta Metallurgica Slovaca, 2015, 21, 176-183. | 0.7 | 2 |
| 56 | Formability Evaluation of Aluminium Alloys by FLD Diagrams. Acta Physica Polonica A, 2017, 131, 1344-1347. | 0.5 | 2 |
| 57 | Experimental and Numerical Thickness Analysis of TRIP Steel under Various Degrees of Deformation in Bulge Test. Materials, 2022, 15, 2299. | 2.9 | 2 |
| 58 | Wear of TiCN Coated Sintered Fe-1.5Cr-0.2Mo-0.7C Steels. Key Engineering Materials, 0, 409, 390-393. | 0.4 | 1 |
| 59 | Apparent Activation Energy for High-Temperature Deformation of EN AW 2014. High Temperature Materials and Processes, 2009, 28, 315-322. | 1.4 | 1 |
| 60 | The Compressibility Behaviour of a New Generation of Coated Metal/Ceramic Composite Powders. Key Engineering Materials, 0, 409, 362-364. | 0.4 | 1 |
| 61 | Influence of ECAP on Densification Behaviour in the PM Aluminium Al-Mg-Si-Cu-Fe Alloy. Journal of Electrical Engineering, 2010, 61, 308-310. | 0.7 | 1 |
| 62 | Effect of Severe Plastic Deformation on the Characteristics of a PM Aluminum Alloy. Advanced Materials Research, 0, 189-193, 2838-2841. | 0.3 | 1 |
| 63 | Analysis of Densification Process and Structure of PM Al-Mg-Si-Cu-Fe and Al-Zn-Mg-Cu-Sn Alloys. Archives of Metallurgy and Materials, 2014, 59, 17-23. | 0.6 | 1 |
| 64 | The Study of Local Effect of Manganese on Microstructure Development of Admixed Fe-Mn-C Sintered Steels. High Temperature Materials and Processes, 2016, 35, 865-870. | 1.4 | 1 |
| 65 | Evaluation of the Material Properties of the Ti and CoCr Alloys Prepared by Laser Powder Bed Fusion. Materials Science Forum, 0, 985, 223-228. | 0.3 | 1 |
| 66 | Mechanical and Structural Properties of High Purity Al Processed by ECAP. Acta Physica Polonica A, 2012, 122, 557-560. | 0.5 | 1 |
| 67 | Hot Compression Test of Heat Resistant Steel. Acta Physica Polonica A, 2017, 131, 1340-1344. | 0.5 | 1 |
| 68 | Microdeformation Processes in Soft Magnetic Compounds. Acta Physica Polonica A, 2017, 131, 1367-1371. | 0.5 | 1 |
| 69 | EXTRUSION OF SHORT ALUMINIUM BILLETS - SIMULATION AND SEMI-PILOT TEST. Acta Metallurgica Slovaca, 2015, 21, 164-170. | 0.7 | 1 |
| 70 | KOSICE SELF-GOVERNING REGION AND THEIR INTERNATIONAL COOPERATION IN THE AREAS OF THE SPACE INDUSTRY AND AVIATION. Acta Metallurgica Slovaca, 2020, 26, 138-140. | 0.7 | 1 |
| 71 | MECHANICAL PROPERTIES LASER WELDING AUTOMOTIVE STEEL SHEETS. Acta Metallurgica Slovaca, 2015, 21, 195. | 0.7 | 1 |
| 72 | Porosity Behaviour of Insulated Iron Powder Compounds. Acta Physica Polonica A, 2017, 131, 1384-1387. | 0.5 | 1 |

ROBERT BIDULSKY

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | MIG and TIG Joining of AA1070 Aluminium Sheets with Different Surface Preparations. Materials, 2022, 15, 412. | 2.9 | 1 |
| 74 | WEAR CHARACTERISTICS OF Cu OFHC MATERIAL PREPARED BY ORBITAL FORGING AND ECAP. International Journal of Modern Physics B, 2010, 24, 797-804. | 2.0 | 0 |
| 75 | Study of Different Vacuum Heat Treatments on the Strength of a Low Alloyed Sintered Steel. High Temperature Materials and Processes, 2011, 30, . | 1.4 | Ο |
| 76 | Role of Microstructure Discontinuities in the Soft Magnetic Composites with Aluminium Alloy Addition. Archives of Metallurgy and Materials, 2013, 58, 365-370. | 0.6 | 0 |
| 77 | Sliding Wear of TiCN PVD Coated Prealloyed Chromium Sintered Steel. High Temperature Materials and Processes, 2014, . | 1.4 | 0 |
| 78 | A New Approach to Heat Treatment of High-Strength Powder Steels. Metal Science and Heat Treatment, 2017, 58, 734-737. | 0.6 | 0 |
| 79 | Investigation of the Ultrafine-Grained Structure Formation under Different Strain Rates. Archives of Metallurgy and Materials, 2017, 62, 851-856. | 0.6 | 0 |
| 80 | Study of the High-Temperature Behaviour of Aluminium Alloy En Aw 2014. Archives of Metallurgy and Materials, 2011, 56, . | 0.6 | 0 |